

Requirement Analysis


Data Flow Diagram & User Stories

Date	03 October 2026
Team ID	SWTID-2026-5823
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

Data Flow Diagrams:

The DFD below is derived from the actual project workflow in the supplied resource: the administrator creates the user, roles and table; records are created with Branch values; the user requests access; and ServiceNow ACL rules evaluate the request.

Project-Specific DFD - Script-Controlled ACL



Administrator configures users, roles, records and ACL rules; users request access and the ACL engine decides.

User Stories

The table follows the supplied sample's User Story structure while using only requirements supported by the Script-Controlled ACL resource.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Administrator	Creation of Users and Roles	USN-1	As an administrator, I can create the test user EEE User.	EEE User is created with the specified user details.	High	Sprint-1
Administrator	Creation of Users and Roles	USN-2	As an administrator, I can create roles bb1, bb2, bb3 and bb4.	All four roles are created.	High	Sprint-1
Administrator	Creation of Users and Roles	USN-3	As an administrator, I can assign bb1, bb2, bb3 and bb4 to EEE User.	All four roles are assigned to EEE User.	High	Sprint-1
Administrator	Tables Creation	USN-4	As an administrator, I can create the Institution Details table as u_institution_details.	The custom table is created successfully.	High	Sprint-1
Administrator	Tables Creation	USN-5	As an administrator, I can add the specified fields and create records with ECE, EEE and CSE Branch values.	The fields exist and records with the specified Branch choices can be created.	High	Sprint-1
Administrator	Read ACL	USN-6	As an administrator, I can configure an active advanced Read ACL for u_institution_details.	The ACL has Read operation, bb1 role, Branch is EEE condition and the supplied script.	High	Sprint-2
EEE User	Read ACL	USN-7	As a user with bb1, I can view EEE branch records.	The bb1 user can view only EEE branch records.	High	Sprint-2
User without bb1	Read ACL	USN-8	As a user without the required role, I cannot view the protected records.	The user cannot view the records.	High	Sprint-2
Administrator	Read ACL	USN-9	As an administrator, I can view all records regardless of Branch.	The administrator can view all records regardless of Branch.	High	Sprint-2

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
User with bb1 & bb2	Create ACL	USN-10	As a user with bb1 and bb2, I can access the New button for the protected table.	The New button is available and the user can create a record.	High	Sprint-2
User with bb1, bb2 & bb3	Write ACL	USN-11	As a user with bb1, bb2 and bb3, I can view and edit EEE branch records.	The user can view and edit EEE branch records and has the New button.	High	Sprint-3
User with bb1, bb2, bb3 & bb4	Delete ACL	USN-12	As a user with all four roles, I can see, create, edit and delete EEE branch records.	The user can see, create, edit and delete EEE branch records.	High	Sprint-3