

Widgets Starting

Text

1. data

This is the **actual text** you want to display.

```
Text('Hello Flutter');
```

It is a required positional parameter (unless you use `Text.rich`).

2. style

The `style` property lets you control the **appearance of text**, such as color, size, font weight, and font family. It uses the `TextStyle` class.

```
Text(  
  'Welcome',  
  style: TextStyle(  
    fontSize: 20,  
    fontWeight: FontWeight.bold,  
    color: Colors.blue,  
  
  ),  
);
```

Common `TextStyle` options:

- `fontSize`
- `fontWeight`
- `color`
- `fontStyle`
- `letterSpacing`

- `wordSpacing`
 - `backgroundColor`
-

3. `textAlign`

This property defines **how the text is aligned horizontally** within its space.

```
Text(  
  'Flutter is awesome',  
  textAlign: TextAlign.center,  
);
```

Possible values:

- `TextAlign.left`
 - `TextAlign.right`
 - `TextAlign.center`
 - `TextAlign.justify`
 - `TextAlign.start`
 - `TextAlign.end`
-

4. `maxLines`

Controls the **maximum number of lines** the text can occupy.

```
Text(  
  'This is a long text example',  
  maxLines: 2,  
);
```

Useful when you want to avoid text taking too much space.

Image Widget:

`Image.network` comes with several important properties that help you control **loading, sizing, fitting, caching, and error handling** of images loaded from the internet.

1. `src` (image URL)

The image URL (first parameter). This is **required**.

```
Image.network('https://picsum.photos/200/300')
```

2. `width` and `height`

Control the size of the image.

```
Image.network(  
  'https://picsum.photos/200/300',  
  width: 120,  
  height: 120,  
)
```

3. `fit`

Defines **how the image fits** inside its box.

Common values:

- `BoxFit.cover` – fills the box (may crop)
- `BoxFit.contain` – shows full image
- `BoxFit.fill` – stretches image
- `BoxFit.none` – original size

```
Image.network(  
  'https://example.com/image.jpg',  
  fit: BoxFit.cover,  
)
```

4. **errorBuilder**

Used when the image **fails to load** (wrong URL, no internet).

```
Image.network(  
  'https://example.com/image.jpg',  
  errorBuilder: (context, error, stackTrace) {  
    return const Icon(Icons.error);  
  },  
)
```

5. **alignment**

Controls image position inside its container.

```
Image.network(  
  'https://example.com/image.jpg',  
  alignment: Alignment.center,  
)
```

Common values:

- `Alignment.center`
- `Alignment.topLeft`
- `Alignment.bottomRight`

8. **repeat**

Repeats the image if it doesn't fill the space.

```
Image.network(  
  'https://example.com/pattern.png',  
  repeat: ImageRepeat.repeat,  
)
```

Options:

- noRepeat
- repeat
- repeatX
- repeatY

12. Text.rich()

Used when you want **multiple styles in the same text**.

```
Text.rich(  
  TextSpan(  
    text: 'Hello ',  
    children: [  
      TextSpan(  
        text: 'Flutter',  
        style: TextStyle(fontWeight: FontWeight.bold),  
      ),  
    ],  
  ),  
);
```

```
body: Container(  
  width: double.infinity,  
  alignment: Alignment.centerRight,  
  child: Text(  
    "Ram _____",  
    style: TextStyle(  
      backgroundColor: Colors.deepPurple,  
      color: Colors.white,  
      fontSize: 30,  
    ),  
  ),  
),
```