

# PRODUCT CATALOG 2018



# SOUTHLAND TOOL MFG. INC.

# **Southland Tool Mfg. Inc.**

## **SEWER EQUIPMENT GUIDE**



### **PUMA Manhole Extraction Equipment**

Debris Baskets, Grit Catchers	Page 1
Sewer Scoops, Choppers, Hose Grabbers, Pronged Grabbers, Spoons, Shovels	Page 2,3,4
Fiberglass Poles Sets	Page 5
Telescopic Grabbers, Steel Grabbers and Fiberglass Aluminum Poles Sets, Handi-Clams	Page 6,7

### **Jet & Vacuum Tools**

Jetting and Vacuum Machine Accessories, Hose Guides, Rollers	Page 8,9
Hydro-Excavation Tools, Drop Manhole Bridge, Vac-Traps, Crowns,	Page 10,11,12
Industrial Vacuum Equipment	Page 13,14
Hydraulic Root Cutter, Motors, Skids, Kits	Page 15,16,17,18
Diamond Tap Cutters, Arrow Cutters, PVC Cutters, Special Saws, Carbide Saws	Page 19
Nozzle Extensions Finned, 6 Wire Skid, 4 Wire Skid, Football Style, Proofers	Page 20,21

### **Sewer Rodding Tools & Accessories**

Sectional Sewer Rods	Page 22
Rodding Tools, Accessories	Page 23
Rod Cleaning Tools, Corkscrews, Augers	Page 24
Saws For Rodding	Page 25
Saw Blades Only, Concave, Flat, Spiral	Page 26
Porcupines, Brushes, 3 Blade Cutters	Page 27
Power Drive Rod Turning Machine, Manhole Guides Set Up, Carry All Trailer	Page 28
Continuous Rods Guide Tools and Accessories	Page 29
Continuous Rod, Loading Rack, Rods and Tool Adapters	Page 30
No. 5 Plumbing Rods and Tools	Page 31
"B" Rods And Tools, Coiled Spring Items, Miscellaneous Items	Page 32
Manhole Hooks, Sand Traps, Insert Nozzle Guide, Magnet	Page 33

# SOUTHLAND TOOL MFG. INC.

*Innovative Tools for Municipalities*



## PUMA TOOLS

### DEBRIS BASKETS, CATCHERS, SCOOPS, GRABBERS

#### FLAT TRAPS FOR SKIMMING ALONG FLAT AREAS

FT-6	6"	FLAT TRAP BASKET 6" WIDE X 6" HIGH
FT-8	8"	FLAT TRAP BASKET 8" WIDE X 6" HIGH
FT-10	10"	FLAT TRAP BASKET 10" WIDE X 6" HIGH
FT-12	12"	FLAT TRAP BASKET 12" WIDE X 8" HIGH
FT-15	15"	FLAT TRAP BASKET 15" WIDE X 8" HIGH



#### DEBRIS BASKETS TO USE WITH FIBERGLASS POLE

DB-6	6"	DEBRIS BASKET 6" FOR FIBERGLASS POLES
DB-8	8"	DEBRIS BASKET 8" FOR FIBERGLASS POLES
DB-10	10"	DEBRIS BASKET 10" FOR FIBERGLASS POLES
DB-12	12"	DEBRIS BASKET 12" FOR FIBERGLASS POLES
DB-15	15"	DEBRIS BASKET 15" FOR FIBERGLASS POLES
DB-18	18"	DEBRIS BASKET 18" FOR FIBERGLASS POLES
DB-24	24"	DEBRIS BASKET 19" FOR FIBERGLASS POLES



#### DEBRIS GRIT CATCHERS TO USE WITH FIBERGLASS POLES

DB-6S	6"	DEBRIS GRIT CATCHER 6" FOR FIBERGLASS POLES
DB-8S	8"	DEBRIS GRIT CATCHER 8" FOR FIBERGLASS POLES
DB-10S	10"	DEBRIS GRIT CATCHER 10" FOR FIBERGLASS POLES
DB-12S	12"	DEBRIS GRIT CATCHER 12" FOR FIBERGLASS POLES
DB-15S	15"	DEBRIS GRIT CATCHER 15" FOR FIBERGLASS POLES
DB-18S	18"	DEBRIS GRIT CATCHER 18" FOR FIBERGLASS POLES
DB-24S	24"	DEBRIS GRIT CATCHER 19" FOR FIBERGLASS POLES

\*\*\*Includes Solid Half Bottom And Back To Catch The Grit\*\*\*



#### DEBRIS BASKET WITH 25' ROPE

DBR-6	6"	DEBRIS BASKET 6" WITH ROPE
DBR-8	8"	DEBRIS BASKET 8" WITH ROPE
DBR-10	10"	DEBRIS BASKET 10" WITH ROPE
DBR-12	12"	DEBRIS BASKET 12" WITH ROPE
DBR-15	15"	DEBRIS BASKET 15" WITH ROPE
DBR-18	18"	DEBRIS BASKET 18" WITH ROPE
DBR-24	24"	DEBRIS BASKET 19" WITH ROPE



#### DEBRIS GRIT CATCHER WITH 25' ROPE

DBR-6S	6"	DEBRIS GRIT CATCHER 6" WITH ROPE
DBR-8S	8"	DEBRIS GRIT CATCHER 8" WITH ROPE
DBR-10S	10"	DEBRIS GRIT CATCHER 10" WITH ROPE
DBR-12S	12"	DEBRIS GRIT CATCHER 12" WITH ROPE
DBR-15S	15"	DEBRIS GRIT CATCHER 15" WITH ROPE
DBR-18S	18"	DEBRIS GRIT CATCHER 18" WITH ROPE
DBR-24S	24"	DEBRIS GRIT CATCHER 24" WITH ROPE

\*\*\*Includes Solid Half Bottom And Back To Catch The Grit\*\*\*



#### DEBRIS CYLINDER

DC-6	6"	DEBRIS CYLINDER FOR 6" PIPE
DC-8	8"	DEBRIS CYLINDER FOR 8" PIPE
DC-10	10"	DEBRIS CYLINDER FOR 10" PIPE
DC-12	12"	DEBRIS CYLINDER FOR 12" PIPE



FA-1 DEBRIS BASKET POLE ADAPTER



All tools come standard with Quick-Connect Male Ends. Threaded ends for our Threaded poles available  
(Add "T" to end of part #)

## **ALUMINUM DEBRIS TRAPS, LIGHT AND NON-CORROSIVE ALUMINUM**

ADT-6	6"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-8	8"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-10	10"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-12	12"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-15	15"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-18	18"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES



## **SCOOPAS-STRONG HEAVY DUTY MADE TO FIT IN SEWER INVERT TO CATCH DEBRIS, ZINC PLATED**

SC-4	4"	SCOOPA FOR FIBERGLASS POLES
SC-6	6"	SCOOPA FOR FIBERGLASS POLES
SC-8	8"	SCOOPA FOR FIBERGLASS POLES
SC-10	10"	SCOOPA FOR FIBERGLASS POLES
SC-12	12"	SCOOPA FOR FIBERGLASS POLES



## **SCOOPA SCREENS KEEPS DEBRIS FLOW FROM SPILLING OVER BACK OF TOOL. GOOD FOR CATCHING ROOTS. ZINC PLATED**

SCCS-6	6"	SCOOPA SCREEN FOR FIBERGLASS POLES
SCCS-8	8"	SCOOPA SCREEN FOR FIBERGLASS POLES
SCCS-10	10"	SCOOPA SCREEN FOR FIBERGLASS POLES
SCCS-12	12"	SCOOPA SCREEN FOR FIBERGLASS POLES



## **CHOPPER**

LC-9	6"	CURVED CHOPPER FOR FIBERGLASS POLES. GREASE LOG CHOPPER NOW WITH CURVED SIDE TO BETTER PUSH MATERIAL. THESE CHOPPER ARE VERY SHARP AND CAN CHOP UP WOOD AND GREASE OR MUD OR ANYTHING YOU WANT. ZINC PLATED
------	----	---



## **SEWER HOSE GRABBERS**

HG-1	8" WIDE	IMPROVED HOSE GRABBER FOR FIBERGLASS POLES. ANGLE ENDS TO ALLOW EASY ENTRY FOR HOSE. THIS TOOL IS GREAT FOR PUSHING DOWN ON THE HOSE AS THE NOZZLE COMES OUT OF LINE. KEEPS IT HORIZONTAL. 1/4" THICK STEEL. ZINC PLATED.
------	---------	---



SHT-1	7" WIDE	OPPOSITE HOSE GRABBER, OPPOSING C HOOKS GRAB HOSE IN MIDDLE AND TWIST FOR EASY GRABBING. ALLOWS YOU TO MOVE THE HOSE FROM SIDE TO SIDE OR PUSH ON IT IN ANY DIRECTION. MADE OF STRONG 3/8" SPRING STEEL. ZINC PLATED
-------	---------	--



*All tools available with threaded ends for our poles  
(Add "T" to end of part #)*

## DEBRIS GRABBERS, HOOKS, CLAWS, SHOVELS, SPOONS, MAGNETS

### 4 PRONGED DEBRIS GRABBER

4PG-1      8" WIDE 4 PRONGED DEBRIS GRABBER – PULLS OUT ROOTS, ROCKS, CANS AND OTHER DEBRIS FROM MANHOLE. ZINC PLATED



### 3 PRONGED DEBRIS GRABBER

3PG-1      6" WIDE 3 PRONGED DEBRIS GRABBER. SAME AS ABOVE BUT 3 PRONGS.  
EACH PRONG IS MADE OF STRONG SPRING STEEL. THESE ARE SHARP AND WILL PUNCTURE A CAN OR GRAB FIBROUS ROOTS. ZINC PLATED



### BITZ RAKE

BITZ-R      12" LONG BITZ RAKE. GREAT FOR GETTING MATERIAL OUT OF INVERT AND CAN BE INSERTED INTO PIPE FOR CATCHING HANGING MATERIAL. ZINC PLATED



### GRABBER CLAW

CRW-1      CLAW FOR ATTACHING TO POLES. INCLUDES CLAW, ROPE, PVC STAY, ONE-WAY CLEAT, HARDWARE AND ALL YOU NEED TO CONNECT TO OUR FIBERGLASS POLES. EXTENDS TO 24' OR MORE DEPENDING ON THE LENGTH YOU NEED. JUST ADD MORE POLES



### RAKES

SR3-1      3 PRONGED 90° RAKE. GREAT FOR GRABBING ROOTS FROM SEWER OR STORM DRAINS. FITS OUR FIBERGLASS POLES AND IS MADE OF HARD SPRING STEEL WITH SHARPENED, POINTED ENDS. ZINC DIPPED FOR CORROSION RESISTANCE.



### SPOONS

PS-1      9" DIA      ROUNDED CATCH BASIN SPOON. CONNECTS TO ALL OUR POLES  
THIS IS A 9" DIAMETER STEEL SPOON THAT WILL SCOOP OUT LARGER AMOUNTS OF MUD AND DEBRIS. FITS ANY LENGTHS OF FIBERGLASS POLES. ALSO USED ON OUR WOOD HANDLED SEWER SPOONS. ZINC PLATED



WSS-1      9" DIA      WESTERN STYLE SPOONS ARE GREAT WITH NICE STRONG BENT ANGLED FLAT PART AND TURNED UP EDGES THAT IS IDEAL FOR CLEANING OUT THOSE HARD TO GET AT AREAS. ZINC PLATED.

ALSO USED ON OUR WOOD HANDLE SPOONS. SEE PAGE 7.



### HOOK

GH-1      GRAPPLING HOOK WITH 25' OF POLY ROPE, 3 PRONGS. GOOD FOR RETRIEVING LARGE DEBRIS OR SCALING FORTRESS WALLS.  
MADE OF 3/8" DIA. SPRING STEEL THAT WILL HOLD UP TO THE JOB. LIFT OVER 200 LBS. ZINC DIPPED FOR CORROSION RESISTANCE



**All tools come standard with Quick-Connect Ends. Threaded ends for our poles available  
(Add "T" to end of part #)**

## CAMERA HOOKS

- CAM-1           CAMERA GAFFING HOOK. TESTED TO 200 LBS (LEFT)  
CAM-2           SMALL DIAMETER CAMERA GAFFING HOOK 3" (RIGHT)  
MADE OF STRONG SPRING STEEL AND COLD BENT TO THE RIGHT  
HOOK DESIGN. CONNECTS TO OUR FIBERGLASS POLES. RED BALL  
ON END IS REMOVABLE. ZINC PLATED



- SSCAM-1S       2" SIDE TO SIDE CAMERA SWIVEL HOOK. EASY TO TURN TO GET AROUND HARNESS  
OR BRIDAL THIS CAMERA HOOK ARTICULATES SO YOU CAN GET THE HOOK INTO ANY  
POSITION YOU WANT BY MOVING AND TURNING YOUR POLE.



- ECL-1           ENVIROTYPE CAMERA LIFTING HOOK WITH SIDE PICK UP BARS AND POLE ADAPTER THIS WILL  
LIFT YOUR ENVIROSIGHT CAMERA EASILY. NOW YOU CAN HAVE MORE CONTROL WHEN  
GRABBING THIS TYPE OF ROVER CAMERA. ZINC PLATED



## SEWER MAGNET

- SMAG-1          SEWER MAGNET, 100LB CAPACITY, AN OVERALL METAL RETRIEVER. GREAT TOOL FOR  
RETRIEVING THAT LOST TOOL; CAN LIFT VALVE. COVERS-COMES WITH STEEL PROTECTIVE  
PLATE TO PROTECT MAGNET. ZINC PLATED



## SHOVELS

- SIS-1           INVERT SHOVEL ATTACHMENT – ATTACHES TO ALL OUR POLE SYSTEMS,  
GREAT FOR DIGGING, MOVING DEBRIS IN INVERT. NICE ROUNDED SIDE  
MAKE IT PERFECT TO FIT IN AN 8" INVERT. BLACK STEEL



- FS-IT           FLAT SHOVEL ATTACHMENT ATTACHES TO ALL OUR POLE SYSTEMS  
THIS FLAT SHOVEL IS GREAT FOR SCRAPPING WELL SIDES AND CHOPPING UP FLOATING  
DEBRIS. BLACK STEEL



- CS-IT           SPADE ROUNDED SHOVEL FOR USE WITH FIBERGLASS POLES  
GOOD ALL AROUND SHOVEL. WORKS WELL IN AREAS WHERE YOU NEED TO SLICE  
AND PUNCTURE DEBRIS. BLACK STEEL



## PIKE POLE ATTACHMENT

- PP-125          PIKE POLE ATTACHMENT FOR POLES. TOUGH LIKE FIREFIGHTERS  
THE PIKE POLE ATTACHMENT IS MADE OF CAST STEEL. PAINTED BLACK



*All tools come standard with Quick-Connect Ends. Threaded ends for our poles available  
(Add "T" to end of part #)*

## POLE SETS FOR PUMA LINE OF TOOLS

### FIBERGLASS POLES STANDARD WEIGHT ORANGE QUICK CONNECT

STD-3	3'	SINGLE MALE X FEMALE POLE
STD-6	6'	SINGLE MALE X FEMALE POLE
STD-18	18'	SET OF 2 MALE X FEMALE POLE AND ONE RUBBER END POLE
STD-21	21'	SET OF 3 X 6' AND 1 X 3' MALE X FEMALE POLE
STD-24	24'	SET OF 3 MALE X FEMALE POLE AND ONE RUBBER END POLE
STD-6R	6'	SINGLE 6' FEMALE X RUBBER END POLE
STD-12R	12'	SINGLE 12' POLE WITH FEMALE END X RUBBER END POLE



### TELESCOPIC FIBERGLASS POLES

EXT-1	8'-16'	FIBERGLASS EXTENSION POLE 8'-16'
EXT-2	8'-24'	FIBERGLASS EXTENSION POLE 8'-24'
EXT-3	6'-12'	FIBERGLASS EXTENSION POLE 6'-12'



### STEEL REINFORCED FIBERGLASS POLES (SUPER STIFF) QUICK CONNECT

STD-3ST	3'	SINGLE MALE X FEMALE POLE
STD-6ST	6'	SINGLE MALE X FEMALE POLE
STD-21ST	21'	SET OF 3 X 6' AND 1 X 3' MALE X FEMALE POLES
STD-24ST	24'	SET OF 3 MALE X FEMALE POLES AND ONE RUBBER END POLE



### FOAM FILLED POLES FOR EXTRA STRENGTH AND SAFETY QUICK CONNECT

FF-3	3'	SINGLE MALE X FEMALE POLE
FF-6	6'	SINGLE MALE X FEMALE POLE
FF-8	8'	SINGLE 8' MALE AND FEMALE
FF-21	21'	SET OF 3 X 6' AND 1 X 3' MALE X FEMALE POLES
FF-24	24'	SET OF 3 MALE X FEMALE POLES AND ONE RUBBER END POLE
FF-6R	6'	SINGLE 6' FEMALE X RUBBER END POLE



### THREADED ENDS – FIBERGLASS POLES STANDARD WEIGHT ORANGE

STD-3T	3'	SINGLE MALE X FEMALE POLE
STD-6T	6'	SINGLE MALE X FEMALE POLE
STD-18T	18'	SET OF 2 MALE X FEMALE POLES AND ONE END RUBBER POLE
STD-21T	21'	SET OF 3 X 6' AND 1 X 3' MALE X FEMALE POLE
STD-24T	24'	SET OF 3 MALE X FEMALE POLES AND ONE RUBBER END POLE
STD-6RT	6'	SINGLE 6' MALE X RUBBER END POLE
STD-12RT	12'	SINGLE 12' POLE WITH MALE END X RUBBER END
EXT-1T	7'-14'	FIBERGLASS EXTENSION POLE 7'-14'



### THREADED ENDS – STEEL REINFORCED FIBERGLASS POLES (STRONGEST POLE AVAILABLE OUT THERE)

STD-3STT	3'	SINGLE MALE X FEMALE POLE
STD-6STT	6'	SINGLE MALE X FEMALE POLE
STD-18STT	18'	SET OF 2 MALE X FEMALE POLE & 1 POLE MALE X RUBBER END
STD-21STT	21'	SET OF 3 X 6' AND 1 X 3' MALE X FEMALE POLE
STD-24STT	24'	SET OF 3 MALE X FEMALE POLE AND ONE RUBBER END POLE



## THREADED POLES CONT...

### THREADED ENDS – FOAM FILLED POLES FOR EXTRA STRENGTH

FF-6T	6'	SINGLE MALE X FEMALE POLE
FF-3T	3'	SINGLE MALE X FEMALE POLE
FF-24T	24'	SET OF 3 MALE X FEMALE POLES AND ONE RUBBER END POLE
FF-21T	21'	SET OF 3 X 6' AND 1 X 3' MALE X FEMALE POLES
FF-6RT	6'	SINGLE 6' FEMALE X RUBBER END POLE



### ALUMINUM POLE WITH ALUMINUM QUICK CONNECT ENDS

AP-6	6'	ALUMINUM POLE WITH ALUMINUM QUICK CONNECTS ENDS MXF
AP-12	12'	SET OF 2 MALE X FEMALE ALUMINUM POLES, 12' TOTAL
AP-18	18'	SET OF 3 MALE X FEMALE ALUMINUM POLES, 18' TOTAL
AP-24	24'	SET OF 4 MALE X FEMALE ALUMINUM POLES, 24' TOTAL



### CUES® TYPE FIBERGLASS POLE

CTP-5	5'	CUES® TYPE 5' POLE-PUSH BUTTON TYPE
CTP-5FF	5'	CUES® TYPE FOAM FILLED POLE - PUSH BUTTON TYPE

## POLE CARRIERS

SDS-1                    SINGLE SET OF POLE CARRIERS  
HIGH QUALITY CAST DESIGN FOR CARRYING A SINGLE POLE. ONE SIDE IS A CLOSED CIRCLE.

SDS-2                    DUAL SET OF POLE CARRIERS  
WITH RUBBER GASKET TO PROTECT THE POLE. THE OTHER SIDE IS AN OPEN HALF-MOON  
WITH A PULL-TIGHT AND LOCKING RUBBER STRAP TO KEEP POLE/POLES IN PLACE



SINGLE SET



DUAL SET



FBP-4                    FIBERGLASS POLE BRACKET COMES WITH BOTTOM PEGGED REST AND TWO BRACKETS WITH GRIP  
TIGHT STAYS TO KEEP POLES STEADY. ALL ALUMINUM MOUNTS TO BACK DOOR.

## TELESCOPE POLE GRABBERS

GWCT-12	12' LONG GRABBER WITH SPRING LOADED CLAW ACTION TELESCOPIC FIBERGLASS POLE EXTENDS FROM 6'-12'
GWCT-15	15' FIBERGLASS POLE EXTENDS FROM 7'-15'
GWCT-16	16' FIBERGLASS POLE EXTENDS FROM 8'-16'
GWCT-24	24' FIBERGLASS POLE EXTENDS FROM 8'-24'



## STEEL DEBRIS GRABBER


SGP-15	15' LONG STEEL TELESCOPIC GRABBER PRONG EXTENDS FROM 5' TO 15'
SGP-21	21' LONG STEEL TELESCOPIC GRABBER PRONG EXTENDS FROM 7' TO 21'
SGP-24	24' LONG STEEL TELESCOPIC GRABBER PRONG EXTENDS FROM 8' TO 24'



## PUMA GRABBER

The Puma Grabber is a one of a kind tool on the market. It allows you to pick up debris in small confined spaces in catch basins and pits and wet walls and more from the surface level. The lower end has 3 opposing sharpened prongs that are actuated by the top handle. Once you open the prongs, you then can push down on top handle that closes the prongs and grabs. Raising the tool, the weight of the item in the prongs, keeps the prongs closed. Knockdown so it's shipped parcel.

PMA-6S	6' LONG	PUMA GRABBER 6' LONG WITH 8" JAWS (1 PIECE)
PMA-8S	8' LONG	PUMA GRABBER 6' LONG WITH 8" JAWS (1 PIECE)
PMA-10S	10' LONG	PUMA GRABBER 10' LONG WITH 8" JAWS (2 PIECE)
PMA-12S	12' LONG	PUMA GRABBER 12' LONG WITH 8" JAWS (2 PIECE)
PMA-15S	15' LONG	PUMA GRABBER 15' LONG WITH 8" JAWS (3 PIECE)
PMA-18S	18' LONG	PUMA GRABBER 18' LONG WITH 8" JAWS (3 PIECE)
PMA-20S	20' LONG	PUMA GRABBER 20' LONG WITH 8" JAWS (4 PIECE)



### HANDY-CLAMS ONE PIECE OR KNOCKDOWN MODELS - 12" -16" BUCKETS

THE HANDI-CLAM IS ONE OF THE MOST POPULAR TOOLS ON THE MARKET FOR SEWER/CATCH BASIN/PIT CLEANING. THE LOWER END HAS 2 CLAM SHELL SHAPED BUCKETS THAT ARE ACTUATED BY THE TOP HANDLE AND CLOSE TIGHT WHEN YOU LOCK THE HANDLE. THE BIG ADVANTAGE IS THAT WE MAKE THESE KNOCKDOWN MODELS SO YOU DO NOT HAVE TO PAY HIGH TRUCK FREIGHT RATES FOR A HANDY CLAM OVER 8FT LONG. SO WHEN YOU BUY A 12' CLAM IT COMES IN TWO SECTIONS THAT ARE EASILY PUT TOGETHER BY THE ENCLOSED INSTRUCTIONS. PLUS YOU CAN USE THE CLAM AS A 6 FOOTER OR A 12 FOOTER.

SHC-6	6'	HANDY CLAM 6' LONG WITH SMALL 12" BUCKET (ONE PIECE)
SHC-8	8'	HANDY CLAM 8' LONG WITH SMALL 12" BUCKET (TWO PIECE)
SHC-10	10'	HANDY CLAM 10' LONG WITH SMALL 12" BUCKET (TWO PIECE)
SHC-12	12'	HANDY CLAM 12' LONG WITH SMALL 12" BUCKET (TWO PIECE)
SHC-16	16'	HANDY CLAM 16' LONG WITH SMALL 12" BUCKET (THREE PIECE)
SHC-18	18'	HANDY CLAM 18' LONG WITH SMALL 12" BUCKET (THREE PIECE)
SHC-20	20'	HANDY CLAM 20' LONG WITH SMALL 12" BUCKET (FOUR PIECE)
SHC-25	25'	HANDY CLAM 25' LONG WITH SMALL 12" BUCKET (FOUR PIECE)

ALSO AVAILABLE WITH 16" BUCKET. ADD "6" TO PART NUMBER AND THE PRICE IS THE SAME.



THESE CAN BE ORDERED IN A ONE PIECE CONFIGURATION ALSO. (EXPENSIVE TO SHIP OVER 8') AND YOU MUST SPECIFY AT TIME OF ORDER THAT YOU WANT A SINGLE PIECE CLAM. EXTRA PACKING AND SHIPPING CHARGES APPLY FOR TRUCK SHIPMENTS.

### CATCH BASIN SPOON ASSEMBLIES WITH FIBERGLASS POLES

FS-6	6'	CATCH BASIN SPOON WITH ONE 6' FIBERGLASS POLE
FS-12	12'	CATCH BASIN SPOON WITH 12' FIBERGLASS POLES (2 POLES)
FS-18	18'	CATCH BASIN SPOON WITH 18' FIBERGLASS POLES (2 POLES)



### WOOD HANDLE SPOONS

PS-6	6'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (ONE PIECE)
PS-8	8'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (ONE PIECE)
PS-10	10'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (ONE PIECE)
PS-102	10'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (TWO PIECE)
PS-122	12'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (TWO PIECE)
PS-162	16'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (TWO PIECE)
PS-183	18'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (THREE PIECE)
PS-203	20'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (THREE PIECE)



### OSH STYLE "WESTERN PATTERN" WOOD HANDLE SPOONS

PS-60S	6'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (ONE PIECE)
PS-80S	8'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (ONE PIECE)
PS-100S	10'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (ONE PIECE)
PS-1020S	10'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (TWO PIECE)
PS-120S	12'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (ONE PIECE)
PS-1220S	12'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (TWO PIECE)
PS-1620S	16'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (THREE PIECE)
PS-1820S	18'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (TWO PIECE)

## JETTING AND VACUUM TOOLS AND ACCESSORIES


### SEWER HOSE PROTECTION EQUIPMENT

SAMR-1	UPPER MANHOLE ROLLER GUIDE (ALUMINUM) WITH NYLON ROLLER	
SASR-1	UPPER MANHOLE ROLLER GUIDE (STEEL CONSTRUCTION WITH NYLON ROLLER)	
DPTR-1 <b>NEW</b>	UPPER MANHOLE "Y" ROLLER WITH ROOM FOR 8" SUCTION TUBE OPENS UP IN MIDDLE FOR EXTRA ROOM. HINGED SO YOU CAN USE AS CLOSED STANDARD OR OPEN "Y"	
SAMR-48	SAME AS ABOVE BUT WITH 48" LEGS	
SAMA-1	UPPER MANHOLE ROLLER GUIDE (ALUMINUM) ALUMINUM ROLLER	
ADJ-2-S <b>NEW</b>	ADJUSTABLE TOP SAFETY ROLLER. ALL STEEL CONSTRUCTION WITH LATERAL WINGS FOR SAFETY AND TO HOLD POLES CONNECTED TO BOTTOM ROLLER	
SJS-1	TIGER TAIL 3" X 36"	
SJS-2	TIGER TAIL 2" X 36"	
SJS-HD	HEAVY DUTY TIGERTAIL PUMA HOSE GUIDE 3" SMOOTH BORE RUBBER HOSE, STEELS BANDED CUFFS, KING CLAMP ROPE LASTS 10X LONGER THAN STANDARD TIGER TAILS	
SJ2-HD	HEAVY DUTY PUMA HOSE GUIDE 2"	
ADJ-1	ADJUSTABLE TOP MANHOLE ROLLER. Tubular Steel Slide To Manholes From 24" To 36". Opposing Brackets Grab Manhole Ring. 3" GAP WHEN OPENED UP ALLOWS YOU TO INSERT HOSE WITHOUT TAKING APART	
SSC-24 SSC-36	ANTI-SPLASH MANHOLE ROLLER GUIDE FOR 24" ANTI-SPLASH MANHOLE ROLLER GUIDE FOR 36" ALL ALUMINUM CONSTRUCTION WITH NYLON ROLLER AND THICK 3/8" POLYCARBONATE. ELIMINATES POSSIBILITY OF GETTING SPLASHED BY SEWER WATER OR FALLING IN THE MANHOLE OPENING	
LMER-1	LOWER MANHOLE EASEMENT ROLLER. ALLOWS OPERATOR TO CHANGE DIRECTION OF HOSE IN MANHOLE THAT HAS DENIED ACCESS. THIS TOOL/ROLLER ALLOWS YOU TO TURN THE HOSE 90° DELRIN ROLLER SPINS ON 2 SEALED BEARINGS	
SSR-5	STAKE ROLLER FOR HOSE TO GO AROUND BENDS HARDENED POINT AND HEAD. SPADE TO KEEP FROM TURNING	

STR-1	ROLLER FOR CORRUGATED PIPE PROTECTS YOUR HOSE WHEN CLEANING WHEN YOU NEED TO DROP YOUR HOSE OVER AN ELEVATED ROAD TO CLEAN A CULVERT THIS WILL PROTECT YOUR HOSE FROM SCRAPES AND SHREDDING	
GTT-7	TIGER TAIL 5 ROLLER GUIDE. WITH 25' ROPE ALL ALUMINUM LOWERS YOUR HOSE AND NOZZLES INTO SEWER PIPE. PROTECTS HOSE, LIGHTWEIGHT AND EASY TO USE. 5 POLYPROPYLENE ROLLERS	
LCR-5	LOWER CAMERA ROLLER. ALL ALUMINUM WITH 4 OFFSET ROLLERS, 2 REMOVABLE TO FEED CABLE THROUGH. MOVABLE SHOE FOR STANDARD FIBERGLASS POLES OR CUES STYLE PUSH BUTTON POLES	
SDA-2	ARTICULATING ROLLER GUIDE ABLE TO GUIDE HOSE OVER AND UNDER EXPOSED PIPE. BENDS IN THE MIDDLE SO THAT YOUR HOSE WONT GET RIPPED UP BY CORRUGATED STEEL PIPE 9 ROLLERS AND 2 HOSE STAYS ASSURE YOUR HOSE STAYS IN POSITION. COMES WITH 25' NYLON ROPE	
729-A	COMPACT LOWER MANHOLE ROLLER, STEEL, WITH 4 YELLOW POLYURETHANE ROLLERS. SAFETY ORANGE WITH TOP ADAPTER FOR FIBERGLASS POLE	
SHDS-1	ALUMINUM LOWER MANHOLE ROLLER GUIDE SHOE (4 NYLON ROLLERS) $\frac{3}{4}$ " THREADED CONNECTION. POLES NOT INCLUDED.	
SHDS-1ST	STEEL LOWER MANHOLE ROLLER GUIDE SHOE. (4 NYLON ROLLERS) $\frac{3}{4}$ " THREADED CONNECTION. POLES NOT INCLUDED	
HGR-1 HGR-1T	HOSE GUIDE ROLLER-GRABBER FOR FIBERGLASS POLES HOSE GUIDE ROLLER-GRABBER FOR THREADED POLES HOSE IS CRADLED IN LOWER HOOKS TO ALLOW YOU TO LAUNCH THE REPLACEMENT NOZZLE WITH ROLLER ALREADY IN PLACE	
PR-1 PR-1Y PR-1Y-WB	DELRIN REPLACEMENT ROLLER BLACK YELLOW POLYURETHANE REPLACEMENT ROLLER DELRIN REPLACEMENT ROLLER WITH 2 INTEGRATED SEALED BEARINGS	
FE-1	POLE ADAPTER. CONNECTS TO $\frac{3}{4}$ " THREADED NPT FOR ABOVE GUIDE SHOE ROLLERS TO OUR QUICK CONNECT FIBERGLASS POLES	

## DROP MANHOLE BRIDGE

- DMB-1            8" DROP MANHOLE BRIDGE, 48" LONG BRIDGES "THE DROP"  
 INCLUDES POLE CONNECTOR AND 25' ROPE FOR LEVELING
- DMB-2            8" DROP MANHOLE BRIDGE, 60" Long for 6" WIDE CAMERA
- DMB-1S           6" DROP MANHOLE BRIDGE, 48" LONG BRIDGE "THE DROP"
- DMB-1-24        DROP MANHOLE BRIDGE KIT. COMES WITH SET OF  
 POLES 24' LONG STD-24. CHOOSE EITHER 6" OR 8" SIZE PIPE.  
 ITEM ID: DMB-1-24-6 FOR 6"  
 ITEM ID: DMB-1-24-8 FOR 8"



### DEEP MANHOLE TUBE HOLDER (PAT. PEND.)

- |        |    |  |
|--------|----|--|
| DTH-8  | 8" | 8" DEEP TUBE HOLDER. USE TO LOWER TUBES INTO MANHOLE. FOR 36"  |
| DTH-6  | 6" | 6" DEEP TUBE HOLDER. USE TO LOWER TUBERS INTO MANHOLE. FOR 36" |
| DTH-50 | 8" | 8" DEEP TUBE HOLDER. EXTENDED ARM TO 50" LENGTH                |
| DTH-60 | 8" | 8" DEEP TUBE HOLDER. EXTENDED ARM TO 60" LENGTH                |



### CROWN NOZZLE REDUCERS/EXCAVATOR CUFFS / ELBOWS / TUBE CLAMPS

- |         |           |   |
|---------|-----------|---|
| RCN8SS  | 8" X 5.5" | Crown Nozzle Reducer 12" Long. Vactor/Vac-Con flat flange x reduced crown |
| RCN8SSC | 8" X 5.5" | Crown Nozzle Reducer 12" Long. Camel female band lock x reduced crown     |
| RCN8SSV | 8" X 5.5" | Crown Nozzle Reducer 12" Long. Vac-All male band lock x reduced crown     |



### CROWN NOZZLE REDUCERS/EXCAVATOR CUFFS / ELBOWS / TUBE CLAMPS

- |          |         |  |
|----------|---------|--|
| RCUFF8FF | 8" X 6" | Hydro Excavator Reducer Cuff 8" Flat Flange x 6" Kanaflex Cuff             |
| RCUFF8CT | 8" X 6" | Hydro Excavator Reducer Cuff 8" Bandlock Female (Camel) x 6" Kanaflex Cuff |
| RCUFF8JT | 8" X 6" | Hydro Excavator Reducer Cuff 8" Bandlock Male (Vac-All) x 6" Kanaflex Cuff |
| SCUFF8   | 8" X 8" | Hydro Excavator Straight Cuff 8" Flat Flange x 8" Kanaflex Cuff            |



- |         |  |
|---------|--|
| CN908FF | 8" Flange Short Radius 90° Elbow with Flat Flange x Crown Nozzle. All Aluminum |
| EL98FF  | 8" Flange Short Radius 90° Elbow with Flat flange x Flat Flange. All Aluminum  |
| EL458FF | 8" Flange Short Radius 45° Elbow with Flat Flange x Flat Flange. All Aluminum  |




## BEST IDEA EVER FOR YOUR SUCTION MACHINE - VAC TRAPS!

Vac-Traps are a Patent Pending item invented by David Pryor the owner of Southland Tool Mfg. So please do not accept any imitations, but only the best, from the source.

Southland Tool Inc. makes a variety of Vac-Trap Debris Catchers. The idea behind the Vac-Trap is to keep the water in the sewer line where it belongs and remove only debris.

When you are vacuuming the debris coming down the sewer you usually are using a crown nozzle elevated above the flow on the down stream side of the invert. This accepted way of suctioning debris means you remove a great deal of water from the sewer line that requires you to either, decant or dump the water, along with the debris. Decanting takes time, if you have the set up, and dumping water along with debris is expensive and inefficient.

The Vac-Trap allows you to keep the water in the sewer where it belongs. Just clamp on the correctly sized Vac-Trap to the end of your suction tube and lower into the invert. The sewer debris flows through it and traps the debris but lets the water filter out. You don't even have to run your PD or fan, just let the trap do the work on its own.



Once the trap is full and you see the water start to back up then simply turn on your pump and instantly vacuum the trap clean, then you're ready to start again. The Vac-trap pays for itself in just a few uses. Think of the savings of not having to run your suction pump continuously, not having to waste time to de-cant or dump later on.

**Now you can fill your tank with 80% debris and only 20% water.**

### **VACTOR FLAT FLANGE TYPE**

BT-6	6"	6" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-8	8"	8" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-10	10"	10" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-12	12"	12" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-15	15"	15" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-18	18"	18" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-24	24"	24" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE

FULL FLOW



### **VACTOR FLAT FLANGE TYPE (With Grit Covers)**

BT-6S	6"	6" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-8S	8"	8" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-10S	10"	10" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-12S	12"	12" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-15S	15"	15" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-18S	18"	18" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-24S	24"	24" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE

HALF MOON



### **CAMEL STYLE FEMALE END**

CT-6	6"	6" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-8	8"	8" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-10	10"	10" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-12	12"	12" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-15	15"	15" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-18	18"	18" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-24	24"	24" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END

FULL FLOW



### **CAMEL STYLE FEMALE END (With Grit Covers)**

CT-6S	6"	6" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-8S	8"	8" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-10S	10"	10" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-12S	12"	12" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-15S	15"	15" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-18S	18"	18" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-24S	24"	24" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END

HALF MOON



### **VAC-ALL MALE COUPLING END**

JT-6	6"	VAC-TRAP FOR 8" VAC-ALL MALE END
JT-8	8"	VAC-TRAP FOR 8" VAC-ALL MALE END
JT-10	10"	VAC-TRAP FOR 8" VAC-ALL MALE END
JT-12	12"	VAC-TRAP FOR 8" VAC-ALL MALE END
JT-15	15"	VAC-TRAP FOR 8" VAC-ALL MALE END
JT-18	18"	VAC-TRAP FOR 8" VAC-ALL MALE END

FULL FLOW



### **VAC-ALL MALE COUPLING END (With Grit Covers)**

JT-6S	6"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-8S	8"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-10S	10"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-12S	12"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-15S	15"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-18S	18"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END

HALF MOON



**ADD "6" TO END OF PART 3 FOR 6" UP-TUBE FOR ANY VAC-TRAP. SAME PRICE**

JANUARY 2018

## “DIG IT” HYDRO-EXCAVATING TOOLS

HYDRO-EXCAVATOR TOOL “DIG-IT” IS A LIGHTWEIGHT ATTACHMENT FOR YOUR SEWER HOSE, WITH SEWER HOSE SIZE (3/4” OR 1”) AND SUCTION TUBES SIZES (6’ OR 8’). THE WET RING HAS EITHER 4, 8 OR 10 REPLACEABLE STAINLESS STEEL JETS ACCORDING TO YOUR GPM AND PSI. JETS ARE SLIGHTLY ANGLED AND ZERO DEGREES. BOTTOM RUBBER CUFF PROVIDES PROTECTION.

PART NO.	MACHINE	TUBE SIZE	HOSE	JETS
HY-EX-8V4-3/4	VACTOR/VAC-CON	8"	3/4	4
HY-EX-8V8-3/4	VACTOR/VAC-CON	8"	3/4	8
HY-EX-8V10-3/4	VACTOR/VAC-CON	8"	3/4	10
HYH-EX-8V4-1	VACTOR/VAC-CON	8"	1	4
HYH-EX-8V8-1	VACTOR/VAC-CON	8"	1	8
HYH-EX-8V10-1	VACTOR/VAC-CON	8"	1	10
HY-EX-8C4-3/4	CAMEL	8"	3/4	4
HY-EX-8C8-3/4	CAMEL	8"	3/4	8
HY-EX-8C10-3/4	CAMEL	8"	3/4	10
HY-EX-8C4-1	CAMEL	8"	1	4
HY-EX-8C8-1	CAMEL	8"	1	8
HY-EX-8C10-1	CAMEL	8"	1	10
HY-EX-8J4-3/4	VAC-ALL	8"	3/4	4
HY-EX-8J8-3/4	VAC-ALL	8"	3/4	8
HY-EX-8J10-3/4	VAC-ALL	8"	3/4	10
HY-EX-8J4-1	VAC-ALL	8"	1	4
HY-EX-8J8-1	VAC-ALL	8"	1	8
HY-EX-8J10-1	VAC-ALL	8"	1	10

ALL ARE AVAILABLE IN 6” TUBE SIZE. ADD “6” AFTER HY-EX. SAME PRICE AS 8”



### TUBE HOSE CLAMPS (KEEPS YOUR HOSE STEADY AT EVERY CONNECTION)

THV-8	TUBE HOSE CLAMP	VACTOR/VAC-CON	8"
THC-8	TUBE HOSE CLAMP	CAMEL/VAC-ALL	8"

## INDUSTRIAL HYDRO VACUUM EQUIPMENT

Industrial Vacuum Tools And Attachments Make Your Life Safer and Easier For Your Employees

DO YOU FEEL SAFE WHEN VACUUMING? DO YOU WANT YOUR SAFETY TO BE IN YOUR HANDS? DON'T GET CAUGHT NOT HAVING THIS ITEM IN YOUR SAFETY PROGRAM. IT IS ESSENTIAL AND NECESSARY FOR ALL VACUUM OPERATORS TO HAVE CONTROL OF THE FORCE OF VACUUM.

Industrial Vacuum Users Will Easily See The Benefits Of The Safety Shutter Nozzle. It Allows You To Control The Flow Of Vacuum At The Point Of Entry. With Just A Push Of A Lever You Can Completely Release The Vacuum Flow Or You Can Control The Amount Of Suction To The End Of The Nozzle.

**GPSS-4BL**      4" SAFETY SHUTTER SUCTION NOZZLE FOR 4" FLEX HOSE  
Designed for 4" Flex Hose That Will Slip Over The Smooth Connection End.  
Hose Will Swivel When Connected To Allow For Easy Positioning Of The Nozzle

**GPSS-6BL**      6" SAFETY SHUTTER SUCTION NOZZLE FOR 6" FLEX HOSE  
Same As Above But For 6' Flex Hose

**GP-TRI**            TRI-POD FOR SAFETY SHUTTER SUCTION NOZZLES  
The Tri-Pod Allows You To Set Up The Safety Nozzle For Hands Free Operation. It Works With The 4" or 6" Nozzle And Is Great For Pushing Material To The Inlet Essential Making It An One-Man Job

**GP-EXT**           EXTENSION HANDLE FOR SAFETY  
The 3' Extension Handle Connects To The Safety Nozzle Allowing You to Stand Up Straight To Take The Strain Off Your Back. Removing The Extension Handle Allow You To Use The Safety Nozzle In Tight Confined Areas.

**GP-62**            2' X 6" EXTENSION TUBE FOR GP22-6BL  
**GP-63**            3' X 6" EXTENSION TUBE FOR GP22-6BL  
**GP-42**            2' X 4" EXTENSION TUBE FOR GP22-6BL  
**GP-43**            3' X 4" EXTENSION TUBE FOR GP22-6BL  
All Aluminum Tubes Extend The Suction Inlet Of The Safety Nozzle To Suck Underwater Or In Any Area Where You Need To Extend The Inlet

**GP-DB-6**           6" DUCKBILL NOZZLE FOR SAFETY SHUTTER SUCTION NOZZLE  
**GP-DB-4**           4" DUCKBILL NOZZLE FOR SAFETY SHUTTER SUCTION NOZZLE  
The Duckbill Nozzle Is Great For Larger Areas Where Extra Width For Liquids Or Slurry Might Be Needed Special End Connects Directly To End Of Safety Nozzle With Clamp



## SPECIALTY VACUUM FITTINGS/CLAMPS/ADAPTERS

**8FFX6FH**          8" FLAT FLANGE X 6" FLEX HOSE ADAPTER WITH RING TO CONNECT TO BAND LOCK CLAMP AND HOSE. YOUR HOSE WILL SWIVEL ON THIS ADAPTER.



## TRANSITION COUPLERS CHANGE ONE TYPE TUBE TO ANOTHER

**8FFX8BLF**          8" FLAT FLANGE X 8" FEMALE BANDLOCK COUPLER. CONNECTS YOUR FLAT FLANGE TUBES TO YOUR BAND LOCK MALE COUPLING. 6" LONG OVERALL. ZINC PLATED



**8FFX8BLM**          8" FLAT FLANGE X 8" MALE BANDLOCK COUPLER. CONNECTS YOUR FLAT FLANGE TUBES TO YOUR BAND LOCK/CAMEL FEMALE COUPLING. 6" LONG OVERALL. ZINC PLATED



**6FFX6BLF**          6" FLAT FLANGE X 6" FEMALE BANDLOCK COUPLER. CONNECTS YOUR FLAT FLANGE TUBES TO YOUR BAND LOCK MALE COUPLING. 6" LONG OVERALL. ZINC PLATED

**6FFX6BLM**          6" FLAT FLANGE X 6" MALE BANDLOCK COUPLER. CONNECTS YOUR FLAT FLANGE TUBES TO YOUR BAND LOCK/CAMEL FEMALE COUPLING. 6" LONG OVERALL. ZINC PLATED

## TRANSITION REDUCER COUPLERS CHANGE ONE TYPE TUBE TO ANOTHER

8FFX6FF	8" X 6" FLAT FLANGE REDUCER COUPLING-ZINC PLATED INDUCES YOUR 8" FLAT FLANGE TUBES TO 6" FLAT FLANGE TUBES	
8FFX6BLF	8: FLAT FLANGE REDUCER TO 6" BAND LOCK FEMALE COUPLER REDUCES YOUR 8" FLAT FLANGE TUBES TO YOUR 6" MALE END BAND LOCK TUBES	
8FFX6BLM	8" FLAT FLANGE REDUCER TO 6" BAND LOCK MALE COUPLER REDUCES YOUR 8" FLAT FLANGE TUBES TO YOUR 6" FEMALE END BAND LOCK TUBES	
8BLFX6BLM 8BLMX6BLF	8" BAND LOCK FEMALE X 6" BAND LOCK MALE REDUCER COUPLING 8" BAND LOCK MALE X 6" BAND LOCK FEMALE REDUCER COUPLING	
6BLFX4NPT	6" BAND LOCK FEMALE X 4" MALE NPT THREAD	

## COUPLERS X HOSE SHANK END FOR YOUR VACUUM MACHINES

8FFX8HA	8" FLAT FLANGE X 8" HOSE ADAPTER. CONNECTS YOUR 8" FLANGE VACUUM TUBES TO AN 8" KANAFLEX TYPE VACUUM HOSE	
6FFX6HA	8" FLAT FLANGE X 8" HOSE ADAPTER. CONNECTS YOUR 6" FLAT FLANGE VACUUM TUBES TO AN 6" KANAFLEX TYPE VACUUM HOSE	
8FFX6HA	8" FLAT FLANGE X 6" HOSE ADAPTER REDUCER. ALL STEEL WITH MOUNTING HOLES ZINC PLATED AND 7.5" OVERALL LENGTH	

## FLANGED DOUBLE HOSE SHANK REDUCER. 8" TO DOUBLE 4". ONE OPEN ONE FOR 4" HOSE.

8FFX44DD	8" FLAT FLANGE X DOUBLE 4" HOSE CONNECTORS. ONE WITH SAFETY GRID INCLUDED FOR FREE AIR APPLICATION. 8: OVERALL LENGTH AND ZINC PLATED	
S16584	8" VACTOR STYLE QUICK CLAMP, ADJUSTABLE TRIANGLE HOOK AND TRIMLINE HANDLE	

S680-0015 S690-0073	8" VAC-CON STYLE QUICK CLAMP. OPEN HOOK ADJUSTABLE AND TRIMLINE HANDLE 6" VAC-CON STYLE QUICK CLAMP. OPEN HOOK ADJUSTABLE AND TRIMLINE HANDLE	
S42588	8" BANDLOCK STYLE TUBE CLAMP	
S42588WLC	8" BANDLOCK STYLE TUBE CLAMP WITH SAFETY PIN LOCKING DEVICE PREVENTS LATCH FROM OPENING UP AND POSSIBLE SLAPPING YOU IN THE MOUTH	
S42587	6" BANDLOCK STYLE TUBE CLAMP	

## HYDRAULIC ROOT SAW CUTTERS (MOTORS & KITS)

### **PUMA "HD" HIGH DISPLACEMENT HYDRAULIC ROOT SAW CUTTER**

SOUTHLAND TOOL OFFERS YOU THE "PUMA" HD ROOT CUTTER MOTOR AS OUR STANDARD CUTTER. DON'T BE FOOLED BY SMALLER BLUE MOTORS THAT OFFER ONLY A FRACTION OF THE POWER THAT THIS HIGH DISPLACEMENT MOTOR OFFERS. IT HAS HIGHER CUTTER FORCE TO PLOW INTO ROOTS, GREASE, PROTRUDING TAPS AND OTHER STOPPAGES. THESE UNITS FIT OUR FRONT FLANGED EZ SKIDS AS SEEN BELOW WITH 4 BOLTS IN FRONT AND 2 IN THE TAIL NOZZLE. THE PROFILE OF THIS CUTTER IS DESIGNED FOR LINES FROM 6" AND UP. THE MOTOR CAN ACCOMMODATE HOSE SIZES OF 3/4" AND 1" WITH FLOW FROM 35 TO 80 GPM AND PRESSURE FROM 2000 TO 3000 PSI. RATED UP TO A MAXIMUM OF 235 LB. OF TORQUE HYDRAULIC MOTORS ARE HIGH TORQUE AND LOW SPEED SO THEY ARE ABLE TO REALLY CUT AND RIP INTO STOPPAGES. PUMA ROOT CUTTER KITS AS FOLLOWS:

### **PUMA ROOT CUTTER KIT AS FOLLOWS:**

SHYK-1	1"	PUMA "HD" HIGHER DISPLACEMENT, 1" HYDRAULIC ROOT SAW MOTOR KIT INCLUDES: 4 EASY SKIDS OF 6", 8" 10" AND 12" AND 4 HD CONCAVE ROOT SAWS FOR 6", 8", 10" AND 12" INCLUDES 1" HUB, ARBOR TURN TOOL, TOOL BOX AND MAINTENANCE INSTRUCTIONS
SHYK-3/4	3/4"	SAME KIT AS ABOVE BUT FOR 3/4" SEWER HOSE



### **MOTORS-PARTS AND CHUCKS (FOR SAW BLADES Y CUTTERS SEE PAGES 19,26,27)**

SHYM-1	1"	PUMA "HD" HIGHER DISPLACEMENT, 1" HYDRAULIC ROOT SAW MOTOR AND TAIL NOZZLE
SHYM-3/4	3/4"	PUMA "HD" HIGHER DISPLACEMENT, 3/4" HYDRAULIC ROOT SAW MOTOR AND TAIL NOZZLE
TNPM	1"	TAIL NOZZLE REPLACEMENT ONLY
SKP-1R		REPAIR KIT FOR PUMA MOTOR - INCLUDES SEALS, THRUST BEARING AND RACE
GERP-1		GEROTOR FOR PUMA MOTOR
RSH-1A	1"	ROOT SAW HUB FOR ROOT CUTTER. FOR STANDARD 1/8" THICKNESS SAW BLADES
RSH-1B	1"	ROOT SAW HUB FOR ROOT CUTTER. FOR HEAVY DUTY 3/16" THICKNESS SAW BLADES
3BHC-1	1"	3 BLADE CHUCK FOR ROOT CUTTER. FLAT AND CURVED BLADES SOLD SEPARATELY

### **EZ ROOT CUTTER SKIDS FOR PUMA "HD" MOTORS**

EZ ROOT CUTTER SKIDS ARE DESIGNED TO SLIDE OVER THE MOTOR AND BOLT DOWN TO THE FRONT FLANGE AND THE 2 SIDE BOLTS IN THE TAIL NOZZLE. SIZE IS STAMPED INTO THE FIN. NO MORE LOSING THE SKIDS OR MIXING THEM UP.

SS-6	6"	6" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-8	8"	8" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-10	10"	10" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-12	12"	12" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-15	15"	15" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-18	18"	18" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-20	20"	20" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-22	22"	22" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-24	24"	24" EZ ROOT CUTTER SKID WITH 6 RAILS.



## SRRC-1H SUPER "RED HOT" EXTENDED DUTY HYDRAULIC ROOT CUTTER MOTORS

SRRC-1H	1"	ROUND BODY SUPER "RED HOT" HEAVY DUTY BEARING HYDRAULIC ROOT SAW MOTOR. THIS MOTOR WITH SPECIALLY MACHINED HEAVY DUTY THRUST BEARING PERFORMS BETTER FOR EXTENDED LIFE, SMOOTH RUNNING AND REDUCED MAINTENANCE PROBLEMS. THIS LARGER STEEL BEARING ABSORBS THE CONSTANT POUNDING OF THE SHAFT WHEN PLOWING INTO ROOT MASSES AND STOPPAGES. THIS MOTOR FITS ALL ROUND BODY SKIDS INCLUDING PATRIOT AND SMART CUTTERS.	
		THE ROUND PROFILE OF THE CUTTER ALLOWS IT TO ENTER SEWER LINES FROM 4" AND UP. THE MOTOR CAN ACCOMMODATE HOSE SIZES OF 1" AND 3/4" WITH FLOW FROM 35 TO 80 GPM AND PRESSURE FROM 2000 TO 3000 PSI. RATED UP TO A MAXIMUM OF 235 LBS. OF TORQUE AND 175 LBS. OF CONTINUOUS, THIS TOOL HAS THE POWER TO CLEAN AND HD BEARING TO TAKE BEATINGS AND KEEP ON TICKING. THIS MOTOR BEAT ALL COMPETITORS SMALLER MOTORS.	
SRRC-3/4H SRRK-1H	3/4" 1"	SAME AS ABOVE BUT FOR 3/4" HOSE. STANDARD ROUND BODY KIT WITH 4 SKIDS AND 4 SAWS 6", 8", 10" AND 12"	

## SRRC-1P ROUND BODY SUPER "GREEN MACHINE" HYDRAULIC MOTOR

SRRC-1P	1"	ROUND BODY SUPER GREEN MEANIE 175LB. TORQUE MOTOR REPLACES YOUR PATRIOT AND SMART CUTTERS. THIS UNIT FITS ALL OF YOUR PATRIOT AND SMART CUTTER STYLE SKIDS BY SEWER EQUIPMENT COMPANY.	
SRRC-3/4P SRRK-1	3/4" 1"	SAME AS ABOVE BUT FOR 3/4" HOSE. STANDARD ROUND BODY KIT WITH 4 SKIDS AND 4 SAWS 6", 8", 10" AND 12"	



SRK-14-15W  
CITIZEN KIT

SRK-14-15W	CITIZEN ROUND BODY "SUPER GREEN MACHINE" WHEELED KIT (above) FOR PIPE FROM 4" TO 15" INCLUDES MOTOR, HEAVY DUTY CONCAVE ROOT SAWS OF 4", 6", 8", 10", 12" AND 15" 4" ROUND RING SET, 6" SKID, 8"-10" ADJUSTABLE WHEELED SKID, 12" - 15" WHEELED SKID, 1" HUB FOR SAWS, TURNING MAINTENANCE TOOL, TOOL BOX AND INSTRUCTIONS.
------------	---

## SKIDS FOR ROUND BODY "RED" AND "GREEN" ROOT CUTTER MOTORS

RBS-4	4"	4" RING SET FOR ROUND BODY ROOT CUTTER
RBS-6	6"	6" SKID FOR ROUND BODY ROOT CUTTER
RBS-8	8"	8" SKID FOR ROUND BODY ROOT CUTTER
RBS-10	10"	10" SKID FOR ROUND BODY ROOT CUTTER
RBS-12	12"	12" SKID FOR ROUND BODY ROOT CUTTER
RBS-15	15"	15" SKID FOR ROUND BODY ROOT CUTTER
RBS-18	18"	18" SKID FOR ROUND BODY ROOT CUTTER
RBS-20	20"	20" SKID FOR ROUND BODY ROOT CUTTER
RBS-24	24"	20" SKID FOR ROUND BODY ROOT CUTTER
APS-1	8"-10"	ADJUSTABLE WHEELED SKID FOR ROUND BODY MOTORS ADJUSTS FROM 8" - 12"
APS-2	8"-10"	ADJUSTABLE WHEELED SKID FOR ROUND BODY MOTORS ADJUSTS FROM 8" - 12"



## "HI-TORQUE" S906 HEAVY DUTY CONTRACTOR DUTY HYDRAULIC ROOT CUTTER

SOUTHLAND TOOLS' S906M IS THE LARGEST AND MOST POWERFUL OF THE SOUTHLAND TOOL HYDRAULIC MOTOR LINE UP. THIS "HI-TORQUE" MOTOR FEATURES A GEROTOR DESIGN THAT INTERNALLY LOWERS RESISTANCE AND ALLOWS THE MOTOR TO OPERATE MORE EFFICIENTLY WHILE PRODUCING MAXIMUM CUTTING RESULTS. THE S906M SERIES OF MOTORS HAVE A ALL STEEL THRUST BEARING WITH ROBUST ROLLER THAT CAN HANDLE THE HIGHER PRESSURE LOADS OF LARGER PUMPS AND HEAVY CLEANING IN LARGER LINES. THIS MOTOR HAS LONG BEEN REFERRED TO AS THE "CONTRACTOR DUTY" MOTOR AS IT HOLDS UP WELL UNDER INTENSE USE FOR LONGER PERIODS OF TIME. DESIGNED FOR LINES FROM 6" TO 30" THE MOTOR COMES IN 3/4" AND 1" AND 1.25". IT CAN HANDLE FLOWS OF 40 TO 170 GPM AND PRESSURE OF 1500 TO 3000 PSI. IT IS RATED TO A MAXIMUM TORQUE OF 288 LBS. AND 220 LBS. OF CONTINUOUS TORQUE WHICH IS REQUIRED FOR CUTTING TAPS IN LARGER SIZES.



### HI-TORQUE HYDRAULIC ROOT SAW CUTTER KITS AND MOTORS

S906K-1

"HI-TORQUE" HYDRAULIC ROOT SAW CUTTER KIT INCLUDES: (SEE BELOW)  
4 EASY SKIDS OF 6", 8" 10" AND 12" AND 4 HD CONCAVE ROOT SAWS FOR 6", 8", 10" AND 12"  
INCLUDES 1" HUB, ARBOR TURN TOOL, TOOL BOX AND MAINTENANCE INSTRUCTIONS

S906K-3/4

SAME AS ABOVE BUT FOR 3/4" HOSE.  
HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY 1" SEWER HOSE  
HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY 3/4" SEWER HOSE  
HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY FOR 1.25" SEWER HOSE



S906K-1  
HI-TORQUE KIT

### HI-TORQUE "ADVANCED KINETICS" CORROSION RESISTANT MOTOR

THE S906M-AK SERIES OF MOTORS IS SOUTHLAND FLAGSHIP MOTOR. THIS MOTOR IS BUILT FOR THE SAME PLATFORM AS THE STANDARD S-906M MOTOR BUT HAS AN UNGRADED PROCESS APPLIED TO THE INTERNAL PARTS THAT MAKE IT SILKY SMOOTH TO TURN AND IDEAL FOR RECYCLER UNITS. THIS PROCESS IMPROVED HYDRAULIC PERFORMANCE AND ALMOST ELIMINATES INTERNAL CORROSION. THIS PROCESS KNOWN AS "ADVANCED KINETICS" USED A PATENTED FINISH THAT IMPROVES THE COEFFICIENT ALLOWING PARTS TO RUN SMOOTHER WHICH REDUCES DRAG, SAVES WATER AND INCREASES PRODUCTIVITY. KNOWN TO SIT FOR WEEKS WITH WATER INSIDE AND STILL TURNS.



S906M-1-AK  
S906M-3/4-AK  
S906M-1.25-AK  
S906M-1.50-AK

HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY 1" SEWER HOSE  
HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY 3/4" SEWER HOSE  
HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY FOR 1.25" SEWER HOSE  
HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY FOR 1.50" SEWER HOSE




### SKIDS FOR HI-TORQUE S906M STYLE ROOT CUTTERS

STSS-6	6"	6" EASY ROOT CUTTER SKID WITH 6 RAILS
STSS-8	8"	8" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-10	10"	10" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-12	12"	12" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-15	15"	15" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-18	18"	18" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-20	20"	20" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-22	22"	22" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-24	24"	24" EASY ROOT CUTTER SKID WITH 3 RAILS



### SHAMROCK STYLE 2-PART SKIDS FOR HI-TORQUE S906M ROOT CUTTERS

STSS-6	6"	6" SHAMROCK STYLE 2-PART SKIDS
STSS-8	8"	8" SHAMROCK STYLE 2-PART SKIDS
STSS-10	10"	10" SHAMROCK STYLE 2-PART SKIDS
STSS-12	12"	12" SHAMROCK STYLE 2-PART SKIDS
STSS-15	15"	15" SHAMROCK STYLE 2-PART SKIDS
STSS-18	18"	18" SHAMROCK STYLE 2-PART SKIDS
STSS-20	20"	20" SHAMROCK STYLE 2-PART SKIDS
STSS-22	22"	22" SHAMROCK STYLE 2-PART SKIDS
STSS-24	24"	24" SHAMROCK STYLE 2-PART SKIDS



## "PURPLE DEBRIS EATER" LATERAL ROOT CUTTER MOTORS FOR SMALLER LINES

SOUTHLAND TOOL "PURPLE DEBRIS EATER" LATERAL ROOT CUTTER MOTOR PACK A PUNCH AS IT USES HIGH TORQUE AND LOW SPEED TO GRIND UP GREASE AND RIP THROUGH ROOTS IN SMALLER 3" TO 8" LINES. SIZED FOR 1/2", 3/4" OR 1" HOSE IT CAN ACCOMMODATE PRESSURES FROM 900 TO 2000 PSI AND FLOWS FROM 20 TO 80 GPM THESE PURPLE MOTORS CAN BE BOUGHT ALONE OR IN KITS. SKIDS ARE ONE PIECE DESIGN SO THEY ARE EASY TO INSTALL.

S903K-1/2	1/2" LATERAL MOTOR KIT INCLUDES CONCAVE SAWS FROM 3" TO 8" AND 3" SET OF RINGS AND EZ SKIDS OF 4", 6" AND 8". ARBOR TURNING TOOL ALLEN WRENCH, TOOL BOX AND MAINTENANCE INSTRUCTIONS
S903K-3/4	3/4" LATERAL MOTOR COMPLETE KIT AS ABOVE BUT FOR 3/4" HOSE
S903K-1	1" LATERAL MOTOR COMPLETE KIT AS ABOVE BUT FOR 1" HOSE
S903M	LATERAL MOTOR ONLY. PLEASE SPECIFY WITH 1/2", 3/4" OR 1"



## ROOT CUTTER SKIDS AND RINGS FOR PURPLE DEBRIS EATER LATERAL CUTTER MOTOR

LKS-3	LATERAL ROOT CUTTER SKID RING SET FOR 3" PIPE
LKS-4	LATERAL ROOT CUTTER SKID FOR 4" PIPE
LKS-6	LATERAL ROOT CUTTER SKID FOR 6" PIPE
LKS-8	LATERAL ROOT CUTTER SKID FOR 8" PIPE
RSH-5B	5/8" HUB FOR HYDRAULIC ROOT CUTTER SAW
3BHC-2	3 BLADE CHUCK FOR 5/8" HYD. ROOT CUTTER



## ROOT CUTTER HUBS/CHUCK FOR 1" SHAFT MOTORS

RSH-1A	1" HUB FOR HYDRAULIC ROOT CUTTER STD. SAW 1/8"
RSH-1B	1" HUB FOR HYDRAULIC ROOT CUTTER HD. SAW 3/16"
RSH-5B	5/8" HUB FOR HYDRAULIC ROOT CUTTER SAW
3BHC-1	3 BLADE CHUCK FOR 1" HYD. ROOT CUTTER



## GOPHER SKIDS


GFR-6 6"	6" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR
GFR-8 8"	8" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR
GFR-10 10"	10" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR
GFR-12 12"	12" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR
GFR-15 15"	15" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR

## ALUMINUM ROLLER GRILL MANHOLE SAFETY COVER FOR VIDEO INSPECTION AND SEWER HOSE CLEANING

SMR-28A	THIS LIGHTWEIGHT ALL ALUMINUM MANHOLE SAFETY ROLLER GRILL REDUCES THE POSSIBILITY TO ZERO OF FALLING INTO THE MANHOLE. MADE OF ALUMINUM WITH AN ALUMINUM ROLLER AND POWDER COATED RED IT IS EASY TO SEE. UNIQUE DESIGN HAS HAND OPENING TO ALLOW TIGHTENING OF 4 SUPPORT SCREWS. JUST 15 LBS.
---------	---



For 19" - 26" Openings



SMR-28N	SAME ALUMINUM ROLLER GRILL MANHOLE SAFETY COVER BUT WITH HIGH DENSITY NYLON ROLLER FOR EVEN LIGHTER WEIGHT. JUST 11 LBS.
---------	--



## SPECIALTY ROOT SAW BLADES CALCIUM CUTTER AND TAP CUTTERS

### **CARBIDE TIPPED CONCAVE ROOT SAWS**

SCS-6	6"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK
SCS-8	8"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK
SCS-10	10"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK
SCS-12	12"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK
SCS-15	15"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK



### **CARBIDE TIPPED FLAT ROOT SAWS**

SCFS-6	6"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK
SCFS-8	8"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK
SCFS-10	10"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK
SCFS-12	12"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK
SCFS-15	15"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK



### **CARBIDE WRAPPED CONCAVE ROOT SAWS**

SCS-6W	6"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW
SCS-8W	8"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW
SCS-10W	10"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW
SCS-12W	12"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW
SCS-15W	15"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW



### **CARBIDE WRAPPED FLAT ROOT SAWS**

SCFS-6W	6"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW
SCFS-8W	8"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW
SCFS-10W	10"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW
SCFS-12W	12"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW
SCFS-15W	15"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW



ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

### **SUPER DUTY LARGE DIAMETER CONCAVE ROOT SAWS WITH SPOKES AND 1" HUB**

SCRS-12	12"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-15	15"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-18	18"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-20	20"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-22	22"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-24	24"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB



### **SUPER DUTY LARGE DIAMETER FLAT ROOT SAW WITH SPOKES AND 1" HUB**

SFRS-12	12"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-15	15"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-18	18"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-20	20"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-22	22"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-24	24"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-30	30"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB



### **SUPER DUTY LARGE DIAMETER CARBIDE TIPPED ROOT SAWS WITH SPOKES AND 1" HUB**

SCRS-12HD	12"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-15HD	15"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-18HD	18"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-20HD	20"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-22HD	22"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-24HD	24"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED



### **DIAMOND TAP CUTTERS**

DTC-6	6"	DIAMOND TAP CUTTER
DTC-8	8"	DIAMOND TAP CUTTER
DTC-10	10"	DIAMOND TAP CUTTER
DTC-12	12"	DIAMOND TAP CUTTER
DTC-15	15"	DIAMOND TAP CUTTER



### **PVC TAP CUTTER**

CTS-6	6"	PVC TAP CUTTER
CTS-8	8"	PVC TAP CUTTER
CTS-10	10"	PVC TAP CUTTER
CTS-12	12"	PVC TAP CUTTER
CTS-15	15"	PVC TAP CUTTER
CTS-18	18"	PVC TAP CUTTER



### **ARROW DIAMOND TIPPED CUTTER (CALCIUM CARBONATE CUTTER)**

ADC-6	6"	ARROW DIAMOND POINT CUTTER
ADC-8	8"	ARROW DIAMOND POINT CUTTER
ADC-10	10"	ARROW DIAMOND POINT CUTTER
ADC-12	12"	ARROW DIAMOND POINT CUTTER
ADC-15	15"	ARROW DIAMOND POINT CUTTER



## NOZZLE EXTENSIONS 1" - 3/4" - 1/2"

SSE-1	STRAIGHT STYLE LIGHTWEIGHT NOZZLE EXTENSION 1" X 13" LONG	
SSE-3/4	STRAIGHT STYLE LIGHTWEIGHT NOZZLE EXTENSION 3/4" X 13" LONG	
SSE-1/2	STRAIGHT STYLE LIGHTWEIGHT NOZZLE EXTENSION 1/2" X 13" LONG	



### **4-FINNED NOZZLE EXTENSIONS 1"**

FE-41	4"	1" X 4" 4 FINNED NOZZLE EXTENSION
FE-61	6"	1" X 6" 4 FINNED NOZZLE EXTENSION
FE-81	8"	1" X 8" 4 FINNED NOZZLE EXTENSION
FE-101	10"	1" X 10" 4 FINNED NOZZLE EXTENSION
FE-121	12"	1" X 12" 4 FINNED NOZZLE EXTENSION
FE-151	15"	1" X 15" 4 FINNED NOZZLE EXTENSION



### **4-FINNED NOZZLE EXTENSIONS 3/4"**

FE-434	4"	3/4" X 4" 4 FINNED NOZZLE EXTENSION
FE-634	6"	3/4" X 6" 4 FINNED NOZZLE EXTENSION
FE-834	8"	3/4" X 8" 4 FINNED NOZZLE EXTENSION
FE-1034	10"	3/4" X 10" 4 FINNED NOZZLE EXTENSION
FE-1234	12"	3/4" X 12" 4 FINNED NOZZLE EXTENSION

### **4-FINNED NOZZLE EXTENSIONS 1/2"**

FE-412	4"	1/2" X 4" 4 FINNED NOZZLE EXTENSION
FE-612	6"	1/2" X 6" 4 FINNED NOZZLE EXTENSION
FE-812	8"	1/2" X 8" 4 FINNED NOZZLE EXTENSION
FE-1012	10"	1/2" X 10" 4 FINNED NOZZLE EXTENSION
FE-1212	12"	1/2" X 12" 4 FINNED NOZZLE EXTENSION



### **6-FINNED HEAVY DUTY NOZZLE EXTENSIONS**

FE-61-6	6"	1" X 6" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-81-6	8"	1" X 8" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-101-6	10"	1" X 10" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-121-6	12"	1" X 12" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-151-6	15"	1" X 15" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-181-6	18"	1" X 18" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION



### **6-WIRE NOZZLE EXTENSIONS 1"**

WNE-41	4"	1" X 4" 6 WIRE NOZZLE EXTENSION
WNE-61	6"	1" X 6" 6 WIRE NOZZLE EXTENSION
WNE-81	8"	1" X 8" 6 WIRE NOZZLE EXTENSION
WNE-101	10"	1" X 10" 6 WIRE NOZZLE EXTENSION
WNE-121	12"	1" X 12" 6 WIRE NOZZLE EXTENSION
WNE-151	15"	1" X 15" 6 WIRE NOZZLE EXTENSION
WNE-181	18"	1" X 18" 6 WIRE NOZZLE EXTENSION
WNE-201	20"	1" X 20" 6 WIRE NOZZLE EXTENSION



### **6-WIRE NOZZLE EXTENSIONS 3/4"**

WNE-434	4"	3/4" X 4" 6 WIRE NOZZLE EXTENSION
WNE-634	6"	3/4" X 6" 6 WIRE NOZZLE EXTENSION
WNE-834	8"	3/4" X 8" 6 WIRE NOZZLE EXTENSION
WNE-1034	10"	3/4" X 10" 6 WIRE NOZZLE EXTENSION
WNE-1234	12"	3/4" X 12" 6 WIRE NOZZLE EXTENSION
WNE-1534	15"	3/4" X 15" 6 WIRE NOZZLE EXTENSION

### **6-WIRE NOZZLE EXTENSIONS 1/2"**

WNE-412	4"	1/2" X 4" 6 WIRE NOZZLE EXTENSION
WNE-612	6"	1/2" X 6" 6 WIRE NOZZLE EXTENSION



### **4-WIRE NOZZLE EXTENSIONS 1"**

W4-1	4"	1" X 4" 4 WIRE NOZZLE EXTENSION
W6-1	6"	1" X 6" 4 WIRE NOZZLE EXTENSION
W8-1	8"	1" X 8" 4 WIRE NOZZLE EXTENSION
W10-1	10"	1" X 10" 4 WIRE NOZZLE EXTENSION
W12-1	12"	1" X 12" 4 WIRE NOZZLE EXTENSION

### **4-WIRE NOZZLE EXTENSIONS 3/4"**

W4-34	4"	3/4" X 4" 4 WIRE NOZZLE EXTENSION
W6-34	6"	3/4" X 6" 4 WIRE NOZZLE EXTENSION
W8-34	8"	3/4" X 8" 4 WIRE NOZZLE EXTENSION
W10-34	10"	3/4" X 10" 4 WIRE NOZZLE EXTENSION
W12-34	12"	3/4" X 12" 4 WIRE NOZZLE EXTENSION

#### **4-WIRE NOZZLE EXTENSIONS 1/2"**

W4-12	4"	1/2" X 4" 4 WIRE NOZZLE EXTENSION
W6-12	6"	1/2" X 6" 4 WIRE NOZZLE EXTENSION
W8-12	8"	1/2" X 8" 4 WIRE NOZZLE EXTENSION
W10-12	10"	1/2" X 10" 4 WIRE NOZZLE EXTENSION



#### **FOOTBALL STYLE NOZZLE EXTENSIONS 1"**

NFL-41	4"	1" X 4" FOOTBALL NOZZLE EXTENSION
NFL-61	6"	1" X 6" FOOTBALL NOZZLE EXTENSION
NFL-81	8"	1" X 8" FOOTBALL NOZZLE EXTENSION
NFL-101	10"	1" X 10" FOOTBALL NOZZLE EXTENSION
NFL-121	12"	1" X 12" FOOTBALL NOZZLE EXTENSION
NFL-151	15"	1" X 15" FOOTBALL NOZZLE EXTENSION



#### **FOOTBALL STYLE NOZZLE EXTENSIONS 3/4"**

NFL-434	4"	3/4" X 4" FOOTBALL NOZZLE EXTENSION
NFL-634	6"	3/4" X 6" FOOTBALL NOZZLE EXTENSION
NFL-834	8"	3/4" X 8" FOOTBALL NOZZLE EXTENSION
NFL-1034	10"	3/4" X 10" FOOTBALL NOZZLE EXTENSION
NFL-1234	12"	3/4" X 12" FOOTBALL NOZZLE EXTENSION



#### **SUPER SHORT 8" FOOTBALL STYLE NOZZLE EXTENSIONS FOR 1" HOSE**

NFL-41SS	4"	4" FOOTBALL NOZZLE EXTENSION 8" LONG
NFL-61SS	6"	6" FOOTBALL NOZZLE EXTENSION 8" LONG
NFL-81SS	8"	8" FOOTBALL NOZZLE EXTENSION 8" LONG

#### **FINNED NOZZLE EXTENSION WITH WHEELS 1"**

WE-61	6"	1" WHEELED NOZZLE EXTENSION FOR 6" AND UP
WE-81	8"	1" WHEELED NOZZLE EXTENSION FOR 8" AND UP
WE-101	10"	1" WHEELED NOZZLE EXTENSION FOR 10" AND UP
WE-121	12"	1" WHEELED NOZZLE EXTENSION FOR 12" AND UP
WE-151	15"	1" WHEELED NOZZLE EXTENSION FOR 15" AND UP



#### **FINNED NOZZLE EXTENSION WITH WHEELS 3/4"**

WE-634	6"	3/4" WHEELED NOZZLE EXTENSION FOR 6" AND UP
WE-834	8"	3/4" WHEELED NOZZLE EXTENSION FOR 8" AND UP
WE-1034	10"	3/4" WHEELED NOZZLE EXTENSION FOR 10" AND UP
WE-1234	12"	3/4" WHEELED NOZZLE EXTENSION FOR 12" AND UP
WE-1534	15"	3/4" WHEELED NOZZLE EXTENSION FOR 15" AND UP




#### **HEAVY DUTY TUBE STYLE EXTENSION (12" LONG)**

TSE-1/2	8 lbs.	HEAVY DUTY TUBE STYLE NOZZLE EXTENSION 1/2"
TSE-3/4	9 lbs.	HEAVY DUTY TUBE STYLE NOZZLE EXTENSION 3/4"
TSE-1	10 lbs.	HEAVY DUTY TUBE STYLE NOZZLE EXTENSION 1"



#### **SHORT 10 LEG PROOFERS**

S-6	6"	SHORT PROOFER 6" O.D. X 1"
S-7.5	7.5"	SHORT PROOFER 7.5" O.D. X 1"
S-8	8"	SHORT PROOFER 8" O.D. X 1"
S-9.5	9.5"	SHORT PROOFER 9" O.D. X 1"
S-10	10"	SHORT PROOFER 10" O.D. X 1"
S-11.5	11.5"	SHORT PROOFER 11.5" O.D. X 1"
S-12	12"	SHORT PROOFER 12" O.D. X 1"
S-15	15"	SHORT PROOFER 15" O.D. X 1"
S-18	18"	SHORT PROOFER 18" O.D. X 1"



FOR 3/4" PROOFER, ADD "34" AFTER PART NUMBER. SAME PRICE

#### **LONG 10 LEG PROOFERS (REMOVABLE)**

L-6	6"	LONG PROOFER 6" O.D. X 1"
L-7.5	7.5"	LONG PROOFER 7.5" O.D. X 1"
L-8	8"	LONG PROOFER 8" O.D. X 1"
L-9.5	9.5"	LONG PROOFER 9.5" O.D. X 1"
L-10	10"	LONG PROOFER 10" O.D. X 1"
L-11.5	11.5"	LONG PROOFER 11.5" O.D. X 1"
L-12	12"	LONG PROOFER 12" O.D. X 1"
L-15	15"	LONG PROOFER 15" O.D. X 1"
L-18	18"	LONG PROOFER 18" O.D. X 1"



## SECTIONAL AND CONTINUOUS ROD, TOOLS AND ACCESSORIES

### **ADAPTER RODS**

AR-1-1	5/16"	ADAPTER ROD
AR-1-2	3/8"	ADAPTER ROD
AR-1-SS	5/16"	SUPER SHORT
AR-1-2SS	3/8"	SUPER SHORT



### **PREMIUM PUMA RODS**

STR-1-1	5/16" X 36"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-2	5/16" X 39"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-3	5/16" X 48"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-4	5/16" X 60"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-5	5/16" X 72"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-6	3/8" X 36"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-7	3/8" X 39"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-8	3/8" X 48*	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-9	3/8" X 60"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-10	3/8" X 72"	PREMIUM SEWER ROD COMPLETE WITH COUPLING



### **PUMA SILVER RODS**

STB-1-1	5/16" X 36"	SEWER ROD COMPLETE WITH COUPLING
STB-1-2	5/16" X 39"	SEWER ROD COMPLETE WITH COUPLING
STB-1-3	5/16" X 48"	SEWER ROD COMPLETE WITH COUPLING
STB-1-4	5/16" X 60"	SEWER ROD COMPLETE WITH COUPLING
STB-1-5	5/16" X 72"	SEWER ROD COMPLETE WITH COUPLING
STB-1-6	3/8" X 36"	SEWER ROD COMPLETE WITH COUPLING
STB-1-7	3/8" X 39"	SEWER ROD COMPLETE WITH COUPLING
STB-1-8	3/8" X 48"	SEWER ROD COMPLETE WITH COUPLING
STB-1-9	3/8" X 60"	SEWER ROD COMPLETE WITH COUPLING
STB-1-10	3/8" X 72"	SEWER ROD COMPLETE WITH COUPLING



### **QUICK COUPLE RODS**

ALL 5/16" RODS ARE AVAILABLE WITH QUICK CONNECT DISCONNECT SPRING LOADED PIN COUPLINGS.  
PLEASE ADD "R" TO PART NUMBER AND ADD \$10.00 TO EACH ROD OR TOOL



## **ROD TOOLS**

### **PICK UP TOOLS**

P1-1	5/16"	PICK UP TOOL FOR SECTIONAL ROD
P1-2	3/8"	PICK UP TOOL FOR SECTIONAL ROD
P1-3		PICK UP TOOL FOR CONTINUOUS ROD



### **SPEAR HEADS**

B2-1	2"	SPEAR HEAD WITH 5/16" ADAPTER ROD AND COUPLING
B2-2	2"	SPEAR HEAD WITH 3/8" ADAPTER ROD AND COUPLING
B4-1	4"	SPEAR HEAD WITH 5/16" ADAPTER ROD AND COUPLING
B4-2	4"	SPEAR HEAD WITH 3/8" ADAPTER ROD AND COUPLING



### **ASSEMBLY TOOLS**

T1-1	5/16"	ASSEMBLY WRENCH
T1-2	3/8"	ASSEMBLY WRENCH
T2-1	5/16"	ASSEMBLY TURNING HANDLE
T2-2	3/8"	ASSEMBLY TURNING HANDLE



### **PULL OUT AND TURNING TOOLS**

T3-1	5/16"	PULL OUT TOOL
T3-2	3/8"	PULL OUT TOOL
T4-1	5/16"	PULL OUT & TWISTING HANDLE
T4-2	3/8"	PULL OUT & TWISTING HANDLE
T5-1		BAR TURNING HANDLE FOR 5/16" AND 3/8"



T8		ROUND ROD PULL-OUT FITS TOOLS 1/4" TO 3/8"
T11	5/16"	ROD TURNING RATCHET SINGLE FOR 5/16" RODS
T12	5/16"	ROD TURNING RATCHET ONE MAN DOUBLE
T13	3/8"	ROD TURNING RATCHET SINGLE FOR 3/8" RODS
T14	3/8"	ROD TURNING RATCHET ONE MAN DOUBLE



#### **SPECIAL BORING TOOLS**

T6-1	5/16"	LOOP SWIVEL TOOL
T6-2	3/8"	LOOP SWIVEL TOOL
T7-1	5/16"	SAND LEADER WITH ADAPTER ROD & COUPLING
T7-2	3/8"	SAND LEADER WITH ADAPTER ROD & COUPLING
T9-1	5/16"	BULLET TOOL WITH ADAPTER ROD
T9-2	3/8"	BULLET TOOL WITH ADAPTER ROD
T10-1	5/16"	PILOT BULLET TOOL WITH PULLOUT SWIVEL WITH ADAPTER ROD
T10-2	3/8"	PILOT BULLET TOOL WITH PULLOUT SWIVEL WITH ADAPTER ROD
T15-1	5/16"	"WINTERS" ROOT SAW COUPLING. COMBINE WITH ANY 2 ROOT SAW
T15-2	3/8"	"WINTERS" ROOT SAW COUPLING. COMBINE WITH ANY 2 ROOT SAW

#### **CONTINUOUS ROD TOOLS SEE NOTE:**

FOR ANY TOOL WITH SET SCREW COUPLING ADD "SS" AND EITHER 3 FOR .375, 4 FOR .393, 5 FOR .415 OR 6 FOR .461. USE 3/8" PRICE FOR EXAMPLE: T9-SS-3 BULLET TOOL WITH .375 SET SCREW COUPLING.

#### **CLEANING TOOLS**

#### **ROUND WIRE CORKSCREWS**

F1-1	1-1/2"	USE WITH 5/16" ROD
F1-2	1-1/2"	USE WITH 3/8" ROD
F2-1	2"	USE WITH 5/16" ROD
F2-2	2"	USE WITH 3/8" ROD
F3-1	3"	USE WITH 5/16" ROD
F3-1	3"	USE WITH 3/8" ROD
F4-1	3-1/2"	USE WITH 5/16" ROD
F4-2	3-1/2"	USE WITH 3/8" ROD
F5-1	5"	USE WITH 5/16" ADAPTER ROD
F5-2	5"	USE WITH 3/8" ROD
F6-1	6"	USE WITH 5/16" ADAPTER ROD
F6-2	6"	USE WITH 3/8" ROD



#### **DOUBLE ROUND WIRE CORKSCREWS**

FD3-1	3"	USE WITH 5/16" ROD
FD3-2	3"	USE WITH 3/8" ROD
FD4-1	4"	USE WITH 5/16" ROD
FD4-2	4"	USE WITH 3/8" ROD
FD6-1	6"	USE WITH 5/16" ROD
FD6-2	6"	USE WITH 3/8" ROD



#### **SAND CORKSCREWS**

G-3-1	3"	SAND CORKSCREW USE WITH 5/16" ROD
G-3-2	3"	SAND CORKSCREW USE WITH 3/8" ROD



***NOTE: For any cleaning tool you can buy the tool only less the coupling and adapter rod by adding a "B" after the part number***

## AUGERS

A2-1	2"	AUGER FOR 5/16" ROD
A2-2	2"	AUGER FOR 3/8" ROD
A3-1	3"	AUGER FOR 5/16" ROD
A3-2	3"	AUGER FOR 3/8" ROD
A4-1	4"	AUGER FOR 5/16" ROD
A4-2	4"	AUGER FOR 3/8" ROD
A5-1	5"	AUGER FOR 5/16" ROD
A5-2	5"	AUGER FOR 3/8" ROD
A6-1	6"	AUGER FOR 5/16" ROD
A6-2	6"	AUGER FOR 3/8" ROD
A8-1	8"	AUGER FOR 5/16" ROD
A8-2	8"	AUGER FOR 3/8" ROD
A10-1	10"	AUGER FOR 5/16" ROD
A10-2	10"	AUGER FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.  
 Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

## SQUARE BAR CORKSCREWS

E2-1	2"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E2-2	2"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E3-1	3"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E3-2	3"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E4-1	4"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E4-2	4"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E5-1	5"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E5-2	5"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E6-1	6"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E6-2	6"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E8-1	8"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E8-2	8"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E8-4	8" HD	8" HD SQUARE BAR CORKSCREW FOR 5/16"
E8-5	8" HD	8" HD SQUARE BAR CORKSCREW FOR 3/8"
E10-1	10"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E10-2	10"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E12-1	12"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E12-2	12"	SQUARE BAR CORKSCREW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.  
 Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

## ROOT SAWS

### STANDARD DUTY CONCAVE ROOT SAW

CRS-3-1	3"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-3-2	3"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-4-1	4"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-4-2	4"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-5-1	5"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-5-2	5"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-6-1	6"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-6-2	6"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-8-1	8"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-8-2	8"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-10-1	10"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-10-2	10"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-12-1	12"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-12-2	12"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-15-1	15"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-15-2	15"	CONCAVE ROOT SAW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.  
 Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

**NOTE: For any cleaning tool you can buy the tool only less the coupling and adapter rod by adding a "B" after the part number**

## **STANDARD DUTY FLAT ROOT SAWS**

FRS-3-1	3"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-3-2	3"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-4-1	4"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-4-2	4"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-6-1	6"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-6-2	6"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-8-1	8"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-8-2	8"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-10-1	10"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-10-2	10"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-12-1	12"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-12-2	12"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-15-1	15"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-15-2	15"	STANDARD FLAT ROOT SAW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

## **HEAVY DUTY CONCAVE ROOT SAWS**

HCRS-3-1	3"	HD CONCAVE ROOT SAW FOR 5/16" ROD
HCRS-3-2	3"	HD CONCAVE ROOT SAW FOR 3/8" ROD
HCRS-4-1	4"	HD CONCAVE ROOT SAW FOR 5/16" ROD
HCRS-4-2	4"	HD CONCAVE ROOT SAW FOR 3/8" ROD
HCRS-5-1	5"	HD CONCAVE ROOT SAW FOR 5/16" ROD
HCRS-5-2	5"	HD CONCAVE ROOT SAW FOR 3/8" ROD
HCRS-6-1	6"	HD CONCAVE ROOT SAW FOR 5/16" ROD
HCRS-6-2	6"	HD CONCAVE ROOT SAW FOR 3/8" ROD
HCRS-8-1	8"	HD CONCAVE ROOT SAW FOR 5/16" ROD
HCRS-8-2	8"	HD CONCAVE ROOT SAW FOR 3/8" ROD
HCRS-10-1	10"	HD CONCAVE ROOT SAW FOR 5/16" ROD
HCRS-10-2	10"	HD CONCAVE ROOT SAW FOR 3/8" ROD
HCRS-12-1	12"	HD CONCAVE ROOT SAW FOR 5/16" ROD
HCRS-12-2	12"	HD CONCAVE ROOT SAW FOR 3/8" ROD
HCRS-15-1	15"	HD CONCAVE ROOT SAW FOR 5/16" ROD
HCRS-15-2	15"	HD CONCAVE ROOT SAW FOR 3/8" ROD
HCRS-18-1	18"	HD CONCAVE ROOT SAW FOR 5/16" ROD
HCRS-18-2	18"	HD CONCAVE ROOT SAW FOR 3/8" ROD
HCRS-20-1	20"	HD CONCAVE ROOT SAW FOR 5/16" ROD
HCRS-20-2	20"	HD CONCAVE ROOT SAW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

## **HEAVY DUTY FLAT ROOT SAWS**

HFRS-3-1	3"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-3-2	3"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-4-1	4"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-4-2	4"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-5-1	5"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-5-2	5"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-6-1	6"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-6-2	6"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-8-1	8"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-8-2	8"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-10-1	10"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-10-2	10"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-12-1	12"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-12-2	12"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-15-1	15"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-15-2	15"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-18-1	18"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-18-2	18"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-20-1	20"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-20-2	20"	HD FLAT ROOT SAW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

## ROOT SAW BLADES ONLY

### **STANDARD CONCAVE ROOT SAW BLADES 1/8" THICK**

CRS-3B	3"	CONCAVE ROOT SAW BLADE ONLY
CRS-4B	4"	CONCAVE ROOT SAW BLADE ONLY
CRS-5B	5"	CONCAVE ROOT SAW BLADE ONLY
CRS-6B	6"	CONCAVE ROOT SAW BLADE ONLY
CRS-8B	8"	CONCAVE ROOT SAW BLADE ONLY
CRS-10B	10"	CONCAVE ROOT SAW BLADE ONLY
CRS-12B	12"	CONCAVE ROOT SAW BLADE ONLY

**ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER**



### **STANDARD FLAT ROOT SAW BLADES 1/8" THICK**

FRS-3B	3"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-4B	4"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-6B	6"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-8B	8"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-10B	10"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-12B	12"	STANDARD FLAT ROOT SAW BLADE ONLY

**ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER**



### **HEAVY DUTY CONCAVE ROOT SAW BLADES 3/16" THICK**

HCRS-3B	3"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-4B	4"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-5B	5"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-6B	6"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-8B	8"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-10B	10"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-12B	12"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-15B	15"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-18B	18"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-20B	20"	HD CONCAVE ROOT SAW BLADE ONLY

**ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER**



### **HEAVY DUTY FLAT ROOT SAW BLADES 3/16" THICK**

HFRS-3B	3"	HD FLAT ROOT SAW BLADE ONLY
HFRS-4B	4"	HD FLAT ROOT SAW BLADE ONLY
HFRS-5B	5"	HD FLAT ROOT SAW BLADE ONLY
HFRS-6B	6"	HD FLAT ROOT SAW BLADE ONLY
HFRS-8B	8"	HD FLAT ROOT SAW BLADE ONLY
HFRS-10B	10"	HD FLAT ROOT SAW BLADE ONLY
HFRS-12B	12"	HD FLAT ROOT SAW BLADE ONLY
HFRS-15B	15"	HD FLAT ROOT SAW BLADE ONLY
HFRS-18B	18"	HD FLAT ROOT SAW BLADE ONLY
HFRS-20B	20"	HD FLAT ROOT SAW BLADE ONLY

**ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER**



### **SPIRAL ROOT SAW BLADES 5/32" THICK**

SRS-4B	4"	SPIRAL ROOT SAW FOR 4" PIPE BLADE ONLY
SRS-6B	6"	SPIRAL ROOT SAW FOR 6" PIPE BLADE ONLY
SRS-8B	8"	SPIRAL ROOT SAW FOR 8" PIPE BLADE ONLY
SRS-10B	10"	SPIRAL ROOT SAW FOR 10" PIPE BLADE ONLY
SRS-12B	12"	SPIRAL ROOT SAW FOR 12" PIPE BLADE ONLY
SRS-15B	15"	SPIRAL ROOT SAW FOR 15" PIPE BLADE ONLY
SRS-18B	18"	SPIRAL ROOT SAW FOR 18" PIPE BLADE ONLY

**ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER**




## ADDITIONAL CLEANING TOOLS

### PORCUPINES

D-4-1	4"	PORCUPINE TURN TYPE FOR 5/16"
D-4-2	4"	PORCUPINE TURN TYPE FOR 3/8 ROD
D-6-1	6"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-6-2	6"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-8-1	8"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-8-2	8"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-10-1	10"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-10-2	10"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-12-1	12"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-12-2	12"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-15-1	15"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-15-2	15"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-18-1	18"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-18-2	18"	PORCUPINE TURN TYPE FOR 3/8" ROD

ALSO AVAILABLE IN PULL TYPE. PP-6, PP-8, PP-10 ETC... SAME PRICE



### SEWER BRUSH FOR SWABBING / FINISHING LINE

C-4-1	4"	STEEL SEWER BRUSH FOR 5/16" ROD
C-4-2	4"	STEEL SEWER BRUSH FOR 3/8 ROD
C-6-1	6"	STEEL SEWER BRUSH FOR 5/16" ROD
C-6-2	6"	STEEL SEWER BRUSH FOR 3/8" ROD
C-8-1	8"	STEEL SEWER BRUSH FOR 5/16" ROD
C-8-2	8"	STEEL SEWER BRUSH FOR 3/8" ROD
C-10-1	10"	STEEL SEWER BRUSH FOR 5/16" ROD
C-10-2	10"	STEEL SEWER BRUSH FOR 3/8" ROD
C-12-1	12"	STEEL SEWER BRUSH FOR 5/16" ROD
C-12-2	12"	STEEL SEWER BRUSH FOR 3/8" ROD



### 3 BLADE CUTTERS CHUCKS

CH-1-1	5/16"	CHUCK WITH ADAPTER ROD
CH-1-2	3/8"	CHUCK WITH ADAPTER ROD
CH-1-3	.375	CHUCK WITH SET SCREW CONNECTION
CH-1-4	.393	CHUCK WITH SET SCREW CONNECTION
CH-1-5	.415	CHUCK WITH SET SCREW CONNECTION
CH-1-6	.461	CHUCK WITH SET SCREW CONNECTION



### COMBO CUTTER WITH CURVED OR FLAT BLADES AND CONCAVE ROOT SAWs

SVC-6	6"	CITY COMBO CUTTER, INCLUDES BLADES AND SAW 5/16"
SVC-8	8"	CITY COMBO CUTTER, INCLUDES BLADES AND SAW 5/16"
SVC-10	10"	CITY COMBO CUTTER, INCLUDES BLADES AND SAW 5/16"
SVC-12	12"	CITY COMBO CUTTER, INCLUDES BLADES AND SAW 5/16"
SVC-15	15"	CITY COMBO CUTTER, INCLUDES BLADES AND SAW 5/16"



### SELECTO CURVED BLADE FOR 3 BLADE CUTTER

CB-4	4"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-6	6"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-8	8"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-10	10"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-12	12"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-15	15"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-18	18"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE

FOR FULL SIZE ADD "FS" AND \$2.00 TO EACH BLADE



### SELECTO FLAT BLADES FOR 3 BLADE CUTTER

FB-4	4"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-6	6"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-8	8"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-10	10"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-12	12"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-15	15"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-18	18"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE




## POWER ROD DRIVE TRAILER AND ACCESSORIES

### **POWER DRIVES**

SPD-3	3 HP	Power Drive Units Include Speed-Chuck, Specify 5/16" or 3/8"
SPD-6.5	6.5 HP	Power Drive Units Include Speed-Chuck, Specify 5/16" or 3/8"
SPD-8	8 HP	Power Drive Units Include Speed-Chuck, Specify 5/16" or 3/8"
SPD-8H	8 HP	Honda Engine



RR-1-1 Rod reel. Made from 1/2" round bar. 500' capacity. Can be used with either the tripod steel stand or trailer type




RR-1-2 Rod reel stand street type. Guide tube with articulated elbow. 3 legs support the reel at perfect angle for pay-out



RR-1-3 Rod reel stand trailer type. Same guide tube but the mounting plate to attach to trailer. Also can be modified to fit your truck

RR-1-4 Lower manhole rigid rod guide. Connects to 1.5" pipe to allow the rods to enter the sewer at the correct angle

RR-1-5 Foot jack support. Keeps pressure in the guide system by supporting the guide against back wall of manhole



RR-1-6 Back jack support. Keeps pressure in the guide system by supporting the guide against back wall of manhole

RR-1-7 Manhole jack support. Used to support the 1.5" guide tube against the manhole ring

RR-1-8 Complete manhole set-up kit with 21' of galvanized. Comes with 21' of pipe in sections and RR1-4, RR1-5, RR1-6, and RR1-7

H-10-1 Carry all trailer. Can carry all your tools, rods and powerdrive to the job site. Includes a lockable and an open tool box. Comes with a standard 2" ball hitch and swivel 3rd wheel

H-11-1 Stop, tail & turning lights

H-12-1 Pintle ring hitch

H-13-1 Electric brakes



## CONTINUOUS ROD AND RODDER ACCESSORIES

### CONTINUOUS ROD GUIDE HOSES

LW-7	7'	Lightweight Hose Guide With Flex-Metallic Liner
LW-10	10'	Lightweight Hose Guide With Flex-Metallic Liner
LW-15	15'	Lightweight Hose Guide With Flex-Metallic Liner
LW-18	18'	Lightweight Hose Guide With Flex-Metallic Liner
LW-20	20'	Lightweight Hose Guide With Flex-Metallic Liner
LW-22	22'	Lightweight Hose Guide With Flex-Metallic Liner
LW-24	24'	Lightweight Hose Guide With Flex-Metallic Liner
LW-25	25'	Lightweight Hose Guide With Flex-Metallic Liner
HD-7	7'	Heavy Duty Hose Guide With Metallic Liner
HD-10	10'	Heavy Duty Hose Guide With Metallic Liner
HD-15	15'	Heavy Duty Hose Guide With Metallic Liner
HD-18	18'	Heavy Duty Hose Guide With Metallic Liner
HD-20	20'	Heavy Duty Hose Guide With Metallic Liner
HD-22	22'	Heavy Duty Hose Guide With Metallic Liner
HD-24	24'	Heavy Duty Hose Guide With Metallic Liner
HD-25	25'	Heavy Duty Hose Guide With Metallic Liner
HDS-7	7'	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-10	10'	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-15	15'	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-18	18'	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-20	20'	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-22	22'	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-24	24'	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-25	25'	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
LW-15BF	15'	Below Freezing Hose Guide With Flex-Metallic Liner
LW-18BF	18'	Below Freezing Hose Guide With Flex-Metallic Liner
LW-20BF	20'	Below Freezing Hose Guide With Flex-Metallic Liner
LW-22BF	22'	Below Freezing Hose Guide With Flex-Metallic Liner
LW-24BF	24'	Below Freezing Hose Guide With Flex-Metallic Liner
LW-25BF	25'	Below Freezing Hose Guide With Flex-Metallic Liner



### SPECIAL HD

CAM-LOCK ENDS With 2" heavy duty iron Cam-Lock fitting male end  
add "MI" to part number and add female end add "FI" to part number

Example: 7' light rod guide hose with male x female 2": heavy duty iron  
Cam Lock fittings part No. LW-7MIFI



STEEL ENDS\* ANY ABOVE HOSE CAN BE ORDERED WITH STEEL ENDS  
BY ADDING "SE" TO PART NUMBER AND ADDING COMES  
WITH FEMALE END FOR HOSE GUIDE BELL AND STEEL  
MALE END FOR RODDING MACHINE FEMALE



HGB HOSE GUIDE BELL  
SPB SINGLE PRONG BRACE WITH CHAIN AND ROPE  
SPR SINGLE PRONG BRACE WITH RING AND ROPE

HGS HOSE GUIDE STAND

SME STEEL MALE END

SFE STEEL FEMALE FOR BELL FOR HOSE GUIDE BELL

SCL-1 STEEL FEMALE X FEMALE STRAIGHT COUPLER

SCL-2 SET OF CLAMPS FOR ATTACHED STEEL ENDS TO HOSE

SCL-3 ALUMINUM BELL END FOR GUIDE HOSE  
SCL-4 ALUMINUM MALE END FOR GUIDE HOSE

SCL-5 INSERT GUIDE  
SCL-6 LIGHTWEIGHT FLEX-METALLIC LINER AND LW HOSE (PER FOOT)  
SCL-7 HEAVY DUTY HOSE WITH FLEX-METALLIC LINER (PER FOOT)  
SCL-8 FLEX-METALLIC LINER ONLY (PER FOOT)



## CONTINUOUS ROD

### **CONTINUOUS ROD PRICE PER FOOT**

STC-1-1	0.312	Continuous Rod
STC-1-2	0.375	Continuous Rod
STC-1-3	0.393	Continuous Rod
STC-1-4	0.415	Continuous Rod
STC-1-5	0.461	Continuous Rod



### **CONTINUOUS ROD TRANSFER RACK**

CRTR-1 6 SPOKE HEAVY DUTY TRANSFER RACK. 6 SPOKE AND GUIDE ARM

## ADAPTER COUPLINGS

### **ADAPTER COUPLINGS FOR CONNECTING CONTINUOUS ROD TO TOOLS**

AC-1-1	0.375	Set screw type, to 3/8" COARSE RH THREAD
AC-1-2	0.393	Set screw type, to 3/8" COARSE RH THREAD
AC-1-4	0.461	Set screw type, to 3/8" COARSE RH THREAD
AC-2-1	0.375	Fine LH thread Hook , to 5/16" COARSE RH THREAD
AC-2-2	0.393	Fine LH thread Hook , to 5/16" COARSE RH THREAD
AC-2-4	0.461	Fine LH thread Hook , to 5/16" COARSE RH THREAD
AC-3-1	0.375	Set screw type, to 5/16" COARSE RH THREAD
AC-3-2	0.393	Set screw type, to 5/16" COARSE RH THREAD
AC-3-4	0.461	Set screw type, to 5/16" COARSE RH THREAD
AC-4-1	0.375	Fine LH thread hook , to 3/8" COARSE RH THREAD
AC-4-2	0.393	Fine LH thread hook , to 3/8" COARSE RH THREAD
AC-4-4	0.461	Fine LH thread hook , to 3/8" COARSE RH THREAD



### **COUPLING NUTS**

CN-1-1	5/16"	Course Thread Right Hand Nut
CN-1-2	5/16"	Fine Thread Left Hand Nut
CN-1-3	3/8"	Course Thread Right Hand Nut
CN-1-4	3/8"	Fine Thread Left Hand Nut
CN-1-5	0.375	Course Thread Right Hand Nut
CN-1-6	0.375	Fine Thread Left Hand Nut
CN-1-7	0.393	Course Thread Right Hand Nut
CN-1-8	0.393	Fine Thread Left Hand Nut
CN-1-11	0.461	Course Thread Right Hand Nut
CN-1-12	0.461	Fine Thread Left Hand Nut



### **COUPLINGS FOR SECTIONAL AND CONTINUOUS ROD**

CC-1-1	5/16"	5/16" LH fine x RH coarse coupling
CC-1-2	3/8"	3/8" LH fine x RH coarse coupling



### **COUPLINGS FOR SQUARE STOCK CORKSCREW**

CS-1-1	5/16"	To Be Used With Adapter Rods
CS-1-2	3/8"	To Be Used With Adapter Rods
CS-1-3	0.375	With Set Screw Connections
CS-1-4	0.393	With Set Screw Connections
CS-1-6	0.461	With Set Screw Connections
CS-1-7	0.375	With Hook Type Connection
CS-1-8	0.393	With Hook Type Connection
CS-1-10	0.461	With Hook Type Connection



### **COUPLINGS FOR STANDARD ROOT SAW**

CR1-1	5/16"	To Be Used With Adapter Rods
CR1-2	3/8"	To Be Used With Adapter Rods
CR1-3	0.375	With Set Screw Connections
CR1-4	0.393	With Set Screw Connections
CR1-6	.0461	With Set Screw Connections
CR1-7	0.375	With Hook Type Connection
CR1-8	0.393	With Hook Type Connection
CR1-10	0.461	With Hook Type Connection



### **QUICK CONNECT COUPLINGS**

QCP-1	5/16"	Quick Connect Female Coupling for 5/16" Rods
QCM-1	5/16"	Quick Connect Male Coupling for 5/16" Rods
QCF-2	1/4"	Quick Connect Female Coupling for 1/4" Rods
QCM-2	1/4"	Quick Connect Male Coupling for 1/4" Rods



## **COUPLINGS FOR HD ROOT SAWS**

CRHD-1	5/16"	To Be Used With Adapter Rods
CRHD-2	3/8"	To Be Used With Adapter Rods
CRHD-3	0.375	With Set Screw Connections
CRHD-4	0.393	With Set Screw Connections
CRHD-6	0.461	With Set Screw Connections
CRHD-7	0.375	With Hook Type Connection
CRHD-8	0.393	With Hook Type Connection
CRHD-9	0.415	With Hook Type Connection
CRHD-10	0.461	With Hook Type Connection



## **COUPLINGS FOR AUGERS -2", 3" & 4"**

CA-1-1	5/16"	To Be Used With Adapter Rods
CA-1-2	3/8"	To Be Used With Adapter Rods
CA-1-3	0.375	With Set Screw Connections
CA-1-4	0.393	With Set Screw Connections
CA-1-6	0.461	With Set Screw Connections
CA-1-7	0.375	With Hook Type Connection
CA-1-8	0.393	With Hook Type Connection
CA-1-9	0.415	With Hook Type Connection
CA-1-10	0.461	With Hook Type Connection



## **COUPLINGS FOR AUGERS -6", 10" AND UP**

CA-2-1	5/16"	To Be Used With Adapter Rods
CA-2-2	3/8"	To Be Used With Adapter Rods
CA-2-3	0.375	With Set Screw Connections
CA-2-4	0.393	With Set Screw Connections
CA-2-6	0.461	With Set Screw Connections
CA-2-7	0.375	With Hook Type Connection
CA-2-8	0.393	With Hook Type Connection
CA-2-9	0.415	With Hook Type Connection
CA-2-10	0.461	With Hook Type Connection



## **NO.5 PLUMBER RODS**

P5-13	1/4" X 6'	No. 5 PLUMBERS RODS. HEX COUPLING AND 1/4" X 6' LONG
P5-1		ROD FRAME ONLY
P5-2	2"	ROUND WIRE COILED CORKSCREW
P5-3	3"	DOUBLE ROUND WIRE COILED CORKSCREW
P5-4	4"	ROUND WIRE CORKSCREW
P5-5-2	2"	ROOT CUTTER WITH SPADE BLADE
P5-5-3	3"	ROOT CUTTER WITH SPADE BLADE
P5-5-4	4"	ROOT CUTTER WITH SPADE BLADE
P5-6	2"	SPEAR HEAD WITH COILED PIG TAIL
P5-7		PICK-UP TOOL WITH COILED PIG TAIL
P5-8		ASSEMBLY TOOL FOR NO. 5 RODS
P5-9		ELECTRIC DRILL ADAPTER
P5-10		PULL OUT TURNING HANDLE




P-5SET COMPLETE NO. 5 SET IS COMPRISED OF:

17 each P5-13 (1/4" x 6' rods), 1 each of P5-1 Rod Frame, 1 each of P5-2 2" Corkscrew, 1 each of P5-3 4" Double Corkscrew, 1 each of P5-4 4" Corkscrew, 1 each of P5-5-3 3" Root Cutter, 1 each of P5-6 Spear Head, 1 each of P5-7 Pick-Up Tool, 1 Each of P5-8 Assembly Tool, 1 each of P5-9 Electric Drill Adapter, 1 each of P5-10 Turning Handle.  
Add "B" to any tool above for a pig tail with a "B" nut



## “B” PLUMBERS RODS AND TOOLS

PB-1	1/4" X 6'	“B” ROD COMPLETE (ROUND COUPLING)
PB-2		PICK UP TOOL
PB-3	4"	CORKSCREW
PB-4	2"	CORKSCREW
PB-5-3	3"	ROOT CUTTER
PB-5-4	4"	ROOT CUTTER
PB-5-2	2"	ROOT CUTTER
PB-6		SPEAR HEAD
PB-7		ASSEMBLY TOOL
PB-8		TURNING HANDLE
PB-9	4"	TAPERED CORKSCREW (NOT IN SET)
PB-10	2"	TAPERED CORKSCREW (NOT IN SET)



PB  
COMPLETE “B” PLUMBERS SET  
SET INCLUDES 17 RODS AND 1 EACH OF  
ALL TOOLS ABOVE EXCEPT PB-9, PB-10

## SPECIAL COILED SPRING ITEMS

SSU-1	1" O.D. OF 1/4" WIRE X 12" LONG WITH RH X LH 5/16" NUTS
SSU-2	UNIVERSAL SPRINGS 1.25" DIA X 12" LONG WITH 5/16" LHXRH
SSCR-3	1" X 3' COILED ROD WITH RH X LH 5/16" NUTS
SCR-25	1" X 25' COILED ROD WITH 5/16" PIGS TAILS EACH SIDE
SCR-3A	1" X 3' COILED ROD WITH AUGER COUPLING X 5/16" PIG
PF-7	1" X 25' COILED ROD 1/4" PLUMBER TOOL MALE X FEMALE
PF-20M	1" X 3' LONG COILED ROD WITH 3" ROOT SAW X 5/16"
PF-21M	1" X 3' LONG COILED ROD WITH 4" ROOT SAW X 5/16"
PF-22M	1" X 3' LONG COILED ROD WITH 6" ROOT SAW X 5/16"
PF-8	1" FEMALE COILED ROD COUPLER
PF-9	1" MALE COILED ROD COUPLER



## MISCELLANEOUS ITEMS

### VALVES AND SWIVELS

BHK-1-2	S-21	1" 2-WAY BALL VALVE 5000 PSI
BHK-3/4-2	S-234	3/4" 2-WAY BALL VALVE 5000 PSI
BHK-1-3	S-31	1" 3-WAY BALL VALVE 5000 PSI
BHK-3/4	S-334	3/4" 3-WAY BALL VALVE 5000 PSI
BHK-114-2		1.25 2-WAY BALL VALVE 5000 PSI



### VALVES AND SWIVELS

SSE-1E	1"	90° SWIVEL
SS-12E	1.25"	90° SWIVEL




## MANHOLE HOOKS

### POOK

#### DOUBLE SIDED PICK AND MANHOLE HOOK

This is the famous Pook that is well known in cities across America for those who want the toughest manhole hook. Hook and Pick combined to make a "Pook". One side of the 2 sided head is a sharp pick to chip away at asphalt or any other hard surface. The other side has a hook that has the perfect angle to fit in the hole and lift up any manhole lid. This complete unit is made from 4130 high carbon steel that is heat treated to exacting numbers. The handle is 3/4" thick!! Nice triangle flat against your palm. Powder coated safety orange



### MSRH-1

#### MANHOLE HOOK, TRIANGLE HANDLE, 39" LONG, 90°

### MSRH-2

#### MANHOLE HOOK, TRIANGLE HANDLE, 27" LONG, FLAT

### MSRH-3

#### MANHOLE HOOK, TRIANGLE HANDLE, 39" LONG, FLAT

### MSRT-1

#### "T" HANDLE MANHOLE HOOK, 39" LONG FLAT

## SAND TRAPS

SST-6	6"	SAND TRAP WITH ROPE 25'
SST-8	8"	SAND TRAP WITH ROPE 25'
SST-10	10"	SAND TRAP WITH ROPE 25'
SST-12	12"	SAND TRAP WITH ROPE 25'
SST-15	15"	SAND TRAP WITH ROPE 25'
SST-18	18"	SAND TRAP WITH ROPE 25'
SST-20	20"	SAND TRAP WITH ROPE 25'



## SPECIALTY TOOLS NOT OTHERWISE ACCOUNTED FOR

### MAGNETIC VALVE BOX LIFTER

MVBL-1 The Valve Box Lifter packs a punch with 100 lb. magnet strength.

Equipped with a 30" long T handle, it's easy to place on the cover and lift up.



### FIBERGLASS POLE SUPPORT BRACKET

M-730 POLE SUPPORT BRACKET WITH WINGED HINGE

This handy tool will keep your pole supported above manhole rim. Hinged in middle so it folds up and is easy to store. Interior rubber gasket keeps pole in place.

### INSERT NOZZLE GUIDE



1) Place hose  
in Jaws

2) Close Jaws  
around hose

3) Lower the  
guide into place

4) Pull rope and release  
hose and nozzle

This device connects to our interlocking pole systems. Essentially it will grab and lock the end of your hose where the nozzle is so the operator can put it where he wants. The sewer or duct might be submerged, blind, raised or dropped. Once you have the nozzle securely attached in the jaws you can lower the hose and nozzle into the manhole to the depth you need. At this point you just direct the end of the guide into the sewer line and insert it. At this point you can open the water flow so that your nozzle will take off in the line once you open the guide jaws. With a slight "tug" on the rope you will open the jaws and release the hose and nozzle. YOUR DONE. PULL UP GUIDE TO THE STREET.


ING-SS  
NG-SS-24K

INSERT GUIDE ONLY. INCLUDES 25' NYLON ROPE. CONNECTS TO OUR QUICK CONNECT POLE SYSTEM.  
INSERT NOZZLE GUIDE KIT INCLUDES 25' FIBERGLASS POLES AND 25' NYLON ROPE


ING-SS ALONE



ING-SS SHOWN WITH HOSE  
AND NOZZLE IN JAWS



PULL THE ROPE AND JAWS  
RELEASE



**Southland Tool Mfg. Inc.**

**1430 N. Hundley St.**

**Anaheim, CA 92806**

**Tel: 714.632.8198 • Fax: 714.632.8228**

**[www.southlandtool.com](http://www.southlandtool.com) • [sales@southlandtool.com](mailto:sales@southlandtool.com)**