

# **Oracle® Lease and Finance Management**

Implementation Guide

Release 12.2

**Part No. E48777-23**

September 2024

Oracle Lease and Finance Management Implementation Guide, Release 12.2

Part No. E48777-23

Copyright © 2002, 2024, Oracle and/or its affiliates.

Primary Author: Mathew Daniel

Contributing Author: Kevin Brown

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

#### Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

#### Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.



---

# Contents

**Send Us Your Comments**

**Preface**

## **Part 1 Getting Started**

### **1 Introduction**

|                                                         |     |
|---------------------------------------------------------|-----|
| Oracle E-Business Suite Installation.....               | 1-1 |
| Oracle Lease and Finance Management Overview.....       | 1-2 |
| Oracle Lease and Finance Management Business Flows..... | 1-3 |

## **Part 2 Implementing Oracle Lease and Finance Management**

### **2 Implementation Overview**

|                                                                  |      |
|------------------------------------------------------------------|------|
| Implementation Steps Checklists.....                             | 2-1  |
| Implementation Steps in Oracle E-Business Suite.....             | 2-1  |
| Implementation Steps in Oracle Lease and Finance Management..... | 2-12 |

### **3 General Implementation Tasks**

|                                          |     |
|------------------------------------------|-----|
| Perform System Administration Tasks..... | 3-1 |
| Define Responsibilities.....             | 3-2 |
| Define Employees.....                    | 3-2 |
| Define Users.....                        | 3-3 |
| Define Lookups.....                      | 3-5 |
| Define Profile Options.....              | 3-7 |

|                                         |             |
|-----------------------------------------|-------------|
| Set Up Document Sequencing.....         | 3-8         |
| Set Up Concurrent Managers.....         | 3-8         |
| <b>Define Contract Numbering.....</b>   | <b>3-9</b>  |
| <b>Set Up Oracle XML Publisher.....</b> | <b>3-10</b> |

## 4 ERP Implementation Tasks

|                                                           |             |
|-----------------------------------------------------------|-------------|
| <b>Set Up Oracle Assets.....</b>                          | <b>4-1</b>  |
| Define General Asset Information.....                     | 4-1         |
| Define Asset Depreciation.....                            | 4-3         |
| Define Books and Asset Categories.....                    | 4-6         |
| Set Up Assets for Like-Kind Exchange.....                 | 4-8         |
| Define Asset Book for Multi-GAAP Reporting.....           | 4-9         |
| <b>Set Up Oracle General Ledger.....</b>                  | <b>4-10</b> |
| <b>Set Up Oracle Inventory.....</b>                       | <b>4-10</b> |
| Define Item Flexfield.....                                | 4-11        |
| Define Item Categories Flexfield.....                     | 4-12        |
| Define Item Catalog Groups.....                           | 4-12        |
| Define Inventory Organizations.....                       | 4-13        |
| Change Organizations.....                                 | 4-14        |
| Define Unit of Measure Classes.....                       | 4-14        |
| Define Subinventories.....                                | 4-15        |
| Define Categories.....                                    | 4-16        |
| Define Category Set.....                                  | 4-16        |
| Define Default Category Set.....                          | 4-17        |
| Define Statuses.....                                      | 4-18        |
| Define Item Type for Insurance Products.....              | 4-19        |
| Define Items.....                                         | 4-19        |
| Define Remarketing Items with Web Attributes.....         | 4-22        |
| <b>Set Up Oracle Order Management.....</b>                | <b>4-23</b> |
| Set Up Transaction Types.....                             | 4-23        |
| <b>Set Up Oracle Receivables.....</b>                     | <b>4-25</b> |
| Define Payment Terms.....                                 | 4-26        |
| Open Accounting Periods.....                              | 4-26        |
| Define AutoAccounting.....                                | 4-27        |
| Define Remittance Banks.....                              | 4-28        |
| Define Receipt Classes.....                               | 4-28        |
| Define Payment Methods.....                               | 4-29        |
| Define Aging Buckets.....                                 | 4-30        |
| Integration with Oracle E-Business Tax.....               | 4-30        |
| Billing Adjustments for Lease and Finance Management..... | 4-31        |

|                                                                                        |             |
|----------------------------------------------------------------------------------------|-------------|
| Billing Approval Limits for Adjustments for Lease and Finance Management.....          | 4-31        |
| Set Up Install_At and Ship_To Addresses For Customers and Assets.....                  | 4-31        |
| Define Receivables Lookups.....                                                        | 4-32        |
| <b>Set Up Oracle Payables.....</b>                                                     | <b>4-33</b> |
| Define Payment Terms.....                                                              | 4-34        |
| Define Payables Lookups.....                                                           | 4-34        |
| <b>Set Up Oracle Purchasing.....</b>                                                   | <b>4-35</b> |
| Define Purchasing Lookups.....                                                         | 4-35        |
| Define Suppliers.....                                                                  | 4-37        |
| Define Insurance Providers.....                                                        | 4-37        |
| Set Up Document Sequencing of Payables Invoices.....                                   | 4-38        |
| <b>Set Up Oracle Subledger Accounting for Oracle Lease and Finance Management.....</b> | <b>4-42</b> |

## 5 CRM Implementation Tasks

|                                                                         |             |
|-------------------------------------------------------------------------|-------------|
| <b>Overview of CRM Implementation Tasks.....</b>                        | <b>5-1</b>  |
| <b>Set Up Contracts.....</b>                                            | <b>5-2</b>  |
| Add Articles.....                                                       | 5-2         |
| Add Additional Quality Assurance Checks.....                            | 5-2         |
| Set Up New User-Defined Parties For Lease Contracts and Agreements..... | 5-3         |
| <b>Set Up Service Contracts Counters.....</b>                           | <b>5-4</b>  |
| <b>Set Up iStore.....</b>                                               | <b>5-5</b>  |
| Set Up Specialty Stores.....                                            | 5-5         |
| <b>Set Up Order Capture.....</b>                                        | <b>5-6</b>  |
| <b>Set Up Marketing Online.....</b>                                     | <b>5-7</b>  |
| <b>Set Up CRM Foundation.....</b>                                       | <b>5-7</b>  |
| Set Up and Configure Interaction History.....                           | 5-8         |
| Set Up Notes.....                                                       | 5-9         |
| Set Up Territories.....                                                 | 5-10        |
| Set Up Resources.....                                                   | 5-11        |
| Define Sales Representatives.....                                       | 5-12        |
| Define Remarketers.....                                                 | 5-12        |
| Define Assignment Group.....                                            | 5-13        |
| <b>Set Up Telephony.....</b>                                            | <b>5-14</b> |
| <b>Set Up Work Queues.....</b>                                          | <b>5-14</b> |

## 6 Lease and Finance Management Implementation Tasks

|                                                                                 |            |
|---------------------------------------------------------------------------------|------------|
| <b>Define Streams and Pricing.....</b>                                          | <b>6-2</b> |
| Define Stream Types.....                                                        | 6-2        |
| Associate Financial Products to Lease Price Modeling Software Templates.....    | 6-10       |
| Set Up Parameter Conversions For Third-Party Lease Price Modeling Software..... | 6-11       |

|                                                                                           |             |
|-------------------------------------------------------------------------------------------|-------------|
| Set Up Book Type Mapping For Third-Party Lease Price Modeling Software.....               | 6-12        |
| Define Setups for Pricing Tools.....                                                      | 6-13        |
| Set Up For Revenue Recognition on Receipt of Cash.....                                    | 6-17        |
| <b>Define Formulas.....</b>                                                               | <b>6-17</b> |
| Define Formula Functions.....                                                             | 6-18        |
| Define Non-Standard Function Parameters.....                                              | 6-19        |
| Define Contexts.....                                                                      | 6-20        |
| Define Formula Operands.....                                                              | 6-20        |
| Define Formula.....                                                                       | 6-22        |
| <b>Accounting Options.....</b>                                                            | <b>6-24</b> |
| <b>Define Operational Options.....</b>                                                    | <b>6-35</b> |
| <b>Define Lease Quoting Options.....</b>                                                  | <b>6-35</b> |
| <b>Associate XML Layout Templates to Lease and Finance Management Report Templates...</b> | <b>6-36</b> |
| <b>Define Account Generator.....</b>                                                      | <b>6-36</b> |
| Define Account Generator Rules.....                                                       | 6-37        |
| Define Account Generator Sources.....                                                     | 6-37        |
| Account Generator Transaction Types.....                                                  | 6-41        |
| <b>Define Financial Products.....</b>                                                     | <b>6-49</b> |
| Define Template Quality Name and Value.....                                               | 6-52        |
| Define Qualities Name and Values.....                                                     | 6-53        |
| Define a Product Template.....                                                            | 6-54        |
| Define a Product.....                                                                     | 6-55        |
| <b>Define Invoice Group Parameters.....</b>                                               | <b>6-59</b> |
| Create an Invoice Group.....                                                              | 6-60        |
| Specify a Default Invoice Line Type.....                                                  | 6-63        |
| <b>Define Billing Groups.....</b>                                                         | <b>6-63</b> |
| <b>Define Invoice Messages.....</b>                                                       | <b>6-66</b> |
| <b>Set Up Interest Rates.....</b>                                                         | <b>6-67</b> |
| <b>Set Up Usage-Based Billing.....</b>                                                    | <b>6-68</b> |
| <b>Define Late Charges Parameters.....</b>                                                | <b>6-69</b> |
| Create Late Policies.....                                                                 | 6-70        |
| <b>Define Cash Search and Cash Application Rules.....</b>                                 | <b>6-73</b> |
| Define Invoice Search Rules.....                                                          | 6-74        |
| Define Cash Application Rules.....                                                        | 6-77        |
| <b>Define Customer Service Setups.....</b>                                                | <b>6-84</b> |
| Define Service Fees.....                                                                  | 6-84        |
| <b>Define Party Contact Roles.....</b>                                                    | <b>6-85</b> |
| <b>Set Up Termination Quotes for Repossession.....</b>                                    | <b>6-86</b> |
| <b>Set Up Termination Completion Event.....</b>                                           | <b>6-88</b> |
| <b>Process Terminations with Purchase in Closed Fiscal Years.....</b>                     | <b>6-89</b> |
| <b>Define Remarketing Functionality.....</b>                                              | <b>6-89</b> |



|                                                                            |              |
|----------------------------------------------------------------------------|--------------|
| Create Remarketer Assignments.....                                         | 6-89         |
| Define Repair Costs.....                                                   | 6-90         |
| <b>Define Lease Income Accrual Rules.....</b>                              | <b>6-91</b>  |
| <b>Define Loss Provision Rules.....</b>                                    | <b>6-93</b>  |
| Set up Loss Provision Rates.....                                           | 6-93         |
| <b>Define Off-Lease Asset Amortization Rules.....</b>                      | <b>6-93</b>  |
| Define Off-Lease Asset Hold Periods.....                                   | 6-94         |
| <b>Set Up Subsidies.....</b>                                               | <b>6-95</b>  |
| Create Subsidy.....                                                        | 6-96         |
| Define Subsidy Criteria.....                                               | 6-97         |
| <b>Set Up Sales Tax.....</b>                                               | <b>6-99</b>  |
| <b>Set Up Property Tax.....</b>                                            | <b>6-102</b> |
| <b>Define Insurance.....</b>                                               | <b>6-104</b> |
| Set up Insurance Item Type Profile Option.....                             | 6-105        |
| Define Insurance Class Lookups.....                                        | 6-105        |
| Define Insurance Factor Lookups.....                                       | 6-105        |
| Define Insurer Ranking.....                                                | 6-106        |
| Define Insurance Products.....                                             | 6-107        |
| Define Insurance Asset Classes.....                                        | 6-108        |
| Define Insurance Rates.....                                                | 6-109        |
| Define Insurance Restrictions.....                                         | 6-110        |
| Define Insurance Tasks.....                                                | 6-111        |
| Define Parameters for Automatic Placement of Insurance Business Rules..... | 6-111        |
| <b>Set Up Pricing Engine Integration for Stream Generation.....</b>        | <b>6-112</b> |
| Define the Pricing Engine as a Customer in Oracle Receivables.....         | 6-113        |
| Define Profile Options.....                                                | 6-114        |
| Define Trading Partner and Transaction Types.....                          | 6-115        |
| Schedule Pricing Time Out Concurrent Program.....                          | 6-120        |
| <b>Define Workflow.....</b>                                                | <b>6-120</b> |
| Seeded Business Events For Lease Contract Authoring.....                   | 6-121        |
| Modify Order Management Workflow to Enable Standard Remarketing.....       | 6-122        |
| <b>Set Up Credit Checklists.....</b>                                       | <b>6-123</b> |
| <b>Customizing Users' Lease and Finance Management Home Pages.....</b>     | <b>6-124</b> |
| <b>Set Up Vendor Residual Sharing.....</b>                                 | <b>6-124</b> |
| <b>Set Up Reconciliation Report Templates.....</b>                         | <b>6-125</b> |
| <b>Set Up Investor Agreement for Fixed Pools.....</b>                      | <b>6-130</b> |
| <b>Table Attributes for Web Services.....</b>                              | <b>6-133</b> |
| <b>Set Up Extensible Attributes.....</b>                                   | <b>6-136</b> |

## **7 Oracle iSetup for Lease and Finance Management**

|                                                      |     |
|------------------------------------------------------|-----|
| Oracle iSetup for Lease and Finance Management ..... | 7-1 |
|------------------------------------------------------|-----|

## **8 Lease and Finance Management Command Center Configuration**

|                                                                              |            |
|------------------------------------------------------------------------------|------------|
| <b>Lease and Finance Management Command Center Configuration.....</b>        | <b>8-2</b> |
| Setting Up Lease and Finance Management Command Center.....                  | 8-2        |
| Setup and Configuration Steps.....                                           | 8-2        |
| Setting Profile Options for Lease and Finance Management Command Center..... | 8-2        |
| Configuring Descriptive Flexfields for Search.....                           | 8-3        |
| Loading Lease and Finance Management Command Center Data.....                | 8-4        |
| Setting Up Payment Predictions.....                                          | 8-7        |
| Setting Up Asset Renewal Predictions.....                                    | 8-24       |

## **A Profile Options and Profile Option Categories**

|                                                                      |            |
|----------------------------------------------------------------------|------------|
| <b>Profile Options and Profile Option Categories Overview.....</b>   | <b>A-1</b> |
| <b>Profile Option Category and Profile Options Descriptions.....</b> | <b>A-2</b> |
| Accounting Category.....                                             | A-2        |
| Billing Category.....                                                | A-3        |
| Collections Category.....                                            | A-4        |
| Credit Category.....                                                 | A-4        |
| Customer Service Category.....                                       | A-6        |
| Fulfillment Category.....                                            | A-9        |
| Insurance Category.....                                              | A-12       |
| Interaction History Category.....                                    | A-16       |
| Origination Category.....                                            | A-19       |
| Remarketing Category.....                                            | A-22       |
| Sales Category.....                                                  | A-24       |
| Streams Category.....                                                | A-25       |
| Technical Category.....                                              | A-27       |
| Vendor Category.....                                                 | A-28       |
| Subledger Accounting Category.....                                   | A-29       |

## **B Seed Data**

|                             |             |
|-----------------------------|-------------|
| <b>Stream Purposes.....</b> | <b>B-1</b>  |
| <b>Formulas.....</b>        | <b>B-22</b> |
| <b>Workflows.....</b>       | <b>B-27</b> |

## **C FND Lookup Types**

|                                     |      |
|-------------------------------------|------|
| About the Lookup Tables.....        | C-1  |
| OKL Lookup Types - A.....           | C-2  |
| OKL Lookup Types - B through C..... | C-6  |
| OKL Lookup Types - D through H..... | C-9  |
| OKL Lookup Types - I through K..... | C-14 |
| OKL Lookup Types - L through P..... | C-17 |
| OKL Lookup Types - Q through R..... | C-22 |
| OKL Lookup Types - S.....           | C-24 |
| OKL Lookup Types - T through Z..... | C-29 |

## **D Formula Engine**

|                                                               |     |
|---------------------------------------------------------------|-----|
| About the Formula Engine.....                                 | D-1 |
| Terminology .....                                             | D-2 |
| Examples of Formulas.....                                     | D-3 |
| Commission Formula Example.....                               | D-3 |
| Net Investment Value Formula Example.....                     | D-6 |
| General Setup Steps for a Formula with Operand Functions..... | D-7 |
| Write the Source PL/SQL Function To Use in a Formula.....     | D-8 |

## **E Seeded Contract Classification Parameters**

|                                                |     |
|------------------------------------------------|-----|
| Seeded Contract Classification Parameters..... | E-1 |
|------------------------------------------------|-----|

## **F Seeded Business Events For Lease Contract Authoring**

|                                                           |     |
|-----------------------------------------------------------|-----|
| Seeded Business Events For Authoring Lease Contracts..... | F-1 |
|-----------------------------------------------------------|-----|

## **G Interface Tables**

|                                                        |     |
|--------------------------------------------------------|-----|
| Interface Table for Uploading the Initial Balance..... | G-1 |
|--------------------------------------------------------|-----|

## **Glossary**

## **Index**



---

# Send Us Your Comments

## **Oracle Lease and Finance Management Implementation Guide, Release 12.2**

### **Part No. E48777-23**

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document. Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).

Note: Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the new Oracle E-Business Suite Release Online Documentation CD available on My Oracle Support and [www.oracle.com](http://www.oracle.com). It contains the most current Documentation Library plus all documents revised or released recently.

Send your comments to us using the electronic mail address: [appsdoc\\_us@oracle.com](mailto:appsdoc_us@oracle.com)

Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our Web site at [www.oracle.com](http://www.oracle.com).



---

# Preface

## Intended Audience

Welcome to Release 12.2 of the *Oracle Lease and Finance Management Implementation Guide*.

This guide assumes you have a working knowledge of the following:

- The principles and customary practices of your business area.
- Computer desktop application usage and terminology.

If you have never used Oracle E-Business Suite, we suggest you attend one or more of the Oracle E-Business Suite training classes available through Oracle University.

See Related Information Sources on page xvi for more Oracle E-Business Suite product information.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

## Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

## Structure

- 1 Introduction
- 2 Implementation Overview
- 3 General Implementation Tasks

- 4 ERP Implementation Tasks**
- 5 CRM Implementation Tasks**
- 6 Lease and Finance Management Implementation Tasks**
- 7 Oracle iSetup for Lease and Finance Management**
- 8 Lease and Finance Management Command Center Configuration**
- A Profile Options and Profile Option Categories**
- B Seed Data**
- C FND Lookup Types**
- D Formula Engine**
- E Seeded Contract Classification Parameters**
- F Seeded Business Events For Lease Contract Authoring**
- G Interface Tables**
- Glossary**

## **Related Information Sources**

### **Integration Repository**

The Oracle Integration Repository is a compilation of information about the service endpoints exposed by the Oracle E-Business Suite of applications. It provides a complete catalog of Oracle E-Business Suite's business service interfaces. The tool lets users easily discover and deploy the appropriate business service interface for integration with any system, application, or business partner.

The Oracle Integration Repository is shipped as part of the Oracle E-Business Suite. As your instance is patched, the repository is automatically updated with content appropriate for the precise revisions of interfaces in your environment.

## **Do Not Use Database Tools to Modify Oracle E-Business Suite Data**

Oracle **STRONGLY RECOMMENDS** that you never use SQL\*Plus, Oracle Data Browser, database triggers, or any other tool to modify Oracle E-Business Suite data unless otherwise instructed.

Oracle provides powerful tools you can use to create, store, change, retrieve, and maintain information in an Oracle database. But if you use Oracle tools such as SQL\*Plus to modify Oracle E-Business Suite data, you risk destroying the integrity of your data and you lose the ability to audit changes to your data.

Because Oracle E-Business Suite tables are interrelated, any change you make using an Oracle E-Business Suite form can update many tables at once. But when you modify Oracle E-Business Suite data using anything other than Oracle E-Business Suite, you may change a row in one table without making corresponding changes in related tables. If your tables get out of synchronization with each other, you risk retrieving erroneous information and you risk unpredictable results throughout Oracle E-Business Suite.

When you use Oracle E-Business Suite to modify your data, Oracle E-Business Suite automatically checks that your changes are valid. Oracle E-Business Suite also keeps



track of who changes information. If you enter information into database tables using database tools, you may store invalid information. You also lose the ability to track who has changed your information because SQL\*Plus and other database tools do not keep a record of changes.



# Part 1

---

## Getting Started



---

# Introduction

This chapter covers the following topics:

- Oracle E-Business Suite Installation
- Oracle Lease and Finance Management Overview
- Oracle Lease and Finance Management Business Flows

## Oracle E-Business Suite Installation

You can determine the Oracle E-Business Suite modules that need to be installed.

**The following products or components are included with restricted use for Oracle Lease and Finance Management:**

- Oracle HRMS - Human Resources Management System (restricted use for setup of workflow users)
- Oracle Inventory (restricted use for setup of lease item masters)
- Oracle Order Management (restricted to the use of remarketing functionality)
- Oracle Installed Base (restricted to the use of storing asset details)

**Prerequisite Modules for Oracle Lease and Finance Management: E-Business Suite Modules**

- Oracle Assets
- Oracle General Ledger
- Oracle Payables
- Oracle Receivables
- Oracle Payments

- Bill Presentment Architecture
- Oracle Legal Entity Configurator
- Oracle Subledger Accounting
- Oracle E-Business Tax
- Oracle Approvals Manager
- Oracle Trading Community Architecture

#### **Foundation and Technology Modules**

- Oracle CRM Foundation
- Applications Foundation
- Oracle iSetup
- Oracle XML Publisher

#### **Optional for Oracle Lease and Finance Management based on features used:**

- Oracle iStore, Order Capture, and Marketing Online > Remarketing
- Oracle Service Contracts > UBB, service contracts
- Oracle Advanced Pricing > Usage based billing
- Oracle Credit Management > Credit
- Oracle Advanced Collections > Collections
- Oracle Telephony, Telesales and Work Queue > Customer service management
- XML Gateway > Integration with SuperTrump

## **Oracle Lease and Finance Management Overview**

Oracle Lease and Finance Management integrates Oracle Financials applications and is designed to meet the business requirements of asset-based finance companies spanning the entire lease life cycle. The Oracle Lease and Finance Management solution extends from lease origination to contract termination and asset disposition.

A foundation of Oracle E-Business applications—General Ledger, Assets, Inventory, Payables, Order Management, and Receivables — along with key customer relationship management applications such as CRM Foundation, Install Base, Credit Management, iStore, and WorkFlow, underpin Oracle Lease and Finance Management.

Oracle Lease and Finance Management provides Oracle E-Business functions that can be described from the following two perspectives:

- Operations - The daily tasks and responsibilities of people who work in various departments of finance companies, as well as
- Business Flows - The processes that every lease or loan goes through in its path over time, from beginning-to-end, from the lessor's point of view.

From the Operations perspective, people who manage lease contracts and assets define Oracle Lease and Finance Management functionality. From the Business Flow perspective, the processes that finance companies carry out across the entire company in the life cycle of a lease or loan, from inception to termination, also define Oracle Lease and Finance Management functionality.

## **Oracle Lease and Finance Management Business Flows**

Oracle Lease and Finance Management attempts to present its many useful features according to equipment leasing industry key business flows. Features are arranged sequentially according to how they are used for typical tasks in a lease transaction.

### **Lead to Opportunity**

Starting from a first potential business opportunity, Oracle Lease and Finance Management supports the effective matching of lessor or lender with lessee or borrower. A salesperson identifies a prospect's needs, identifies available assets, and provides alternative financing options to structure the lease and calculate the cost basis.

Once you have set up the marketing and program controls, you can process transactions and events through the lease life cycle using the objects you have defined. As you identify potential deals, you may need to provide sample pricing to qualify leads. Sample pricing can be performed without identifying a prospect party. Once you have identified the prospect and a specific lead, you can begin tracking the opportunity.

The opportunity provides a central repository for you to store information about other activities relating to the deal. It also provides a data structure that allows you to create sales forecasts.

### **Lease Sales Quote to Credit Decision**

The Lease Sales Quote to Credit Decision process contains the Opportunity to Lease Sales Quote and the Lease Application to Booking process.

Once you identify a prospect and create an opportunity, more specific pricing may be generated. In addition to adding new pricing estimate scenarios on the Lease Opportunity, you create Lease Sales Quotes by selecting specific inventory items, fees, services, and other quote adjustments to reflect the most accurate possible deal. You can then obtain pricing approvals and indicate prospect acceptance on a Lease Sales Quote.

Only one lease quote may be accepted for a Lease Opportunity.

## Origination to Funding

After parties agree upon a lease contract, the Lease or Loan Authoring functionality books the contract, creates financial streams, and enters journal entries.

When you select an asset, disbursements functionality deals with paying the vendor or dealer for the asset. Disbursements also pays for service and maintenance costs collected from the lessee and owed to a third-party provider.

The Origination to Funding processes take the lease sales quote through credit approval, vendor payment, contract authoring, and activation, to a booked lease or loan.

Oracle Lease and Finance Management uses Oracle Credit Management, Install Base, Assets, Inventory, Payables and General Ledger to manage the credit, origination, approval, contract authoring, vendor payment, and asset tracking functions. It performs stream generation and pricing, and interfaces with third-party lease financial and price modeling software.

## Invoice to Receipt

After you activate a lease, billing functionality generates and sends invoices to lessees or borrowers. Often a lessee has assets at multiple locations under the same lease, and billing has the flexibility to account for many types of variations.

For example, one variation of billing is usage-based billing. This functionality provides billing based upon the usage of the asset as evidenced from meter readings.

The payment functionality allows either the lessor or the lessee to initiate the transfer of funds to pay invoices. Transfers occur in the form of a direct debit, check, wire transfer, credit card, and so on. The Payment process searches for the appropriate invoice to apply the funds and creates accounting entries upon application of funds to the invoices.

As a result of a missed payment, a collection effort may be initiated. Collections and litigation functionality manages the collection process from the point of initially identifying a delinquent customer to the end of the delinquency.

## Quote to Termination

The Quote to Termination functionality manages repurchase, restructure, and contract termination alternatives when the lease or loan expires. Oracle Lease and Finance Management processes restructured contracts through contract authoring, stream generation, analysis, and approvals used in contract authoring, to activation and booking.

When you accept a termination quote for sale, assets are retired in Oracle Assets. Oracle Lease and Finance Management also supports partial terminations and uses Oracle



Receivables, Credit Management, Assets, CRM Foundation, WorkFlow, and General Ledger to manage the Quote to Termination functions.

Oracle Lease and Finance Management handles requests for renewals, or termination quotes, by initiating a quote for terminating the lease, identifying the formula, calculating, storing, consolidating, and modifying the termination quote. When you complete the quote, several transactions are managed, including Approve termination request, Complete contract termination, and Update asset records.

## **Asset Return to Disposal**

The last step in the lease transaction, remarketing the used assets, manages the disposition of assets upon expiration of a lease contract, at repossession, or at early termination. This functionality manages the remarketing process, whether by sale of the asset to a third-party remarketer, or by internal remarketing efforts.

The Asset Return to Disposal features handle asset returns, remarketing, and sales. This functionality supports shipping instructions and asset evaluation processes for returned assets. Returns may be accounted for as scrap, repurchases, or inventory to be remarketed. Oracle Lease and Finance Management enables the remarketer to establish prices, bill for costs incurred, calculate third-party commissions, and adjust inventory quantities and status for tracking.

## **Period Open to Close**

After a lease contract is agreed upon, the Lease or Loan Authoring functionality books the contract and creates and enters financial streams and journal entries.

The Accounting processes from Period Open to Close enable accruals, loss provisions, write-downs, periodic adjustments, and journal entries specific to the asset-based finance industry.

## **Inquiry to Resolution**

The Inquiry to Resolution processes start with initial contact from employees, customers, vendors, and partners to the Lease Center. A customer service representative logs and tracks an inquiry through its satisfactory resolution, which is then communicated to the appropriate designated parties.

You define processes to manage specific requests, such as insurance quotes, claims, insurance cancellation, contract transfers, equipment exchanges, asset modifications, and lease renewals. You may enable customer and vendor self-service.

## **Investor Agreements**

Investor management is supported by Oracle Lease and Finance Management by recording investor agreements that provide for syndication and securitization. In addition, Oracle Lease and Finance Management provides investor billing and

disbursement features.

## **Vendor Programs**

Vendor management is supported by Oracle Lease and Finance Management in terms of recording vendor program agreements, cure and repurchase tracking, and vendor self-service features.

# Part 2

---

## Implementing Oracle Lease and Finance Management



---

## Implementation Overview

This chapter covers the following topics:

- Implementation Steps Checklists
- Implementation Steps in Oracle E-Business Suite
- Implementation Steps in Oracle Lease and Finance Management

### Implementation Steps Checklists

The main topics of this section are:

- Implementation Steps in Oracle E-Business Suite
- Implementation Steps in Oracle Lease and Finance Management

### Implementation Steps in Oracle E-Business Suite

The checklists in this section generally describe setup steps for Oracle E-Business Suite, mostly in specific applications outside of Oracle Lease and Finance Management, so that you can use the many fully integrated features of Oracle Lease and Finance Management.

This section includes the following topics and tables:

#### General Implementation Tasks

- Perform System Administration Tasks
- Oracle Legal Entity Configurator
- Oracle Subledger Accounting
- Oracle XML Publisher

### Enterprise Resource Planning (ERP) Steps

- Oracle Assets
- Oracle General Ledger
- Oracle Inventory
- Oracle Order Management
- Oracle Receivables
- Oracle Payables
- Oracle Purchasing
- Oracle Installed Base

### Customer Relationship Management (CRM) Steps

- Oracle Contracts
- Oracle Service Contracts
- Oracle iStore, Order Capture, and Marketing Online
- Oracle CRM Foundation
- Oracle Telephony and Work Queue

## General Implementation Tasks

The tables in this section list steps relating to system administration and setting up legal entities, subledgers, and publishing details.

- Perform System Administration Tasks

The following table includes steps relating to System Administration:

#### ***System Administration***

| Task                                          | Required or Optional |
|-----------------------------------------------|----------------------|
| Perform System Administration Tasks, page 3-1 | Required             |
| Define Responsibilities                       | Optional             |

| <b>Task</b>                | <b>Required or Optional</b> |
|----------------------------|-----------------------------|
| Define Employees           | Required                    |
| Define Users               | Required                    |
| Define Lookups             | Optional                    |
| Define Profile Options     | Optional                    |
| Set Up Document Sequencing | Optional                    |
| Set Up Concurrent Managers | Optional                    |

- Oracle Legal Entity Configurator

The following table includes the step relating to setting up legal entities using the Oracle Legal Entity Configurator:

| <b>Task</b>                                                                                                     | <b>Required or Optional</b> |
|-----------------------------------------------------------------------------------------------------------------|-----------------------------|
| Set up Legal Entities                                                                                           | Required                    |
| See: Defining Legal Entities Using the Legal Entity Configurator, <i>Oracle Financials Implementation Guide</i> |                             |

- Oracle Subledger Accounting

The following table includes the step relating to setting up legal entity as one of the accounting derivation sources in Oracle Subledger Accounting:

| <b>Task</b>                                                  | <b>Required or Optional</b> |
|--------------------------------------------------------------|-----------------------------|
| Set up Accounting Derivation Sources                         | Required                    |
| See: <i>Oracle Subledger Accounting Implementation Guide</i> |                             |

- Oracle XML Publisher

The following table includes steps relating to setting up Oracle XML Publisher:

| Task                            | Required or Optional |
|---------------------------------|----------------------|
| Set Up XML Publisher, page 3-10 | Required             |
| Set Up XML Delivery Manager     | Required             |

## Enterprise Resource Planning (ERP) Steps

The tables in this section list steps relating to ERP implementation.

- Oracle Assets
- Oracle General Ledger
- Oracle Inventory
- Oracle Order Management
- Oracle Receivables
- Oracle Payables
- Oracle Purchasing
- Oracle Installed Base

The following table includes steps relating to Oracle Assets.

### **Oracle Assets**

| Task                                       | Optional or Required |
|--------------------------------------------|----------------------|
| Define Assets, page 4-1                    | Required             |
| Define General Asset Information, page 4-1 | Required             |
| Define System Controls                     | Required             |
| Define Location Flexfield                  | Required             |



| <b>Task</b>                                | <b>Optional or Required</b>        |
|--------------------------------------------|------------------------------------|
| Define Asset Depreciation, page 4-3        | Required                           |
| Define Calendars                           | Required.                          |
| Define Fiscal Years                        | Required.                          |
| Define Depreciation Methods                | Required.                          |
| Define Prorate and Retirement Conventions  | Required.                          |
| Define Book Controls                       | Required.                          |
| Define Book Controls                       | Required.                          |
| Define Asset Category Flexfield            | Required.                          |
| Define Asset Categories                    | Required.                          |
| Set Up Assets for Like-Kind Exchange       | Optional.                          |
| Define Asset Book for Multi-GAAP Reporting | Required for Multi-GAAP reporting. |

The following table includes steps relating to Oracle General Ledger.

#### ***Oracle General Ledger***

| <b>Task</b>                      | <b>Required or Optional</b> |
|----------------------------------|-----------------------------|
| Set Up General Ledger, page 4-10 | Required                    |

The following table includes steps relating to Oracle Inventory.

#### ***Oracle Inventory***

| <b>Task</b>                 | <b>Optional or Required</b> |
|-----------------------------|-----------------------------|
| Define Inventory, page 4-10 | Required.                   |

| <b>Task</b>                                  | <b>Optional or Required</b>                                                    |
|----------------------------------------------|--------------------------------------------------------------------------------|
| Define Item Flexfield                        | Required.                                                                      |
| Define Item Categories Flexfield             | Required.                                                                      |
| Define Item Catalog Groups                   | Required.                                                                      |
| Define Inventory Organizations               | Required.                                                                      |
| Change Organizations                         | Required.                                                                      |
| Define Unit of Measure Classes               | Required.                                                                      |
| Define Subinventories                        | Required.                                                                      |
| Define Categories                            | Required.                                                                      |
| Define Category Set                          | Required.                                                                      |
| Define Default Category Set                  | Required.                                                                      |
| Define Statuses                              | Required: Create status Lease and clear all its associated attributes.         |
| Define Item Type for Insurance Products      | Required: Associate to profile option OKL: Insurance Item Type.                |
| Define Items                                 | Required: Set up Lease items, and more. Associate asset categories with items. |
| Define Remarketing Items with Web Attributes | Required for web access: Update item attributes to enable.                     |

The following table includes steps relating to Oracle Order Management.

### **Oracle Order Management**

| <b>Task</b>                                                                                      | <b>Optional or Required</b>                                                                               |
|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Set Up Order Management<br><br>Several phases, including General Ledger, Receivables, Inventory. | Required: For Remarketing, iStore, Lease and Finance Management processing, and asset management updates. |
| Set Up Transaction Types, page 4-23                                                              | Required to sell inventory items through iStore.                                                          |

The following table includes steps relating to Oracle Receivables.

### **Oracle Receivables**

| <b>Task</b>                                                                             | <b>Optional or Required</b> |
|-----------------------------------------------------------------------------------------|-----------------------------|
| Set Up Oracle Receivables, page 4-10                                                    | Required.                   |
| Define Line Transaction Flexfield Structure                                             | Required.                   |
| Define Payment Terms                                                                    | Required.                   |
| Open Accounting Periods                                                                 | Required.                   |
| Define AutoAccounting                                                                   | Required.                   |
| Define Transaction Types, <i>Oracle Lease Management Implementation Guide</i>           | Required.                   |
| Define Transaction Type Invoice                                                         | Required.                   |
| Define Transaction Type Credit Memo                                                     | Required.                   |
| Set Up Grouping Rules for Invoices, <i>Oracle Lease Management Implementation Guide</i> | Required.                   |
| Specify Grouping Rules                                                                  | Required.                   |
| Attach Grouping Rules to Batch Source                                                   | Required.                   |

| <b>Task</b>                                                               | <b>Optional or Required</b>                         |
|---------------------------------------------------------------------------|-----------------------------------------------------|
| Define Transaction Sources                                                | Required.                                           |
| Define Remittance Banks                                                   | Required.                                           |
| Define Receipt Classes                                                    | Required.                                           |
| Define Payment Methods                                                    | Required.                                           |
| Define Aging Buckets                                                      | Required for loss provision functionality.          |
| Define Receivables Lookups, page 4-32                                     | Required.                                           |
| Define the Pricing Engine as a Customer in Oracle Receivables, page 6-113 | Required. Also see Table 3–17, "Oracle XML Gateway" |

The following table includes steps relating to Oracle Payables.

#### ***Oracle Payables***

| <b>Task</b>                | <b>Optional or Required</b> |
|----------------------------|-----------------------------|
| Set Up Payables, page 4-33 | Required.                   |
| Define Payment Terms       | Required.                   |
| Define Payables Lookups    | Required.                   |

The following table includes steps relating to Oracle Purchasing.

#### ***Oracle Purchasing***

| <b>Task</b>                          | <b>Optional or Required</b> |
|--------------------------------------|-----------------------------|
| Define Purchasing Lookups, page 4-35 | Required.                   |
| Define Suppliers                     | Required.                   |
| Define Insurance Providers           | Required.                   |

| Task                                                       | Optional or Required |
|------------------------------------------------------------|----------------------|
| Set Up Document Sequencing of Payables Invoices, page 4-38 | Required.            |
| Create Document Sequence                                   | Required.            |
| Define Category                                            | Required.            |
| Assign Category and Sequence                               | Required.            |

The following table includes steps relating to Oracle Installed Base.

#### ***Oracle Installed Base***

| Task                                            | Optional or Required                                                                                         |
|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| Perform standard set up of counters and groups. | Required for usage-based billing. See Consolidated Billing. Also see Oracle Service Contracts documentation. |

## **Customer Relationship Management (CRM) Steps**

The tables in this section list steps relating to CRM implementation.

- Oracle Contracts
- Oracle Service Contracts
- Oracle iStore, Order Capture, and Marketing Online
- Oracle CRM Foundation
- Oracle Telephony and Work Queue

The following table includes steps relating to Oracle Contracts.

### **Oracle Contracts**

| <b>Task</b>                                                        | <b>Optional or Required</b>                                                                                   |
|--------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| Set Up Contracts, page 5-2                                         | Required.                                                                                                     |
| Add Articles                                                       | Required: Lease and Finance Management supports standard articles, only.                                      |
| Add Additional Quality Assurance Checks                            | Optional: You may add processes to the OKL LA QA CHECK LIST, but not create new Quality Assurance Checklists. |
| Set Up New User-Defined Parties for Lease Contracts and Agreements | Required if you are using your own user-defined party roles.                                                  |

The following table includes steps relating to Oracle Service Contracts.

### **Oracle Service Contracts**

| <b>Task</b>                                 | <b>Optional or Required</b>                                                                               |
|---------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Set Up Service Contracts Counters, page 5-4 | Required for usage-based billing. See Consolidated Billing. Also see Oracle Installed Base documentation. |

The following table includes steps relating to Oracle iStore, Order Capture, and Marketing Online.

### **Oracle iStore, Order Capture, and Marketing Online**

| <b>Task</b>             | <b>Optional or Required</b>                    |
|-------------------------|------------------------------------------------|
| Set Up iStore, page 5-5 | Required for standard remarketing.             |
| Set Up Specialty Stores | Required for standard remarketing of assets.   |
| Set Up Order Capture    | Required for the standard remarketing process. |

| Task                    | Optional or Required                                                                     |
|-------------------------|------------------------------------------------------------------------------------------|
| Set Up Marketing Online | Optional: Allows targeting customers for remarketing specific types of assets, and more. |

The following table includes steps relating to Oracle CRM Foundation.

#### ***Oracle CRM Foundation***

| Task                                     | Optional or Required                                                                       |
|------------------------------------------|--------------------------------------------------------------------------------------------|
| Set Up and Configure Interaction History | Required. You may optionally define additional codes modifications.                        |
| Set Up Notes, page 5-9                   | Optional but must be at least enabled to use notes in the Lease Center (customer service). |
| Set Up Territories                       | Required                                                                                   |
| Set Up Resources                         | Required<br><br>(Employees are resources. Organize them into groups, define roles, etc.)   |
| Define Sales Representatives             | Optional                                                                                   |
| Define Remarketers                       | Required                                                                                   |
| Define Assignment Group                  | Required                                                                                   |

The following table includes steps relating to Oracle Telephony and Work Queue.

#### ***Oracle Telephony and Work Queue***

| Task                          | Optional or Required |
|-------------------------------|----------------------|
| Set Up Telephony, page 5-14   | Optional.            |
| Set Up Work Queues, page 5-14 | Optional.            |

## Implementation Steps in Oracle Lease and Finance Management

The following checklist tables describe Oracle Lease and Finance Management implementation steps, most of which are performed on the Oracle Lease and Finance Management user interface pages.

- Set Up Steps in Oracle Lease and Finance Management

The following table includes steps relating to Oracle Lease and Finance Management:

### ***Set Up Steps In Oracle Lease and Finance Management***

| <b>Task</b>                                                                        | <b>Optional or Required</b> |
|------------------------------------------------------------------------------------|-----------------------------|
| Define Streams and Pricing, page 6-2                                               | Optional.                   |
| Set up Additional Stream Types for Fees, Expenses, Subsidies, and Subsidy Accruals | Optional.                   |
| Associate Financial Products to Lease Price Modeling Software Templates            | Optional.                   |
| Set up Pricing Parameters                                                          | Optional.                   |
| Set Up Parameter Conversions for Third-Party Lease Price Modeling Software         | Optional.                   |
| Set Up Book Type Mapping for Third-Party Lease Price Modeling Software             | Optional.                   |
| Set Up Item Residual Values for Creating Quotes                                    | Required.                   |
| Automatic: 2 steps                                                                 | For all pricing methods.    |
| Manual: 4 steps                                                                    |                             |
| Set Up Lease Rate Sets for Creating Quotes                                         | Optional.                   |
| Several steps.                                                                     |                             |
| Define Formula, page 6-17                                                          | Optional.                   |
| Define Formula Functions                                                           | Optional.                   |



| <b>Task</b>                                | <b>Optional or Required</b> |
|--------------------------------------------|-----------------------------|
| Define Non-Standard Function Parameters    | Optional.                   |
| Define Contexts                            | Optional.                   |
| Define Formula Operands                    | Optional.                   |
| Define Formula                             | Optional.                   |
| Define Formula and Formula String          | Optional.                   |
| Define Formula Operand Label               | Optional.                   |
| Accounting Options, page 6-24              | Required.                   |
| Account Codes Derivation                   | Required.                   |
| Define Account Generator Sources           | Optional.                   |
| Define Account Generator Rules             | Optional.                   |
| Define Financial Products                  | Optional.                   |
| Define Template Quality Name and Value     | Optional.                   |
| Define Qualities Name and Values           | Optional.                   |
| Define Options and Option Values           | Optional.                   |
| Define a Product Template                  | Required.                   |
| Define a Product                           | Required.                   |
| Define Invoice Group Parameters, page 6-59 | Required.                   |
| Create an Invoice Group                    | Required.                   |
| Create an Invoice Type                     | Required.                   |
| Create an Invoice Line Type                | Required.                   |

| <b>Task</b>                                                                     | <b>Optional or Required</b> |
|---------------------------------------------------------------------------------|-----------------------------|
| Specify a Default Invoice Line Type                                             | Required.                   |
| Set up Interest Rates                                                           | Required.                   |
| Define Late Charges Parameters, page 6-69                                       | Required.                   |
| Create Late Policies                                                            | Required.                   |
| Create Late Interest Policy                                                     | Required.                   |
| Create Late Charge Policy                                                       | Required.                   |
| Define Cash Search and Cash Application Rules, page 6-73                        | Required.                   |
| Define Invoice Search Rule                                                      | Required.                   |
| Edit Search Rules                                                               | Optional.                   |
| Define Cash Application Rules, page 6-77                                        | Required.                   |
| Set up or Edit Search Rules (Receipt Mismatch Rules)                            | Required.                   |
| Set up or Edit Underpayment Rules                                               | Required.                   |
| Set up or Edit Overpayment Rules                                                | Required.                   |
| Set up or Edit Tolerance Rules                                                  | Required.                   |
| Set up or Edit Termination Quote Tolerance Rules                                | Required.                   |
| Define Customer Service Setups, page 6-84                                       | Required.                   |
| Associate XML Layout Templates to Lease and Finance Management Report Templates | Optional.                   |
| Define Service Fees                                                             | Optional.                   |

| <b>Task</b>                                              | <b>Optional or Required</b> |
|----------------------------------------------------------|-----------------------------|
| Define Remarketing Functionality, page 6-89              | Required.                   |
| Create Remarketer Assignments                            | Required.                   |
| Define Repair Costs                                      | Required.                   |
| Define Lease Income Accrual Rules                        | Required.                   |
| Define Loss Provision Rules, page 6-93                   | Required.                   |
| Set up Loss Provision Rates                              | Required.                   |
| Define Off-Lease Asset Amortization Rules, page 6-93     | Required.                   |
| Define Off-Lease Asset Hold Periods                      | Required.                   |
| Create Asset Category/Asset Book Combinations            | Optional.                   |
| Define Insurance, page 6-104                             | Required.                   |
| Set up Insurance Item Type Profile Option                | Required.                   |
| Define Insurance Class Lookups                           | Required.                   |
| Define Insurer Ranking                                   | Required.                   |
| Define Insurance Products                                | Required.                   |
| Define Insurance Asset Classes                           | Required.                   |
| Define Insurance Rates                                   | Required.                   |
| Define Insurance Exclusions                              | Optional.                   |
| Define Parameters for Automatic Placement Business Rules | Required.                   |

- Oracle XML Gateway

The following table includes steps relating to Oracle XML Gateway:

***Oracle XML Gateway***

| <b>Task</b>                                                         | <b>Optional or Required</b>                             |
|---------------------------------------------------------------------|---------------------------------------------------------|
| Set up Pricing Engine Integration for Stream Generation, page 6-112 | Required.                                               |
| Define the Pricing Engine as a Customer in Oracle Receivables       | Required. Also see Set Up Oracle Receivables, page 4-25 |
| Define Profile Options                                              | Required. For XML & Streams.                            |
| Define Trading Partner and Transaction Types, page 6-115            | Required.                                               |
| Create a Trading Partner                                            | Required.                                               |
| Set up Outbound Transaction Types                                   | Required.                                               |
| Set up Inbound Transaction Types                                    | Required.                                               |
| Schedule Pricing Time Out Concurrent Program                        | Required.                                               |
| Schedule Purge Pricing Program                                      |                                                         |

- Oracle Workflow

The following table includes steps relating to Oracle Workflow:

***Oracle Workflow***

| <b>Task</b>                                            | <b>Optional or Required</b> |
|--------------------------------------------------------|-----------------------------|
| Define Workflow, page 6-17                             | Optional.                   |
| Modify Order Management Workflow to Enable Remarketing | Required.                   |

---

## General Implementation Tasks

This chapter covers the following topics:

- Perform System Administration Tasks
- Define Contract Numbering
- Set Up Oracle XML Publisher

### Perform System Administration Tasks

When you install Oracle Lease and Finance Management and all the Oracle applications that it depends on, many database tables include *required* data values to run Oracle Lease and Finance Management processes.

The implementation of Oracle Lease and Finance Management is a series of steps that you perform after you install the Lease and Finance Management software. You perform about half of the tasks in other Oracle applications, and then you do most of the remaining tasks in Oracle Lease and Finance Management itself.

These implementation steps require data that is specific to your company or organization. After you have completed all the implementation steps, you can start to use the full functionality of Oracle Lease and Finance Management.

Most of this manual is concerned with detailing these implementation steps and the sequence in which you should perform them. This chapter describes the more general tasks, which are either required or optional as indicated.

### Required Tasks

Required tasks include:

- Define Responsibilities
- Define Employees
- Define Users

## Optional Tasks

Optional tasks, which you can perform at any stage of implementing Oracle Lease and Finance Management, include:

- Define Lookups
- Define Profile Options
- Set Up Document Sequencing
- Set Up Concurrent Managers

## Define Responsibilities

Optional

Responsibilities control the presentation of menus, tabs, and pages within Oracle E-Business Suite products.

On installation, Oracle Lease and Finance Management creates several responsibilities. Each of these seeded responsibilities enables a different type of user to fulfill job-oriented real-world requirements when connected to Oracle Lease and Finance Management. For example, the Accounts Controller responsibility allows many lease-specific set up facilities, while the Asset Manager responsibility concerns only certain asset-related features.

Use Oracle E-Business Suite System Administration to create responsibilities to:

- Create one or more responsibilities to restrict users to specific functions and data when they use Oracle Lease and Finance Management, or
- Combine the options of several other responsibilities.

To create one or more responsibilities to either restrict users to specific functions and data when they use Oracle Lease and Finance Management or to combine the options of several other responsibilities, use Oracle E-Business Suite System Administration to create such responsibilities.

For more information, see Overview of Oracle E-Business Suite Security, *Oracle E-Business Suite Security Guide*.

## Prerequisites

None

## Define Employees

Required

Several areas of Oracle Lease and Finance Management require that certain personnel are registered as employees. For example, Oracle Lease and Finance Management uses Oracle Workflow to notify and request authorizations from different employees.

For this example, and for all the other areas, if you have not already done so, you must create employees using Oracle HRMS—Human Resources Management System.

For more information, see *Entering a New Person (People Window)*, *Oracle HRMS Workforce Sourcing, Deployment, and Talent Management Guide*.

## Prerequisites

None

## Define Users

Required.

You must define one or more application users. An application user is an authorized user of any Oracle application, such as Oracle Lease and Finance Management. Each application user has a unique application username.

Once you have defined the application users, they can sign on to Oracle E-Business Suite and access data through the Oracle E-Business Suite windows. During the process of creating the application users, you give the users one or more responsibilities so that they can perform the tasks they require within Oracle Lease and Finance Management.

For information on user management and responsibilities, see: *Overview of Oracle E-Business Suite Security*, *Oracle E-Business Suite Security Guide*.

**Note:** As you create an application user, when that user is also an employee, you must associate the username with an employee name. Use the Person field in the Users window to enter the name of the employee.

## Prerequisites

None

## Customer Self Service User Setup

Before customers can use Customer Self-Service, they must be granted access. To set up customers to use Customer Self-Service, perform the following tasks in the System Administrator responsibility:

## System Administrator Responsibilities Tab Tasks

Perform the following steps:

- Create a new user for each customer; a particular customer may have multiple users.
- Assign the Lease and Finance Management Customer Self-Service responsibility to users.

**Note:** Oracle Lease and Finance Management appears as the Application and Description.

- Enter Effective dates.

### System Administrator Securing Attributes Tab Tasks

Perform the following steps:

- Associate each user to a customer account by setting an attribute value that points to your customer's account number. From the Securing Attributes tab of the Users window of the System Administrator responsibility, enter OKL\_KDTLS\_CUSTOMER\_ACCOUNT\_N in the Attribute field. The OKL\_PARTY\_ROLE must be CUSTOMER.

**Note:** Oracle Self-Service Web Application appears as the Application name.

- Select a Customer Account Number.

For information on user management and responsibilities, see: Oracle User Management, *Oracle E-Business Suite Security Guide*.

For enabling grants for users and responsibilities, see: Grants, *Oracle E-Business Suite Security Guide*.

### Vendor Self-Service User Setup

Before a vendor can use Vendor Self-Service, they must be granted access. To set up suppliers to use Vendor Self-Service, perform the following tasks in the System Administrator responsibility:

### System Administrator Users Responsibilities Tasks

Perform the following steps:

- Create a new user for each vendor; a particular vendor may have multiple users.
- Assign the Lease and Finance Management Vendor Self-Service responsibility to users.



**Note:** Oracle Lease and Finance Management appears as the Application and Description.

- Enter Effective dates.

## System Administrator Users Securing Attributes Tasks

Perform the following steps:

- Associate each user to a vendor account by setting an attribute value that points to your vendor account number. From the Securing Attributes tab of the Users window of the System Administrator responsibility, enter ICX\_SUPPLIER\_CONTACT\_ID in the Attribute field.

**Note:** Oracle Self-Service Web Application appears as the Application name.

- Select a Vendor Contact ID.

For information on user management and responsibilities, see: Oracle User Management, *Oracle E-Business Suite Security Guide*.

For enabling grants for users and responsibilities, see: Grants, *Oracle E-Business Suite Security Guide*.

## Define Lookups

Optional

Lookup names are list of value choices that exist throughout Oracle applications to help you select data quickly and accurately. You can modify menus or lists of certain fields, such as when you want to add your own custom choices to field options.

To create or modify any lookup types and lookup names that relate to Oracle Lease and Finance Management, you must have the Application Developer responsibility within Oracle E-Business Suite.

For more information, see the *Oracle E-Business Suite User's Guide*.

## Prerequisites

None

## Steps

Perform the following steps:

1. Log in as Application Developer.
2. Using the AOL Lookup window, query the lookup codes:
  - Termination Quote reasons: OKL\_QUOTE\_REASON
  - Repurchase Quote reasons: OKL\_QUOTE\_REASON
  - Asset Return Statuses: OKL\_ASSET\_RETURN\_STATUS
3. Input user defined values to create your own values.

### **Credit Checklists Example**

Define item codes for the items on checklists, in two distinct categories: one for credit line approval checklists, and another for funding request approval checklists.

To set up new Application Object Library Lookups for Checklists:

1. Log into Oracle E-Business Suite (Forms) with responsibility Application Developer.
2. Navigate to Application > Lookups > Application Object Library, to set up your Checklist Lookups.
3. In the Type field, enter the name of your checklist lookup, for example:  
OKL\_TODO\_CREDIT\_CHKLIST or OKL\_TODO\_FUNDING\_CHKLIST
4. In the Meaning field, enter the meaning of your checklist lookup.
5. In the Application field, enter Oracle Lease and Finance Management.
6. In the Description field, enter the description of your checklist.
7. In the Access Level field, select Extensible.

Associate item codes to the checklist items by adding new items to the checklists:

1. In the Code field, enter a name for the code; for example, SAMPLE1.
2. In the Meaning field, enter a meaning for the item, for example Document A.
3. In the Description field, enter a description for this item.
4. In the From field, enter the start date for this item.
5. Repeat steps 8-11 for each item to be added to your checklist.
6. Click Save, to save your work. Return to step 3 to create more checklist types.

You are likely to want to create at least one credit checklist and one funding request checklist. You may also want to create several types of checklists to reflect more restrictive or more lenient customer credit qualifying processes depending on your business practices. For the next steps in setting up checklists, see *Set Up Credit Checklists*.

## Define Profile Options

Profile options specify how to control access to and process data. You can set profile options at one or more of these levels: site, application, responsibility, and user.

In general, users can view their own profile options and modify updatable options. Certain responsibilities allow you to see and modify your own user profile options.

**Note:** During the implementation phase of Oracle Lease and Finance Management, the levels at which you can consider changing your profile options are the application and responsibility level.

To create or update profile options at any level, you must have the System Administrator responsibility within Oracle E-Business Suite.

For more information, see *Setting Profile Options, Oracle E-Business Maintenance Guide*.

## Prerequisites

None

## Example: Set the Default Order Type

To enable remarketing functionality in Oracle Lease and Finance Management, you must set the "ASO: Default Order Type" to "OKL\_Standard."

## Steps

Perform the following steps:

1. In the Profile window, the Site, select the Application and Responsibility check boxes.
2. Enter "Oracle Order Capture" as the Application and "IBE\_CUSTOMER" as the Responsibility.
3. In the Profile field, enter "ASO%" and click Find.
4. Scroll down to "ASO: Default Order Type" profile option and choose "OKL\_Standard" as the value at the Site and Responsibility levels.
5. Save your work.

## Guidelines

The example procedure, Set the Default Order Type, provides steps for setting a mandatory value for one profile option. Oracle Lease and Finance Management uses many profile options. To see a complete listing of profile options, see Appendix A.

## Set Up Document Sequencing

Required

To enable automatic numbering for consolidated invoices in Oracle Lease and Finance Management, you must set up document sequencing for each ledger.

A document sequence uniquely numbers the documents that Oracle Lease and Finance Management generates. You start a transaction by entering data through a form that generates a document, such as an invoice. A document sequence generates an audit trail that identifies the application that created the transaction, such as Oracle Lease and Finance Management, and the original generated document, for example, invoice number 1234.

You also must set up document sequencing to the Transaction Type Document that you created for Oracle Order Management functionality to sell inventory items through Oracle iStore during remarketing.

For more information, see: Defining Document Sequences, *Oracle E-Business Suite Setup Guide*.

## Prerequisites

None

## Set Up Concurrent Managers

Optional

Oracle Lease and Finance Management uses concurrent programs for a variety of processing including billing cycles, running periodic check for lease insurance coverage, and many others. For a complete list of concurrent programs, see the *Oracle Lease and Finance Management User's Guide*.

To use scheduling capabilities, then you can define additional concurrent managers to share the workload.

Concurrent Processing is a feature of Oracle E-Business Suite that lets you perform multiple tasks simultaneously. Oracle E-Business Suite Concurrent Processing lets you run long, data-dependent functions at the same time as your users perform online operations. Concurrent managers are components of concurrent processing that monitor and run your time-consuming tasks without tying up your computers.

Oracle E-Business Suite automatically installs one standard concurrent manager that can run every request. You can take advantage of the flexibility of concurrent managers

to control throughput on your system. You can define as many concurrent managers as you need. Keep in mind, however, that each concurrent manager consumes additional memory.

You can specialize each of your concurrent managers so that they run all requests, requests submitted by a particular user, requests submitted by a particular application, or other constraints, or any combination of these constraints. If you are using Parallel Concurrent Processing in a cluster, a massively parallel, or a homogeneous network environment, you should register your Nodes and then assign your concurrent managers to primary and secondary nodes. You can spread your concurrent managers, and therefore your concurrent processing, across all available nodes to fully utilize hardware resources.

See: Defining Concurrent Managers, *Oracle E-Business Suite Setup Guide*.

## Prerequisites

None

## Define Contract Numbering

You can use the contract autonumbering feature to automatically generate the contract number upon creating a new contract. The autonumbering feature offers you flexibility in defining how to number contracts. Contract numbers can be either sequential numbers or a combination of defined prefix and suffix alpha-numeric characters to classify a contract based on its attributes. These attributes can include:

- Site
- Business Group
- Operating Unit
- Class
- Category

You can set up autonumber classification using a prefix and suffix with a contract number. Use of a prefix and suffix is optional. Autonumbering of contracts is helpful in a scenario where you have:

- Entered or imported contracts from an external source or system.
- Built contracts from another document.
- Entered contract data manually.

A few automatic contract numbering features mentioned in the *Oracle Contracts User Guide* do not apply to Oracle Lease and Finance Management:

- Contract number modifier, such as when you renew contracts. Two types of renewal contracts are **fixed-term renewals** and **automated renewals**. For fixed-term contract renewals, you receive a new contract number. For automated renewals, such as evergreen renewals, you keep the same contract number.
- Contract currency, contract amount, and contract party information in the User Function area. On the other hand, you can use the Site, Business Group, Operating Unit, and Category to define user functions. For more information on user functions, see the *Oracle Contracts User Guide*.

For more information on automatically numbering contracts, see the *Oracle Contracts User Guide*.

## Set Up Oracle XML Publisher

Oracle Lease and Finance Management enables you to generate documents in user-specific layouts using the seeded or customized XML Publisher layout templates. Prior to generating the reports, you must complete the following tasks:

- Create and register XML layout templates and data templates if you want to customize the layout templates.  
See: Creating the Template, *Oracle XML Publisher User's Guide*
- Associate an XML layout template to a Lease and Finance Management report template.

See: Associate XML Layout Templates to Lease and Finance Management Report Templates, page 6-36

---

## ERP Implementation Tasks

This chapter covers the following topics:

- Set Up Oracle Assets
- Set Up Oracle General Ledger
- Set Up Oracle Inventory
- Set Up Oracle Order Management
- Set Up Oracle Receivables
- Set Up Oracle Payables
- Set Up Oracle Purchasing
- Set Up Oracle Subledger Accounting for Oracle Lease and Finance Management

### Set Up Oracle Assets

The Define Assets area includes:

- Define General Asset Information
- Define Asset Depreciation
- Define Books and Asset Categories
- Set Up Assets for Like-Kind Exchange
- Define Asset Book for Multi-GAAP Reporting

### Define General Asset Information

The Define General Asset Information section includes:

- Define System Controls

- Define Location Flexfield

| Name                   | Description                                                                                                                                                                                                                                                                   | Prerequisites | Responsibility | Module        | Navigation                             |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------|---------------|----------------------------------------|
| Define System Controls | <p>Required</p> <p>Specify your enterprise name, asset numbering scheme, and key flexfield structures in the System Controls window. Also specify the oldest date placed in service of your assets.</p> <p>For more information, see the <i>Oracle Assets User Guide</i>.</p> | None          | Asset Manager  | Oracle Assets | Setup > Asset System > System Controls |



| Name                      | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Prerequisites | Responsibility | Module        | Navigation                                       |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------|---------------|--------------------------------------------------|
| Define Location Flexfield | <p>Required</p> <p>The location flexfield lets you specify and track the physical location of your assets. You must assign the state segment qualifier to one segment of your location flexfield. The state segment facilitates property tax reporting. All other segments are optional. You can use the same setup windows to create your location flexfield as you do for your other key flexfields.</p> <p>For more information, see the <i>Oracle Assets User Guide</i>.</p> | None          | Asset Manager  | Oracle Assets | Setup > Financials > Flexfields > Key > Segments |

## Define Asset Depreciation

An asset can belong to any number of tax depreciation books, but it must belong to only one corporate depreciation book. This defines the depreciation rules for that asset. Depreciation methods determine the way in which Oracle Assets amortizes the asset

over the time it is in use. You can specify default depreciation rules for a category and a book.

You must set up these steps in Oracle Assets for Oracle Lease and Finance Management to function correctly:

- Define Calendars
- Define Fiscal Years
- Define Depreciation Methods
- Define Prorate and Retirement Conventions

## Define Calendars

Required

Use the Calendars window to set up depreciation and prorate calendars. Calendars break down your fiscal year into accounting periods. Define your calendars with many periods. Define a prorate calendar and a depreciation calendar for each depreciation book. Depreciation books can share a calendar, and you can use the same calendar for your depreciation calendar and prorate calendar if appropriate.

For more information, see the *Oracle Assets User Guide*.

## Prerequisites

None

## Responsibility

Asset Manager

## Module

Oracle Assets

## Navigation

Setup > Asset System > Calendars

## Define Fiscal Years

Required

Use the Fiscal Years window to define the beginning and end of each fiscal year since the start of your company. Your fiscal year groups your accounting periods. You must define the start and end date of each fiscal year beginning with the oldest date placed in service. For example, if you are using a 4-4-5 calendar, your start and end dates change every year. When you run the depreciation program for the last period in your fiscal

year, Oracle Assets automatically generates the dates for your next fiscal year.  
For more information, see the *Oracle Assets User Guide*.

**Prerequisites**

None

**Responsibility**

Asset Manager

**Module**

Oracle Assets

**Navigation**

Setup > Asset System > Fiscal Years

**Define Depreciation Methods**

Required

Depreciation methods specify how to amortize the asset cost. Oracle Assets come with many standard depreciation methods, including, life-based depreciation, flat-rate depreciation, bonus-depreciation, units of production depreciation, and formula-based depreciation, and such. You can define additional methods in the Methods window if necessary.

**Note:** If you are modeling lease pricing outside of Oracle Lease and Finance Management, set up your depreciation methods to match your modeling options.

For more information, see the *Oracle Assets User Guide*.

**Prerequisites**

None

**Responsibility**

Asset Manager

**Module**

Oracle Assets

## Navigation

Setup > Depreciations > Methods

## Define Prorate and Retirement Conventions

Required

Use the Prorate Conventions window to set up prorate and retirement conventions. Prorate and retirement conventions determine how much depreciation expense to take in the first and last year of life, based on when you place the asset in service. Oracle Assets lets you set up as many prorate and retirement conventions as you need.

For more information, see the *Oracle Assets User Guide*.

## Prerequisites

None

## Responsibility

Asset Manager

## Module

Oracle Assets

## Navigation

Setup > Asset System > Prorate Conventions

## Define Books and Asset Categories

The Define Books and Asset Categories section includes:

- Define Book Controls
- Define Asset Category Flexfield
- Define Asset Categories

## Define Book Controls

Required

Use the Book Controls window to set up your depreciation books. While you can set up an unlimited number of independent depreciation books, only one corporate pool can be linked to a ledger. Each book has its own set of accounting rules and accounts so you can organize and implement your fixed assets accounting policies. When you define a tax book, you must specify an associated corporate book. You can mass copy assets and

transactions from the source book into your tax book. Specify the current open period, and Initial Mass Copy copies each asset into the tax book from the corporate book as of the end of that fiscal year as defined in the corporate book.

For more information, see the *Oracle Assets User Guide*.

**Prerequisites**

None

**Responsibility**

Asset Manager

**Module**

Oracle Assets

**Navigation**

Setup > Asset System > Book Controls

**Define Asset Category Flexfield**

Required

The asset category flexfield lets you define asset categories and subcategories. For example, you can create an asset category for your computer equipment. You can then create subcategories for personal computers, terminals, printers, and software. You must assign the major category segment qualifier to one segment of your category flexfield. All other segments are optional. You use the same setup windows to create your asset category flexfield as you do for your other key flexfields.

This step is required for matching inventory item codes, which assign asset categories automatically during authoring. It is also important for assigning depreciation methods.

For more information, see the *Oracle Assets User Guide*.

**Prerequisites**

None

**Responsibility**

Asset Manager

**Module**

Oracle Assets

## Navigation

Setup > Asset System > Flexfields > Key > Segments

## Define Asset Categories

Required

Asset categories let you define information that is common to all assets in a category, such as depreciation method and prorate convention. Oracle Assets uses this information to provide default values to help expedite asset entry.

You must update the asset category description for the asset category that appears on the Off-Lease Asset Hold Periods setup page.

For more information, see the *Oracle Assets User Guide*.

## Prerequisites

Define asset category flexfield.

Define depreciation methods.

Define prorate/retirement conventions.

## Responsibility

Asset Manager

## Module

Oracle Assets

## Navigation

Setup > Asset System > Asset Categories

## Set Up Assets for Like-Kind Exchange

Oracle Lease and Finance Management supports the use of like-kind exchanges in lease contracts. Like-Kind Exchanges occur when you transfer the tax properties from an off-lease asset to a new on-lease asset and defer any tax payable on the disposal of the original off-lease asset. Both the off-lease and the on-lease asset must use the same asset category.

To set up assets for like-kind exchanges, you:

1. Define an asset book for like-kind exchange as a tax book associated with the primary corporate book for the lease contract. For more information on defining books and asset categories, see *Define Books and Asset Categories*, page 4-6.

2. Define the asset categories and depreciation methods in the manner defined for the federal tax asset book. For more information on defining books and asset categories, see Define Books and Asset Categories, page 4-6. For more information on defining asset depreciation, see Define Asset Depreciation.
3. Define the Like-Kind Exchange Hold Days on the Accounting Options page.

**Responsibility**

Asset Manager

**Module**

Oracle Assets

**Navigation**

Setup > Asset System

**Define Asset Book for Multi-GAAP Reporting**

Required for multi-GAAP reporting

Equipment lessors who operate in various countries may be required, for the same lease or loan transaction, to meet multiple accounting and tax regulations set by the different government and industry organizations. To do this, they must use multi-GAAP reporting.

The basic principle of multi-GAAP is that you create accounting entries for a single lease or loan transaction in one ledger to meet local GAAP rules and create different accounting entries in another ledger to meet the reporting GAAP rules.

To calculate the asset depreciation for the country where you use the reporting GAAP rules, you must set up a tax asset book in Oracle Assets, to be associated with the corporate asset book set up for that country.

For more information on defining books and asset categories, see Define Books and Asset Categories, page 4-6

**Prerequisites**

None

**Responsibility**

Asset Manager

**Module**

Oracle Assets

## Navigation

Setup > Asset System >

## Guidelines

You must define a combination of corporate asset book and associated tax asset book for each multi-GAAP enabled operating unit for the purpose of Oracle Lease and Finance Management. The multi-GAAP enabled operating unit is one where the secondary representation method is set to either Report or Automated in the Accounting Systems Options in Oracle Lease and Finance Management. This tax asset book shall be selected as reporting product asset book in the accounting systems options in Oracle Lease and Finance Management.

The following restrictions apply when you define a tax asset book:

- The tax asset book is associated with the corporate asset book defined for the specific operating unit.
- The tax asset book is associated with the secondary ledger that is associated with the primary ledger of the above corporate asset book. The tax asset book cannot be associated with the corporate asset book for it to be selected as the reporting product asset book in Oracle Lease and Finance Management.

## Set Up Oracle General Ledger

For Oracle Lease and Finance Management to function properly with Oracle General Ledger, you must complete all necessary setup steps in General Ledger. For information on implementing General Ledger, see *Oracle General Ledger Implementation Guide*.

## Set Up Oracle Inventory

Oracle Inventory provides these features and facilities for Oracle Lease and Finance Management:

- Consistent asset descriptions and bill-of-materials (BOM) components.
- Service products.
- Links assets on contracts to inventory for portfolio analysis and asset tracking.
- Links to insurance products for cataloging.
- Controls off lease assets.
- Integration with iStore.



Oracle Inventory has these implementation tasks for Oracle Lease and Finance Management:

- Define Item Flexfield
- Define Item Categories Flexfield
- Define Item Catalog Groups
- Define Inventory Organizations
- Change Organizations
- Define Unit of Measure Classes
- Define Subinventories
- Define Categories
- Define Category Set
- Define Default Category Set
- Define Statuses
- Define Item Type for Insurance Products
- Define Items
- Define Remarketing Items with Web Attributes

## Define Item Flexfield

Required

You use the Item Flexfield (also called the System Items Flexfield) for recording and reporting your actual item description. You must design and configure your Item Flexfield before you can start defining items.

All Oracle E-Business Suite products that reference items share the Item Flexfield and support multiple-segment implementations. Therefore, if you have already configured this flexfield while setting up another product, you do not need to perform this step. For more information on planning and organizing item flexfields, see the *Oracle Inventory User's Guide* and the *Oracle E-Business Suite Flexfields Guide*.

## Prerequisites

None

**Responsibility**

Oracle Inventory Administrator

**Module**

Oracle Inventory

**Navigation**

Setup > Flexfields > Key > Segments

**Define Item Categories Flexfield**

Required

You must design and configure your Item Categories Flexfield before you can start defining items since all items must be assigned to categories.

You can define multiple structures for your Item Categories Flexfield, each structure corresponding to a different category grouping scheme. You can then associate these structures with the categories and category sets you define.

The item category assists you in controlling processes for related groups of items, in restricting the use of certain groups of items by functions in your organization and in analyzing your asset portfolios. The structure of the field should logically group items together for these purposes. For more information, see the *Oracle Inventory User's Guide*.

**Prerequisites**

None

**Responsibility**

Oracle Inventory Administrator

**Module**

Oracle Inventory

**Navigation**

Setup > Flexfields > Key > Segments

**Define Item Catalog Groups**

Required

If you make entries for your items in a standard industry catalog or if you want to group your items according to certain descriptive elements, you need to define item

catalog groups. An item catalog group consists of descriptive elements to which you assign certain sets of values. When you assign an item to an item catalog group, you can choose descriptive elements from the group and define values for each descriptive element.

During the remarketing process of Oracle Lease and Finance Management, you need to associate a catalog for the remarketer assignment. By defining an item catalog, you assure that each item is only associated with one catalog.

For more information, see the Defining Item Catalog Groups, *Oracle Inventory User's Guide*.

### Prerequisites

Define item catalog group flexfield.

### Responsibility

Oracle Inventory Administrator

### Module

Oracle Inventory

### Navigation

Setup > Items > Catalog Groups

## Define Inventory Organizations

Required

Organizations describe distinct entities in your company that use the inventory function and can include separate manufacturing facilities, warehouses, distribution centers, and branch offices.

You need to define one or more organizations in Oracle Inventory. Subsequently you assign items and categories to a particular organization to which users are also assigned. A user can work within only one organization at a time.

Since you can implement multiple sets of books with multiple organizations in Oracle Inventory, you need to specify the ledger to which your organization is tied.

**Note:** It is mandatory that you set up one organization for authoring and another for remarketing.

For more information, see the *Oracle Inventory User's Guide*.

**Prerequisites**

None

**Responsibility**

Oracle Inventory Administrator

**Module**

Oracle Inventory

**Navigation**

Setup > Organizations > Organizations

**Change Organizations**

Required

Until you define an organization and set parameters, Oracle Inventory operates with no specific organization chosen.

In all post-setup working, you need to identify a specific organization as your current organization, to set up items and item categories. For both authoring and remarketing organizations, change to one of the organizations you created, using the Change Organization window.

For more information, see the *Oracle Inventory User's Guide*.

**Prerequisites**

Define Inventory Organizations, page 4-13

**Responsibility**

Oracle Inventory Administrator

**Module**

Oracle Inventory

**Navigation**

Change Organization

**Define Unit of Measure Classes**

Required

A unit of measure is a logical unit description for grouping items - for example, box, each, or pair.

You must define unit of measure (UOM) classes and the base unit of measure for each class. UOM classes represent groups of units of measure with similar characteristics, such as Volume or Length. Each unit of measure you define must belong to a unit of measure class.

For more information, see the *Oracle Inventory User's Guide*.

**Prerequisites**

Change Organizations, page 4-14

**Responsibility**

Oracle Inventory Administrator

**Module**

Oracle Inventory

**Navigation**

Setup > Units of Measure > Classes

**Define Subinventories**

Required

A subinventory is a physical or logical grouping of your inventory, such as raw material, finished goods, defective material, or freezer compartment. It provides a further subdivision of an inventory, which is useful in narrowing searches. For example, Oracle Lease and Finance Management uses subinventories for the warehouse that you would use in remarketing assets.

You must move each item into, out of, or within a subinventory whenever you perform an inventory transaction.

You must define at least one subinventory for each organization.

For more information, see the *Oracle Inventory User's Guide*.

**Prerequisites**

Change Organizations, page 4-14

**Responsibility**

Oracle Inventory Administrator

## Module

Oracle Inventory

## Navigation

Setup > Organizations > Subinventories

## Define Categories

Required

You can use categories and category sets to group items for various reports and programs. A category is a logical classification of items that have similar characteristics. A category set is a distinct grouping scheme and consists of categories.

Categories are actual functional names for groups of items, and are defined using a flexfield-type format, for example, transportation.aircraft.OEM.engines.

Categories can be used to designate items or products (assets) to portfolios or industries to assist with analysis and residual planning.

For more information, see the *Oracle Inventory User's Guide*.

## Prerequisites

Define Item Categories Flexfield

Change Organizations

## Responsibility

Oracle Inventory Administrator

## Module

Oracle Inventory

## Navigation

Setup > Items > Categories

## Define Category Set

Required

Category sets are used to group categories together. For example, a category set could group inventory categories by function usage, such as Warehousing, Contracts, and Order Management. Alternatively, a category set could be used to define groups of items that can be leased versus those that are manufactured or sold wholesale.

For more information, see the *Oracle Inventory User's Guide*.

## Prerequisites

Change Organizations

Define Categories

## Responsibility

Oracle Inventory Administrator

## Module

Oracle Inventory

## Navigation

Setup > Items > Categories > Category Sets

## Define Default Category Set

Required

When you install Oracle Inventory, you must assign a default category set to each of these functional areas: Inventory, Purchasing, Order Management, Costing, Engineering, Planning, and Contracts.

Oracle Inventory automatically assigns items defined for use by a particular functional area to the category set associated with the functional area. You can assign items to more than one functional area by assigning the item to multiple categories and category sets.

**Note:** Inventory items to be leased are included in the Contracts functional area; inventory items to be remarketed are in the Inventory and Order Management functional areas.

When referencing a category set, processes conducted by the functional area, such as leasing within Contracts, use the default category set value for that functional area.

For more information, see the *Oracle Inventory User's Guide*.

## Prerequisites

Change Organizations

Define Category Set

**Responsibility**

Oracle Inventory Administrator

**Module**

Oracle Inventory

**Navigation**

Setup > Items > Categories > Default Category Sets

**Define Statuses**

Required

You must define statuses that you can assign to items, denoting the level of activity you allow for them. A status is a set of Yes/No values for the status attributes. Status attributes are flags that exist for each functional area for which you enable an item: stockable, transactable, purchasable, build in WIP, customer orderable, internal orderable, BOM allowed, and invoice enabled. When you define an item, you can use statuses to control the values of or provide default values for the status attributes, or to drive behavior during processes.

Statuses can be assigned to items used for a particular purpose, such as leasing, remarketing, or manufacturing. For example, items used solely for leasing could be configured with a status where the Purchasable flag was set to No.

For more information, see the *Oracle Inventory User's Guide*.

**Prerequisites**

Change Organizations

**Responsibility**

Oracle Inventory Administrator

**Module**

Oracle Inventory

**Navigation**

Setup > Items > Status Codes

**Guidelines**

Create a status of Lease. All the attributes associated with it must be set to No. To change this, deselect the box to the left of the attribute.



## Define Item Type for Insurance Products

Required

You must register insurance products that are sold by the lessor as inventory items in Oracle Inventory, so that they can make use of other Oracle E-Business Suite facilities, such as calculation of tax.

In Oracle Inventory, you must first create an item type used to categorize insurance products. You only have to do this once. When you create your insurance inventory item, you must associate it with this item type.

For more information, see the *Oracle Inventory User's Guide*.

### Responsibility

Oracle Inventory Administrator

### Module

Oracle Inventory

### Navigation

Setup > Items > Item Types

### Guidelines

This item type, which you created for your insurance items, must be associated with a profile option called **OKL: Insurance Item Type**.

See Define Insurance.

## Define Items

You must define or update items and the attributes associated with them (such as description, lead time, unit of measure, lot control, or statuses). These items can then be used as the assets to be leased or loaned in Oracle Lease and Finance Management.

To automatically assign depreciation methods in Oracle Assets, the item must be related to an asset category. This is done on the Purchasing tab in the Item Definition page.

When you are authoring a contract, each leased item points to an item master. For more information, see the *Oracle Inventory User's Guide*.

### Prerequisites

Define Item Flexfield

Define Item Categories Flexfield

Define Inventory Organizations

Change Organizations  
Define Unit of Measure Classes  
Define Subinventories  
Define Categories  
Define Category Set  
Define Default Category Set  
Define Statuses  
Define Item Type for Insurance Products

## **Responsibility**

Oracle Inventory Administrator

## **Module**

Oracle Inventory

## **Navigation**

Items > Master Items

## **Guidelines**

To enable Oracle Lease and Finance Management's full functionality, set up these items, if applicable:

- Lease items
- Service items
- Insurance items
- Usage-based billing items
- Usage items

## **Item for Lease**

For inventory items to be leased, the basis for Serial Number Generation should be the same in the Inventory Master Organization and the Leasing Organization.

### **Responsibility**

(Forms) -> Inventory

### **Navigation**

Inventory > Item > Organization Items > *<find your leasing item in the Find window>* >  
Organization Item (form) > Inventory Tab > Field > Serial

The Generation field should have same value for leasing inventory Organization and Master Inventory Organization.

## Item for Service

### Responsibility

(Forms) > Inventory

### Navigation

Inventory > Items > Master Items >

1. Select an item.
2. Select the Service tab.
3. Select the Serviceable Product check box.

## Item for Insurance

When the Master Item window appears, enter the item code for your insurance product in the Item field, and optionally a Description.

On the Main tab, perform:

- For the Primary Unit of Measure, select Each.
- For the User Item Type, select the insurance item type that you created in Define Item Type for Insurance Products, page 4-19.

On the Purchasing tab, perform:

- For the Taxable field, choose either **Yes** or **No**.
- If you chose **Yes** for the Taxable field, select a tax code.

On the General Planning tab, perform:

- For the Inventory Planning Method, select **Not Planned**.
- For the Make or Buy field, select **Buy**.

## Usage Based Billing Items for Leases

Lease-related Usage Based Billing (UBB) items must be available in the Oracle Install Base module so you can associate lease-related UBB items with pricing counter groups. To make Usage Based Billing (UBB) items available in the Oracle Install Base module, you must select the Serviceable Product box on the Service tab.

## Usage Items

In the Oracle Pricing module, you associate usage items with price lists. In the Install Base module, you associate usage items with counter groups.

For Usage Items:

- Select the Customer Ordered box on the Order Management tab.
- Select the Invoice Enabled box on the Invoicing tab.
- Select the Usage Item box on the Service tab.

## Associating Asset Categories with Items

**Note:** To automatically populate Oracle Assets when booking a contract, you must associate all items with asset categories, previously set up in Oracle Assets. For each item, enter the Asset Category field on the Purchasing tab.

## Define Remarketing Items with Web Attributes

Required

To enable an item to be published and orderable on the Web, you need to update some of the item attributes. You can do this as you create or update the item.

For more information, see the *Oracle Inventory User's Guide*.

## Prerequisites

Define Items

## Responsibility

Oracle Inventory Administrator

## Module

Oracle Inventory

## Navigation

Items > Master Items

## Set Up Oracle Order Management

### Required

Oracle Order Management setup covers how you create sales orders and returns and copy existing sales orders from orders in Oracle iStore.

Oracle Order Management shares business and setup information with other Oracle E-Business Suite products. Therefore, you must refer to other implementation and user guides when you set up and use Oracle Order Management.

Order Management setup involves several phases, including setting up other integrated applications, that include Oracle General Ledger, Oracle Receivables, and Oracle Inventory. Oracle Lease and Finance Management uses Order Management during the remarketing of an asset. When an asset is sold through Oracle iStore, a sale is created in Order Management. Oracle Lease and Finance Management has modified some Order Management workflows so that Lease and Finance Management automatically updates transactions with asset sales and appropriately retires assets.

You must also set up some Oracle Lease and Finance Management specific transaction types for Order Header and Order Line. The process is detailed in the steps below.

For more information on implementing Oracle Order Management, see the *Oracle Order Management Suite Implementation Manual*.

## Set Up Transaction Types

To sell inventory items through Oracle iStore, you must enable specific transaction types that Oracle Lease and Finance Management uses.

### Prerequisite

An Oracle Lease and Finance Management custom workflow must be set up.

### Responsibility

Order Management Super Menu

### Module

Oracle E-Business Suite (Log in as SYSADMIN User)

### Navigation

Setup > Transaction Types > Define

### Steps

Perform the following steps:

1. When you select the Define option, the Transaction Types window opens. In the Line Transaction Type field, run a query for the a transaction type of "Standard (Line Invoicing)".
2. Make sure the transaction type code is "LINE" and the Order Category is "Order."
3. Click the Shipping tab and choose the warehouse name from the list of values.
4. Save your work.

Return to the main Transaction Types window and create an Order Header Transaction type with the following values:

5. In the Transaction Type field enter "OKL\_Standard."
6. In the Descriptions field, enter "OKL Standard Order Type."
7. In the Transaction Type Code field, choose Order from the list of values.
8. In the Order Category field, choose Mixed from the list of values.
9. In the Order Workflow field, choose the customized Order Management Order Header Workflow process called "OKL Order Flow - Generic" from the list of values.
10. On the Main tab, in the Agreement Type field, choose Standard Terms and Conditions from the list of values.
11. In the Default Order Line Type field, choose "Standard (Line Invoicing)" from the list of values.
12. In the Price List field, choose Corporate from the list of values.
13. In the Ordering field, choose Booking from the list of values.
14. In the Shipping field, choose Picking from the list of values.
15. Click the Shipping tab and in the Warehouse field, choose the name of the warehouse from the list of values.
16. Click the Assign Line Flows button.  
This opens the Line Workflow Assignments window. Enter the following:
17. In the Order Type field choose "OKL\_Standard" just as you did in the Transaction Type field.
18. In the Line Type field, choose "Standard (Line Invoicing)."

19. In the Item Type field, choose "Standard Item."
20. In the Process Name field, choose "Line Flow - Generic."
21. Enter a Start Date.
22. Save your work.

## Set Up Oracle Receivables

Oracle Receivables is a required module for Oracle Lease and Finance Management. You must implement Oracle Receivables as required by the *Oracle Receivables User Guide*. There are multiple setup steps that require configurations specific to Lease and Finance Management.

Oracle Receivables has the following implementation tasks that affect Lease and Finance Management:

- Define Payment Terms
- Open Accounting Periods
- Define AutoAccounting
- Define Remittance Banks
- Define Receipt Classes
- Define Payment Methods
- Create LockBox
- Define Transmission Formats
- Define Aging Buckets
- Billing Adjustments for Lease and Finance Management
- Billing Approval Limits for Adjustments for Lease and Finance Management
- Define Receivables Lookups

The following information applies to other Oracle Receivables set up steps in Lease and Finance Management.

- **Set Up Grouping Rules for Invoices** - the default invoice grouping rule OKL INVOICE is seeded in Oracle Receivables and may be updated if required. The invoice grouping rule in Lease and Finance Management may be configured if the

grouping rule in Receivables does not meet your requirements.

- **Define Line Transaction Flexfield Structure** - the default Line Transaction Flexfield is seeded.
- **Define Transaction Types** - the default Transaction Types for contract, investor billing, and credit memos are seeded.
- **Define Transaction Sources** - the default Batch Sources for contract and investor billing are seeded.

## Define Payment Terms

Required

Define payment terms to determine the payment schedule and discount information for customer invoices, debit memos, and deposits. You can also define payment terms to pay regular expenses such as telephone bills and credit card bills that occur on the same day each month, and create split payment terms for invoice installments that have different due dates.

The two seeded options are 30 Net, which indicates that a payment is due within 30 days, and **Immediate**. By default, Oracle Receivables uses 30 NET. However, Oracle Lease and Finance Management uses the **Immediate** option, ONLY.

For more information, see the Payment Terms section of the *Oracle Receivables Implementation Guide*.

## Prerequisites

None

## Responsibility

Oracle Receivables Administrator

## Module

Oracle Receivables

## Navigation

Setup > Transactions > Payment Terms

## Open Accounting Periods

Required

Open or close periods in your accounting calendar to control the recording of



accounting information for these periods. Receivables uses the status of these accounting periods to control transaction entry and journal entry creation to your general ledger. You cannot enter an activity in a closed accounting period. Receivables provides these period statuses: Not Opened, Future, Open, Close Pending, and Closed.

For more information, see the Opening and Closing Accounting Periods section of the *Oracle Receivables User Guide*.

**Prerequisites**

None

**Responsibility**

Oracle Receivables Administrator

**Module**

Oracle Receivables

**Navigation**

Setup > Financials > Calendars > Period Types

**Define AutoAccounting**

Required

Define AutoAccounting to specify the general ledger accounts for transactions that you enter manually or import using AutoInvoice. AutoAccounting uses this information to create the default revenue, receivable, freight, tax, unearned revenue, unbilled receivable, finance charges, bills receivable accounts, and AutoInvoice clearing (suspense) accounts.

Oracle Lease and Finance Management requires that AutoAccounting be enabled because not all billing items have accounting associated with them. Leasing contracts always have the accounting pre-defined, but for items such as vendor billing or billing at the customer level, the accounting needs to be generated in Receivables.

Lease and Finance Management does not send an accounting flexfield for any tax lines created with an invoice. You must set up AutoAccounting for tax lines to ensure successful import of invoices using AutoInvoice and accounting of tax amounts.

For more information, see the AutoAccounting section in the *Oracle Receivables User Guide*.

**Responsibility**

Oracle Receivables Administrator

## Module

Oracle Receivables

## Navigation

Setup > Transactions > AutoAccounting

## Define Remittance Banks

Required

Define all of the banks and bank accounts you use to remit your payments. You can define as many banks and bank accounts as you need. As bank accounts are associated to a legal entity as an owner, Oracle Receivables and Oracle Lease and Finance Management identify the legal entity for a receipt based on the remittance bank account entered on the receipt. Though each bank account has one primary currency, you can remit the payment from different currencies if it is a multi-currency account. To indicate that a bank account can accept receipt in a different currency, set the multi-currency flag to Yes while defining the bank accounts.

If you already defined your remittance banks when setting up Oracle Payables or Oracle Receivables, then proceed to the next step.

For more information, see the Defining Banks section in the *Oracle Receivables User Guide*.

## Prerequisites

You must install Oracle Payments.

## Responsibility

Oracle Receivables Administrator

## Module

Oracle Receivables

## Navigation

Setup > Receipts > Banks

## Define Receipt Classes

Required

Define receipt classes to specify whether receipts are created manually or automatically. For manual receipts, you can specify whether to automatically remit it to the bank and/or clear your accounts. For automatic receipts, you can specify a remittance and

clearance method, and whether receipts using this class require confirmation.

For more information, see the Receipt Classes section in the *Oracle Receivables User Guide*.

**Prerequisites**

None

**Responsibility**

Oracle Receivables Administrator

**Module**

Oracle Receivables

**Navigation**

Setup > Receipts > Receipt Classes

**Define Payment Methods**

Required

Define the receipt methods to account for your receipt entries and applications and to determine a remittance bank information. When defining payment/receipt methods, you must enter a receipt class, remittance bank information, and the accounts associated with your payment receivables type. You can also specify accounts for confirmation, remittance, factoring, bank charges, and short-term debt.

For more information, see the Payment Methods section in the *Oracle Receivables User Guide*.

**Prerequisites**

You must define receipt classes and your banks.

**Responsibility**

Oracle Receivables Administrator

**Module**

Oracle Receivables

**Navigation**

Setup > Receipts > Receipt Classes

## Create LockBox

Same as Oracle Receivables. For Lease, set the field Line Level Cash application to Oracle Lease and Finance Management.

See: Lockboxes, *Oracle Receivables Implementation Guide*

## Define Transmission Formats

Same as Oracle Receivables. No specific setup for Lease.

See: Define Transmission Formats, *Oracle Receivables Implementation Guide*

## Define Aging Buckets

Required (Prerequisite for general loss provision functionality. See Define Loss Provision Rules, page 6-93.

Define aging buckets to review and report on open receivables based on the number of days each item is past due. For example, the 4-Bucket Aging bucket that Receivables provides consists of four periods: -999 to 0 days past due, 1 to 30 days past due, 31-61 days past due, and 61-91 days past due.

For Oracle Lease and Finance Management, you must define aging buckets that you use to create loss provisions.

For more information, see the Aging Buckets section in the *Oracle Receivables User Guide*.

## Prerequisites

None

## Responsibility

Oracle Receivables Administrator

## Module

Oracle Receivables

## Navigation

Setup > Collections > Aging Buckets

## Integration with Oracle E-Business Tax

Oracle Lease and Finance Management integrates with Oracle E-Business Tax to provide a single point solution for transaction-based tax service needs. Before tax can be processed in Lease and Finance Management, you must complete all relevant Oracle E-Business Tax set up steps.

To complete Oracle E-Business Tax set up steps, see *Oracle E-Business Tax Implementation Guide*.

For more information on E-Business Tax and Lease and Finance Management, see Sales Tax, *Oracle Lease and Finance Management User's Guide*.

## Billing Adjustments for Lease and Finance Management

### Navigation

Setup > Receipts > Receivable Activities

### Steps

Lease and Finance Management includes a seeded receivable activity record, Adjustment.

Create another record with identical attributes and name it OKL Adjustment. This is required before you run the concurrent program Create AR Adjustment.

## Billing Approval Limits for Adjustments for Lease and Finance Management

### Navigation

Setup > Transactions > Approval Limits.

### Steps

Set up approval limits for the appropriate users according to their usernames in Oracle Lease and Finance Management. Make sure that the Document Type is Adjustment.

## Set Up Install\_At and Ship\_To Addresses For Customers and Assets

### Navigation

Oracle Forms

Set up Install\_At sites and ensure that they have corresponding Ship\_To addresses, required for billing processing and for display as possible installed locations when creating an asset. (If an address is later found to be invalid, the Bill\_To address for the contract is used as the Ship\_To address in Receivables.)

### Steps

1. Log onto Oracle Forms with responsibility Telesales Manager.
  - In the E-Business Center, in the Party Type list, select Organization and select the customer name.

- Enter the address that you want to set up as the Install\_At address.
  - On the Address/Phone tab, in the Address Type list, select Install\_At.
2. Log onto Oracle Forms with responsibility Receivables Manager.
    - In the Customers, Standard form, select the customer. On the Addresses tab, select New.
    - In the Customer Addresses form, in the Site Number field, select the address entered as the Install\_At address for the customer.
    - On the Business Purpose tab, in the Usage field, select Ship\_To and select or enter the site.
  3. Repeat for each possible Install\_At site for each customer.

## Define Receivables Lookups

### Required

Lookup names display as list of value choices throughout Oracle E-Business Suite to help speed data entry and accuracy. Receivables provides many lookups types for you. Some lookup types can be updated to suit your business needs. You cannot update a lookup type if Receivables requires those settings for its own internal use.

You can create new lookup types and define as many additional lookups as you want in the Receivables Lookups window. For Oracle Lease and Finance Management, you need to define two additional lookups, described in the Guidelines below.

You cannot change lookup name values after you save them. To remove an obsolete lookup you can: disable the code, enter an end date, or change the meaning and description to match a replacement code.

A lookup is any defined value that was not defined in a setup window. Use the Oracle Purchasing Lookups window to review and maintain sets of values, or lookups that you use in Payables.

For more information on defining your Receivables lookups, see the *Oracle Receivables User Guide*.

### Prerequisites

None

### Responsibility

Oracle Receivables Administrator

## Module

Oracle Receivables

## Navigation

Setup > System > QuickCodes > Receivables

## Guideline

You must define the following Oracle Lease and Finance Management-specific lookups. To do so, within the **QuickCodes > Receivables** page enter a query of type **CUSTOMER\_CATEGORY**. Add two blank lines and add the two new lookups with these values.

The following table shows two codes with descriptions and meanings.

### *Lookups for Oracle Lease and Finance Management*

| CODE            | MEANING         | DESCRIPTION     |
|-----------------|-----------------|-----------------|
| Insurer         | Insurance Agent | Insurance Agent |
| Insurance_Agent | Insurance Agent | Insurance Agent |

## Set Up Oracle Payables

### Required

Oracle Lease and Finance Management links with the Oracle Payables module to let you make disbursements to pay vendor or supplier invoices. Items that you would typically need to set up include defining or specifying: payables lookups, invoice currency, payment currency, currency exchange types and rates, payment terms, tax codes, withholding tax groups, document categories, pay groups, and open payables periods.

The specific setup steps of Oracle Payables that directly impact Oracle Lease and Finance Management include:

- Define Payment Terms
- Define Payables Lookups

For more information on setting up Oracle Payables, see the *Oracle Payables User Guide*.

## Define Payment Terms

Required

You need to define payment terms that you can assign to an invoice to automatically create scheduled payments when you submit an approval for an invoice. You can define payment terms to create multiple scheduled payment lines and multiple levels of discounts, and you can create an unlimited number of payment terms. Payment terms have one or more payment term lines, each of which creates one scheduled payment.

For more information on defining payment terms, see the *Oracle Payables User Guide* or the Oracle E-Business Suite Help, available in Oracle Payables.

## Prerequisites

None

## Responsibility

Accounts Payable Super User

## Module

Oracle Payables

## Navigation

Setup > Invoice > Payment Terms

## Define Payables Lookups

Required

A lookup is any defined value that was not defined in a setup window. Use the Oracle Payables Lookups window to review and maintain sets of values, or lookups that you use in Payables.

When you define your payables lookups, you can:

- Search for seeded lookups.
- Review the available types to determine what you need to add.
- Refer to your various product setup documentation to determine required payable lookups.
- Add or update User or Extensible lookups.

For more information on defining financial options, see the *Oracle Payables User Guide* or the Oracle E-Business Suite Help, available in Oracle Payables.



You must enter one Oracle Lease and Finance Management–specific payable lookup. On the **Lookups > Payables** page, enter a query of type **SOURCE**. Add a lookup to this list with these values:

Code = OKL

Meaning = Oracle Lease and Finance Management

Description = Create Payables Invoices from Oracle Lease and Finance Management

### Prerequisites

None

### Responsibility

Accounts Payable Super User

### Module

Oracle Payables

### Navigation

Setup > Lookups > Payables

## Set Up Oracle Purchasing

Required

Oracle Lease and Finance Management links with Oracle Purchasing.

The specific setup steps of Oracle Purchasing that directly impact Oracle Lease and Finance Management include:

- Define Purchasing Lookups
- Define Suppliers
- Define Insurance Providers
- Set Up Document Sequencing of Payables Invoices

For more information on setting up Oracle Payables, see the *Oracle Purchasing User Guide*.

## Define Purchasing Lookups

Required

A lookup is any defined value that was not defined in a setup window. Use the Oracle Purchasing Lookups window to review and maintain sets of values, or lookups that you use in Purchasing.

When you define your purchasing lookups, you can:

- Search for seeded lookups.
- Review the available types to determine what you need to add.
- Refer to your various product setup documentation to determine required payable lookups.
- Add or update User or Extensible lookups.

For more information on defining your purchasing lookups, see the *Oracle Purchasing User's Guide*.

For Oracle Lease and Finance Management, you must define two purchasing lookup types:

- **PAY GROUP.** On the Lookups > Purchasing page, enter a query of type **PAY GROUP**. Add a new lookup to the list with these values:  
  
Code = Oracle Lease and Finance Management  
  
Meaning = Oracle Lease and Finance Management  
  
Description = Create Invoices from Oracle Lease and Finance Management
- **VENDOR TYPE.** On the Lookups > Purchasing page, enter a query of type **VENDOR TYPE**. Add a lookup to the list with these values:  
  
Code = Insurer  
  
Meaning = Insurance Provider  
  
Description = Insurance Provider

#### Prerequisites

None

#### Responsibility

Accounts Payable Super User

#### Module

Oracle Payables

## Navigation

Setup > Lookups > Purchasing

## Define Suppliers

Required

You need to set up suppliers to record information about individuals and companies from whom you purchase goods and services. You can also enter employees whom you reimburse for expense reports. When you enter a supplier that does business from multiple locations, you store supplier information only once, and enter supplier sites for each location. You can designate supplier sites as pay sites, purchasing sites, RFQ only sites (suppliers from whom you receive quotations), or procurement card sites.

Areas about suppliers that you can complete include: general information, classification, accounting, control, payment, bank accounts, Electronic Data Interchange (EDI), various tax issues, purchasing, and receiving.

For more information on defining suppliers, see the *Oracle Payables User Guide* or the Oracle E-Business Suite Help, available in Oracle Payables.

## Prerequisites

None

## Responsibility

Accounts Payable Super User

## Module

Oracle Payables

## Navigation

Suppliers > Entry

## Define Insurance Providers

Required

You must register vendors of insurance products as suppliers in Oracle Payables.

You must set up at least one vendor site per organization unit for all insurance providers. This vendor site is used in sending credits and payments to insurance providers of Lease and Finance Management insurance product policies.

You must also set up, or verify that users set up, third-party insurance providers as customers or as Trading Community Architecture (TCA) organization parties. The

lookup for third-party providers draws from the TCA model, while the Lease and Finance Management setup for providers of insurance products draws from (po\_vendor) Purchasing tables.

See Define Insurance and the *Oracle Payables User Guide* for further information.

## Prerequisites

None

## Responsibility

Accounts Payables Super User

## Module

Oracle Payables

## Navigation

Suppliers > Entry

## Guidelines

On the Classification tab of the Suppliers window appears, perform:

- For the Type, select **Insurer** for the insurance category.
- You can optionally enter the SIC code.

## Set Up Document Sequencing of Payables Invoices

Required

To generate invoice numbers, you must set up document sequencing for payables invoices. This is a one-time setup, and you must specify certain values in the following procedures. You can apply this setup to more than one ledger.

The sequence of setup topics for document sequencing of payables invoices is:

- Create Document Sequence
- Define Category
- Assign Category and Sequence

## Create Document Sequence

Required

The first part of setting up document sequencing for payables invoices is to create the

document sequence. You provide a name, specify the application, effective dates, manual or automatic types, and an initial value.

**Note:** You create the following document sequence only **one time**. If you use multiple sets of books, then all sets of books will use the same document sequence.

## Prerequisites

None

## Responsibility

System Administrator

## Module

Oracle Applications--forms

## Navigation

Application > Document > Define, Open

## Steps

Perform the following steps:

1. In the Document Sequences window on one empty row under the Name column, enter **OKL Lease Pay Invoices**.

**Note:** You must enter exactly **OKL Lease Pay Invoices**.

2. Under the Application column, click the Ellipses button, and choose the Oracle Lease and Finance Management or Contracts for Lease.
3. Under the Effective From and To columns, click the Ellipses button, and choose a starting and ending effective date for your document sequence.
4. Under the Type column, choose **Automatic**.
5. Under the Initial Value column, enter the initial invoice number.

**Note:** If you are using multiple sets of books, then each book will use the same initial invoice number.

6. Click the Save button.

## Define Category

Required

After you have created the document sequence, define the document's sequence category that you assign to a specific table name. In the following procedures, you specify the application; enter code, name, and description; and choose the table name.

**Note:** You create the following document sequence category only **one time**. If you use multiple sets of books, then all sets of books will use the same document sequence.

## Prerequisites

Create Document Sequence

## Responsibility

System Administrator

## Module

Oracle Applications--forms

## Navigation

Application > Document > Categories, Open

## Steps

Perform the following steps:

1. In the Document Categories window on the first blank row under the Application column, click the Ellipses button, and choose the product name for Oracle Lease and Finance Management.
2. Under the Code, Name, and Description columns, enter **OKL Lease Pay Invoices**.  
The Code name must be unique, and you must use this name.
3. In the Table Name column, click the Ellipses button and choose **OKL\_TRX\_AP\_INVOICES\_B**.
4. Click the Save button.

## Assign Category and Sequence

Required

After you have defined the category for document sequence for payables invoices, you can assign the category and the sequence.

If you have multiple sets of books, you must run the following procedures multiple times to assign each sequence and category to another ledger.

## **Prerequisites**

Create Document Sequence  
Define Category

## **Responsibility**

System Administrator

## **Module**

Oracle Applications--forms

## **Navigation**

Application > Document > Assign, Open

## **Steps**

Perform the following steps:

1. In the Sequence Assignments window on the Document tab in the Application column, click the Ellipses button and choose Contracts for Lease or Oracle Lease and Finance Management.
2. In the Category column, click the Ellipses button and choose the category that you set up previously.
3. In the ledger column, click the Ellipses button and choose the ledger' name to which you want to assign the category.
4. In the Method column, choose Automatic.
5. Click the Save button.  
  
The Assignment tab becomes active. If not, then click the Assignment tab. On the Assignment tab, the system automatically populates both the Application and Category fields.
6. On the Assignment tab, in the Start Date and End Date fields, click the Ellipses buttons and choose the respective dates at which you want the assignment to be effective.

7. Click the Save button.

## Set Up Oracle Subledger Accounting for Oracle Lease and Finance Management

### Setup for Contract Trial Balance and Account Balance

Oracle Subledger Accounting provides the Supporting Reference Balance feature to store and report account balances on one or more transaction parameter such as Contract Number, Financial Product, and Customer. You can use this feature to report balance on one or a combination of parameters to maintain and view account balances.

Oracle Lease and Finance Management leverages this feature to provide Contract Trial Balance at the contract level. The Trail balance view at the contract level displays contract balance for each account for a specified period.

To use the Contract Trial Balance view at the contract level, you must complete the following steps in Oracle Subledger Accounting:

1. Set Up Supporting Reference
2. Assign Supporting Reference with Journal Line Types
3. Upload Initial Balance

#### 1. Set Up Supporting Reference

For detailed setup steps, see Supporting References, *Oracle Subledger Accounting Implementation Guide*.

To set up the Contract Trial Balance at the contract level for Lease and Finance Management, follow these steps:

- Select both Enabled and Maintain Balances on the Create Supporting Reference page.
- Select Always from the Year End Carry Forward list.
- Enter only one supporting reference detail.
- On the Assign Source page, select a combination of Application, Event, and Source and assign it to the supporting reference detail. Note that you must select Contract Number as the accounting source for each combination of event and application. The following applications have events that uses Contract Number as an accounting source.
  - Assets



- Payables
- Purchasing
- Receivables
- Lease and Finance Management

**Tip:** To quickly assign the combination, search Contract Number in the Source field on the Assign Sources page. The application displays all the combination of application and event having source name as Contract Number. Select all the combination and click apply to assign the source to the supporting reference detail.

- Assign the supporting reference to the 'OKL: Supporting Reference for Trial Balance' profile option.

**Note:** Only supporting reference with Owner as user is available for selection.

## 2. Assign Supporting Reference with Journal Line Type

You must perform this step for each Accounting Method used by ledgers for which you need to maintain trial balance at the contract level. If more than one ledger uses the same accounting method, then you need to perform this step only once.

### Assign Supporting Reference to each Journal Line Type

To assign Supporting Reference to each Journal Line Type, you must select Application>Event>Journal Line Definition>Journal Line Type and then assign the supporting reference for each Journal Line Type.

## 3. Initial Balance Upload

Oracle Subledger Accounting starts maintaining the balance for supporting reference from the date it is enabled and does not maintain balances prior to that. So if you are upgrading from an earlier version or migrating from a legacy system then, you need to specify the initial balance for a period prior to which SLA started maintaining the supporting reference balance. This ensures that SLA displays the correct balance for a supporting reference.

The initial balance is the starting balance in ledger currency for a supporting reference (Analytical criteria) and a combination of supporting reference values, in the context of an application, ledger, CCID, and a period. You can specify the initial balance either as debit balance or credit balance.

**Note:** There is no journal entry in SLA to support initial balances.

To specify the initial balance for supporting references, SLA provides an interface table and a concurrent program to upload the data to the SLA table. Using these you can do the following:

**Define Initial Balance**

You can specify the initial balance for a period prior to which SLA started maintaining the balance. You can define initial balances as Net of Debit and Credit balance. You can define initial balance for a closed period and also after SLA created balances and entries for the supporting reference value.

When you define an initial balance for a supporting reference source value, SLA synchronizes the balance for all the periods that fall after the period for which you are defining the initial balance.

If there is a balance record for a combination for which you are defining initial balance, SLA updates the balance record for subsequent periods for which the balance exist to synchronize the balance. The subsequent periods for which balance needs to be updated depends on the Carry Forward Balance and Account Type for which initial balance record is created. The following table describes the Carry Forward Balance and Account Type combination.

***Carry Forward Balance and Account Type Combination***

| <b>Carry Forward Balance</b> | <b>Account Type</b>                          | <b>Result</b>                                                                                                             |
|------------------------------|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Always                       | Any                                          | Balance record is updated for all the subsequent period for which balance record exists.                                  |
| Never                        | Any                                          | Balance record is updated for all the subsequent periods of the financial year in which the initial balance record falls. |
| Based on Account             | Asset or Liability or Owner's Equity or Null | Balance record is updated for all the subsequent period for which balance record exists.                                  |
| Based on Account             | Income or Expense or Budget-DR or Budget-CR  | Balance record is updated for all the subsequent periods of the financial year in which the initial balance record falls. |

### **Update Initial Balances**

Once the initial balance is entered, you can modify the initial balance if required. You can either change the initial balance amount or change the period or both. SLA synchronizes the balances for the periods following the initial balance due to change in the initial balance. The period up to which SLA synchronizes the balance depends on the same conditions as mentioned in the Define Initial balance section.

To change the initial balance, upload a record for the same period, ledger, and CCID for the supporting reference detail value combination for which the initial balance is uploaded.

**Note:** You cannot update the period of an initial balance prior to a period for which the initial balance is already defined

### **Delete Initial Balances**

To delete the initial balance, upload a record with zero amount for the same period, ledger, and CCID for the supporting reference detail value combination for which the initial balance is already uploaded. When you delete the initial balance record, SLA re-synchronizes the balances for the subsequent period.

### **Steps to Upload Initial Balances**

To define, update, or delete initial balances for supporting references, follow these steps:

- Upload data into the XLA\_AC\_BALANCES\_INT interface table.
- Run the Import Supporting Reference Initial Balances concurrent program. This program does the following:
  - Imports the data from the XLA\_AC\_BALANCES\_INT interface table.
  - Validates the record in the interface table.
  - Uploads all the records to the SLA table that passes the validation check.
  - Generates an error report for records that fails the validation check.
  - Purges the interface table based on the purge mode selected.

See: XLA\_AC\_BALANCES\_INT interface table.

### **Error Conditions**

| Error Message                                  | Description                                                                                                                                                                                                                                                                       |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Invalid or Not an SLA Application              | Application should be a subledger application defined in the Subledger Accounting architecture.                                                                                                                                                                                   |
| Invalid Ledger                                 | Ledger Identifier should correspond to a valid ledger defined in General Ledger application.                                                                                                                                                                                      |
| Missing Account or Segment Values              | Account information is missing. Either the Accounting Code combination or the Accounting Segments should be provided to identify the account.                                                                                                                                     |
| Invalid Account                                | Invalid Account. The Account does not represent a valid account for the ledger.                                                                                                                                                                                                   |
| Invalid Period Name for Ledger                 | Invalid Period. The period name is not valid for the ledger<br><br>OR<br><br>An initial balance record for the supporting reference detail value combination already exists for a period that is earlier than the period for which the initial balance is attempted to be loaded. |
| Journal Entries exists previous to this period | The supporting reference balance already exists for a period prior to the period for which the initial balance is uploaded for the Account and combination of supporting reference values due to existing journal entries in SLA.                                                 |
| Initial Balance Amount is NULL                 | Initial Balances provided for both the Debit and Credit side are NULL.                                                                                                                                                                                                            |
| Either Invalid Amount or Negative Amount       | Initial Balance provided for either the Debit or Credit side is negative or non-numeric.                                                                                                                                                                                          |
| Invalid Supporting Reference                   | Interface table contains a supporting reference that has not been enabled.<br><br>OR<br><br>Supporting reference for which the maintain balance flag is set to No.<br><br>OR<br><br>Invalid Supporting Reference Code.                                                            |

---

## CRM Implementation Tasks

This chapter covers the following topics:

- Overview of CRM Implementation Tasks
- Set Up Contracts
- Set Up Service Contracts Counters
- Set Up iStore
- Set Up Order Capture
- Set Up Marketing Online
- Set Up CRM Foundation
- Set Up Telephony
- Set Up Work Queues

### Overview of CRM Implementation Tasks

1. Set Up Contracts
2. Set Up Service Contracts Counters
3. Set Up iStore
4. Set Up Order Capture
5. Set Up Marketing Online
6. Set Up CRM Foundation
7. Set Up Telephony
8. Set Up Work Queues

## Set Up Contracts

### Required

Oracle Contracts provides the underlying functionality upon which Oracle Lease and Finance Management is built. In particular, the Oracle Contracts rule functionality supplies the basis for the terms and conditions of contracts and agreements (such as master lease agreements, vendor agreements, and investor agreements) in Oracle Lease and Finance Management.

Additionally, Oracle Lease and Finance Management references contract and agreement articles in Contracts and uses the quality assurance check functionality as well.

You must implement the following in Oracle Contracts in order for Oracle Lease and Finance Management to properly use this functionality:

- Add Articles
- Add Additional Quality Assurance Checks
- Set Up New User-Defined Parties For Lease Contracts and Agreements

## Add Articles

### Required

To reference articles in agreements that you set up in Oracle Lease and Finance Management, you must create the articles in Oracle Contracts. Articles, text that describes and details terms and conditions attached to a contract, are used in master lease agreements, vendor agreements, and investor agreements. To attach articles to a specific lease or loan contract, you must reference a master lease agreement.

Oracle Contracts lets you create standard and non-standard articles. However, for Oracle Lease and Finance Management, you can create **standard articles, only**. Subsequent references to all standard articles come from the Oracle Contracts library of articles.

**Note:** Add all articles particular to your business that you may need to reference when creating agreements.

For more details on adding articles, see Defining the Library of Articles section in the *Oracle Contracts User Guide*.

## Add Additional Quality Assurance Checks

### Optional

Oracle Contracts provides a default quality assurance checklist, which is run every time

the QA Checker is called. Oracle Lease and Finance Management has an additional seeded checklist called OKL LA QA CHECK LIST, which contains additional processes relevant for lease and loan contracts.

You can add processes to the OKL LA QA CHECK LIST from within Oracle Contracts, but you cannot create new checklists.

For more information, see the Defining Quality Assurance Checklist section of the *Oracle Contracts User Guide*.

### **Prerequisites**

None

### **Responsibility**

Contracts Manager

### **Navigation**

Setup > Contract > Quality Assurance

### **Guidelines**

When you navigate to the Quality Assurance form, use the Find function, and in the Name field, type OKL LA QA CHECK LIST (this is case sensitive and should be all caps). In the Processes section, add the processes to include in the QA Checker to the existing processes and save your work.

## **Set Up New User-Defined Parties For Lease Contracts and Agreements**

For lease contracts, vendor program agreements, and operating agreements, create new user-defined party roles by contract category in Oracle Contracts.

### **Responsibility**

Lease Contracts Manager

### **Navigation**

Forms > Application Object Library > Lookups, then  
Setup > Contract > Categories & Sources > Define Party Roles  
(then > Define Party Sources, then > Define Categories)

#### **Steps**

Perform the following steps:

1. In Lookups, query for the Lookup Type: OKC\_Party.

2. Associate a party role code by adding a new party role code.
  1. In the Code field, enter the name of the new party role code.
  2. In the Meaning field, enter the meaning of the new party role code.
  3. In the Description field, enter a description.
  4. In the From field, enter the start date.
  5. Click Save.
3. Navigate to Setup > Contract > Categories & Sources > Define Party Sources.

The Role Sources page is displayed.

  1. Select the party role you created in step 2.
  2. On the Party Sources Tab, in the Source field, select the source; for example, Vendor, Trading Community Architecture (TCA), or Human Resources (HR), and click OK.

The other fields, Description, Intent, and Start Date, are displayed according to the source you selected.
  3. Select the Access Level: User or System.
  4. Click Save.
4. Navigate to Setup > Contract > Categories & Sources > Define Categories.

The Category page is displayed.

  1. Query for Category Code: LEASE (use PROGRAM or OPERATING)

The other fields are populated based on your selection:  
Category, Start Date, Access Level, Class = Lease Contract, Description
  2. In the Role field, enter the party role you created in step 2.

The Description and Start Date you entered in step 2 are displayed.
  3. Click Save to save your work.

See Define Party Contact Roles, page 6-85.

## Set Up Service Contracts Counters

Set up Oracle Service Contracts so that usage-based billing created in Service Contracts can be processed and billed through Lease and Finance Management.



## Prerequisites

Set up Usage Items in Oracle Inventory. See Define Inventory.

## Responsibility

Service Contracts Manager

## Navigation

Setup > Others > System > Service > Counter

## Steps

Set up counters in Oracle Service Contracts.

1. Define a Counter Group.
2. Associate Inventory Items for this counter group.
3. Create one or more counters for the counter group.
4. Specify a Usage Item for each counter.

## Set Up iStore

Optional for Custom Remarketing, Required for Standard Remarketing. Oracle iStore lets you establish business-to-business and business-to-consumer electronic commerce. The Oracle iStore application provides an easy-to-use mechanism for merchants to set up Internet storefronts that capture and process customer orders and to integrate their storefronts with Oracle Enterprise Resource Planning (ERP) applications.

Oracle Lease and Finance Management utilizes Oracle iStore during the remarketing process. Assets that are remarketed are logged as items in Oracle Inventory, priced in Oracle Advanced Pricing, and then sold through a specialty store in iStore.

In particular, you must implement the following in Oracle iStore in order for Oracle Lease and Finance Management to work:

- Set Up Specialty Stores, page 5-5

You then associate inventory items with Specialty Stores.

## Set Up Specialty Stores

Required for iStore, only

In Oracle Lease and Finance Management, you must set up at least one specialty store

to handle all remarketed assets. Remarketed assets exist as items in Oracle Inventory, which you associate with your specialty store.

**Note:** You can have more than one specialty store set up in this module, but you need at least one.

To enable the remarketing process, you must associate the iStore with a pricing list in Oracle Pricing and you must also associate an iStore profile option with the Inventory organization you set up in Oracle Inventory.

You must set up an overall hierarchy for the specialty store sections and products, which is covered in the Oracle iStore documentation.

See the Creating Specialty Stores section of the *Oracle iStore Implementation Guide*.

## Prerequisites

Set up pricing lists in Oracle Pricing.

Set up an Inventory organization. See Define Inventory, page 4-10.

## Responsibility

Oracle iStore Administrator

## Module

Oracle iStore

## Navigation

Setup > Specialty Store

## Guidelines

When configuring your iStore set the Available to Promise (ATP) Enabled attribute to Yes. This ensures that each asset in your iStore is sold only once.

Associate the iStore with the pricing list(s) you set up in Oracle Pricing for your organization.

Set up the profile option IBE: Item Validation Organization to associate with the Inventory organization that you set up for your leasing organization in Oracle Inventory.

See Define Profile Options, page 6-114.

## Set Up Order Capture

Required for iStore, only

Oracle Order Capture serves as the integration point between Oracle's suite of CRM applications and Oracle's Order Management system. Oracle Lease and Finance Management uses Order Capture in the remarketing process to create quotes based on information obtained from Oracle iStore.

Once a remarketed item is purchased by a customer in iStore, the purchase information is passed to Oracle Order Capture, which then passes the information to Oracle Order Management where a sales order is created. In this process, the system reserves the item in Oracle Inventory against the sales order, so that no other customer can create another sales order against the same item.

For more information on installing this module, see the *Oracle Order Capture Implementation Guide*.

## Set Up Marketing Online

Oracle Marketing Online is a database product designed to provide planning, tracking, analysis, and reporting of an organization's marketing activities. In Oracle Lease and Finance Management, Marketing Online functionality enables enterprises to target specific customers for marketing campaigns. For example, when you are remarketing assets, you can use Marketing Online to target customers for specific types of assets.

Oracle Marketing Online lets you create and manage lists and segments of customers and prospects for your marketing activities. You can also organize campaigns and track related tasks, assignments, activities, creative material, and other elements designed to promote or sell concepts, products, and services.

For more information on implementing Oracle Marketing Online, see the *Oracle Marketing Online Implementation Guide*.

## Set Up CRM Foundation

### Required

CRM Application Foundation consists of a number of modules that are used by the entire CRM suite, including Oracle Lease and Finance Management. Of particular importance to Oracle Lease and Finance Management are: Interaction History, Notes, Tasks, Territories, and Resource Manager.

Oracle Foundation must be implemented and installed to insure proper functionality in Oracle Lease and Finance Management. See the *Oracle CRM Foundation Concepts and Procedure* guide and the *Oracle CRM Foundation Implementation Guide* for details. The following steps require Lease-specific information when you are enabling the Foundation module.

Oracle CRM Foundation has these implementation tasks, which affect Oracle Lease and Finance Management:

- Set Up and Configure Interaction History

- Set Up Notes
- Set Up Territories
- Set Up Resources
- Define Sales Representatives
- Define Remarketers
- Define Assignment Group

## Set Up and Configure Interaction History

### Required

Interaction History is a collection of tables and business logic that records touch points between customers and resources for Oracle Applications, including Oracle Lease and Finance Management. Interaction History tracks all customer-agent interactions and serves as a repository for the interaction data. Whether the touch point occurs between two computers, a face-to-face conversation, or over various media channels (such as telephony), these patterns are true:

- The system records a touch point as an interaction.
- An interaction comprises a set of one or more business activities.
- An interaction is a historical record; once you create it, you cannot alter or modify it.
- You can relate business activities to media--such as phone, email, or fax.

For Oracle Lease and Finance Management, you can optionally make these modifications in Interaction History:

- Define additional outcome codes.
- Define additional result codes.
- Define additional reason codes.
- Define additional action item codes.
- Define additional action codes.

### Prerequisites

After you install CRM Application Foundation, you can access the Interaction History graphical interface, Administration, and public APIs to test and use Interaction History

functionality.

**Responsibility**

CRM Administrator

**Module**

Oracle Foundation

**Navigation**

Functions > Interaction History Administration

For more information, see the Implementing Interaction History section of the *Oracle CRM Foundation Implementation Guide* and the Understanding Interaction History section of the *Oracle CRM Application Foundation User Guide* guide.

**Set Up Notes**

Optional

A note records descriptive information that users have generated about business transactions so that they can reference it. You can use the Notes component from different applications in the product suite to access the comment log that relates to a specific transaction.

Oracle Notes comes with a set of previously defined note types. You can choose not to use the previously defined note types and create customized note types of your own, or you can use both the previously defined set and additional customized note types.

To use the notes feature in your customer service or collections divisions of Oracle Lease and Finance Management, it must be enabled. You can add additional note types specific for leasing.

**Prerequisites**

None

**Responsibility**

CRM Administrator

**Module**

Oracle Foundation

**Navigation**

Functions > Notes Setup

## Steps

Perform the following steps:

1. Once you open the **Note Type Setup** page, the **Application Object Library: Note Type Lookups** window appears.
2. Define the code, meaning, and description as desired. It is only necessary to define a tag for a new, customized note type.
3. Save the record when you are finished.
4. To delete an existing note type, assign an end date to an existing note type.

**Note:** Mapping a note type to a source object limits the visible note types for that source to the defined subset of note types.

5. To map the note to a source object open the Source page.
6. Click Note Type Mapping.
7. In the Source Object list of values, choose the appropriate source (Contract, Defects, Enhancements, Escalations, or Tasks).
8. Choose a Note Type for the Source.
9. In the Application list of values, choose the application.
10. In the End Date list of values, specify an End date, if desired.
11. Save and close the form.

See the Implementing Notes section of the *Oracle CRM Foundation Implementation Guide*.

## Set Up Territories

### Required

A territory is an organizational domain with boundaries defined by attributes of customers, products, services, and resources. Territories can be created on multiple criteria including postal code, area code, country, vertical market, size of company, and product expertise. It can be created based on geographic locations, for example, East Coast and West Coast territories. It can also be based on customer name if targeting specific customers or products, for example, Business World territory, or the combination of both geographical location and customers, such as a West Coast Business World territory.

For Oracle Lease and Finance Management, you must set up territories for your collections organization's activities. Define your territories, territory qualifiers, and

resources.

Set up Territory Manager is described in *Implementing Territory Management* as part of the *Oracle CRM Foundation Implementation Guide*. Create Territories is described in *Oracle CRM Foundation User Guide*.

## Prerequisites

Set up and enable Resource Manager.

## Responsibility

CRM Administrator

## Module

Oracle Foundation

## Navigation

Functions > Territory Manager > Territory Administration > Administration

**Note:** After defining territories using Territory Management, you must run the Generate Territory Package concurrent program to compile the territories and activate your changes.

## Set Up Resources

The Resource Manager provides lists of resources—as individuals, groups, and teams—for applications to access and manage their resources. Resources are defined as the employees, supplier contacts, parties and partners that are used by the different CRM components to accomplish business objectives.

You can use Resource Manager to import and view resources, define resources, define roles and role types, create teams and groups, and organize resources within those teams and groups. Defining and organizing your resource information makes your resources available to the connected application modules for work action.

**Note:** Employees are resources, which are set up in Oracle Human Resources and can be imported to the Foundation Module. See *Managing People Using Oracle HRMS Release 11i*.

For more information, see the *Implementing Resource Manager* of the *Oracle CRM Foundation Implementation Guide*.

## Prerequisites

Enable Resource Manager.

**Responsibility**

CRM Administrator

**Module**

Oracle CRM Foundation

**Navigation**

Functions > Resource Manager > Maintain Resources

**Define Sales Representatives**

Optional

During the authoring process in Oracle Lease and Finance Management, you must associate one or more sales representatives to each contract. A sales representative is a specific role, which you can assign to specific employees within your organization.

For more information, see the Defining a Salesperson section of the *Oracle CRM Application Foundation Concepts and Procedures* guide.

**Prerequisites**

Configure Resource Manager.

Set up employees in Oracle HRMS. For more information, see Define Employees.

**Responsibility**

CRM Administrator

**Module**

Oracle CRM Foundation

**Navigation**

Resource Manager > Maintain Resources > Resources

**Define Remarketers**

Required

During the remarketing process in Oracle Lease and Finance Management, you must associate a remarketing team with an item category. You perform this in the Setup > Asset Management > Assignments section of Oracle Lease and Finance Management. Based on the item category, the remarketing team is associated to the asset, shown on the Asset Return page.



You must define remarketing teams in Oracle CRM Foundation prior to associating them to items in asset management.

To define the marketing team, the team must have:

- Role Type set to Contracts
- Role Code set to Remarketer

You can add individual employees to the team. Optionally, you can set up Groups, which contain employees who perform **like tasks**, and associate that group with a remarketing team. To associate a group with a team, however, you must set up the group first.

For more information, see the Defining Resource Groups and Defining Resource Teams section of the *Oracle CRM Application Foundation Concepts and Procedures* guide.

## Prerequisites

Configure Resource Manager.

Set up employees in Oracle HRMS. For information, see Define Employees.

## Responsibility

CRM Administrator

## Module

Oracle Foundation

## Navigation

Resource Manager > Maintain Resources > Teams

(Optionally) Resource Manager > Maintain Resources > Groups

## Define Assignment Group

Required

An Assignment Group is the portfolio management team associated to the contract's terms and conditions under the Contract Portfolio section in authoring. This team's responsibility is to field and act upon contract portfolio strategy notifications, which are set up at the time of contract authoring.

This process is similar to defining a remarketing team. To define the assignment group, the group must have:

- Role Type set to Contracts
- Role set to Portfolio Group

Before you set up a portfolio management team, you must set up the employees you intend to include on the team.

Optionally, you can set up a Group, which contain those employees you want on the portfolio team, and associate that group with the team. To associate a group with a team, however, you must set up the group first.

For more information, see the Defining Resource Groups and Defining Resource Teams section of the *Oracle CRM Application Foundation Concepts and Procedures* guide.

## Prerequisites

Configure Resource Manager.

Set up employees in Oracle HRMS. See Define Employees.

## Responsibility

CRM Administrator

## Module

Oracle Foundation

## Navigation

Resource Manager > Maintain Resources > Teams

(Optionally) Resource Manager > Maintain Resources > Groups

# Set Up Telephony

Implementing Oracle Telephony Manager is a process that requires knowledge of a variety of technologies and processes. The implementation of Oracle Telephony Manager requires working knowledge of Oracle Forms, HTML, Java, and the installation platform (Windows NT or Unix). In addition, an understanding of the operational requirements of an interaction center and basic telephony functionality is required.

The Oracle Telephony Manager (OTM) maintains the agent distribution queues and agent states for any Interaction Center. It also provides access to a common routing engine. OTM is media independent and can route all types of interactions—e-mail, telephony, faxes, or Web calls—to the interaction center agents.

For more information on implementing Telephony Manager, refer to the *Oracle Telephony Manager Implementation Guide*.

# Set Up Work Queues

Oracle Universal Work Queue is one of several applications in the Oracle Interaction

Center. The Oracle Interaction Center is a suite of applications that supports the management and processing of customer relationship activity across all channels of customer contact.

Oracle Universal Work Queue is a portal for accessing agent work within an interaction center. Agent work includes application work, such as service requests, and media work, such as inbound telephony calls. When you select a work item, Oracle Universal Work Queue launches the appropriate application and, if necessary, a media controller, such as a softphone.

Oracle Universal Work Queue:

- Provides a desktop interface that displays a unified view of agent work.
- Facilitates agents' interactions across multiple contact channels.
- Provides a framework that enables CRM business applications to integrate with media work.
- Balances agents between media types based on the service levels for the interaction center.

For more information, see the *Oracle Universal Work Queue Implementation Guide* and the *Oracle Universal Work Queue User Guide*.



---

## Lease and Finance Management Implementation Tasks

This chapter covers the following topics:

- Define Streams and Pricing
- Define Formulas
- Accounting Options
- Define Operational Options
- Define Lease Quoting Options
- Associate XML Layout Templates to Lease and Finance Management Report Templates
- Define Account Generator
- Define Financial Products
- Define Invoice Group Parameters
- Define Billing Groups
- Define Invoice Messages
- Set Up Interest Rates
- Set Up Usage-Based Billing
- Define Late Charges Parameters
- Define Cash Search and Cash Application Rules
- Define Customer Service Setups
- Define Party Contact Roles
- Set Up Termination Quotes for Repossession
- Set Up Termination Completion Event
- Process Terminations with Purchase in Closed Fiscal Years

- Define Remarketing Functionality
- Define Lease Income Accrual Rules
- Define Loss Provision Rules
- Define Off-Lease Asset Amortization Rules
- Set Up Subsidies
- Set Up Sales Tax
- Set Up Property Tax
- Define Insurance
- Set Up Pricing Engine Integration for Stream Generation
- Define Workflow
- Set Up Credit Checklists
- Customizing Users' Lease and Finance Management Home Pages
- Set Up Vendor Residual Sharing
- Set Up Reconciliation Report Templates
- Set Up Investor Agreement for Fixed Pools
- Table Attributes for Web Services
- Set Up Extensible Attributes

## Define Streams and Pricing

This section contains the following topics:

- Define Stream Types
- Associate Financial Products to Lease Price Modeling Software Templates
- Set Up Parameter Conversions For Third-Party Lease Price Modeling Software
- Set Up Book Type Mapping For Third-Party Lease Price Modeling Software
- Define Setups for Pricing Tools
- Set Up For Revenue Recognition on Receipt of Cash

## Define Stream Types

This section includes the following topics:

- Overview

- Stream Purposes
- Set Up Stream Types
- Define Stream Generation Template
- Stream Generation

## Overview

Lease and Finance Management allows you to set up and create stream types to meet your unique business accounting requirements. When creating a new stream type, you must provide a stream type name and a stream type purpose. Appropriate values for the stream type attributes can then be selected. User-defined streams allow you to perform the following functions:

- Create new stream types by stream purpose
- Define stream generation templates
- Associate stream generation templates to accounting template sets and financial products
- Define accrual streams
- Validate financial products
- Add additional pricing parameters to the external stream generation process

For more information on streams, see Streams, Oracle Lease and Finance Management User's Guide.

## Stream Purposes

During stream type setup, you must select a purpose for each new stream type. Lease and Finance Management processes streams based on their purpose.

For more information on Lease and Finance Management stream purposes, see Stream Purposes, page B-1.

## Set Up Stream Types

This section includes the following topics:

- Create or Update Stream Types
- Search for Stream Types

## Create or Update Stream Types

Use the Stream Types page to create or update stream types. You can create as many stream types as you need. Lease and Finance Management also provides seeded stream types organized by Purpose Name. For information on seeded stream types, see Stream Purposes, page B-1.

To create stream types, perform the following tasks:

- Click Create in the Stream Types page. The create Stream Types page opens.
- Provide a name for the stream type
- Specify the stream type purpose
- Enter the stream type attributes

**Note:** You can update the stream type subclass for stream types that are already added to an active stream generation template.

Some attributes are validated based on Purpose. The following table describes field references used when creating or updating stream types.

### *Field References: Creating or Updating Stream Types*

| Field           | Description                                                                                                                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Billable        | Specifies whether a stream type is billable or not. Only billable stream types can be used to create payments for a contract.                                                                                       |
| Taxable         | Specifies whether a stream type is taxable. Taxes are calculated at the time of billing.                                                                                                                            |
| Capitalized     | Capitalizing a stream adds the fee amount into the financed cost of the asset. For example, you can add a stream type representing sales tax, which at the time of booking is added to the asset cost.              |
| Effective Dates | Stream Types cannot be used after the Effective To date. If an Effective To date is not entered, the stream type will not expire. Stream types can be deactivated by entering an Effective To date at a later time. |



| Field                             | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description                       | Optionally, enter a description.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Revenue Recognition Basis         | <p>Determines whether Accrual Rules can be ignored.</p> <p>Updatable. See Update Accrual Streams, page 6-55.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Contingency Rules                 | The list of values contains the revenue contingency seeded in Receivables for recognition of revenue on receipt of cash for certain Lease and Finance Management invoices. Select Contingency only if the Revenue Recognition basis is Cash Receipt for the stream type.                                                                                                                                                                                                                                                                                                               |
| Billing Re-Class                  | <p>This field becomes available on the Create Stream Type page when the following conditions are met:</p> <ul style="list-style-type: none"> <li>• The stream type is marked as <b>Billable</b>.</li> <li>• The field, <b>Revenue Recognition Basis</b>, is either Accrual With Rule or Accrual Without Rule.</li> </ul> <p>You can select the Billing Re-Class from a list of values of stream types that meet the following criteria:</p> <ul style="list-style-type: none"> <li>• Stream types are marked as Billable.</li> <li>• The Revenue Recognition Basis is Cash.</li> </ul> |
| Financed Service Payment checkbox | The system displays this checkbox when you select the purpose of Rent. The checkbox is enabled up until the activation of the Stream Generation template.                                                                                                                                                                                                                                                                                                                                                                                                                              |

### Search for Stream Types

Use the Stream Types page to search for a stream type. You can search using the parameters of Name, Purpose, Effective Dates and the attributes of Billable, Taxable, and Capitalize.

## Define Stream Generation Template

Before Lease and Finance Management can generate streams, you must define a stream generation template. You must complete the following tasks before using the stream generation template:

- Create Stream Generation Template
- Select Primary stream types and purposes
- Enter Dependent stream types and purposes
- Enter pricing parameter details
- Associate the stream generation template to an accounting template set and financial product

## Create Stream Generation Template

The stream generation template contains all possible streams to be used for contracts with the financial product associated to the template. Each stream generation template must include at least one of each type of the mandatory seeded stream purposes. To determine which seeded stream types are mandatory, see Stream Purposes, page B-1.

The following table describes template attributes from the Create Stream Generation Template page.

| Field          | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating Unit | <p>The operating unit assigned to the record.</p> <p><b>Note:</b> The list of values includes operating units assigned to the MO: Security profile.</p> <p><b>Additional Information:</b> The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.</p> <p>The selected operating unit restricts the valid list of values in applicable fields.</p> |

| Field                      | Description                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effective Dates            | Only contracts with start dates falling between Effective Dates of the stream generation template will be able to use financial products associated with the template.                                                                                                                                                                                                                             |
| Product Type               | Indicates if the stream generation template is for use in an Investor Product or a Financial Product.                                                                                                                                                                                                                                                                                              |
| Book Classification        | Indicates the book classification of any financial product that the template may be associated to by the accounting template set.                                                                                                                                                                                                                                                                  |
| Booking Pricing Engine     | <p>Indicates whether the stream generation template will use the internal or external pricing engines to calculate yields and generate streams. All contracts using a financial product associated to a stream generation template will use the pricing engine defined here.</p> <p><b>Additional Information:</b> The pricing engine does not apply to templates used with Investor Products.</p> |
| Tax Owner                  | Defines the tax owner: lessee or lessor. The tax owner affects the composition of the template by requiring certain mandatory purposes.                                                                                                                                                                                                                                                            |
| Interest Calculation Basis | Determines what interest calculation basis will be used to calculate interest. This field is not applicable to investor agreements.                                                                                                                                                                                                                                                                |
| Revenue Recognition Method | Determines what revenue recognition method will be used. This field is not applicable to investor agreements.                                                                                                                                                                                                                                                                                      |
| Days in a Year             | Select 360, 365, or Actual.                                                                                                                                                                                                                                                                                                                                                                        |
| Days in a Month            | Select 30 or Actual.                                                                                                                                                                                                                                                                                                                                                                               |

| Field                     | Description                                                                                                                                  |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Internal Arrears Payments | Select either Last Day of Period or First Day of Next Period to set the date of payments in arrears generated by the internal stream engine. |

**Note:** You can update the stream generation template until you activate it. Once the stream generation template is Active, you cannot make updates to the fields. If you later change the template status, then you cannot update the template details. Only the Effective To date can be updated in that situation.

### Select Primary Stream Types and Purposes

After entering stream generation templates, select the primary stream types and purposes in the Primary Stream region of the Create Stream Generation Template page. Some stream purposes may only be defined once, and others may be defined multiple times. Purposes that are defined only once are usually values looked up by an internal program. Purposes that can be defined multiple times on the same template are usually purposes for stream types that you select for the contract or process.

Primary stream purposes are selected when executing actual transactions in the in the life cycle of a contract. Dependent stream purposes are created to support accounting processes around the primary purposes. Dependent streams exist only as an extension of primary streams.

**Additional Information:** In Stream Generation Templates with a Loan Book Classification and an External Booking Pricing Engine, the following Dependent Streams of the Primary Stream Purpose Rent require that a valid Pricing Name be associated to each of them:

- Principal Payment
- Interest Payment
- Loan Payment

Not associating a valid Pricing Name may lead to pricing errors or the failure of the pricing program.

### Enter Dependent Stream Types and Purposes

For a given stream purpose, certain dependent stream types are mandatory. You may set up additional streams to be generated whenever the primary stream is used. To

determine which dependent streams are mandatory for a primary purpose, see Stream Purposes, page B-1.

Select the stream type name for each dependent stream that will be generated whenever the primary stream is used.

### **Enter Pricing Names**

Pricing names are used in external stream generation only and are codes from external pricing engines that you must associate to the stream type in order to retrieve streams from the external pricing engine.

### **Enter Pricing Parameter Details**

Entering pricing parameter details is an option when using an external pricing engine. Pricing parameters are defined for each financial product and must be associated to a pricing engine name. Lease and Finance Management generates streams based on the pricing engine name. Pricing parameters send additional data to the pricing engine during stream generation.

In the Pricing Parameters region of the Create Stream Generation Template page, you can add the pricing parameters for the template, including the Pricing Engine Identifier and Default Value. The Pricing Engine Identifier determines how your parameters are recognized by the external pricing engine. Default pricing parameters can be used during stream generation and modified later.

The Display and Update check boxes provide the ability to view and update pricing parameters during contract booking.

### **Associate Stream Generation Template to an Accounting Template Set and Financial Product**

Once a stream generation template set has been completed, it must be associated to an accounting template set and financial product. An accounting template set can have only one stream generation template.

When the accounting template set is associated to a financial or investor product, the stream generation template becomes associated to the product. This association allows Lease and Finance Management to find the correct stream template to use for a contract based on the effective date.

To associate a stream generation template to an accounting template set, see Associate Financial Products to Lease Price Modeling Software Templates.

### **Stream Generation**

The streams generated for a contract depend on the stream generation method and the contract's financial product. For more information on stream generation, see Stream Generation and Management, Oracle Lease and Finance Management User's Guide.

## Associate Financial Products to Lease Price Modeling Software Templates

During contract authoring, you have to determine accounting rules and other terms and conditions that drive the financial aspects of your contract. Once you've defined these, you can generate streams. Generating streams produces schedules of dates and amounts used for billing and accounting and produces yields for the contract. In complex pricing scenarios, you can use lease price modeling software to generate streams, which evaluate thousands of pricing parameters. In these cases, the pricing structure might involve a myriad of possibilities, including uneven rents, skipped payments, and multiple interest rates for periods within the term of the contract.

In Oracle Lease and Finance Management, the accounting of a particular contract is defined by a financial product. You can associate financial products in Oracle Lease and Finance Management with template files in your lease price modeling software. This lets you set default values in a template within your software and relate them to certain products in Oracle Lease and Finance Management.

**Note:** To proceed with this step, your lease price modeling software must support templates.

For example, in a leasing enterprise, your lease price modeling software differentiates leases and loans, since these two deal types use different pricing. You can set up templates that default certain values for these two types of contracts.

In Oracle Lease and Finance Management, you can configure financial products that account for leases and loans differently. While loans concern only interest and principal, a lease can impact many other factors, such as equity and depreciation. You can map these products to pricing templates in your pricing software, similarly configured to account for these two separate deal types.

### Prerequisites

Setup Oracle Lease and Finance Management financial products. See Define Financial Products, page 6-49.

Configure pricing templates in your lease price modeling software and insure they are physically stored on the correct server path.

### Steps

Perform the following steps:

1. Click Create in the Product Pricing Templates page.
2. In the Name field, type the exact name (case sensitive) of the template to associate with the financial product.

Oracle Lease and Finance Management uses Oracle XML Gateway technology to

transfer information into and out of the lease price modeling software. You **must** type the name of the template **exactly** as it appears in the lease price modeling software, including the file extension, such as **.tem**.

3. In the Product field, enter a partial search string or click Go and select the name of the financial product to associate with a pricing template.
4. In the Template Path, enter the exact path to where the template file is located on the server for your lease price modeling software.

You must include the forward slash at the end of the path.

**Note:** The template files must exist on the server, or the application will generate an error.

5. Select an Effective From date and, optionally, select an Effective To date.  
You cannot use a template after the Effective To date. If you leave this field blank, the template is available indefinitely. Later, you can specify an Effective To date to stop using it.
6. Enter a Description for the pricing template.
7. Click Apply.

## Set Up Parameter Conversions For Third-Party Lease Price Modeling Software

To properly model depreciation during stream generation and pricing, you should map the depreciation methods and pro rate conventions you set up in Oracle Assets to those in your lease price modeling software.

This mapping is case sensitive and the values must be entered exactly as they exist in the third-party software.

### Prerequisites

The third-party lease pricing modeling software you are using must be defined in your lookups. See Define Lookups, page 3-5.

Set up depreciation methods and pro rate conventions in Oracle Assets.

### Steps

Perform the following steps:

1. Click Create in the Conversions page. The Create Conversions page opens.
2. Select the parameter for which to map values.

3. In the Oracle Value field, click the Flashlight icon and choose the depreciation method value from Oracle Assets to map.
4. In the Pricing Engine Value, enter the value of the parameter that you are mapping the Oracle Value to.  
  
The pricing engine value is case sensitive and **MUST** be entered exactly as it appears in the third-party lease price modeling software.
5. Repeat steps 3 and 4 for all the values to map for the selected parameter.
6. Click Apply.
7. After saving your mapping, you can go back and choose a new parameter (for example, pro rate convention) and repeat the process.

## Guidelines

You can remove any value mapping by selecting the check box for the applicable Parameter Name and clicking the Remove button.

It is extremely important that you map **all** values that you intend to use during your lease pricing exercises. If you do not map all the values, errors will occur.

## Set Up Book Type Mapping For Third-Party Lease Price Modeling Software

### Optional

If the third-party lease price modeling software that you use for pricing differentiates between federal and state tax depreciation, you must set up those tax books in Oracle Assets. Because you can set up different depreciation settings for the same asset category in Oracle Assets by book, you must indicate which tax books to use for state taxes and which books to use for federal tax purposes to get the correct depreciation streams from the lease price modeling software you are using.

You must map the appropriate Oracle Assets tax book to the appropriate taxing body--such as federal or state--for all tax books your business uses. See *Define Books and Asset Categories*, page 4-6.

If your business uses multiple corporate books, which have multiple tax books associated with them, you must set up this mapping for all books that you intend to use during your business operation.

## Prerequisites

You must set up corporate and tax books in Oracle Assets. For more information, see the *Oracle Assets User Guide*.

You also must define the name of your third-party lease price modeling software in lookups during general implementation. See *Define Lookups*, page 3-5.



## Steps

Perform the following steps:

1. On the Book Type Mappings page, if you have mapped any tax books, those mappings appear in the table at the bottom of the page.
2. Click Create in the Book Type Mappings page. The Create Book Type Mappings page opens.
3. In the Tax Book field, click the Flashlight icon and choose the tax book from Oracle Assets to map from the list of values.
4. In the Depreciation field, choose whether the tax book should be referenced for Federal or State calculations.
5. Repeat steps 3 and 4 for all tax books you are using in your business.
6. Click Apply.

## Guidelines

If you are using the same tax book for both federal and state calculations, you still must map that tax book to both values.

You can remove any tax book mapping by selecting the applicable tax book and clicking the Remove button.

## Define Setups for Pricing Tools

### Create Item Residuals

You can create item residuals as specific number or as a percentage of the asset cost. The values are entered for an item, item category, or a residual category set. The residual category set is a group of items or item categories that you create for the purpose of setting common residual values. The values you set up can be used to determine end of term values for the items you select on sales quotes in the quoting process. To create item residuals, enter item residual details in the Create Item Residual page. Click Apply.

For more information on item residuals, see Pricing Overview, *Oracle Lease Management User's Guide*.

The following table describes item residual details.

### Create Item Residual Fields

| Field          | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating Unit | <p>Operating unit assigned to the record.</p> <p><b>Note:</b> The list of values includes operating units assigned to the MO: Security profile.</p> <p><b>Additional Information:</b> The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.</p> <p>The selected operating unit restricts the valid list of values in applicable fields.</p> |
| Source Type    | From the inventory setup: Item, Item Category, Residual Category Set.                                                                                                                                                                                                                                                                                                                                                                                                       |
| Item           | Select the inventory item or item category for which an item residual value is to be assigned.                                                                                                                                                                                                                                                                                                                                                                              |
| Residual Type  | Indicates whether an item residual is an Amount or a Percentage.                                                                                                                                                                                                                                                                                                                                                                                                            |
| Currency       | Determines the currency used.                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Status         | Indicates whether an item residual is New, Active, or Inactive.                                                                                                                                                                                                                                                                                                                                                                                                             |
| Term           | Term of the residual value.                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Residual Value | Enter the value, as an Amount or Percentage, for the item or item category selected.                                                                                                                                                                                                                                                                                                                                                                                        |

### Create Residual Category Sets

Residual Category Sets allow you to group together inventory items with similar residual values. You create residual category sets, and assign inventory categories to the sets.

For more information on residual category sets, see Pricing Overview, *Oracle Lease Management User's Guide*.

To create a residual category set, enter residual category set details in the Create Residual Category Set page. Click Apply when done. The following table describes residual category set fields.

| Field       | Description                                                                                    |
|-------------|------------------------------------------------------------------------------------------------|
| Name        | Name of the residual category set                                                              |
| Description | Optional description of the residual category set                                              |
| Source Type | From the inventory setup: Item, Item Category, Residual Category Set                           |
| Status      | Items or item categories can be removed from a residual category set if the status is Inactive |
| Item        | Item to be associated to the residual category set                                             |

### Create Criteria Categories

Eligibility criteria can be assigned to financial products, lease rate sets, standard rate templates, and program agreements business objects. You can enter criteria values when you create new versions of each object that will control how the version can be used on a sales quote or lease application. To add criteria values to these business objects, you must first create criteria categories and associate the category to the business object class, also known as the source type. Categories are also created for use in defining adjustment types for adjustment matrices.

For more information on eligibility criteria and criteria categories, see Pricing Overview, *Oracle Lease Management User's Guide*.

To create criteria categories, enter criteria category details in the Create Criteria Category page. To create a new eligibility criteria, select Eligibility Criteria Category from the menu and click Go. Click Apply when done. The following table describes eligibility criteria category fields.

***Eligibility Criteria Category Fields***

| Field               | Description                                                                           |
|---------------------|---------------------------------------------------------------------------------------|
| Name                | Name of the eligibility criteria category                                             |
| Description         | Optional description                                                                  |
| Value Type          | Multiple, Range, or Single                                                            |
| Data Type           | Number, Date, or Varchar2                                                             |
| Sourced             | Yes or No                                                                             |
| Enabled             | Yes or No                                                                             |
| Evaluation Function | Provides evaluation of the eligibility criteria category in the context of an object. |

To create an adjustment category, select Create Adjustment Category in the Criteria Categories page and click Go. Enter adjustment category details and click Apply. The following table describes Create Adjustment Category page fields.

***Create Adjustment Category Fields***

| Field       | Description                                     |
|-------------|-------------------------------------------------|
| Name        | Name of the adjustment category                 |
| Description | Optional description of the adjustment category |
| Value Type  | Range, Single, or Multiple                      |
| Data Type   | Number, Date, or Varchar2                       |
| Sourced     | Yes or No                                       |
| Enabled     | Yes or No                                       |

| Field               | Description                                                               |
|---------------------|---------------------------------------------------------------------------|
| Evaluation Function | Provides evaluation of the criteria category in the context of an object. |

## Set Up For Revenue Recognition on Receipt of Cash

To create a Stream Type for cash basis receipts:

In the Create Stream Type page, name a stream type and select the seeded purpose, for example, Fee Payment.

In **Revenue Recognition Basis** (formerly **Accrual Rules**) the values include:

Accrual – With Rule: Income is accrued after evaluating the accrual rules.

Accrual – Without Rule: Income is accrued without evaluating the accrual rules. Cash Receipt: Income is not accrued.

Select **Cash Receipt**.

In the Contingency field, select the default: **Collectible**. Lease and Finance Management uses the collectibility contingency functionality in Oracle Receivables to defer revenue.

Select appropriate values for other stream type attributes.

Create the stream generation template and accounting template using the cash basis stream type. Associate the accounting template set to a product, create a contract, and run billing transactions using standard procedures.

These setups will generate cash basis accounting in Oracle Receivables processing. When you run the concurrent programs to calculate the general loss provision, the program will exclude open invoices generated from stream types with Cash Receipts revenue recognition basis.

## Define Formulas

These implementation tasks affect the setup of Oracle Lease and Finance Management formulas:

- Define Formula Functions
- Define Non-Standard Function Parameters
- Define Contexts
- Define Formula Operands
- Define Formula

The Formula Engine is a tool that lets you define custom formulas and process them.

Oracle Lease and Finance Management processes formulas in many different areas. Formulas are always relevant to either a particular contract or an individual line on a contract. Examples of formulas that Oracle Lease and Finance Management uses include asset residual, contract original equipment cost, and contract capitalized fees.

The components of a formula are **operands**, **functions**, and **function parameters**. Formulas execute within **contexts**. For more information on these terms and the concepts underlying formulas, see Formula Engine, page D-1.

You can create or modify formulas and some of their components.

**Note:** To perform any task relating to formulas, it is essential that you understand how the Formula Engine works. See Formula Engine, page D-1.

## Define Formula Functions

The basis of all formulas is data that exists in one or more database tables. You extract the data and make it available to formulas via functions.

A function is a unit of code, written in PL/SQL, which when executed returns a single value. Formulas effectively combine the results of one or more functions to produce an overall value.

To include a new function, either as part of the process of creating a new formula or to add the function to an existing formula, create the source PL/SQL function and store it in the database. For more information, see Formula Engine, page D-1.

After you have created the source PL/SQL function, you define the formula function in Oracle Lease and Finance Management; this step registers the function in Oracle Lease and Finance Management so that it can be used in formulas.

## Prerequisites

Create the source PL/SQL function in the database package  
OKL\_SEEDED\_FUNCTIONS\_PVT.

## Steps

Perform the following steps:

1. Click Create on the Functions page. The Create Function page opens.
2. Enter the function name, and optionally, the description.
3. Enter the Effective From Date, and optionally, the Effective To date.

The optional Effective To date determines when to stop using the function. If you

do not specify an Effective To, the function is available for use indefinitely.

4. Enter the source function that you are registering.

**Note:** The name of the source function must include the package name, that is OKL\_SEEDED\_FUNCTIONS\_PVT.<Function Name>.

5. Click Apply.

## See Also

Formula Engine, page D-1

## Define Non-Standard Function Parameters

If a function requires parameters other than the standard **contract** and **line id** parameters, then define the non-standard function parameters.

To define the non-standard function parameters, search for the function, select the function, and choose to create or edit function parameters.

## Prerequisites

Create the source PL/SQL function in the database package OKL\_SEEDED\_FUNCTIONS\_PVT.

Define Formula Functions, page 6-18.

## Steps

Perform the following steps:

1. Use the Functions page to search for the function.
2. In the Results panel, click the function name hypertext link.
3. Click Update in the Function details page. The Update Function page for the applicable function opens.
4. In the Function Parameters area, click Add Another Row to add the function parameters.
5. Enter the Sequence of the function parameter.
6. Select the Parameter.
7. If the function parameter has a static value in the source function, enter this value in the Static Value field.

8. Optionally, enter instructions.
9. Click Apply.

## See Also

Formula Engine, page D-1.

## Define Contexts

Each formula executes within a context. A context is basically a container for formulas that enables the efficient passing of parameter values to the functions of a formula.

You must associate each formula that you create with a context. If you do not have a context that you can associate with your formula, then you must create the context. You can associate a formula with only one context, but you can associate many formulas to the same context.

For more information, see Formula Engine, page D-1.

## Steps

Perform the following steps:

1. Click Create in the Contexts page. The Create Context page opens.
2. Enter the context Name, and optionally the Description.
3. Click Apply.

**Note:** If you have to create context parameters, see Create the Context Parameters and Formula Engine, page D-1, and perform the procedures in both sections.

## Define Formula Operands

A formula is an arithmetic expression consisting of operands and arithmetic symbols.

For example, the formula:

`Commission := Delta Amount * 0.05 + Group Bonus`

consists of three formula operands:

- - Delta Amount
- 0.05



- Group Bonus

**Note:** The terms **operand** and **formula operand** are interchangeable.

An operand has one of three types:

- **Formula**
- **Constant**--which can be the result of an expression
- **Function**

Before you create or alter a formula, you must define the operands that appear in the formula. For more information, see Formula Engine, page D-1.

## Prerequisites

Create the source PL/SQL function in the database.

If you are creating an operand of the type formula, you must have defined the formula in Oracle Lease and Finance Management.

If you are creating an operand of the type function, you must have defined the formula function in Oracle Lease and Finance Management. For more information, see Define Formula Functions.

## Steps

Perform the following steps:

1. Click Create in the Operands page. The Create Operand page opens.
2. Enter the Name for the operand, and optionally, the Description.
3. Enter the Effective From date, and optionally, the Effective To date.

The optional Effective To date determines when to stop using the operand. If you do not specify an Effective To, the operand is available for use indefinitely.

4. In the Operand Type field, select the type of operand: Function, Constant, or Formula.
5. If, for your Operand Type, you chose
  - **Function:** Select the Function Name.
  - **Formula:** Select the Formula Name.

- **Constant:** Enter the constant or expression in the Constant Value field.

6. Click Apply.

## Define Formula

Each formula must be created within a context. As you create the formula, you must specify the context name for the formula.

You must enter the formula string, which is an arithmetic expression consisting of labels of operands and the symbols + - \* / ( ).

Once you have created an operand it is available for use in a formula string. However you do not enter the operand name itself into the formula string; instead, you must create a label for the operand, and use the label in the formula string. An operand label is a shortcut or alias for an operand.

The procedure for creating the formula is a two-stage process:

- **Define Formula and Formula String:** Create the formula, including the formula string containing operand labels and symbols. You create a formula string before creating the actual operand labels.
- **Define Formula Operand Label:** Create the operand labels for the formula.

For more information, see Formula Engine, page D-1.

## Define Formula and Formula String

### Prerequisites

Create the source PL/SQL function in the database.

If you are creating a formula type operand of the type formula, you must have defined the formula in Oracle Lease and Finance Management. For more information, see Define Formula.

If you are creating a function type operand, you must have defined the formula function in Oracle Lease and Finance Management. For more information, see Define Formula Functions and Define Formula Operands.

### Steps

Perform the following steps:

1. Click Create on the Formula page. The Create Formula page opens.
2. Enter the formula Name, and optionally, the Description.
3. Enter the Effective To date, and optionally, the Effective From date.

The optional Effective To date determines when to stop using the formula. If you do not specify an Effective To, the formula is available for use indefinitely.

4. Choose the Context for this formula.
5. In the formula String field, enter your formula.

The string must consist of formula operand labels that you define in Define Formula Operand Label and one or more of the symbols: + - \* / ( ).

6. Click Apply.

### Define Formula Operand Label

Once you have created the formula and formula string, you must create the operand labels. To create operand labels, you must:

1. Search for the formula.
2. Select the formula.
3. Choose to create or edit formula operands. This final step is where you actually create or edit the operand labels that the formula string uses.

### Prerequisites

Define Formula and Formula String

### Steps

Perform the following steps:

1. Search for the formula in the Formulas page.
2. In the Results area, click the formula name's hypertext link. The Formula details page opens.
3. Click Update. The Update Formula page for the applicable formula opens.
4. Click Add Another Row in the Formula Operands area.
5. Enter the Label for the operand name.
6. Select the operand to associate with the label into the Name field.
7. Click Apply.

**Note:** To define each formula operand label, you must repeat steps

1 through 7 as described previously in this section.

## Accounting Options

### Define Accounting Options

Lease and Finance Management accounting options consist of the following setup tasks:

- Rounding Options
- Financial Options

To define your Accounting Options, navigate to **Setup > System Options > Accounting Options** and select the Operating Unit and Ledger from the list of values. The list of values shows which ledger is associated with an operating unit in the Accounting Setup Manager in General Ledger.

In the initial setup, the Operating Unit must be associated with the Set of Books once and cannot be changed later. In following setups, you select the Operating Unit, but not the Set of Books.

## Account Derivation Options

### Set Up for Account Codes Derivation

Lease and Finance Management provides two methods to derive an account code for transactions in Lease and Finance Management. The method to derive the account code is determined by selecting the Account Derivation accounting system option. You can select one of the following values as the account derivation option for your accounting scenario.

- **Accounting Template Sets (ATS):** Uses Accounting Template Sets in Lease and Finance Management to generate default account codes (CCID) for Lease and Finance Management transactions. The account codes are derived from the associated template lines setup.
- **Accounting Methods Builder (AMB):** Uses Subledger Accounting's Accounting Methods Builder (AMB) to generate the account codes (CCID) at the time of the creation of the accounting for Lease and Finance Management transactions. Lease and Finance Management does not generate the default account codes for Lease and Finance Management transactions in this case.

You can change the system option value once from Accounting Template Set to Accounting Methods Builder to stop using Lease and Finance Management to generate default accounts and instead switch over to Subledger Accounting. However, once the

system option value is set to Accounting Methods Builder, it cannot be changed back to Accounting Template Sets.

### Account Derivation Option is ATS

If the Account Derivation Option is ATS, you must define the following:

- Accounting Template Set
- Accounting Template
- Accounting Template Lines

Lease and Finance Management uses the above setups to derive the default account codes for Lease and Finance Management, Oracle Receivables, and Oracle Payables accounting transactions, but not for transactions accounted in Oracle Assets. The account codes for Lease and Finance Management transactions accounted in Oracle Assets are derived based on the setup data in Oracle Assets.

Lease and Finance Management has predefined setups in Oracle Subledger Accounting in the form of the seeded Lease Default application accounting definition for transactions accounted in Lease and Finance Management. The Lease Default application accounting definition is designed to accept the default accounts without change for transactions accounted in Lease and Finance Management.

Optionally, you can define your own accounting rules in Subledger Accounting to create accounting that meets your business requirements. In Subledger Accounting, you use the Accounting Methods Builder (AMB) to define the way subledger transactions are accounted. To do this, you create and modify subledger journal line setups and application accounting definitions. These definitions define the journal entries that enable an organization to meet specific fiscal, regulatory, and analytical requirements. These definitions are then grouped into subledger accounting methods and assigned collectively to a ledger. For more information, see Accounting Methods Builder (AMB) Overview, *Oracle Subledger Accounting Implementation Guide*.

**Additional Information:** If you create user-defined application accounting definitions in place of the seeded application accounting definitions in any of the applications, such as Lease and Finance Management, Receivables, Payables, or Assets, to use as your accounting, then Subledger Accounting overwrites the default accounts generated for the transactions in those applications.

For transactions like receivables invoices, credit memos, and invoice adjustments generated in Lease and Finance Management and accounted in Receivables, or for payable invoices and debit memos generated in Lease and Finance Management and accounted in Payables, the default account generated by the setups in Lease and Finance Management are sent to the respective applications when those transactions are interfaced to those applications.

## Accounting Template Set

### Accounting Template Set Overview

Accounting transactions, such as booking a contract, billing, and funding will generate one or more accounting entries. The main components controlling which accounting entries are generated are the following:

- Product
- Transaction Type

Each Lease and Finance Management product is always associated with one, and only one, accounting template set. You can associate the same accounting template set to multiple products.

An accounting template set is a group of accounting templates. Each accounting template and its associated template lines specify the accounts. A stream generation template must be added to each accounting template set.

### Create Accounting Template Set

To create an accounting template set, navigate to **Accounting Template Set**. From the Accounting Template Set page, click Create.

Enter the accounting template set details and associate a stream generation template with it. One stream generation can be selected for each accounting template set.

## Accounting Templates

### Accounting Templates Overview

Each accounting template defines the accounts and accounting entries that are generated for an accounting transaction. Before creating an accounting template, you must have created an accounting template set.

### Create Accounting Template

To create an accounting template, perform the following steps.

1. Navigate to **Setup > Accounting > Accounting Template Set**.
2. In the Accounting Template Set details page, click **Accounting Templates**.
3. Enter the Accounting Template details. Refer to the parameter table below.
4. Click **Apply**.

### ***Accounting Template Parameters***

| <b>Parameter</b>   | <b>Description</b>                                                                                                                                                                                                                                                                                                  |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name               | The Name of the accounting template is a mandatory field.                                                                                                                                                                                                                                                           |
| Effective From     | The start date of the accounting template cannot be used for a transaction with a transaction date before the start date.                                                                                                                                                                                           |
| Effective To       | The end date of the accounting template.                                                                                                                                                                                                                                                                            |
| Stream Type        | Stream Type of the transaction, such as rent, security deposit, or interest income.                                                                                                                                                                                                                                 |
| Transaction Type   | Defines an accounting event, such as funding, booking, billing, or disbursement. The list of values shows only those transaction types that are enabled for accounting.                                                                                                                                             |
| Formula            | If the amount to be accounted is to be evaluated rather than provided by the transaction. A formula is required if the transaction type is one of the following: Asset Disposition, certain Accrual transactions, Booking, Evergreen, Rebook, Release, Split Asset, Investor, Termination, or Principal Adjustment. |
| Factor or Investor | Select Investor if the accounting template is used for a contract that is associated with an Investor Agreement with an Investor code. The default value is Null.                                                                                                                                                   |
| Investor Code      | Select an Investor Code defined on the Investor Agreement to which the contract is associated.                                                                                                                                                                                                                      |

| Parameter | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Memo      | <p>Indicates if there is alternative accounting for the same transaction. For example, in the case of accrual of income for delinquent accounts, you can transfer the income to alternate accounts.</p> <p>To account for accruals, you must create two accounting templates, each with the transaction type Accruals, within the same accounting template set. One of the accounting templates must have the Memo field set to No, for an income account, and the other must be set to Yes, for a non-income account.</p> |

#### Accounting Template Default Rules

The accounting engine uses defaulting rules to identify the accounting template. The defaulting rules apply to Memo, Investor Flag, and Investor Code parameters.

The hierarchy of the combination of parameter values which determine the accounting template is given below. For example, an accounting transaction makes an accounting call specifying **Memo = Yes**, for a contract that is associated with an active investor agreement and the investor special accounting code.

1. The accounting engine tries to match all three parameters, as described in combination 1 below.
2. If no template is available, the match is attempted excluding Investor code, as described in combination 2 below.
3. If no template is available, the match is attempted excluding the investor flag and code, as described in combination 3 below.
4. If no template is available, combinations 4 to 6 are attempted in sequence.
5. If all combinations 1 to 6 fail, the accounting engine returns Error.

#### Hierarchy Memo Investor Flag Investor Code

1. Yes Yes Yes
2. Yes Yes Null
3. Yes Null Null
4. No/Null Yes Yes



5. No/Null Yes Null
6. No/Null Null Null

## Accounting Template Lines

### Accounting Template Lines Overview

For each accounting template, you must define only two accounting template lines, one for debit account and one for credit account. For each accounting template line, you must define either an account code or an account generator rule to build an account code using the data available from the transaction and account generator setup, or both.

### Define Accounting Template Lines

To define an accounting template line, navigate to the accounting template and enter all values for the accounting template, then enter all values for the accounting template line. Enter credits and debits on the appropriate lines.

You must specify one of the following methods:

- Account Code
- Select the Account Generator checkbox and specify the Account Generator Rule that determines the account code, or
- Both of the above

## Account Derivation Option is AMB

If the Account Derivation Option is AMB, then perform the following setups:

1. **Accounting Template Set** – as described in the previous section
2. **Accounting Template** – only for the transactions for which amounts are derived by formula on the accounting templates. See the previous section.
3. All components of AMB

You cannot define accounting template lines and the account generator.

The following table describes setup tasks in Subledger Accounting.

| Setup Task                        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Define Custom Sources             | <p>Sources are pieces of information that Subledger Accounting uses to determine how to create accounting for an accounting event. You use sources to provide transaction information to Subledger Accounting. Lease and Finance Management predefines a comprehensive set of sources, but you can optionally define custom sources to extend the list of sources available to application accounting definitions.</p> <p>See: Custom Sources, <i>Oracle Subledger Accounting Implementation Guide</i>.</p>                                                                                                      |
| Define Journal Line Types         | <p>Journal line types determine the characteristics of subledger journal entry lines. These characteristics include whether the line is used to create actual, budget, or encumbrance entries, whether the line is a debit or a credit, whether matching lines are merged, and whether data is transferred to the general ledger in summary or detail form.</p> <p>See: Journal Line Types, <i>Oracle Subledger Accounting Implementation Guide</i>.</p>                                                                                                                                                         |
| Define Journal Entry Descriptions | <p>Journal entry descriptions determine both the content and sequence in which the elements of a description appear on a subledger journal header and line. Lease and Finance Management has seeded default journal entry descriptions. You can optionally define your own journal entry descriptions. You can build descriptions using any of the sources for Lease and Finance Management.</p> <p>Assign journal entry descriptions headers and lines in the Applications Accounting Definition window. See: Defining Journal Entry Descriptions, <i>Oracle Subledger Accounting Implementation Guide</i>.</p> |

| Setup Task                                | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Define Mapping Sets                       | <p>Mapping sets associate a specific output value for an account or account segment. Based on the input value, a specific value can be assigned to a single segment or to the entire account. You use mapping sets when you set up account derivation rules.</p> <p>See: Mapping Sets, <i>Oracle Subledger Accounting Implementation Guide</i>.</p>                                                                                                                                                                                                                                                                                                   |
| Define Account Derivation Rules           | <p>Account derivation rules determine the accounting for subledger journal entries.</p> <p>See: Account Derivation Rules, <i>Oracle Subledger Accounting Implementation Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Define Journal Lines Definitions          | <p>Journal lines definitions let you create sets of line assignments (journal line types, journal entry descriptions, and account derivation rules) for an event class or event type. These sets can be shared across application accounting definitions. You can assign multiple journal lines definitions to an event class or event type.</p> <p>See: Journal Lines Definitions, <i>Oracle Subledger Accounting Implementation Guide</i>.</p>                                                                                                                                                                                                      |
| Define Application Accounting Definitions | <p>An application accounting definition is a collection of components or rules that determine how Subledger Accounting processes accounting events to create subledger and general ledger journal entries. You can also indicate whether to create accounting for a particular event class or event type.</p> <p>Each event class and event type assignment consists of a header assignment and one or more journal lines definition assignments. A header assignment includes a journal entry description and journal lines definition.</p> <p>See: Application Accounting Definitions, <i>Oracle Subledger Accounting Implementation Guide</i>.</p> |

| Setup Task                          | Description                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Define Subledger Accounting Methods | <p>A subledger accounting method is a grouping of application accounting definitions that comply with a common set of accounting requirements. Assign newly defined application accounting definitions to a subledger accounting method in the Subledger Accounting Methods window.</p> <p>See: Subledger Accounting Methods, <i>Oracle Subledger Accounting Implementation Guide</i>.</p> |
| Assign Subledger Accounting Methods | <p>Assign each subledger accounting method to a ledger using the Accounting Setup Manager.</p> <p>See: Using Accounting Setup Manager in the <i>Oracle Financials Implementation Guide</i>.</p>                                                                                                                                                                                            |

## Representation Options

Representation Options setup determines how and where the transactions originating in Lease and Finance Management will be accounted. It also determines if and how the secondary representation of a transaction shall be generated. Before setting up the representation options, you must complete ledger setups in Oracle General Ledger and asset book setups in Oracle Assets.

To set up Representation Options, you must complete the following steps.

- You must define the primary ledger in Accounting Setup Manager in General Ledger. Associate the operating units with the ledger either in Accounting Setup Manager or in Oracle HRMS. Lease and Finance Management defaults to the primary ledger to which your operating unit is associated.
- Lease and Finance Management creates and displays primary representation associated with the primary ledger. Representation is a Lease and Finance Management object for identifying the transaction for a ledger.
- After you have defined the corporate asset book in Oracle Assets, you must select the asset addition corporate book. All corporate asset books associated with the primary ledger are available for selection. You cannot change the asset addition corporate book after any contract is booked in the operating unit.
- Select the secondary representation method from the following three options.
  1. **Automated Accounting:** Lease and Finance Management automatically

generates transactions and accounting events for secondary representation for transactions accounted in Lease and Finance Management. It also generates transactions in corporate and reporting product asset books.

2. **Multi-GAAP Adjustment Report:** The Multi-GAAP Adjustment Report is enabled for contracts with products having a reporting product. No secondary representation transaction is generated.
  3. **Not Applicable:** No Multi-GAAP feature is available. You cannot book a contract with a product having a reporting product.
- After you define the tax asset book in Oracle Assets, you must choose a Reporting Product Asset Book if the secondary representation method is either Automated Accounting or Report. You cannot change the Reporting product asset book after any contract is booked in the operating unit. The following asset books are available for selection:
    1. Tax asset books that are associated with the above corporate asset.
    2. Tax asset books that are not associated with any primary ledger.
  - Lease and Finance Management defaults to the secondary ledger that is associated with the reporting product asset book selected above.

## Rounding Options

Rounding options address those situations where general accounting practices or currency conversion leads to split, or non-whole number, monetary amounts. Typically, the situation occurs in leasing whenever a percentage is figured into the calculation, such as a calculating interest. Another scenario occurs when a leasing transaction is made in a currency other than your functional currency and a conversion must be made. Rounding options can be set to specify how an amount should be rounded.

### Accounting Line Rounding Options

Accounting Line Rounding Options are called Transaction Rounding Options if the Account Derivation Option is set to AMB. In this case, the option does not apply to the accounting template line amounts.

When setting the rounding rule, you can choose one of the following:

- **Round Up** – Rounds the number up to the nearest acceptable number
- **Round Down** – Rounds down to the nearest acceptable number
- **Round Nearest** – Rounds to the nearest acceptable number

## Cross Currency and Stream Rounding Options

This rule is applied to any difference arising on account of currency conversion between the contract currency and functional currency, or between the functional currency and the contract currency. Typically, the rounded difference is added to the highest amount line. For Apply Rounding Difference, you can select:

- **Add to High** – adds to the highest amount line
- **Add to Low** – adds to the lowest amount line
- **Add New Line** – adds a new rounding line

## Financial Options

Financial options for an operating unit are described in the following table.

### *Financial Options for Operating Units*

| Field                           | Description                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Accrual Reversal Days           | Determines how many days of prior income should be reversed in the event that a contract fails accrual rules. For example, by entering 90 you would be reversing accrual transactions dated in the past 90 days before the accrual processing date.                                                                                                                                  |
| Like Kind Match Limit Days      | Determines how many days a terminated asset is available for matching with a like kind asset.                                                                                                                                                                                                                                                                                        |
| Generate Accrual Master Program | Select Validate Contract Start Date or Do Not Validate Contract Start Date.<br><br><b>Validate Contract Start Date</b> - Generate Accrual Concurrent Program processes accrual stream elements with dates on or after the contract start date.<br><br><b>Do Not Validate Contract Start Date</b> - Generate Accrual Master Program processes accrual stream elements with any dates. |

## Define Operational Options

Required

You must set up the applicable operational options for authoring, terminations, remarketing, and billing at the operating unit level.

### Steps

In the Operational Options page, search the operating unit for which you want to set the options and click Update.

Specify the following authoring options:

- Select the inventory organization used as the source for looking up inventory item master codes during asset line creation.
- Select the payment method on the AR receipt record for credit card remittance.

Select the applicable termination options. To start income accruals from the previous month of the termination date when computing future income, select Check Accruals Till Previous Month option.

Select the applicable remarketing options.

Confirm if you want to use the lease inventory organization for billing.

## Enable Shared Locations for Lessee Accounts

A lessee account can be related to and use as Install At sites, the addresses of related parties defined in Oracle Receivables, by selecting the Enable Related Party Install At checkbox. Once selected, this system option cannot be switched off.

To enable the addresses of related parties to be used as Install At sites by the lessee account on a contract, navigate to Setup > System Options > Operational Options and select the Enable Related Party Install At checkbox.

## Define Lease Quoting Options

Required

Set up the lease quote options to specify the category set for the contract item categories.

Click Update in the Lease Quoting Options page. The Update Lease Quoting Options page opens. Enter the applicable details and click Apply.

## Associate XML Layout Templates to Lease and Finance Management Report Templates

Required

After you create or modify and register the layout template and data templates in XML Publisher, you must associate the template to a Lease and Finance Management report templates. The association enables Oracle Lease and Finance Management to use the applicable template while generating the document or report. Additionally, you must specify the type of recipient of the documents and reports.

### Steps

Perform the following:

1. Click Create in the Report Templates page. The Create Report Templates page opens.
2. Enter applicable details and click Apply.

## Define Account Generator

Optional

In Oracle Lease and Finance Management, you can employ the Account Generator to dynamically create accounting code combinations for transactions at run-time. Accounting code combinations are your debit and credit accounts that are part of each accounting transaction.

In an accounting template, you can use exact account codes or you can choose to build the account codes dynamically for each line. The Account Generator builds the account codes dynamically based on parameters provided by the transaction.

If you choose to build an account code dynamically for an accounting template line, you must specify an account generator rule for the accounting template line. Each account generator rule is one of the seeded Oracle Lease and Finance Management accounting line types; examples are accrual clearing, advanced rent, lease rent, pre funding, revenue clearing.

The object of the Account Generator is, for each account generator rule, to set each segment of the account code to either a constant value or the value from the flexfield column in a source table.

The setup sequence for the account generator sources and rules is as follows:

- Associate the account generator rule with a source table and flexfield column
- Specify for each segment whether the value is constant or taken from a source table



column flexfield

Once you have set up the account generator sources and rules, you use them when you create an accounting template line; all you have to do is to select the account generator rule that you want for the accounting template line. For more information, see Define Accounting Template Lines.

To enable the Account Generator, you **must**:

- Define Account Generator Sources
- Define Account Generator Rules

Account generator functionality is not available if the Account Derivation Option is set to Accounting Method Builder (AMB).

## Define Account Generator Rules

Optional

After you define account generator sources, you can set Account Generator Rules, whereby you designate which segments in a flexfield contain a constant value and which derive their value from a flexfield in a source table.

### Navigation

Setup > Accounting > Account Generator Rules

### Steps

Perform the following steps:

1. Select the Account Generator Rule.

In the Results area, all the defined segments appear.

2. For each segment, choose a source or a constant.

If you choose a constant, that value you input never changes for this account type. Choosing a source enables the Account Generator to dynamically update the value from the column specified when you defined the account generator source. For more information, see Define Account Generator Sources.

3. Click Apply.

## Define Account Generator Sources

Optional

If you plan to have accounting templates that incorporate dynamic generation of all or some account code flexfield values, you must define your account generator sources, by

mapping each account generator rule with a source.

An account generator rule is a seeded list which is user extensible. Some examples are accrual clearing, advanced rent, lease rent, pre funding, and revenue clearing.

Sources are seeded table and column names defined in various Oracle applications, such as Oracle Receivables or Oracle Assets. An example of a source is the column Asset Clearing in the Asset Categories table in Oracle Assets.

When defining the Account Generator Sources, you associate each account generator rule with a source.

## Navigation

Setup > Accounting > Account Generator Sources

## Steps

Perform the following steps:

1. On the Account Generator Sources page, click the Create Account Generator Source button.

The Create Account Generator Source page appears.

2. Select the operating unit.

**Note:** The list of values includes operating units assigned to the MO: Security profile.

**Additional Information:** The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.

The selected operating unit restricts the valid list of values in applicable fields.

3. From the list of values, choose the Account Generator Rule.

4. From the list of values, choose the Source Table value.

This is the table containing the source flexfield that you are mapping to the account type corresponding to the account generator rule.

Depending on which source table you choose, the possible values in the Select Column list of values change accordingly.

5. Choose the flexfield column you want from the Select Column list of values.

This is a defined instance of the source flexfield.

A source table can have multiple columns. For example, the source table Asset Categories has the flexfield columns Accumulated Depreciation, Asset Clearing, Asset Cost, and Bonus Reserve.

6. Click Apply.

## See Also

Account Codes Derivation

*Oracle E-Business Suite Flexfields Guide*

## Account Generator Sources

The following table lists Account Generator Sources.

### ***Account Generator Sources***

| <b>Application Name</b> | <b>Page Name</b>                   | <b>Input Parameter</b>         | <b>Labels</b>               |
|-------------------------|------------------------------------|--------------------------------|-----------------------------|
| Oracle Assets           | Asset Categories                   | Asset Category +<br>Asset Book | Asset Cost                  |
|                         |                                    |                                | Asset Clearing              |
|                         |                                    |                                | Accumulated<br>Depreciation |
|                         |                                    |                                | Accumulated<br>Depreciation |
| Oracle Payables         | Financial Options --<br>Accounting | Operating Unit                 | Bonus Reserve               |
|                         |                                    |                                | Liability                   |
|                         |                                    |                                | Prepayment                  |
|                         |                                    |                                | Discount Taken              |
|                         |                                    |                                | PO Rate Variance<br>Gain    |

| Application Name   | Page Name                      | Input Parameter       | Labels                   |
|--------------------|--------------------------------|-----------------------|--------------------------|
| Oracle Payables    | Supplier Site --<br>Accounting | Supplier Site         | PO Rate Variance<br>Loss |
|                    |                                |                       | Liability                |
|                    |                                |                       | Prepayment               |
| Oracle Receivables | Customer Site -<br>Accounts    | Customer Bill To Site | Future Dated<br>Payment  |
|                    |                                |                       | Receivable               |
|                    |                                |                       | Revenue                  |
|                    |                                |                       | Tax                      |
|                    |                                |                       | Freight                  |
|                    |                                |                       | Clearing                 |
|                    |                                |                       | Unbilled Receivable      |
| Oracle Receivables | Transaction Types              | Transaction Type      | Unearned Revenue         |
|                    |                                |                       | Receivable               |
|                    |                                |                       | Revenue                  |
|                    |                                |                       | Tax                      |
|                    |                                |                       | Freight                  |
|                    |                                |                       | Clearing                 |
|                    |                                |                       | Unbilled Receivable      |
|                    |                                |                       | Unearned Revenue         |

| Application Name  | Page Name                   | Input Parameter | Labels          |
|-------------------|-----------------------------|-----------------|-----------------|
| Oracle Foundation | Resource                    | Employee        | Freight         |
|                   |                             |                 | Revenue         |
|                   |                             |                 | Receivable      |
| Oracle Inventory  | Master Item -<br>Purchasing | Item            | Expense Account |

## Account Generator Transaction Types

The following table lists Account Generator Transaction Types.

### *Account Generator Transaction Types*

| Transaction Type | Application Name | Page Name                  | Field               | Input Parameter from Transaction | Contract Asset level Parameter |
|------------------|------------------|----------------------------|---------------------|----------------------------------|--------------------------------|
| Funding          | Receivables      | Customer Site-<br>Accounts | Receivable          | Customer Bill-to-site            | Contract                       |
|                  |                  |                            | Revenue             |                                  |                                |
|                  |                  |                            | Tax                 |                                  |                                |
|                  |                  |                            | Freight             |                                  |                                |
|                  |                  |                            | Clearing            |                                  |                                |
|                  |                  |                            | Unbilled Receivable |                                  |                                |
|                  |                  |                            | Unearned Revenue    |                                  |                                |

| Transaction Type | Application Name | Page Name                   | Field                 | Input Parameter from Transaction | Contract Asset level Parameter |
|------------------|------------------|-----------------------------|-----------------------|----------------------------------|--------------------------------|
| Funding          | Payables         | Financial Option-Accounting | Liability             | Operating Unit                   | Contract                       |
|                  |                  |                             | Prepayment            |                                  |                                |
|                  |                  |                             | Discount Taken        |                                  |                                |
|                  |                  |                             | PO Rate Variance Gain |                                  |                                |
|                  |                  |                             | PO Rate Variance Loss |                                  |                                |
| Funding          | Foundation       | Sales Representative        | Freight               | Sales Person                     | Contract                       |
|                  |                  |                             | Revenue               |                                  |                                |
|                  |                  |                             | Receivable            |                                  |                                |
| Funding          | Receivables      | Transaction Type            | Receivable            | Transaction Type                 | Contract                       |
|                  |                  |                             | Revenue               |                                  |                                |
|                  |                  |                             | Tax                   |                                  |                                |
|                  |                  |                             | Freight               |                                  |                                |
|                  |                  |                             | Clearing              |                                  |                                |
|                  |                  |                             | Unbilled Receivable   |                                  |                                |

| Transaction Type | Application Name | Page Name                   | Field                 | Input Parameter from Transaction | Contract Asset level Parameter |
|------------------|------------------|-----------------------------|-----------------------|----------------------------------|--------------------------------|
| Booking          | Receivables      | Customer Site - Accounts    | Receivable            | Customer Bill-to-site            | Contract                       |
|                  |                  | Revenue                     |                       |                                  |                                |
|                  |                  | Tax                         |                       |                                  |                                |
|                  |                  | Freight                     |                       |                                  |                                |
|                  |                  | Clearing                    |                       |                                  |                                |
|                  |                  | Unbilled Receivable         |                       |                                  |                                |
|                  |                  | Unearned Revenue            |                       |                                  |                                |
| Booking          | Payables         | Financial Option-Accounting | Liability             | Operating Unit                   | Contract                       |
|                  |                  |                             | Prepayment            |                                  |                                |
|                  |                  |                             | Discount Taken        |                                  |                                |
|                  |                  |                             | PO Rate Variance Gain |                                  |                                |
|                  |                  |                             | PO Rate Variance Loss |                                  |                                |
| Booking          | Foundation       | Sales Representative        | Freight               | Sales Person                     | Contract                       |
|                  |                  |                             | Revenue               |                                  |                                |

| Transaction Type | Application Name | Page Name                   | Field               | Input Parameter from Transaction | Contract Asset level Parameter |
|------------------|------------------|-----------------------------|---------------------|----------------------------------|--------------------------------|
| Booking          | Receivables      | Transaction Type            | Receivable          | Transaction Type                 | Contract                       |
|                  |                  |                             | Revenue             |                                  |                                |
|                  |                  |                             | Tax                 |                                  |                                |
|                  |                  |                             | Freight             |                                  |                                |
|                  |                  |                             | Clearing            |                                  |                                |
| Rebook           | Receivables      | Customer Site - Accounts    | Receivable          | Customer Bill-to-site            | Contract                       |
|                  |                  |                             | Revenue             |                                  |                                |
|                  |                  |                             | Tax                 |                                  |                                |
|                  |                  |                             | Freight             |                                  |                                |
|                  |                  |                             | Clearing            |                                  |                                |
| Rebook           | Payables         | Financial Option-Accounting | Unbilled Receivable | Operating Unit                   | Contract                       |
|                  |                  |                             | Unearned Revenue    |                                  |                                |
|                  |                  |                             | Liability           |                                  |                                |
|                  |                  |                             | Prepayment          |                                  |                                |
|                  |                  |                             | Discount Taken      |                                  |                                |



| Transaction Type | Application Name | Page Name                | Field                       | Input Parameter from Transaction | Contract Asset level Parameter |
|------------------|------------------|--------------------------|-----------------------------|----------------------------------|--------------------------------|
|                  |                  |                          | PO Rate<br>Variance<br>Gain |                                  |                                |
| Rebook           | Foundation       | Sales Representative     | Freight                     | Sales Person                     | Contract                       |
|                  |                  |                          | Revenue                     |                                  |                                |
|                  |                  |                          | Receivable                  |                                  |                                |
| Rebook           | Receivables      | Transaction Type         | Receivable                  | Transaction Type                 | Contract                       |
|                  |                  |                          | Revenue                     |                                  |                                |
|                  |                  |                          | Tax                         |                                  |                                |
|                  |                  |                          | Freight                     |                                  |                                |
|                  |                  |                          | Clearing                    |                                  |                                |
|                  |                  |                          | Unbilled Receivable         |                                  |                                |
|                  |                  |                          | Unearned Revenue            |                                  |                                |
| Miscellaneous    | Receivables      | Customer Site - Accounts | Receivable                  | Customer Bill-to Site            | Contract                       |
|                  |                  |                          | Revenue                     |                                  |                                |
|                  |                  |                          | Tax                         |                                  |                                |
|                  |                  |                          | Freight                     |                                  |                                |

| Transaction Type | Application Name | Page Name                   | Field                 | Input Parameter from Transaction | Contract Asset level Parameter |
|------------------|------------------|-----------------------------|-----------------------|----------------------------------|--------------------------------|
|                  |                  |                             | Clearing              |                                  |                                |
|                  |                  |                             | Unbilled Receivable   |                                  |                                |
|                  |                  |                             | Unearned Revenue      |                                  |                                |
| Miscellaneous    | Payables         | Financial Option-Accounting | Liability             | Operating Unit                   | Contract                       |
|                  |                  |                             | Prepayment            |                                  |                                |
|                  |                  |                             | Discount Taken        |                                  |                                |
|                  |                  |                             | PO Rate Variance Gain |                                  |                                |
|                  |                  |                             | PO Rate Variance Loss |                                  |                                |
| Miscellaneous    | Foundation       | Sales Representative        | Freight               | Sales Person                     | Contract                       |
|                  |                  |                             | Revenue               |                                  |                                |
|                  |                  |                             | Receivable            |                                  |                                |
| Miscellaneous    | Receivables      | Transaction Type            | Receivable            | Transaction Type                 | Contract                       |
|                  |                  |                             | Revenue               |                                  |                                |
|                  |                  |                             | Tax                   |                                  |                                |

| Transaction Type                                              | Application Name | Page Name                          | Field                  | Input Parameter from Transaction | Contract Asset level Parameter |
|---------------------------------------------------------------|------------------|------------------------------------|------------------------|----------------------------------|--------------------------------|
| Billing /<br>Credit Memo<br>/ Debit Memo<br>/<br>Disbursement | Receivables      | Customer<br>Site -<br>Accounts     | Freight                |                                  |                                |
|                                                               |                  |                                    | Clearing               |                                  |                                |
|                                                               |                  |                                    | Unbilled<br>Receivable |                                  |                                |
|                                                               |                  |                                    | Unearned<br>Revenue    |                                  |                                |
|                                                               |                  |                                    | Receivable             | Customer<br>Bill-to-site         | Contract                       |
|                                                               |                  |                                    | Revenue                |                                  |                                |
|                                                               |                  |                                    | Tax                    |                                  |                                |
|                                                               |                  |                                    | Freight                |                                  |                                |
|                                                               |                  |                                    | Clearing               |                                  |                                |
|                                                               |                  |                                    | Unbilled<br>Receivable |                                  |                                |
| Billing /<br>Credit Memo<br>/ Debit Memo<br>/<br>Disbursement | Payables         | Financial<br>Option-<br>Accounting | Liability              | Operating<br>Unit                | Contract                       |
|                                                               |                  |                                    | Prepayment             |                                  |                                |
|                                                               |                  |                                    | Discount<br>Taken      |                                  |                                |

| Transaction Type                                              | Application Name | Page Name               | Field                       | Input Parameter from Transaction | Contract Asset level Parameter |
|---------------------------------------------------------------|------------------|-------------------------|-----------------------------|----------------------------------|--------------------------------|
|                                                               |                  |                         | PO Rate<br>Variance<br>Gain |                                  |                                |
|                                                               |                  |                         | PO Rate<br>Variance Loss    |                                  |                                |
| Billing /<br>Credit Memo<br>/ Debit Memo<br>/<br>Disbursement | Foundation       | Sales<br>Representative | Freight                     | Sales Person                     | Contract                       |
|                                                               |                  |                         | Revenue                     |                                  |                                |
|                                                               |                  |                         | Receivable                  |                                  |                                |
| Billing /<br>Credit Memo<br>/ Debit Memo<br>/<br>Disbursement | Receivables      | Transaction<br>Type     | Receivable                  | Transaction<br>Type              | Contract                       |
|                                                               |                  |                         | Revenue                     |                                  |                                |
|                                                               |                  |                         | Tax                         |                                  |                                |
|                                                               |                  |                         | Freight                     |                                  |                                |
|                                                               |                  |                         | Clearing                    |                                  |                                |
|                                                               |                  |                         | Unbilled<br>Receivable      |                                  |                                |
|                                                               |                  |                         | Unearned<br>Revenue         |                                  |                                |

| Transaction Type                                              | Application Name | Page Name      | Field                    | Input Parameter from Transaction | Contract Asset level Parameter |
|---------------------------------------------------------------|------------------|----------------|--------------------------|----------------------------------|--------------------------------|
| Billing /<br>Credit Memo<br>/ Debit Memo<br>/<br>Disbursement | Inventory        | Master Item    | Expense Account          | Item                             | Asset                          |
| Billing /<br>Credit Memo<br>/ Debit Memo<br>/<br>Disbursement | Assets           | Asset category | Asset Cost               | Asset Category +<br>Asset Book   | Asset                          |
|                                                               |                  |                | Asset Clearing           |                                  |                                |
|                                                               |                  |                | Accumulated Depreciation |                                  |                                |
|                                                               |                  |                | Bonus Reserve            |                                  |                                |

## Define Financial Products

These implementation tasks affect the setup of Oracle Lease and Finance Management financial products:

- Define Template Quality Name and Value
- Define Qualities Name and Values
- Define a Product Template
- Define a Product

A product in Oracle Lease and Finance Management groups together a set of attributes and rules upon which contracts are created. It is mandatory for every contract to be associated with a single product.

The attributes are called qualities and are used for grouping and identifying the product. There are several pre-seeded qualities, and together with their pre-seeded quality values, these are used to classify contracts (see Seeded Contract Classification

Parameters, page E-1). You can also create your own qualities and quality values. There is no processing functionality behind the user-defined qualities and quality values.

Business rules are grouped under options. The values set for each of the business rules are used by the processes during the lifecycle of the contract.

The rules and structuring of the contract determine its classification. The accounting norms define accounting for each classification. The accounting is defined under an accounting template set, which is associated with the product at the time you are setting up your products.

For example, operating leases are accounted for differently than direct finance leases. Therefore, it is highly likely that the deal type would be pre-set as an option for a product.

**Note:** To facilitate workflow and logical product creation, you should map and define the various attributes, as well as the business rules to apply to each of the products you are creating. Decisions such as which attributes to define on the template level, which to define on the product level, and which options to make editable at the contract level should be made prior to implementation.

It is possible for you to override some of the option values, which default from the product while authoring the contract.

You can also associate stream types to a financial product, which you can also set to accrue (Accrual Rules). For more information on stream types, see *Define Streams and Pricing*.

There is no limit to the amount of financial products that you can configure for your enterprise. For more information on lease authoring, see the *Oracle Lease and Finance Management User Guide*.

## Definitions

**Quality:** Qualities defined on a product cannot be modified on the contract. These are used for grouping and identification and, except for the pre-seeded qualities and quality values, have no processing functionality associated with them. You can define as many qualities as you need for your enterprise. You can separately define qualities for templates and products.

**Value:** The result set that you can use for a quality.

## Procedural Steps for Defining a Product

The following points detail the general steps required to define a financial product that Oracle Lease and Finance Management uses during contract authoring.

- **Define Template Qualities and Values:** These are qualities and values that can be defined against a template. The quality values defined in the template cannot be modified on a product.
- **Define Qualities and Values:** These are qualities and values that can be defined against a product. The quality values can only be defined while setting up the product and cannot be defined against a template.
- **Define Product Template:** To facilitate the process of defining products, it is possible to setup product templates which can be used to set up multiple products. You must associate all template and product qualities with a template to use them to categorize a product.
- **Define Products:** Products are set up to facilitate the authoring of contracts and drive accounting. If all the business rules and their associated values are defined in the product, the user activity at the time of authoring is minimized.

Lessors who write large deals can require that the product be defined with few business rules as these can differ substantially between contracts. The accounting template set containing the accounting pairs for the entire life cycle of the lease are also associated to the product.

The following table provides the eight steps and the order in which you define a product:

***Steps for Setting up Financial Products***

| <b>Task</b>                    | <b>Required</b> |
|--------------------------------|-----------------|
| Define Template Quality Names  | Optional        |
| Define Template Quality Values | Optional        |
| Define Product Qualities       | Optional        |
| Define Product Quality Values  | Optional        |
| Set up Product Templates       | Yes             |
| Set up Product                 | Yes             |

## Seeded Qualities and Quality Values

Each Oracle Lease and Finance Management contract must have a product, and each product must have a product template.

In order to classify contracts, first you must add one or more of the seeded qualities to a product template (see Seeded Contract Classification Parameters, page E-1).

Within a single product template, you can have the quality Investor, or the four qualities: Lease, Taxowner, Interest Calculation Basis, and Revenue Recognition Method.

Subsequently, when you create a product using the product template, you must assign one of the seeded quality values for each seeded quality in the associated product template.

## Define Template Quality Name and Value

### Optional

You must define Template Quality names first and then define and associate values with the names. Template qualities are used when you define product templates and the values associated with the template qualities are mandatory and become fixed at the time you define your product template.

The purpose of these qualities is to allow you to define a host of product templates that share a common set of qualities. For example, if you have several products that originate out of specific geographical areas, such as USA and UK, you can define a template quality named "location" with two values of USA and UK. When you subsequently define product templates, you can define separate templates, one using the USA as the contract origination location and the other using the UK.

This is important because different accounting laws can apply to different contracts.

You can also use template qualities to group the types of items you offer according to categories. If your enterprise leases both heavy equipment and computer equipment, for example, set up a template quality called "asset category" with two values: "heavy equipment" and "office equipment."

**Note:** Because they are not linked to any processing functionality, you can set up as many template qualities as you want.

## Prerequisites

None

## Steps

Perform the following steps:

1. Click Create in the Template Qualities page.  
The Create Template Quality page appears.
2. Enter the Name and Description of the template quality.



3. Set the Effective From and, optionally, set the Effective To dates for the quality.
4. Enter the template quality value name to associate a value with the quality.
5. Optionally, enter the description of the template quality value.
6. Set the mandatory Effective From and, optionally, the Effective To dates.
7. Click Apply.

You can add as many values as necessary. You can view all the quality values associated with the template value by clicking List of Template Quality Values.

It is important to remember that every template quality you configure must have at least one value associated with it. Also, the values of a template quality are assigned when setting up the product template and not when setting up a product. For more information, see Define a Product Template.

## Define Qualities Name and Values

### Optional

You can define Quality names and then define and associate values with the those quality names. These differ from the template qualities in that the valid values are determined at the time you define the product.

Whereas with template qualities you define some qualities for your product template--such as location, asset category, and so on--which are unchangeable at the time you define products, you can also define some qualities that allow the values to be set at the time the product itself is being defined.

Just as you defined "asset category" as a template quality -- meaning that either "heavy equipment" or "office equipment" is always a fixed pre-defined value prior to creating a product -- you can set up a "sub-asset category" quality at the product level so you could further define the type of heavy equipment or office equipment to be leased at the time you create the product. This is simply a further classification of the product.

If you set up a product quality called "sub-asset category," for example, you might create values such as trailer, tractor, copier, computer, or fax machine.

Product qualities must be associated to a product template, but the value of the product quality can not be chosen until you are creating the product.

## Prerequisites

None

## Steps

Perform the following steps:

1. Click Create in the Qualities page.  
The Create Quality page appears.
2. Enter the Name and Description of the quality in the appropriate fields.
3. Set the Effective From and, optionally, the Effective To dates for the quality.
4. Enter the quality value name and optionally, the description to associate the value with the quality.
5. Set the mandatory Effective From and, optionally, the Effective To dates for the quality value.
6. Click Apply.  
Create as many qualities with associated values as you need to define your products.

## Define a Product Template

Once you have defined your template and product qualities, you must define product templates, which are required when defining a product.

Product templates can include template qualities and product qualities. The differences between template qualities and product qualities are:

- You define the value of a template quality in this step and you cannot change it when you define a product.
- You determine the value of the product quality at the time you set up your products.

**Note:** To classify contracts that use products associated with the product template, you must add the seeded quality Investor to your product template or the four qualities of Lease, Taxowner, Interest Calculation Basis, and Revenue Recognition Method. For more information, see Seeded Contract Classification Parameters, page E-1.

## Prerequisites

Define template and product qualities prior to setting up a product template.

## Steps

Perform the following steps:

1. Click Create in the Product Templates page.  
The Create Product Template page appears.
2. Enter the Name and Description of the product template to create.
3. Set the Effective From and, optionally, Effective To dates for the template.
4. Select a template quality to associate the applicable template quality and value combination to a particular product template.

**Note:** There is a separate template quality for each value that you associated with it. Choose the template quality based upon the value to be associated with the template.

Add as many template qualities as you want from the list. To delete one or more of these, select the quality and click Remove.

5. In the Qualities region, select the quality to associate with the product template. This association enables the value of the quality to be determined at the time of product creation.

6. Click Apply.

Add as many product qualities as you want from the list. To delete one or more of these, select the quality and click Remove.

When you define a product, you are required to enter a product template name.

## Define a Product

After defining product templates, product qualities, and options, you can define your financial products. Financial products are required for all contracts. At the time of contract origination, you must select a product. The options and their defined values, which are associated with the product, populate the terms and conditions page during contract origination. You also can assign stream types to a product for accrual. Additionally, you can define non-financial considerations such as location.

- You determine the value of the product quality at the time you set up your products.

**Note:** You must add a seeded quality value to the seeded quality or qualities in the product template associated with the product. For more information, see Seeded Contract Classification Parameters, page E-1.

## Prerequisites

All product templates, qualities, and options you intend to use must be pre-defined.

You also must define your accounting template set prior to defining a product because you are required to select an accounting template set when you set up your products.

## Steps

Perform the following steps:

1. Click Create in the Products page.

The Create Product page appears.

2. Complete these fields:

- Name: Type the name of the financial product.

You may want to search for and select the Product Template and Accounting Template Set first, then name this product similarly, as a subset of its parent categories.

- Description (optional): Type a brief description of the product.
- Product Template: Search the existing product templates and, from the list, choose the product template to associate with the product. (Only ONE product template can be associated with a product.)
- Accounting Template Set: Search the existing accounting template sets and, from the list, choose the template set to associate with the product.

In this field, you determine what kind of accounting entries are needed for this product.

**Important:** It is extremely important that all the possible accounting entries that might be used during the life of the contract be included in the accounting template set. For more information, see Define Accounting Template Sets.

- Select a financial product as the reporting product. The reporting product is the basis for both accounting in the secondary ledger for the contract/asset/investor agreement transactions, and for generating the Multi-GAAP Adjustment Report.
- Effective From/Effective To: Set the valid dates for the life of the product. The Effective From date is mandatory, while the Effective To date is optional.

**Important:** Note the following conditions on defining a financial product:

- The primary product and associated accounting template set and stream generation template are the basis of downstream transaction processing and accounting in the primary ledger.
  - The reporting product and associated accounting template set and stream generation template are the basis of downstream transaction processing and accounting in the secondary ledger.
  - The following conditions apply to the selection of a reporting product that is used for Multi-GAAP accounting:
    - The revenue recognition method of the primary and the reporting product must be the same.
    - The interest calculation basis of the primary and the reporting product must be the same.
    - If the book classification of the primary product is Lease (Direct Finance, Operating Lease, or Sales Type Lease), the book classification of the reporting product must be the same.
    - If the book classification of the primary product is Loan, then the book classification of the reporting product must also be Loan.
    - If the book classification of the primary product is Revolving Loan, then the book classification of reporting product must also be Revolving Loan.
    - The pricing engine of the stream generation templates associated with the primary and reporting products must be the same.
3. Click Save and Add Details to enter quality values. Otherwise, click Apply to add details later.
  4. To add quality values to the product, click the Quality Values subtab in the Product details page and click Update.

**Note:** You defined qualities at the time you configured your product templates. At this time you must associate a value with

each associated quality.

5. Choose the value to associate with the product quality.
6. Click Apply.
7. Click the Accrual Streams subtab in the Product details page to associate stream types with the product for accrual.

The Accrual Streams subtab lists the stream types that you have already associated with the product for accrual. The table shows the hypertext-linked stream type name, and whether the stream type is set to accrue.

**Note:** If you chose the Depreciation stream type, you should *not* mark it for accrual while defining a product because **Oracle Assets**, not Oracle Lease and Finance Management, creates the depreciation accounting entries.

8. Click Update to add new stream types for accrual and modify the accrual for existing stream types.

For Lease financial products, after streams have been set to accrue, you can subsequently change the accrual.

9. Click the name of a stream for which you want to change the accrual flag.

The Accrual Stream Details page appears, displaying a selection box labeled Accrue, for setting the accrual flag. Available values are Yes, accrue, or No, do not accrue. Then click Apply.

After you receive a successful update confirmation, you may choose List of Accrual Streams. The stream that you changed now displays the updated accrual flag (Yes or No) in the Accrue field.

10. Repeat the steps for each stream type accrual flag setting you want to change.

## Validate Product Changes

You can validate changes made to a financial product by selecting Validate Product. Lease and Finance Management generates a validation report on the following parameters:

1. That book classification of the stream template and the product match.
2. Accounting template has defined all accrual streams on a product.
3. If an accounting template has been defined for a primary stream purpose, the

template has also been defined for a dependent stream purpose

4. All streams on the stream generation template with the attribute Billing have an accounting template with a transaction type of Billing and Credit Memo.

## Define Invoice Group Parameters

The following topics describe how to setup an Oracle Lease and Finance Management invoice group and its objects:

- Create an Invoice Group
- Create an Invoice Type
- Create an Invoice Line Type
- Specify a Default Invoice Line Type

## About Invoice Groups

An invoice group is a grouping of the parameters which determine exactly what appears on an Oracle Lease and Finance Management invoice. Every invoice in Oracle Lease and Finance Management uses a particular invoice group, which impacts the invoice's appearance.

Each invoice group consists of one or more invoice types. Each invoice type consists of one or more invoice line types. Within each invoice line type, you can associate one or more billing types.

After creating an invoice group, with its component invoice types and invoice line types, you must update the invoice group to define a default invoice line type for billing types that are not specifically assigned to an invoice line type.

## About Modifying Invoice Features

Invoice features that you can modify include:

- Specifying which billing types to include in an invoice.
- Specifying which billing types to include within a line; this feature enables combining of billing types.
- Specifying which order the billing types are to appear on the invoice.
- Consolidating multiple contracts for a customer into one invoice or providing separate invoices for each contract.

- Combining all assets into one line or making each asset appear on separate lines.

## About Creating and Adding Invoice Objects

Each Create page lets you create one object at each level. Starting from the Create Invoice Group page, as you complete and submit the parameters on each page, you proceed automatically to the Create page at the next level down.

This fast-track approach lets you create one invoice group, consisting of one invoice type and one invoice line type.

To add extra objects after a fast-track creation, you must navigate to the appropriate level of your invoice group, and use one of the following areas.

- **Update Invoice Group:** Before you update an invoice group, you must search for the invoice group, then click the Update Invoice Group button.
- **Update Invoice Type:** Before you update an invoice type, you must search for the invoice group, then the invoice type, then click the Update Invoice Type button.
- **Update Invoice Line Type:** Before you update an invoice line type, you must search for the invoice group, then the invoice type, then the invoice line type, then click the Update Invoice Line Type button.

## About Updating Invoice Groups and Objects

The top of each Update page consists of the same fields as its corresponding Create page. If you have to use any Update page to add to your invoice group, type or line type, you can refer to the steps in the corresponding Create page. The main difference is that you complete each Update page processing by clicking the Update button, rather than a Create button.

The sections that follow describe the steps for the Create pages only.

### Create an Invoice Group

Required

#### Prerequisites

None

#### Steps

Perform the following steps:

1. Click Create in the Invoice Group page.  
The Create Invoice Group page appears.



2. Select the operating unit.

**Note:** The list of values includes operating units assigned to the MO: Security profile.

**Additional Information:** The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.

The selected operating unit restricts the valid list of values in applicable fields.

3. Enter the Name, and optionally, the Description.
4. Use the Multi-Contract Invoices box to determine either:
  - To have one contract per invoice.
  - To have a multiple contracts per invoice.

To combine contracts on an invoice, check the Multi-Contract Invoices box, otherwise leave it blank.
5. Optionally, enter the effective dates for the invoice group.
6. Click Continue to add invoice types and invoice line types.

## Creating Invoice Types

Perform the following steps:

1. In the Create Invoice Type page, enter the Name and optional Description.
2. Check the Provide Contract Detail box to specify the contract number on the invoice line, otherwise leave it blank. The effect of leaving this box blank is to combine the same billing type from multiple contracts into one invoice line.

For example, *without* contract detail, rents for contracts 001,002 and 003 are grouped together and displayed as one rent amount.
3. Check the Combine Assets box to combine the same billing type per contract into one invoice line, otherwise leave it blank.

For example, if contract 001 has two assets, both of billing type Rent, checking the Combine Assets box results in one invoice line for contract 001 with billing type Rent.

**Note:** If you combine contracts into a single line for every billing type, then you must group all assets together. In other words, if you have not selected the Provide Contract Detail box, then you must select the Combine Assets box.

The following table shows allowable box combinations for Provide Contract Detail and Combine Assets.

***Allowable Combinations of Selections***

| <b>Provide Contract Detail</b> | <b>Combine Assets</b> |
|--------------------------------|-----------------------|
| Unchecked                      | Checked               |
| Checked                        | Checked               |
| Unchecked                      | Unchecked             |

## Creating Invoice Line Types

To associate your own billing types to invoice lines, you must have created billable streams: streams with the attribute Billable set to **Y**. For more information, see Set Up Stream Types.

Perform the following steps:

1. In the Invoice Line Type region of the Create Invoice Type page, enter a Sequence Number for the invoice line.
2. Enter a Line Name for the line.  
  
The line name appears on the invoice and identify the invoice line.  
  
Additionally, the Streams panel appears, where you associate one or more billing type streams to an invoice line.  
  
For example, you could create an invoice line with the line name Lease Payment, and associate it with the two billing type streams Rent and Service & Maintenance.
3. For each stream that you want associate to an invoice line, click Streams beside the next empty Stream Name entry, and select your billing type stream from the list that appears.
4. If you have to associate more than one billing type per invoice line, click the button to **Add Another Row**, and repeat step 3.

5. If required, repeat step 4 until there are no more billing type streams to associate with the invoice line.
6. Click Finish.

## Specify a Default Invoice Line Type

### Required

Each invoice group must have a default invoice line type for the billing types not specifically assigned to an invoice line type.

You cannot specify the default invoice line type for an invoice group as you are creating the invoice group. You must first create the invoice group, together with its constituent invoice types and invoice line types - only after you have created the complete invoice group can you specify which invoice line type should be the default for the invoice group.

### Prerequisites

You must have created an invoice group, with at least one invoice type and invoice line type.

### Steps

Perform the following steps:

1. On the Invoice Group page, search for the invoice group to specify a default invoice line type.
2. In the Results area, click the hypertext-linked Name of your selected invoice group. The Update Invoice Group page appears.
3. Select the Default Line Type.
4. Click Apply.

## Define Billing Groups

Billing Groups help manage customer invoice information and preferences having common billing requirements. If Billing Groups are enabled in your business unit, users must associate contracts to the Billing Group setups previously defined for your customers. Billing programs generate invoices based on the bill group parameters. Users update billing parameters at the billing group level.

Billing Groups are enabled using the system option **Enable Billing Groups** in the **System Options** page. If you select this, billing groups become mandatory for all contracts in the organizational unit.

**Important:** Once the **Enable Billing Groups** system option is enabled, Billing Group replaces the Invoice Group in the interface between Oracle Lease and Finance Management and Oracle Receivables.

## Creating Billing Groups

You can create billing groups from the **Setup** tab, using the **Receivables** menu. The following area have to be entered:

- **Header:** These are mandatory fields that represent the core details of the setup. Some of these are used as eligibility criteria, that is, its values must match the values in the same fields in the contracts and assets associated to the billing group. See the following table for more information.
- **Key Flex Fields:** These are configurable fields that may be used for additional information required by you. To add them, on implementation, you must select a key flex structure in the **Bill Group Key Flex Fields** system option.
- **Descriptive Flex Fields:** On implementation you can configure the descriptive flex fields.
- **Lines:** These are the contracts or asset lines associated to the billing group.

The table below display the list of fields in the header of a billing group. The fields which are used as eligibility criteria for the association of contract or asset lines are marked as **Yes**. This means that the filed values are matched against contracts and assets in order to determine whether they can be added to the billing group.

### *Header Fields in Billing Groups*

| Header Fields      | Field Type | Eligibility Criteria |
|--------------------|------------|----------------------|
| Billing Group Name | Mandatory  | -                    |
| Customer Account   | Mandatory  | Yes                  |
| Bill-to Site       | Mandatory  | Yes                  |
| Currency           | Mandatory  | Yes                  |
| Invoice Group      | Mandatory  | Yes                  |
| Payment Method     | Mandatory  | Yes                  |

| Header Fields          | Field Type | Eligibility Criteria |
|------------------------|------------|----------------------|
| Private Label          | Mandatory  | Yes                  |
| Customer Name          | Read Only  | -                    |
| Organizational Unit    | Mandatory  | -                    |
| Bill Group Description | Optional   | -                    |
| Bill To Site Name      | Read Only  | -                    |
| Status                 | Read Only  | -                    |
| Hold Printing          | Optional   | -                    |
| Hold Date              | Read Only  | -                    |
| Hold Until Date        | Optional   | -                    |
| Reason for Hold        | Mandatory  | -                    |
| Held By                | Read Only  | -                    |
| Asset Invoicing        | Optional   | -                    |
| Effective From         | Mandatory  | -                    |
| Effective To           | Optional   | -                    |
| Party                  | Optional   | -                    |
| Bill To Contact Name   | Read Only  | -                    |

**Additional Information:** The following fields listed below should be rendered as **Read Only** in **Vendor Self Service** and **Customer Self Service** to preserve the integrity of the association to the corresponding bill group:

- Bill-To-Site
- Invoice Group

- Payment Method (Payment Instrument)
- Private Label

## Revising Billing Groups

In order to modify some billing group fields, you must revise the billing group. Revision is different than a standard update as a revision involves propagating the changes to all contracts and asset lines associated to the billing group regardless of the contract or asset status. That is, a billing group revision results in contracts and assets being automatically updated to incorporate the billing group revision changes. The following fields require a billing group revision for updates:

- Bill-To-Site
- Invoice Group
- Payment Method (Payment Instrument)
- Private Label

## Define Invoice Messages

### Steps

Perform the following steps:

- Click Create in the Invoice Messages page. The Create Invoice Message page opens.
- Select the operating unit.

**Note:** The list of values includes operating units assigned to the MO: Security profile.

**Additional Information:** The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.

The selected operating unit restricts the valid list of values in applicable fields.

- Enter the message name.

- Optionally, enter a description.
- Specify the period when the message is effective.
- Enter the name of the procedure for which you are creating the invoice message.
- Indicate the message priority.
- Enter the message text.
- Click Apply.

## Set Up Interest Rates

### Required

Oracle Lease and Finance Management supports various kinds of interest calculations for lease contracts, such as those for disbursements made prior to contract activation, or loan contracts.

You can define your own interest rates, which you can then use in many Oracle Lease and Finance Management transactions.

The parameters for the interest rate are:

- An interest rate name.
- A category, such as Daily, Weekly, Monthly.
- A percentage rate.
- The effective date of the interest rate.

## Prerequisites

None

## Steps

Perform the following steps:

1. Click Create in the Interest Rates page. The Create Interest Rate page opens.
2. Enter the Interest Rate Name.
3. Choose the Index Frequency (daily, weekly, monthly, quarterly, yearly, and so on).
4. Optionally, enter a description.

5. In the Interest Rate Values region, specify the effective dates.  
You can optionally leave the Effective To field blank if you do not want an ending effective date.
6. In the Percentage field, enter the rate.
7. Click Apply.

## Set Up Usage-Based Billing

The following table describes set up steps that must be completed before Usage-Based Billing (UBB) used in Lease and Finance Management.

### *Usage-Based Billing Set Up*

| Set Up Step                        | Description                                                                                                                                                                                                                                             | Application                                                 |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| Set Up Usage Item                  | Usage items are created in Oracle Inventory. Setups for usage items are the same as for a standard Lease and Finance Management inventory item.                                                                                                         | Oracle Inventory                                            |
| Set Up Price List                  | Price lists are required for usage billing on a contract. Price lists are defined in Oracle Advanced Pricing, but can also be defined in Oracle Service Contracts Manager as the Service Contract interface inherits Advanced Pricing pages.            | Oracle Advanced Pricing<br>Oracle Service Contracts Manager |
| Set Up Counters and Counter Groups | For UBB items, you can derive each billing amount directly from a single usage counter. However, if you want to calculate billing by leveling the counter readings across individual counters, you must set up one or more consolidated counter groups. | Oracle Service Contracts Manager                            |



| Set Up Step                  | Description                                                                                                                                                                                                      | Application                      |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| Set Up Consolidated Counters | Counters are required to be defined because they record usage. Counters across multiple assets or contracts are grouped together to determine the excess charges across the group of counters for usage billing. | Oracle Service Contracts Manager |
| Set Up Accounting Template   | You must create an accounting template for the product with a stream type of Usage.                                                                                                                              | Lease and Finance Management     |

## Define Late Charges Parameters

Required

These topics describe the setup of Oracle Lease and Finance Management late charge parameters:

- Create Late Policies
- Create Late Interest Policy
- Create Late Charge Policy

## About Late Charge Parameters

When a lessee or borrower does not pay an invoice on or prior to the due date, Oracle Lease and Finance Management can assess a penalty. There are two ways to calculate the penalty. The first is a one-time fee charged after a grace period, and the second is an interest charge on the payment. You can choose to use one or the other, or both.

After Oracle Lease and Finance Management assesses the late charge or late interest charge, it sends the amount to Oracle Receivables, which then sends an invoice to the lessee/borrower.

The setup process uses these terms:

**Late Charge Policy:** Grouping of terms and conditions for late charges and late interest charges.

**Late Charge:** One time fee assessed to a lessee/borrower for not paying an invoice. This can be a flat-fee or a percentage of total open invoices past due.

**Late Interest Charge:** An interest charge on a late payment.

**Adder:** The amount charged over the index rate. For example, if the index rate is prime, and you are charging prime plus 1%, then 1% is the adder.

**Interest Type:** This is either Fixed or Variable.

## Create Late Policies

Required

You can create a late interest policy, a late charge policy, or a late interest and late charge policy. These sections outline the steps:

- Create Late Interest Policy
- Create Late Charge Policy

## Prerequisites

Your interest rates must be set up. See Set up Interest Rates.

## Create Late Interest Policy

Required

Late interest is calculated for past due invoices when the payment is received. This rule assesses late interest to the payment that can be either fixed or variable.

Late interest computation uses this formula:

$$\text{Late interest} = ((\text{Invoice Amount} * \text{Rate}) / \text{Number of days in the year}) * \text{Days Late}$$

**Where:**

Days Late = Date Invoice Paid - Due Date of the Invoice

**Or**

Days Late = Date Item Paid - (Due Date of Invoice + Grace Period)

If the late interest is less than the minimum late interest, no interest is assessed. If the late interest is more than the maximum, then the maximum amount is used.

Interest is assessed using the "rate type" associated with the policy. If the rate type is fixed, use the defined rate. If the rate is variable, use the index code associated with the late charge product to look up the rates from the rate table. The rate is then equal to the rate from the index plus an adder.

The following steps describe how to set up late interest rules by defining the parameters on the setup pages.

### Steps

Perform the following steps:

1. Click Create in the Late Policies page. The Create Late Policy page opens.
2. Select the operating unit.

**Note:** The list of values includes operating units assigned to the MO: Security profile.

**Additional Information:** The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.

The selected operating unit restricts the valid list of values in applicable fields.

3. Enter the late policy name.
4. Select the location.  
For example, Germany. (This could be a state or a country.)
5. Enter the description.  
For example, Late Charges.
6. Select a Late Policy Type from the list.  
Choices include Late Charge, Late Interest, and Late Charge and Late Interest.  
If you choose Late Charge, then complete only that section. If you choose Late Interest, then complete only that section. If you choose both, then complete both sections.
7. In the Late Interest section, enter the Maximum Interest.  
This is the maximum amount assessed as a late interest charge.
8. Enter the Minimum Interest.  
This is the minimum amount assessed as a late interest charge.
9. Select the Rate Type from the list.  
Choices include Fixed Rate or Variable Rate. If you selected Fixed Rate, then enter the Late Interest Rate (%). For example, 11%.  
If you selected Variable Rate, then select the Index Code from a list of values (these are the Interest Rates you set up earlier). Then enter an Adder Rate, for example, 1.0.

10. Enter the Grace Period. For example, 10 days.
11. Enter the Minimum Balance. For example, \$10.
12. In the Billing Types section, select any exempt billing types.
13. Click Apply.

## Create Late Charge Policy

### Required

Late charges can be a flat fee or a percentage of the total invoices past due. For a contract, if the late charge is a flat fee, no computation is needed. If, however, the late charge is a percentage of the total due, then you must compute the charge. Compare the computed charge with the minimum and maximum charge. If it is less than minimum, use the minimum, or if it is more than the maximum, use the maximum.

These steps describe how to set up late charge rules and define the parameters on the setup pages.

### Steps

Perform the following steps:

1. In the Late Charges section, select the Late Charge Type.  
Choices include Fixed Amount or Percentage.
2. If you choose percentage, enter the Late Charge Rate (%).  
For example, 10%.
3. If you choose fixed, enter the Late Charge Amount.  
For example, \$25.
4. Enter the Grace Period.  
The Grace Period is the period during which a late charge is not assessed. For example, 10 days.
5. Enter the Maximum Late Charge.  
This is the maximum amount that can be assessed as a late charge.
6. Enter the Minimum Late Charge.  
This is the minimum amount that can be assessed as a late charge.
7. Enter the Minimum Balance.  
If the amount due is less than the minimum amount, no late charge is assessed.

8. In the Billing Types section, select any exempt billing types.
9. Click Apply.

**Note:** To create both late interest and late charge policies, select that option in the Late Policy Type field, fill in the information appropriate to each section, then click the Apply button. Continue with the preceding steps.

## Define Cash Search and Cash Application Rules

These implementation topics describe the setup of Oracle Lease and Finance Management cash search and application rules:

- Define Invoice Search Rules
- Define Cash Application Rules

### About Cash Search and Application Rules

Oracle Lease and Finance Management includes an automated means of applying receipts to invoices. To use automated application of receipts, you must define rules to handle situations where there are:

- Receipts that you cannot automatically identify against a contract or invoice. In this situation, you define rules to attempt to find a matching invoice.
- Receipts that you can identify against an invoice, but the amount is different from the invoice. In this situation, you must define rules on how to apply cash receipts for these types:
  - **Receipt mismatches:** You can match the receipt against a customer ID, but you cannot match the receipt against an invoice.
  - **Overpayments:** You have matched the receipt against an invoice but the amount exceeds the billed amount.
  - **Underpayments:** You have identified the receipt against an invoice but the amount is less than the billed amount.
- Differences in the amount received versus the invoice amount. You indicate the amount of tolerance—expressed as a percentage—against which you apply a cash recipient against an invoice.
- Cash receipts for termination quotes. You specify the number of days beyond the

termination quote date to apply cash receipts.

The two main parts of defining rules for handling cash receipts are to:

- Define Invoice Search Rules
- Define Cash Application Rules

## Define Invoice Search Rules

### Required

Search rules for invoices apply to lockbox processing and manual receipt of payments to help you automate the matching of receipts with invoices. For example, search rules can help you handle receipts that you cannot automatically apply to invoices, customers, or contracts.

In addition to search rules, cash rules help you apply a cash receipt to a customer's account or outstanding invoices. For more information, see Define Cash Application Rules.

Search rules for invoices in Oracle Lease and Finance Management comprise mainly of user-defined rules. Search rules make use of billing types that you can combine to form addition or subtraction statements—also known as **combinations**. Billing types are the same as stream types. Examples of billing types include: rent, tax, insurance, late charges, bank fees. Oracle Lease and Finance Management includes many seeded billing types from which you can define search rules. You can also define your own billing types and include them in your invoice search rules. For more information, see Define Streams and Pricing.

To define your own rules, include one or more billing types to form a combination. When including multiple billing types to form a combination, you are adding or subtracting billing type values to attempt to find possible matching values with a receipt. For example, rent and late charges are two examples of billing types that you can combine to use in a rule. Upon execution of that rule's combinations, the resulting value might match or explain why a cash receipt is different from the original invoiced amount which might not have included the late charges. You can have multiple search rules and you can prioritize the sequence in which each rule is evaluated.

## Prerequisites

Set up your custom billing types, if any.

## Steps

Perform the following steps:

1. Click Create in the Search Rules page. The Create Search Rule page opens.
2. Select the operating unit.

**Note:** The list of values includes operating units assigned to the MO: Security profile.

**Additional Information:** The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.

The selected operating unit restricts the valid list of values in applicable fields.

3. Enter the name and description for the search rule.
4. In the Search Type field, choose either:
  - **Billing Type Combination:** Use only stream types in the statement.
  - **Total Minus Combination:** Use the total invoice amount less the combination of billing types.
5. In the Sequence field, enter the priority number in which this rule applies.
6. In the Combinations region, select the applicable billing type for the search rule.
7. In the Plus/Minus column in the first row, select either Plus or Minus to add or subtract the billing type that you selected.
8. To add or subtract additional billing types for this rule, click the Add Another Row button and repeat steps 6-7 on the additional rows.
9. Click Apply.

## Guidelines

Before creating search rules, verify that you have set up any custom stream types to include in your rules.

## See Also

Define Streams and Pricing

## Edit Search Rules

Optional

You can change your invoice search rules from time to time. For example, you might

have added some new billing types to accommodate different or new taxes, fees, or insurance. You can locate rules by specifying either the rule name or the search type.

## Prerequisites

None

## Steps

Perform the following steps:

1. On the Search Rule page, perform a search to locate the rule to edit by doing either:
  - In the Name field, enter full or partial search criteria and click the flashlight icon.
  - In the Search Type field, choose either Billing Type Combination or Total Minus Combination.  
  
Billing Type Combination displays rules that use only billing types in the statement.  
  
Total Minus Combination displays rules that use the total Invoice amount less the combination of billing types.
2. Click Go.  
  
In the Results area, matching rules appear.
3. To edit a rule, click the rule name in the Name column.  
  
The Update Search Rule page appears.
4. To remove a billing type from your combination:
  1. In the Remove column, select the box next to the billing type.
  2. Click Submit.
5. To change the addition or subtraction of a billing type value, choose either Plus or Minus in the Plus/Minus column.
6. To add a billing type combination that follows the existing rule's combination:
  1. Click the Create Combinations button.  
  
The Create Combination page opens.
  2. In the first row of the Plus/Minus column, choose either Plus or Minus to add or subtract the billing type that you specify in the following step.



3. On the first row in the Billing type column, click the Search icon.
4. Search for and select a billing type.
5. Click OK.  
The selected billing type appears in the Billing Type column.
6. To add or subtract additional billing types for this rule, repeat steps b through e on the additional rows.
7. Click Apply.  
The additional billing type combinations appear after the existing ones.

## Define Cash Application Rules

### Required

The topics in the Define Cash Application Rules section include:

- Define Main Cash Application Rule Components
- Define Billing Type Payment Order for Underpayments
- Define Streams to Prorate for Underpayments

Cash application rules define how to apply a receipt to an invoice where:

- You know who the customer is but you have not identified the customer number or invoice number.
- You know who the customer is and you have identified the customer number / invoice number but the payment amount is less than the balance amount for invoice/contract.
- You know who the customer is and you have identified the customer number / invoice number but the payment amount is more than the balance amount for invoice/contract

Use cash application rules to apply cash receipts in the following situations:

- **Receipt Mismatch:** define whether to apply cash receipt to the customer's account, oldest invoices, or newest invoices in case of receipt mismatch. This rule is used during processing lockbox receipt. If the reference number mentioned in the lockbox, does not match to any open invoice or contract number for customer, then receipt mismatch rule defined here is used to apply the receipt.
- **Underpayments:** define whether to apply cash receipt based on transaction type,

prorate to each line of invoice, or move to unapply if the receipt amount is less than outstanding amount.

- **Overpayments:** define whether to apply cash to unapplied, to on account (customer's balance) if the receipt amount is more than outstanding amount.
- **Tolerances:** specify by a percentage of the amount. When the receipt is against invoice or contract, tolerance % defined here is used to identify whether payment is underpayment or not. If the receipt amount is less the balance and the difference % is more than the tolerance defined, then it is considered underpayment otherwise not. When the receipt is against termination quote, the termination quote needs to be processed only if the receipt amount is within tolerance from quote amount.
- **Termination Quotes:** specify the number of days past the deadline of the quoted termination date during which you still accept cash receipts Cash through lockbox and process the termination quote acceptance.

### About Cash Application Terms in Receivables

Various terms refer to the flow of cash receipts in Receivables. These terms include:

- **Unidentified:** A cash receipt for which you do not know who the customer is.
- **Unapplied:** A cash receipt for which you do know who the customer is but you have not run the cash application process. For example, the cash receipt has not been applied to any invoices or On Account. In any case, this type of cash receipt is associated with the customer.
- **On Account:** A cash receipt for which you do know who the customer is and you apply it to their balance but you are not applying it against any invoices. This type of cash receipt is associated with the customer.
- **Applied:** A cash receipt for which you do know who the customer is and you apply it against any invoices. This type of cash receipt is associated with the customer.

### Setting Up Cash Application Rules

You can set up cash application rules at either the organization or the contract level. You can define more than one cash application rule for each operating unit. During the implementation of Oracle Lease and Finance Management, the first cash application rule that you create becomes the default cash application rule. You can update but not delete this rule.

You can create as many cash application rules as you want. The objective in doing this is to be able to apply different cash application rules for different contracts.

When you author a contract, you can associate any cash application rule, even the default cash application rule, with the contract. If you do not explicitly associate a cash

application rule with the contract, the default rule is implicitly associated with the contract, then Lease and Finance Management uses the default cash application rule associated to the operating unit to apply cash.

## Applying Cash Application Rules

Cash application rule is used to auto apply receipt to invoice lines when you create and/or apply a receipt through:

- AutoLockbox
- Manual receipt creation with application criteria as invoice or contract.
- Manual receipt creation in the batch mode.
- During Advance Billing process.
- Receipt Reapplication.
- For Future Pay.

## Define Main Cash Application Rule Components

Required

**Note:** The first cash application rule that you create becomes the default cash application rule. You can update but you cannot delete this rule.

## Prerequisites

Set up streams.

## Steps

Perform the following steps:

1. In the Cash Application Rules page:
  - If you want to create a cash application rule, click Create.
  - If you want to edit an existing cash application rule, then search for the rule using one or more of the following search parameters: Rule Name, a range of dates for the Start Date, a range of dates for the End Date.
  - In the Default Rule field, you may also specify that you want all rules (ALL), just the default rule (YES), or all rules except the default rule (NO).
  - Click Go.

## Rule Header

Whether you are creating or editing a cash application rule, the fields to define are almost identical, whether they appear on the Create Cash Application Rule page or the Update Cash Application Rule page.

1. Select the operating unit.

**Note:** The list of values includes operating units assigned to the MO: Security profile.

**Additional Information:** The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.

The selected operating unit restricts the valid list of values in applicable fields.

2. Enter a name and description for the rule.
3. Enter a Start Date for the rule.
4. Optionally, enter an End Date for the rule.

## Receipt Mismatch Rules

Receipt mismatches occur when you identify the customer but cannot locate an invoice against which you can apply a payment.

1. Select one of the three choices for receipt mismatches:
  - **Move Receipt to On Account**  
Apply receipt to a customer without applying to any invoices.
  - **Apply to Oldest Invoices**  
Apply receipt to the customer's oldest outstanding invoices first.
  - **Apply to Newest Invoices**  
Apply receipt to the customer's newest outstanding invoices first.

## Underpayment Rules

1. In the Cash Application Rules section, in the Underpayment area, select one of the three methods for applying underpayments against a customer's account:
  - **Apply based on billing type**

Decide the sequence or priority in which to apply cash to billing types. You can specify sequence to one or more billing types. Cash receipts are fully applied to each billing type in the order you specify until the cash receipt is fully applied.

**Note:** If you choose **Apply based on billing type** as your underpayment rule, then, after you click Create or Update, the Payment Order page appears, and you must create or edit the payment sequence of billing types.

**Note:** For more information, see Define Billing Type Payment Order for Underpayments.

- **Prorate for specific lines on invoice**

Decide which billing types to prorate.

**Note:** If you choose **Prorate for specific lines on invoice** as your underpayment rule, then, after you click Create or Update, the Prorate Transactions page appears, and you must specify the streams to prorate.

**Note:** For more information, see Define Streams to Prorate for Underpayments.

- **Move cash to unapplied**

Do not apply receipt to invoice or on account; place receipt in unapplied.

### Overpayment Rules

1. In the Cash Application Rules section, in the Overpayment area, select one of the three methods for applying overpayments:

- **Apply to customer balance**

Apply cash receipt to customer's on account balance rather than to an invoice.

- **Move cash to Unapplied**

Assign the cash receipt to the customer without applying it to an invoice or putting it on account. Use this option when you know who the customer is but you have not decided whether to apply it to an invoice or On Account.

### Tolerance Rule

When you define your cash application rules, you also must indicate how to handle

differences between the invoiced amount and the amount received. If this difference in amount is within the amount of **tolerance** that you specify, then the cash receipt applies to the invoice. The tolerance is expressed as a percentage of the invoice amount. The amount of tolerance that you specify applies to *all* cash receipts and invoices for all customers.

For example, suppose your invoice amount is \$1000 and you set your tolerance percentage to 2 percent. This would mean you would accept a cash receipt that varies as much as 2 percent of \$1000; that would include a range from \$980 to \$1020.

**Note:** To apply cash receipts, the amount that you received must be within the tolerance.

1. In the Cash Application Rules section, in the Tolerances area, specify the **Percentage of tolerance allowed for amount**- the percentage of deviation from the agreed-upon termination price that you are willing to accept to terminate the contract.

#### **Future Pay Tolerance Rule**

When you define your cash application rules, you also must indicate how to handle Future Pay tolerances. You must define the **Number of Days to Hold Advance Payments** field. This number indicates the number of days until which the future pay does not expire.

#### **Termination Quote Tolerance Rule**

When you define your cash application rules, you also must indicate how to handle termination quotation tolerances. When a lease terminates for the balance due, you would typically agree upon a final balance due and a deadline. In the event that the final payment or date varies from the agreement, you can indicate the number of days past the **deadline** or **Quote Valid Date** during which you accept the final agreed-upon amount. This rule applies only to termination quotes.

For example, if you set the number of days past the deadline to 5, you accept payment past the deadline date for 5 days.

1. In the Cash Application Rules section, in the Tolerances area, specify the **Allowable days past the termination quote date** - the number of days past the agreed-upon deadline date for which you accept cash receipts.
2. Define Number of Days to Hold Advance Payments: this number defines the number of days until which the advance receipt shall not be applied to already open invoices.

### **Define Billing Type Payment Order for Underpayments**

During the creation or updating of a cash application rule, if **your Underpayment rule is Apply based on billing type**, then, after you click Apply, the Payment Order page opens and shows a grid with stream names and fields to enable you to enter a sequence

number next to each stream name.

1. Enter values as follows:

1. Next to each stream name in the Sequence Number column, enter the priority or sequence in which to apply underpayments.

The smaller the sequence number is a higher priority; 1 is the highest priority, for example.

2. Leave the Sequence Number field blank next to those stream names to which you do not want to apply receipts.
3. If you have multiple pages of stream names, then navigate to each page by clicking the Next and Last links.
4. Click Apply.

### Define Streams to Prorate for Underpayments

During the creation or updating of a cash application rule, if **your Underpayment rule is Prorate** for **specific lines on invoice**, then, after you click Apply, the Prorate Transactions page opens and shows a grid with stream names and fields to enable you to prorate each stream name.

1. Enter values as follows:

1. Next to each stream name in the Prorate column, select whether to prorate the stream in underpayments.
2. Leave the Prorate box empty next to those stream names for which you do not want to prorate receipts.
3. If you have multiple pages of stream names, then navigate to each page by clicking the Next and Last links.
4. Click Apply.

### Define Default Receipt Method

In Lease and Finance Management, you need to associate a default receipt method to payment method credit card, and bank account to process payments made through self service and Customer service (Lease Center). You can associate one receipt method to each payment method.

To associate receipt method to payment method, perform the following tasks:

1. In the Search region of the Default Receipt Methods page, enter the applicable operating unit and click Go. The results display the available payment methods and

existing default receipt methods.

2. Click Update and select default receipt methods for each payment method.

## Define Customer Service Setups

The following implementation task affects the setup of Oracle Lease and Finance Management customer service rules:

- Define Service Fees

### Define Service Fees

Optional

In the process of servicing contracts in Oracle Lease and Finance Management, a multitude of events can occur between the customer service representative and the lessee. Oracle Lease and Finance Management enables you the ability to charge service fees for these events, in accordance with your business rules.

These event types are seeded in Oracle Lease and Finance Management as service fee types and, during implementation, you can choose to enable any or all of these fees. For example, you might want to charge a fee for events such as a transfer of fees, invoice content change fees, audit letter request, and so on. To charge a fee for events, you must define your charges, the effective dates, and so on.

**Note:** In Oracle Lease and Finance Management, all available service fee types are seeded.

### Steps

Perform the following steps:

1. From the Service Fees page, click Create.

The Create Service Fee page opens.

**Note:** All the service fees you have created, along with the pertinent details, appear on the Service Fees page.

2. Select the operating unit.

**Note:** The list of values includes operating units assigned to the MO: Security profile.



**Additional Information:** The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.

The selected operating unit restricts the valid list of values in applicable fields.

3. From the list of values, choose the Name of the service fee to enable.

This seeded list includes values such as Service Fee, Document Request Fee, and Restructure Request Fee.

4. Add a description of the service fee.

This is optional, but serves to further identify the service for which you are charging a fee.

5. Enter the amount to charge for the service.

6. Enter the Effective From date and, optionally, enter the Effective To date.

7. Click Apply.

## Guidelines

You can filter your search for already created service fees by selecting either Active or All in the View field and clicking the Search icon. Selecting Active relegates your search to only those service fees containing Effective To dates that have not expired.

## Define Party Contact Roles

### Required

Vendor program agreements make use of party contact roles. You must define all party contact roles your company uses for vendor organizations since there are no seeded party contract roles. The party contact roles that you define become available on the list of values on the Create Party Contact page in the vendor agreements area of Oracle Lease and Finance Management.

Examples of party contact roles include: Billing Contact, Lease Vendor, Contract Administrator, Contract Manager, Contract Officer, Credit Analyst, Customer Contact, Customer Service Representative, Dealer, Inspector, License Sales Representative, Salesperson, Shipping, and Signatory.

To set up new user-defined parties, see Set Up New User-Defined Parties For Lease Contracts and Agreements, page 5-3.

## Steps

Perform the following steps:

1. Log on as system administrator.
2. Select the Contracts Manager role.
3. Navigate to Setup > Contract > Categories and Sources and select Define Role Sources.
4. Click the right arrow icon, and click the Open button.
5. On the Party Sources form, perform a query on Lease Vendor.
6. Click the Contact Sources tab.
7. Specify the Contact Role, Source, Constrained, Intent, Start Date, End Date, and Access Level.
8. Click the Save icon.

## Set Up Termination Quotes for Repossession

### Set Up Termination Quotes for Repossession Overview

Before Termination Quotes for Repossession can be processed, you must complete the following setup tasks:

- Review Termination Quotes for Repossession Prerequisites
- Set Up System Options for Termination Quotes for Repossession
- Set Up Accounting for Termination Quotes for Repossession

### Termination Quotes for Repossession Prerequisites

Before you can perform setup tasks for Termination Quotes for Repossession, you must have completed the following:

- Subledger Accounting Setups
- Set Profile Option

## Set Profile Option for Repossession

To enable the creation of a Termination Quote for Repossession for a loan in Lease and Finance Management, the OKL: Allow Manual Termination Quote Create and Update profile option must be overridden.

## Set Up System Options for Termination Quotes for Repossession

To set up system options for Termination Quotes for Repossession, navigate to **Setup > System Options > Operational Options > Asset Return Options > Termination Quotes for Repossession**.

The Asset Return Options region is read only. Values in this region default from Authoring Options. Enter the options for your loan repossession.

The following table describes system option setup details for Termination Quotes for Repossession.

| Field                         | Description                                                                                                                        | Required or Optional |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| Asset Addition Corporate Book | Corporate book setup; defaults from Authoring Options region. This is read only.                                                   | Required             |
| Reporting Product Asset Book  | Defaults from Authoring Options region. This is read only.                                                                         | Optional             |
| Tax Asset Book 1              | Primary tax book for the repossessed asset                                                                                         | Required             |
| Tax Asset Book 2              | Secondary tax book for the repossessed asset                                                                                       | Optional             |
| Asset Key                     | Fixed Assets asset key for the repossessed asset                                                                                   | Optional             |
| Depreciate on Asset Return    | Determines whether the asset should be depreciated in Fixed Assets after repossession. Select the checkbox to enable this feature. | Required             |

| Field                | Description                                                                                                                                              | Required or Optional |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| Fixed Asset Location | The location of the asset recorded in Fixed Assets.                                                                                                      | Required             |
| Asset Cost Formula   | Evaluates the return value of the repossessed asset. The seeded formula, ASSET_RETURN_AMOUNT, calculates the outstanding principal balance of the asset. | Optional             |

## Set Up Accounting for Termination Quotes for Repossession

Before the loan repossession process is enabled in Lease and Finance Management, you must complete all accounting set. For more information on setting up accounting for termination quotes for repossession, see Accounting Integration, *Oracle Lease and Finance Management User's Guide*.

To set up accounting for termination quotes for repossession, see Accounting Options and Account Codes Derivation.

## Set Up Termination Completion Event

The system option, **Termination Completion** is available under **Operational Options** in the **System Options** page. You can select one of the following values for the system option:

- **Standard:** Termination completion occurs based on standard Oracle Lease and Finance Management functionality described below.
  - **Terminations With Purchase:** Termination completes when the purchase price invoice line is fully paid in Oracle Receivables.
  - **Terminations without Purchase:** Termination occurs when the asset return request status becomes **Returned**.
- **Custom:** Termination occurs based on custom code where users select the transaction or event that should trigger termination completion for terminations with and without purchase. If this is selected and no custom code is attached, termination will take place as soon as termination quotes are accepted.

**Important:** This system option applies only when the value of the system option **Stop Termination on Acceptance** is set to **Yes**.

## Process Terminations with Purchase in Closed Fiscal Years

The system option, **Allow Asset Retirement in Closed Fiscal Years** is available under **Operational Options** in the **System Options** page. With this option, existing termination quote validations are relaxed to allow terminations with purchase quotes where the **Effective From Date** lies in a closed fiscal year.

By default, this profile option is set to **No**. If you update the value to **Yes**, the following Oracle Lease and Finance Management asset related processes are allowed, even if the event effective date is in a closed fiscal year. the fixed asset retirement transaction and any other fixed asset transactions are posted on the first day of the open fiscal year.

- Termination with Purchase
- Contract Expirations with automatic Purchase Options
- Scrap Asset
- Asset Remarketing Sales

## Define Remarketing Functionality

When setting up your remarketer functionality in Oracle Lease and Finance Management, you must do the following:

- Create Remarketer Assignments
- Define Repair Costs

## Create Remarketer Assignments

Required

When the asset comes off-lease, it is recorded in the Asset Return Process. Within this process, the system assigns a Remarketer to the asset. This person is eventually responsible for the disposal of the asset. When setting up Oracle Lease and Finance Management, ensure that the remarketer is set up in Oracle Human Resources and has been associated with a remarketing team in Oracle Foundation, as you won't see the remarketer's name in the list of values until that time.

## Prerequisites

Define item catalogs in Oracle Inventory. For more information, see *Oracle Inventory User's Guide*.

Define your remarketer information in Oracle Foundation. For more information, see *Oracle Foundation User Guide*.

## Steps

Perform the following steps:

1. Click Create in the Remarketer Assignments page. The Create Remarketer Assignments page opens.
2. Select the operating unit.

**Note:** The list of values includes operating units assigned to the MO: Security profile.

**Additional Information:** The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.

The selected operating unit restricts the valid list of values in applicable fields.

3. Select a remarketer from the list of values.
4. Select an Item Category to associate with the remarketer from the list of values.
5. Enter the Effective From and, optionally, the Effective To dates.  
This is the period of time during which the remarketer is responsible for this item category.
6. Click Apply.

## Define Repair Costs

Required

To choose the repairs and associated estimated costs for your assets, you must:

- Enter the repairs and costs into Oracle Lease and Finance Management.
- Perform the setup for repairs and costs separately for each operating unit.

After the information is in the table, you can use it during the asset disposition process. You can update this table.

**Note:** Repair costs are defined in the ledger currency of the ledger.

## Prerequisites

None

## Steps

Perform the following steps:

1. Click Create in the Repair Costs page. The Create Repair Costs page opens.
2. Select the operating unit.

**Note:** The list of values includes operating units assigned to the MO: Security profile.

**Additional Information:** The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.

The selected operating unit restricts the valid list of values in applicable fields.

3. Enter the Repair Type. For example, Windshield Replacement.
4. Enter the Description. For example, "Replace broken windshield."
5. Enter the cost associated with the repair. For example, \$325.00.
6. Select the Repair Type and click Remove to remove the repair type.
7. Click Apply.

## Define Lease Income Accrual Rules

By default, every active contract accrues income and expenses throughout its life. As part of the Oracle Lease and Finance Management setup process, you must define the rules around which the accrual of income and expenses against a contract is placed on hold.

The rule parameters are:

- **Limit days:** The number of days an invoice is overdue.
- **Bills unpaid:** Number of bills that are unpaid.

You can use one or both when setting up your parameters.

## Prerequisites

None

## Steps

Perform the following steps:

1. Click Create New Version in the Accrual Rules page.
2. Enter your accrual rule by choosing the following from the lists:
  - **Logical Operator** (and, or)  
If you use "and," accrual stops when both conditions are met.  
If you use "or," accrual stops when either of the conditions are met.
  - **Left Parenthesis**  
Use the parenthesis to set up the rule as a formula.
  - **Operand**  
Limit Days: Accrual stops after a specified number of days elapses past the payment due date. For example, you can set up the rule to stop accrual for an outstanding bill of 90 days.  
Bills Unpaid: Accrual stops after a specified number of bills are left unpaid. For example, you can set up the rule to stop accrual after five bills are unpaid.
  - **Operator**  
Use the operators to define the formula (>, <, =, >=, or <=).
  - **Literal**  
Specify the limit of days or the number of bills outstanding that the system should accept before stopping accrual, for example, 90 days or five billing periods.
  - **Right Parenthesis**  
Use the parenthesis to set up the rule as a formula.
  - **Effective From** date  
Specify a date from which the accrual rule is effective.
3. Click Apply.



## Define Loss Provision Rules

Loss provisions let you apply estimated or tentative losses against contracts.

Loss provisions make use of aging buckets, which you should have set up in Oracle Receivables. You must set loss provision rates, which associate aging buckets with loss provision amounts.

For information on creating loss provisions and applying loss provisions to products, see the *Oracle Lease and Finance Management User's Guide*.

## Set up Loss Provision Rates

Required

Loss provision rates are the percentages that you associate with aging buckets to calculate loss provision amounts.

### Prerequisites

Set up Loss Provision aging buckets. See Define Aging Buckets, page 4-30.

### Steps

Perform the following steps:

1. Use the Loss Rates page to search for and select the aging bucket with which to associate a set of loss provision rates.
2. Click Update.
3. On each bucket line, enter a value in the Loss Rate column.

**Note:** Enter the percentage as a whole number: Enter 5 for five percent. You can enter any number decimal places.

4. Click Apply.

## Define Off-Lease Asset Amortization Rules

When an asset comes off-lease and is retained, the remaining book value continues to be written off in the corporate books as per business rules. In some instances, a holding period could be associated with certain categories of assets. These holding periods are the periods used to determine when to stop and then restart the depreciation process of an asset. Depreciation can be deferred based on business rules. If the holding period is not defined for an asset, depreciation continues as it had prior to coming off lease.

## Define Off-Lease Asset Hold Periods

Required

In Oracle Lease and Finance Management, you must define the hold period days for your off-lease assets.

### Prerequisites

Define asset key flexfield.

Define asset category flexfield.

Define asset categories.

For more information, refer to the *Oracle Assets User Guide*.

### Steps

Perform the following steps:

1. On the Off-Lease Amortization Hold Periods page for the initial setup, click the Load Asset Combinations button to view all of the asset category/asset book combinations as entered into Oracle Assets. This populates the Oracle Lease and Finance Management page with all of the categories currently set up in Oracle Assets with a book classification of **corporate**.
2. Check the Remove box to delete any unwanted asset combinations. They are removed from Oracle Lease and Finance Management only, not from Oracle Assets.
3. In the Load Asset Combination page, select the applicable corporate book for the asset category/asset book combination.
4. Click Apply.

### Guidelines

If you have to make additional entries into your off-lease asset hold periods after you have entered all the hold and depreciate methods information, click the Create button. This lets you add individual records to the table without affecting the entries you have already defined. See the following section for details.

Do not click Load Asset Combinations again, unless you want to import all the combinations again from Fixed Assets, which overwrites the information you have already input.

Note that you must update the asset category description for the asset category that appears on the Off-Lease Asset Hold Periods page. For more information, see Define Off-Lease Asset Hold Periods, page 6-94.

## Create Asset Category/Asset Book Combinations

You can create your own asset combinations within Oracle Lease and Finance Management.

### Steps

Perform the following steps:

1. Click Create in the Off Lease Amortization Hold Periods page. The Create Off Lease Amortization Hold Periods page opens.

2. Select the operating unit.

**Note:** The list of values includes operating units assigned to the MO: Security profile.

**Additional Information:** The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.

The selected operating unit restricts the valid list of values in applicable fields.

3. Select an Asset Category from the list of values.
4. Select the Asset Book from the list of values.
5. To override the Depreciation Method for the hold period, choose an alternative method from the list of values.
6. Enter the number of Hold Period Days.
7. Click Apply to add the Combination to Oracle Lease and Finance Management.

The combination is now set up in Oracle Lease and Finance Management, allowing you to define a hold period or depreciation method within Oracle Lease and Finance Management.

## Set Up Subsidies

Before subsidies can be used in contract authoring or lease quoting, they must be created and defined. The following procedures show how to set up a subsidy.

- Create Subsidy

- Define Subsidy Criteria

For more information on subsidies, see *Subsidies, Oracle Lease and Finance Management User's Guide*.

## Create Subsidy

### Steps

Perform the following steps:

1. In the Subsidies page, click Create.
2. Enter subsidy data in the Create Subsidy page.
3. When the terms of the subsidy are defined, click Apply.

The following table describes selected fields on the Subsidies pages.

#### Create Subsidy Field References

| Field                | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating Unit       | <p>Operating Unit assigned to the record.</p> <p><b>Note:</b> The list of values includes operating units assigned to the MO: Security profile.</p> <p><b>Additional Information:</b> The application displays the selected operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.</p> <p>The selected operating unit restricts the valid list of values in applicable fields.</p> |
| Exclusive            | Determines whether subsidy can be used with other subsidies.                                                                                                                                                                                                                                                                                                                                                                                                                |
| Available on Release | Determines whether subsidy is available when equipment comes off lease and is subsequently re-leased.                                                                                                                                                                                                                                                                                                                                                                       |

| Field                   | Description                                                                                                                                      |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Basis                   | Determines the basis on which the subsidy will be calculated. After selecting the basis, enter the required parameters to calculate the subsidy. |
| Stream Type             | Determines accounting for payment streams.                                                                                                       |
| Accounting Method       | Select Amortize to amortize a subsidy over the life of a lease. Select Net to recognize subsidies in one period.                                 |
| Net on Funding          | Select Bill to generate a Receivables invoice. Select Fund to deduct subsidy from the funding disbursement.                                      |
| Visible to Customers    | Determines whether subsidy will be visible to customers or not.                                                                                  |
| Recourse                | Determines whether subsidy is subject to recourse and must be refunded to the vendor if the lease is terminated early.                           |
| Refund Basis            | If a subsidy is subject to recourse, select the refund basis and define the formula to calculate the refund amount.                              |
| Maximum Financed Amount | Limits the basis amount that is applied to a subsidy.                                                                                            |
| Maximum Subsidy Amount  | Limits the amount of subsidy to be applied to the contract.                                                                                      |

## Define Subsidy Criteria

### Prerequisites

Must have created a subsidy.

Must have set up Oracle Inventory, Receivables, Financial Products, TCA, and Standard Industry Code (SIC) to generate a list of values in the Criteria Categories pages.

## Steps

Perform the following steps:

1. In the Subsidies page, search the subsidy for which you want to create criteria.
2. Click the Criteria icon for the applicable subsidy in the search results. The Subsidy Criteria page for the subsidy opens.
3. Click Create. The Create Subsidy Criterion page opens.
4. Provide the details and click Apply.

The following table describes selected fields in the Create Subsidy Criterion page.

### ***Field References for Subsidy Criteria***

| Field                 | Description                                                                                                                                                                                 |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Industry Organization | Oracle Inventory Organization name.                                                                                                                                                         |
| Item                  | Oracle Inventory master item.                                                                                                                                                               |
| Customer Credit Class | The credit class of customer found in TCA.<br>LOV: query is from okl_cus_credit_classes_uv<br>(AR_LOOKUPS CCC WHERE ccc.<br>lookup_type =<br>AR_CMGT_TRADE_RATINGS) (Oracle<br>Receivables) |
| Sales Territory       | Territory of sales. LOV: query from<br>okl_ra_territories_uv (RA_TERRITORIES)<br>(Oracle Receivables)                                                                                       |
| Product               | Financial product name.                                                                                                                                                                     |
| Industry Code Type    | The Standard Industry Code (SIC) type. LOV:<br>query is from okl_industry_code_types_uv<br>(AR_LOOKUPS and idty.lookup_type=3.<br>SIC_CODE_TYPE (Oracle Receivables)                        |
| Industry Code         | The Standard Industry Code (SIC) reference.<br>LOV: query is from okl_industry_codes_uv<br>(AR_LOOKUPS) (Oracle Receivables)                                                                |

# Set Up Sales Tax

## Set Up Sales Tax in Oracle Lease and Finance Management

To set up sales tax in Lease and Finance Management, you must complete the following tasks:

- Enable Tax Calls
- Set Up Transaction Business Categories
- Set Up Business Tax Override

For information on sales tax, see Sales Tax., *Oracle Lease Management User's Guide*

### Enable Tax Calls

To enable tax calls, navigate to **Setup > System Options > Transaction Tax Options**

You can enable the generation of upfront tax calls and tax schedule calls for an operating unit by checking the respective checkboxes. If the upfront tax is enabled, you must select a billable stream type, for billing upfront tax on upgraded contracts, that does not have a billable stream type defined in the tax terms and conditions. Once you have selected the Tax Upfront checkbox it cannot be updated.

### Set Up Tax Transaction Business Categories

To associate Tax Transaction Business Categories with the lease contract details, navigate to **Setup > Transaction Tax > Tax Transaction Business Categories**.

First, you need to define details in the Tax Transaction Business Category Association page, click Create to associate a Transaction Business Category code to your specific lease details. Click Apply when done.

The list of values for the Tax Transaction Business Category field on the Tax Transaction Business Category Association Search page displays all codes that have previously been associated to your specific lease details. The list of values for the Tax Transaction Business Category field on the Create Tax Transaction Business Category Association page displays all active codes that have not previously been associated to your specific lease details.

Lease details for Transaction Business Category codes can be updated. Transaction Business Category codes are available across operating units.

The following table shows valid values for Transaction Business Category fields:

**Transaction Business Category Fields**

| <b>Lease Fields</b>   | <b>Valid Values</b>                                                             | <b>TBC Defaulting Logic</b>                                                                                                               |
|-----------------------|---------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Transaction Type      | All sales tax enabled transaction types<br><br>Null                             | Search for TBC with transaction-specific transaction type value. If not found, use TBC with transaction type of Null                      |
| Stream Type           | All stream types<br><br>Null                                                    | Search for TBC with transaction-specific stream type value. If not found, use TBC with stream type of Null                                |
| Purchase Option       | \$1 Buyout<br><br>Fair Market Value<br><br>Fixed Amount<br><br>None<br><br>Null | Search for TBC with transaction-specific purchase option value. If not found, use TBC with purchase option of Null.                       |
| Usage of Equipment    | All user-defined values<br><br>Null                                             | Search for TBC with transaction-specific usage of equipment value. If not found, use TBC with usage of equipment value of Null.           |
| Vendor Location       | All user-defined values<br><br>Null                                             | Search for TBC with transaction-specific Vendor Location value. If not found, use TBC with Vendor Location of Null.                       |
| Age of Equipment From | Any positive number<br><br>Null                                                 | Search for TBC where the age of an asset on the transaction falls between the Age of Equipment From and the Age of Equipment To, or Null. |



| Lease Fields        | Valid Values                         | TBC Defaulting Logic                                                                                                                      |
|---------------------|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Age of Equipment To | Any positive number<br>Null          | Search for TBC where the age of an asset on the transaction falls between the Age of Equipment From and the Age of Equipment To, or Null. |
| Financial Product   | All products defined by user<br>Null | Search for TBC with transaction-specific Financial Product value. If not found, use TBC with Financial Product = Null                     |
| Interest Disclosed  | Yes<br>No                            | Search for TBC with transaction-specific Interest Disclosed value. If not found, use TBC with Interest Disclosed of No.                   |
| Transfer of Title   | Yes<br>No                            | Search for TBC with transaction-specific Transfer of Title value. If not found, use TBC with Transfer of Title of No.                     |
| Sale/Lease Back     | Yes<br>No                            | Search for TBC with transaction-specific Sale/Lease Back value. If not found, use TBC with Sale/Lease back of No.                         |
| Purchase of Lease   | Yes<br>No                            | Search for TBC with transaction-specific Purchase of Lease value. If not found, use TBC with Purchase of Lease of No.                     |

### Set Up Tax Product Categories

To set up tax product categories, navigate to **Setup > Transaction Tax > Tax Product Categories**. In the Tax Product Category Association page, click Create to associate product categories to your specific lease details. Click Apply when done.

## Set Up Tax User-Defined Fiscal Classifications

To set up tax user-defined fiscal classifications, navigate to **Setup > Transaction Tax > Tax User Defined Fiscal Classifications**. In the Tax User Defined Fiscal Classification Association page, click Create to define fiscal classifications for your specific lease business scenario. Click Apply when done.

## Set Up Business Tax Override

To set up a business tax override, navigate to **Setup > Transaction Tax > Tax Basis Override**. Enter the Operating Unit and Transaction Type combination and click Go.

In the Tax Basis Override page, associate a formula with each transaction type. If a formula is defined for the transaction type of a transaction, Lease and Finance Management evaluates the formula and replaces the default taxable basis amount with the amount returned by the formula. In this case, the tax is calculated by applying the tax rate to the amount determined by the formula.

All parameters available for tax call are available to the formula for determining the tax basis amount. Tax basis override is applicable to upfront tax and invoice tax calculation only.

## Set Up Property Tax

Property tax set up in Lease and Finance Management consists of the following tasks:

1. Set Up Property Tax Options
2. Set Up Property Tax Stream Types and Accounting Templates
3. Set Up Tax Authorities in Oracle Payables
4. Set Up Property Tax Import

For more information on property tax, see Property Tax, *Oracle Lease Management User's Guide*.

## Set Up Property Tax Options

You can set up property tax details at the operating unit level, and override these details when authoring a contract. Property tax details are entered in the Property Tax Options page, under the Setup tab and System Options subtab. All property tax details set up default onto your contracts. The following table explains property tax options:

| Field                               | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Property Tax Applicable             | When set to Yes, determines the property tax functionality is applicable for an asset.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Bill Property Tax                   | <p>Property tax can be billed to lessee by selecting Estimated, Actual, or Estimated and Actual.</p> <ol style="list-style-type: none"> <li><b>1. Estimated</b> - lessee billed for estimated property tax only</li> <li><b>2. Actual</b> - lessee billed for actual property tax only. Actual property tax is imported from external applications only.</li> <li><b>3. Estimated and Actual</b> - lessee is billed for the estimated property tax and the adjustment resulting from the property tax reconciliation. If you bill estimated property tax, you can bill the difference between actual and estimated tax as an adjustment. If the actual property tax is greater than estimated tax billed, you can create an invoice for the difference. If the actual property tax is less than estimated tax billed, you can create a credit memo.</li> <li><b>4. None</b> - lessee is not billed any property tax. This is the default value.</li> </ol> |
| Define Property Tax on Sales Quote  | Set to Yes, applies property tax details and payment options on sales quotes. The default value is Yes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Create Property Tax Payable Invoice | Set to Yes, enables the creation of payable invoices to the tax authorities after tax details have been imported into Lease and Finance Management. The default value is No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

## Set Up Property Tax Stream Types and Accounting Templates

You can define stream types with the purposes of Estimated Property Tax and Actual Property tax. Stream types will not be considered in the yield calculation. For information on setting up stream types, see

Set up accounting templates to account for both the billing and payment of tax. For information on setting up accounting templates, see *Define Lease Accounting Templates*, page 6-26

## Set Up Tax Authorities in Oracle Payables

If you want to pay tax authorities for the actual property tax amount, set them up as tax vendors in Oracle Payables. To set up tax vendors, see the *Oracle Payables User Guide*.

## Set Up Property Tax Import

To import third party application property tax files, you must complete the following tasks:

1. In the Property Tax Options page, Property Tax Applicable must be set to Yes.
2. The tax authority must be defined as a tax vendor in Oracle Payables.

## Define Insurance

### About Oracle Lease and Finance Management Insurance Products

The main goal of insurance functionality within Oracle Lease and Finance Management is to ensure that assets within contract agreements have adequate insurance coverage. This can be provided in one of the following ways:

- The lessor sells an insurance product to the lessee.  
The insurance product is provided indirectly via an intermediary insurance provider.
- The lessee can provide proof of third party insurance coverage to the lessor.

Lessors can also sell optional insurance products that reduce lessee business risk, such as life, property and casualty insurance.

These implementation tasks affect the setup of Oracle Lease and Finance Management insurance products. Also see *Define Insurance Providers*, page 4-37.

- Set up Insurance Item Type Profile Option
- Define Insurance Factor Lookups
- Define Insurance Factor Lookups
- Define Insurer Ranking
- Define Insurance Products

- Define Insurance Asset Classes
- Define Insurance Rates
- Define Insurance Exclusions
- Define Parameters for Automatic Placement Business Rules

## Set up Insurance Item Type Profile Option

Required

To work with insurance products in Oracle Lease and Finance Management, you must set up the profile option **OKL: Insurance Item Type** in System Administration to point to your insurance item type.

You can set up the profile option **OKL: Insurance Item Type** at the Site or Responsibility level.

For more information, see *Setting Profile Options, Oracle E-Business Maintenance Guide*.

### Prerequisites

Define the insurance item type in Oracle Inventory.

## Define Insurance Class Lookups

Required

To define your insurance asset classes, you must first define an Insurance Class Lookup of OKL\_INSURANCE\_ASSET\_CLASS.

One or more asset categories are assigned to insurance classes. These groupings of asset categories to insurance classes create logical classes for determining insurance premium rates for products. For more information, see *Define Insurance Asset Classes*.

To create or modify any lookup types and lookup names which relate to Oracle Lease and Finance Management, you must have the Application Developer responsibility within Oracle E-Business Suite. Use the Application Object Library Lookups window (Application > Lookups > Application Object Library).

For more information, see the *Oracle E-Business Suite User's Guide*.

### Prerequisites

None

## Define Insurance Factor Lookups

Required

To define your insurance products, you must first define an Insurance Factor Lookup of OKL\_INSURANCE\_FACTOR.

For lease insurance products, set up the insurance factor lookup Equipment Cost.

An optional insurance product could be a life insurance policy, with an insurance factor of age. For this situation, you must set up an insurance factor lookup of Age.

To create or modify any lookup types and lookup names which relate to Oracle Lease and Finance Management, you must have the Application Developer responsibility within Oracle E-Business Suite. Use the Application Object Library Lookups window (Application > Lookups > Application Object Library).

For more information, see the *Oracle E-Business Suite User's Guide*.

## Prerequisites

None

## Define Insurer Ranking

Required

If a lessee does not provide third party insurance information within a certain time frame after contract activation, the lessor can add insurance to the contract.

To decide which insurance provider is selected, if more than one provider offers coverage for the same range of asset costs, you must rank your insurance providers. This ranking is then used in the determination of the insurance placement.

## Prerequisites

Define the insurance provider as an insurance supplier in Oracle Payables.

## Steps

Perform the following steps:

1. Click Create in the Insurer Rankings page. The Create Insurer Rankings page opens.
2. Select the Country.
3. Select the insurance Provider.
4. Select the Ranking number.
5. Enter the Effective From date, and optionally the Effective To date, if known.
6. Click Apply.

## Define Insurance Products

### Required

All insurance products provided by the lessor must be defined in Oracle Lease and Finance Management.

Each insurance product must reference an item code in Oracle Inventory.

You must choose whether the product is an lease insurance product or an optional insurance product.

For optional insurance products, you must select the insurance factor, such as age, upon which the insurance product coverage is based. For lease insurance products, the insurance factor is always the original equipment cost.

The insurance factor must have a minimum and a maximum value associated with it, such as minimum and maximum age allowed by the product, or lowest and highest asset cost.

You must also specify

- The minimum and maximum coverage.
- The minimum and maximum period for the deal.
- The start and end dates for the product.

## Prerequisites

Define Items, page 4-19

Define Insurance Providers, page 4-37

Set up Insurance Item Type Profile Option

## Steps

Perform the following steps:

1. Click Create in the Insurance Products page. The Create Insurance product page opens.
2. Select the operating unit.

**Note:** The list of values includes operating units assigned to the MO: Security profile.

**Additional Information:** The application displays the selected

operating unit as the default in the subsequent pages irrespective of the value that you set for the MO: Default Operating Unit profile option.

The selected operating unit restricts the valid list of values in applicable fields.

3. Enter the name of a product that references an item code in Oracle Inventory.
4. Select a Provider, as registered in Oracle Payables.
5. Enter the Policy Symbol. This serves as the prefix for all policy numbers derived from this product.
6. Select the Insurance Type (Lease Product or Optional Product).
7. Select the Factor Name if the insurance type is Optional Product.  
If the insurance type is Lease Product, select Equipment Cost for the Factor Name.
8. Enter the minimum and maximum values to be allowed for the insurance factor for all rate ranges.
9. Enter the minimum and maximum values for the Coverage of Optional Products.
10. Enter the minimum and maximum values for the Deal Length in months.
11. Enter the Effective From date, and optionally the Effective To date, if known.
12. Click Apply.

## Define Insurance Asset Classes

Required

Each asset category to be covered by lease insurance must match an insurance class set up in Oracle Lease and Finance Management. An insurance class can be used for multiple asset categories. The mapping of an asset category to an insurance class creates an insurance asset class, which is a required parameter for the creation of an insurance rate.

## Prerequisites

Define Insurance Factor Lookups

## Steps

Perform the following steps:



1. Click Create in the Insurance Asset Classes page. The Create Insurance Asset Classes page opens.
2. Select the Insurance Class.
3. Select the Asset Category.
4. Enter the Effective From date and optionally the Effective To date, if known.
5. Click Apply.

## Define Insurance Rates

### Required

For calculating premiums, the insurance factor which has been assigned to a product can be broken down into ranges, which must not overlap.

You associate a separate insurance rate for each factor range. For example, for a life insurance product with a factor of applicant's age, the range of 18-35 can carry one rate and 36-65 can carry a different rate. Each rate for the specified range applies to only one country.

For each insurance rate, you must specify the rate paid to the insurer (also known as the provider), and the rate to be charged to the policy holder (the lessee).

The rate multiplied against the OEC factor for lease products or the coverage amount for optional products determines the premium.

For lease insurance products only, you must also specify the insurance asset class for the insurance rate.

## Prerequisites

Define Insurance Products

Define Insurance Asset Classes

## Steps

Perform the following steps:

1. In the Insurance Products page, search the insurance product for which you want to specify the insurance rates.
2. Click the Rates icon for the applicable insurance product in the results area. The Insurance Product Rates page opens.
3. Click Create. The Create Insurance Rate page opens.
4. Select the Country.

5. Select the Product Name.  
As you select the product name, the factor for the product is displayed.
6. For a lease insurance product, select the Insurance Asset Class.  
This is the insurance asset class to be associated with this insurance rate.
7. Enter a minimum and maximum values for the factor range for this insurance rate.
8. Enter the Insurer rate as a percentage, that is, the rate paid to the provider.
9. Enter the Lessee rate as a percentage, that is, the rate charged to the policy holder (the lessee).
10. Enter the Effective From date, and optionally the Effective To date, if known.
11. Click Apply.
12. If your insurance product has different rates for different factor ranges, repeat steps 4 through 10 for each new rate for the insurance product within each country.

## Define Insurance Restrictions

Optional

You can identify industries and asset categories within a country that are not insurable, by creating insurance exclusions (also known as insurance restrictions).

## Prerequisites

None

## Steps

Perform the following steps:

1. Click Create in the Insurance Restrictions page. The Create Insurance Restriction page opens.
2. Select the Country.
3. Select the Asset Category, as registered in Oracle Assets.
4. Enter the Industry Type.

Industry Type means the appropriate SIC (Standard Industry Code).

The industries that you want to exclude must match the type value entered on the customer record. This entry differs depending on the country. In the USA, Industry

Type means the appropriate SIC (Standard Industry Code).

5. Optionally enter some Comments.
6. Enter the Effective From date and the Effective To date, if known.
7. Click Apply.

## Define Insurance Tasks

Use the Task Setup for Automatic Insurance page to auto-create a CRM Task upon failure of automatic insurance program.

### Steps

Perform the following:

1. Click Update in the Task Setup for Automatic Insurance page. The Update Task Setup for Automatic Insurance opens.
2. Select applicable values to auto-create a CRM Task.
3. Click Apply.

## Define Parameters for Automatic Placement of Insurance Business Rules

Required

If a lessee does not provide third party insurance information within a certain time frame after contract activation, the lessor can add insurance to the contract.

The auto-placement of insurance program is subject to various conditions, several of which are set up as seeded system profile values, which you can alter to suit your particular business requirements.

The system profile conditions which you can change each contain a parameter, or are subject to a flag which enables or disables a feature.

The following table shows the full list of automatic insurance placement conditions and the seeded parameter values released with Oracle Lease and Finance Management.

### ***Insurance Placement Conditions and Seeded Values***

| Condition                                            | Seeded Parameter Value |
|------------------------------------------------------|------------------------|
| Notify customer X days prior to insurance expiration | X = 60                 |

| Condition                                                                                        | Seeded Parameter Value |
|--------------------------------------------------------------------------------------------------|------------------------|
| Inform customer of expiration?                                                                   | Yes                    |
| If proof of insurance not provided X days after contract activation, trigger automatic placement | X = 30                 |
| If deal size is greater than X, do not quote insurance                                           | X = US \$1,000,000     |
| If term is less than X months, do not quote insurance                                            | X = 6                  |
| If term is greater than X months, do not quote insurance                                         | X = 120                |
| Activate insurance policy after X days                                                           | X = 90                 |
| Activate insurance after X% of premium is paid                                                   | X = 50%                |
| Premium paid at X% of total                                                                      | X = 80%                |
| Cancellation upon receipt of third party details?                                                | Yes                    |
| Maximum number of months to refund                                                               | X = 6                  |
| Number of months after first premium paid to receive a refund                                    | X = 6                  |

For more information about system profiles, and how to change them, see the *Oracle E-Business Maintenance Guide*.

## Prerequisites

None

## Set Up Pricing Engine Integration for Stream Generation

This section outlines the process for setting up the integration of the pricing engine through the XML Gateway between Oracle Lease and Finance Management and a third-party lease price modeling software program. This setup enables pricing, stream

generation, and yield calculation with your third-party lease price modeling software.

Synchronize the pricing setups for the external pricing engine software with your current Oracle Lease and Finance Management operations. For example, do not allow the external pricing software setup to return streams for state tax depreciation if you are not updating state tax depreciation on lease contracts.

To enable this functionality, you must set up the XML Gateway in such a way that the configuration includes both inbound and outbound operations. Stream generation is a two-way process, whereby lease and/or loan contract details are sent out of Oracle Lease and Finance Management into a pricing engine, which then returns relevant information, including stream schedules and yield calculations.

**Note:** Prior to setting up the XML Gateway, you must have the Oracle XML Gateway software, the Oracle Transport Agent (OTA) and Oracle Advanced Queues properly installed.

You must perform these tasks to properly set up the XML Gateway:

- Define the Pricing Engine as a Customer in Oracle Receivables
- Define Profile Options
- Define Trading Partner and Transaction Types
- Schedule Pricing Time Out Concurrent Program

For security reasons it is recommended that implementations use SSL/HTTPS for the communication between Oracle Lease and Finance Management and the Third Party lease pricing software program. To implement this, the Trading Partner setup needs to be configured with the protocol type as HTTPS. Additionally, Oracle Wallet needs to be configured. For additional information, see the *Oracle XML Gateway User's Guide*.

## Define the Pricing Engine as a Customer in Oracle Receivables

Required

You must define the third-party lease price modeling software that you are using for stream generation as a standard customer in Oracle Receivables. At a minimum, you must enter the name and address of the fields.

**Important:** The Name you use when setting up the third-party lease price modeling software as a customer in Oracle Receivables is the exact name that you enter when you configure the OKL: Stream Generation Pricing Engine Name profile option.

Use the Customers page in Oracle Receivables to define customers. (Responsibility: Receivables Manager; Customers > Standard)

For more details on defining customers, see the *Oracle Receivables User Guide*.

## Prerequisites

None

## Define Profile Options

You must define some specific profile options at the site level with specific values to enable the XML Gateway and Oracle Lease and Finance Management stream generation. The following table describes stream generation profile options.

### *Profile Options and Associated Values for Stream Generation*

| Profile Option                             | Required Value                                                                                                                    |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| ECX: Log File Path                         | The value of the environment variable APPLPTMP<br><br>(Example: For UNIX, find the value using this command: \$echo\$APPLPTMP)    |
| OKL: Stream Generation Log Directory       | The value of the environment variable APPLPTMP                                                                                    |
| OKL: Stream Generation Pricing Engine Name | <third-party lease price modeling software name><br><br>This must be the same as the customer name defined in Oracle Receivables. |
| OKL: Stream Generation Pricing Engine URL  | <URL of the pricing engine where it accepts inbound XML messages.><br><br><b>Note:</b> This URL must contain the port number.     |
| OKL: Stream Generation Time Out            | The time in minutes after which a pending request for Streams Generation is marked as TIMED_OUT.                                  |

For more information, see Setting Profile Options, *Oracle E-Business Maintenance Guide*.

## Prerequisites

Define the third-party lease price modeling software as a customer in Oracle

Receivables.

## Define Trading Partner and Transaction Types

### Required

To enable inbound and outbound messages through the XML Gateway, you must define the third-party lease price modeling software as a Trading Partner in the XML Gateway, and then configure all the possible transactions that occur between the trading partner and Oracle Lease and Finance Management.

The four seeded transaction types are: Outbound/In Bound Lease and Outbound/In Bound Loan.

These topics cover how to create a trading partner and set up inbound and outbound transaction types:

Create a Trading Partner

Set up Outbound Transaction Types

Set up Inbound Transaction Types

## Create a Trading Partner

The following steps describe how to create a trading partner. Following these procedures are steps on setting up outbound and inbound transaction types.

### Prerequisites

Define the third-party lease price modeling software as a customer in Oracle Receivables.

### Steps

Perform the following steps using the Trading Partner Setup window:

1. In the Trading Partner Type field, select Customer from the list of values.
2. In the Trading Partner Name field, select the name from the list of values.  
This must be the name that you set up in Oracle Receivables for your third-party lease price modeling software.
3. Choose the Trading Partner Site from the list of values.
4. In the Company Admin Email field, enter the e-mail address for the company contact in case of error notification.
5. Save your work.

When SSL is enabled in Oracle E-Business Suite, the following set up steps are required to enable external stream generation:

1. Complete the set up for the XML Gateway Trading Partner.
2. **Responsibility:** XML Gateway
3. **Form:** Define Trading Partners
4. For the Trading Partner: SuperTrump, update the Protocol Type from **HTTP** to **HTTPS**, and update the Protocol Address from **http://** to **https://**.
5. Download and install the public server certificate in your browser.
6. Bounce the middle tier.

## Set Up Outbound Transaction Types

In the Trading Partner Details section, you must enter the details of the transactions to enable. The following steps outline the process of setting up a Lease Booking Outbound Transaction, one of the two outbound transactions used in Oracle Lease and Finance Management.

### Prerequisites

Define the third-party lease price modeling software as a customer in Oracle Receivables.

You have created a trading partner and have placed the trading partner in context. For more information, see [Create a Trading Partner](#).

### Steps

Perform the following steps using the Trading Partner Setup window:

1. In the Transaction Type field, choose the transaction type OKL\_ST, with a Transaction Sub type of LSBO and a direction of OUT.  
  
These transaction types are seeded. Selecting the one with the above values populates some other related fields.
2. In the Map field, choose OKL\_STLEASEBOOKING\_W3C10\_OUT.
3. In the Connection/Hub field, choose DIRECT.
4. In the Protocol Type field, choose HTTP.
5. In the User name field, enter your database user name.
6. In the Password field, enter your database password.

**Note:** The password needs to be a minimum of five characters. If



your password is less than five characters, then append it with colons (:) to make it five characters. If the setup for does not accept colons then you can use a lowercase **z** in its place. This is the database user name and password combination for the applications schema that has execute privileges on the **plssql** procedures.

7. In the protocol address field enter:

<Your application's URL>oklPSTProxySrvr.jsp.

Example:

http://xyz.us.oracle.com:5800/OA\_HTML/oklPSTProxySrvr.jsp.

Specify the port number for the apache application server in the protocol address.

**Note:** Even if the apache application is running on port 80, specify the port number explicitly as 80.

8. In the Source Trading Partner Location code field, enter the name of your third-party lease price modeling software vendor.

9. Repeat steps 1-8 for the Loan Booking Outbound transaction type, using these values:

- **Transaction Type:** OKL\_ST
- **Transaction Sub Type:** LNBO
- **Direction:** OUT
- **Map:** OKL\_STLOANBOOKING\_W3C10\_OUT
- **Connection/Hug:** DIRECT
- **Protocol Type:** HTTP
- **Username:** <your database user name>
- **Password:** <your database password>
- **Protocol Address:** <Your application's apache URL>oklPSTProxySrvr.jsp  
For example: http://xyz.us.oracle.com:5800/OA\_HTML/oklPSTProxySrvr.jsp.
- **Source Trading Partner Location:** <third-party lease price modeling software name>

10. For the Lease Restructure and Lease Renewals transaction types, repeat Step 9 with these changes:
  - **Transaction Sub Type:** LSRO
  - **Map:** OKL\_STLEASERESTRUCT\_W3C10\_OUT  
(All other values remain the same as those used in Step 9.)
11. For the Lease Quotes transaction type, repeat Step 9 with these changes:
  - **Transaction Sub Type:** LSQO
  - **Map:** OKL\_STLEASEQUOTE\_W3C10\_OUT  
(All other values remain the same as those used in Step 9.)
12. For the Variable Interest Rate Loans and Loan Quotes transaction types, repeat Step 9 with these changes:
  - **Transaction Sub Type:** LNQO
  - **Map:** OKL\_STLOANQUOTE\_W3C10\_OUT  
(All other values remain the same as those used in Step 9.)
13. For the Loan Restructure and Loan Renewals transaction types, repeat Step 9 with these changes:
  - **Transaction Sub Type:** LNRO
  - **Map:** OKL\_STLOANRESTRUCT\_W3C10\_OUT
14. Save the records.

## Set Up Inbound Transaction Types

The following steps outline the process of setting up a Lease Booking In Bound Transaction, one of the two in bound transactions that Oracle Lease and Finance Management uses.

### Prerequisites

Define the third-party lease price modeling software as a customer in Oracle Receivables.

You have created a trading partner and have placed the trading partner in context. For more information, see Create a Trading Partner.

## Steps

Perform the following steps using the Trading Partner Setup window:

1. In the Transaction Type field, choose the transaction type OKL\_ST, with a Transaction Sub type of LSBI and a direction of IN.

These transaction types are seeded. Selecting the one with the above values populates some other related fields.

2. In the Map field, choose OKL\_STLEASEBOOKING\_W3C10\_IN.
3. In the Source Trading Partner Location code field, enter the name of your third-party lease price modeling software vendor.
4. Repeat steps 1-3 for the Loan Booking In Bound transaction type, using these values:
  - **Transaction Type:** OKL\_ST
  - **Transaction Sub Type:** LNBI
  - **Direction:** IN
  - **Map:** OKL\_STLOANBOOKING\_W3C10\_IN
  - **Source Trading Partner Location:** <third-party lease price modeling software name>
5. Repeat step 4 for Lease Restructure and Lease Renewals In Bound transaction types, with these value changes:
  - **Transaction Sub Type:** LSRI
  - **Map:** OKL\_STLOANRESTRUCT\_W3C10\_IN(All other values remain the same as those used in Step 4.)
6. Repeat step 4 for Lease Quotes In Bound transaction type, with these value changes:
  - **Transaction Sub Type:** LSQI
  - **Map:** OKL\_STLEASERESTRUCT\_W3C10\_IN(All other values remain the same as those used in Step 4.)
7. Repeat step 4 for Loan Quotes and Variable Interest Rate Loans In Bound transaction types, with these value changes:
  - **Transaction Sub Type:** LNQI

- **Map:** OKL\_STLOANRESTRUCT\_W3C10\_IN

(All other values remain the same as those used in Step 4.)

8. Repeat step 4 for Loan Restructure and Loan Renewals Inbound transaction types, with these value changes:

- **Transaction Sub Type:** LNRI
- **Map:** OKL\_STLOANRESTRUCT\_W3C10\_IN

9. Save your work.

**Note:** The Source Trading Partner Location, the Customer name in Oracle Receivables, and the **OKL: Stream Generation Pricing Engine Name** profile option all MUST contain the exact same name.

## Schedule Pricing Time Out Concurrent Program

In the course of generating streams, requests are periodically sent back and forth through the XML Gateway. In the event that a request does not get returned in the system, you must enable a facility to clear out these requests. In Oracle Lease and Finance Management, you run the **OKL Pricing Time Out** concurrent program.

This concurrent program should be scheduled to run periodically, depending upon the needs of your system. You can reschedule this concurrent program --such as run more often, less often, and so on--as your needs change.

For more information on setting up and running concurrent programs, see the *Oracle E-Business Suite Setup Guide*.

## Prerequisites

None

## Define Workflow

Oracle Workflow automates and improves business processes. With Workflow, you can route information of any type to both people inside and outside your enterprise. The routing of information follows business rules that you can modify.

With Oracle Workflow, you can:

- Create, view, or modify a business process by dragging and dropping components.
- Use the Workflow Engine to monitor workflow states and coordinate a process's

routing of activities.

- Send e-mail to contacts to notify them of events or pending activities that can optionally require a response.
- View, monitor, and track the progress of a workflow and its history.

For example, you can use Workflow to start a contract approval process that requires multiple levels of approval by both internal and external approval parties.

There is a specific modification that you must make to an Oracle Order Management workflow to sell inventory items through Oracle iStore. This modification adds Oracle Lease and Finance Management processes to the Order Management workflow and is required for the standard remarketing process. For more information, see *Modify Order Management Workflow to Enable Standard Remarketing*.

For more information on setting up workflows, see the *Oracle Workflow Guide*.

## Seeded Business Events For Lease Contract Authoring

Lease and Finance Management includes seeded business events that can automate lease authoring business processes. Authoring events include clicking on Create, Update, or other action-type buttons and hyperlinks. Enabled events are triggered after the record is written to the database, when a confirmation message such as "Successfully created / updated / deleted" is displayed. See *Seeded Business Events For Lease Contract Authoring*, page F-1 for a list of the seeded Lease and Finance Management business events.

Use these Lease and Finance Management business events to connect to Oracle Workflow business events to create tasks, record notes, send notifications, and route contracts to colleagues.

To implement the seeded business events in Lease and Finance Management:

1. Enable seeded business events. You may also modify or subsequently disable business events.
2. Associate lease authoring business events to Oracle Workflow business events, including registering appropriate deferred (asynchronous) subscriptions. See Oracle Workflow documentation.

Additionally, use these business events to facilitate extensibility to existing APIs. A list of APIs can be viewed in the Oracle Integration Repository.

## Synchronous Subscription Workflows Require Customization

You may use the Lease and Finance Management business events to create custom workflows. Customized workflows using Lease and Finance Management business events may include synchronous subscriptions. Synchronous subscriptions, however, not usually recommended, require customized workflows.

## Modify Order Management Workflow to Enable Standard Remarketing

### Required

To sell remarketed inventory items through Oracle iStore, you must complete several setup steps, including modifying the Order Management workflow OM Order Header. Use the Oracle Workflow Builder and Database Administrator responsibility with appropriate database access to modify the existing workflows. These modifications enable Oracle Lease and Finance Management's system to:

- Create remarket invoice
- Dispose of asset
- Reduce the item quantity in Order Management
- Update the asset return status

**Note:** Make sure that you are fully trained in Oracle Workflow Builder and database manipulation before you make any modifications to workflows.

### Prerequisites

Oracle Workflow Builder must be installed.

Oracle Lease and Finance Management's Customized Order Management Order Header Workflow must exist.

### Steps

Perform the following steps:

1. Within the Workflow Builder, find and open the item type OM Order Header from within the database.

This item type is Order Management's default order header workflow

2. Find and open the item type OKL - AM : OM Order Header from within the database.

This item type is Oracle Lease and Finance Management's modified Order Management workflow.

3. From the workflow builder navigator tree, expand the Functions branch and drag and drop the following function nodes from OKL-AM:: OM Order Header item type into the OM Order Header item type:

- Create Remarket Invoice
  - Dispose Asset
  - Reduce Item Quantity
  - Update Asset Return Status
4. Expand the Processes branch and drag and drop the OKL Order Flow - Generic process diagram from the OKL - AM : OM Order Header item type into the OM Order Header item type.
  5. Validate OM Order Header item type and save it in the database.

In the error message dialogue box, search for any errors that directly relate to the modification you just made. Ignore all others.

If there are no related errors, you have successfully added Oracle Lease and Finance Management's modified Order Management process flow to the item type OM Order Header.

## Guidelines

During the Oracle Order Management implementation, you must set up Oracle Lease and Finance Management transaction types for Order Header and Order Line. You must also set up document sequencing for this transaction type.

## Set Up Credit Checklists

### Prerequisites

You must have set up and defined item codes for the potential actions to be entered on checklists. Use the Application Object Library Lookups window (Application > Lookups > Application Object Library) For more information, see the *Oracle E-Business Suite User's Guide*.

### Steps

Perform the following steps:

1. If you want to use credit checklists, click Create in the Checklists page. The Create Checklist page opens.
2. Enter the name of the checklist.
3. In the Type field, select Credit Line checklist template (or Funding Request checklist

template) from the list of values.

4. You may enter a short or longer description (or both) for the checklist.
5. Enter the Effective Date range of the checklist template.
6. Navigate to Setup > Checklist > Checklist Contents.
7. The Checklist Contents Page appears, allowing you to enter the checklist items.
8. If you want to delete one or more items from the checklist, select the Remove check box next to each item, and click Update.
9. For the items that you want to be on the checklist, in the Item Code field, click the flashlight icon and select the item code from the list of item codes.
10. The remaining fields for the item are displayed: Item, Description, and Effective From date.
11. Repeat step 9 for each separate item that you want to include on the checklist.
12. Click Apply.

## Customizing Users' Lease and Finance Management Home Pages

See the *Oracle Self-Service Web Applications Implementation* manual.

## Set Up Vendor Residual Sharing

### Overview

To set up vendor residual sharing, complete the following tasks.

- Set Up Vendors in Oracle Purchasing
- Optionally, Set Up Vendor Residual Sharing Formula
- Add Vendor Residual Sharing Stream to Stream Generation Template

### Set Up Vendors in Oracle Purchasing

To set up vendors in Oracle Purchasing, see the *Oracle Purchasing User's Guide*.



## Set Up Vendor Residual Sharing Formula

To enable different vendor residual sharing calculations under different program agreements, Lease and Finance Management enables you to create formulas to be used in calculating residual sharing. To create your own formula, see Define Formulas, page 6-17.

If you choose not to create a custom formula, you can use the seeded Lease and Finance Management formula, Vendor Residual Share, which has the following calculation:

$$\text{Vendor Residual Share} = (\text{Proceeds minus Cost Basis}) * \text{Residual Sharing \%}$$

In this formula, Proceeds are the sales proceeds in Fixed Assets: the amount received from the sale to the lessee, the amount received from remarketing to a third party, or the amount received from scrapping the asset. The Cost Basis is the residual value stated in future value terms.

## Add Vendor Residual Sharing Stream

Before vendor residual sharing can be processed, you must complete the following set up tasks in Lease and Finance Management.

- **Vendor Residual Sharing Stream Purpose** - Add the Vendor Residual Sharing Stream Purpose to the Stream Generation Template. See Define Streams and Pricing.
- **Vendor Residual Sharing Accounting Template** - Define the Accounting Template with the following values:
  - Transaction Type = Disbursement
  - Stream Type = Vendor Residual Share
  - Formula = Contract Residual Share

Define the Accounting Template lines with the appropriate account numbers. See Define Lease Accounting Templates.

## Set Up Reconciliation Report Templates

To set up the Reconciliation Report Template for balances and activity, perform the following:

1. Navigate to the Reports Summary page.
2. Click Create and enter the details as described in the following table.

| Report                                                 | Parameters                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name                                                   | Template Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Type                                                   | Template Type: Balances or Activity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Description                                            | A short description for the template.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Chart of Accounts                                      | Chart of Accounts for which you want to perform the reconciliation process.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Ledger                                                 | Select the ledger if you are defining the template. The ledger defined here is defaulted on the request parameter, which you can change while submitting the request.                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Natural Accounts</b><br>Segment From,<br>Segment To | Select the natural account range for which balance or activity needs to be reconciled. The reconciliation report sums up the closing balance or activity of all the accounts as on a given period within the natural account range.                                                                                                                                                                                                                                                                                                                                  |
| <b>Book Classifications</b>                            | Select one or more book classifications for reconciliation. The stream element balance as on a given date and transactions of all the contracts related to the selected book classification in a given period range, is used for reconciliation.                                                                                                                                                                                                                                                                                                                     |
| <b>Financial Products</b>                              | <p>Select one or more for reconciliation. The stream element balance as on a given date and transactions of all the contracts related to the selected book classification in a period range, is used for reconciliation.</p> <p><b>Note:</b> If you need to reconcile the contracts related to specific financial products then do not select the book classification, select only the financial products. Use book classification only when you want to reconcile all the contracts related to that book classification, irrespective of the financial product.</p> |
| <b>Streams</b>                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Balance Type                                           | <p><b>Unbilled:</b> To generate reconciliation report for unbilled receivables.</p> <p><b>Unaccrued:</b> To generate reconciliation report for unearned income.</p> <p><b>Blank:</b> To generate reconciliation report for residual value.</p> <p><b>Accrual:</b> If template type is Activity, then the balance type is defaulted to Accrual.</p>                                                                                                                                                                                                                   |

| Report      | Parameters                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Stream Type | <p><b>For Unbilled Receivable Reconciliation:</b></p> <p>Select a stream type, sum of which is accounted as an unbilled receivable while booking the contract in the account, selected in the natural accounts range. The billing of the selected stream should credit the unbilled receivable account.</p> <p><b>Additional Information:</b> The reconciliation report reconciles the sum of yet to be billed streams selected in this field with the balance of natural accounts selected in the segment range.</p> <p><b>For Unearned Income Reconciliation:</b></p> <p>Select an accrual stream type, sum of which is accounted as an unearned receivable while booking the contract in the account, selected in the natural accounts range. The accrual of the selected stream should credit the unearned income account.</p> <p><b>Additional Information:</b> The reconciliation report reconciles the sum of yet to be accrued streams selected in this field with the balance of natural accounts selected in the segment range.</p> <p><b>For Residual Value Reconciliation:</b></p> <p>Select a residual value stream type, which is accounted as a residual value while booking the contract in the account, selected in the natural accounts range. The selected stream should credit the residual value account.</p> <p><b>Additional Information:</b> The reconciliation report reconciles the sum of selected streams in this field with the balance of natural accounts selected in the segment range.</p> <p><b>For Accrual Reconciliation:</b></p> <p>Select an activity stream type such as rent for which accruals can be run. Make sure to select only the accrual streams with balance type set to Accrual.</p> <p><b>Additional Information:</b> Accrual reconciliation reconciles accrual streams with transactions created and posted in GL against them for a period.</p> |

| Report       | Parameters                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Transactions |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Transaction  | Select the transaction type and stream:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Type         | <ol style="list-style-type: none"> <li>1. which should be accounted in the natural account that you selected in the natural account range.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Stream Type  | <ol style="list-style-type: none"> <li>2. <ul style="list-style-type: none"> <li>• <b>For Unbilled Receivable:</b> Select the combination, which should either change the sum of yet to be billed stream (for the stream type selected in Streams) for a contract or generated based on the sum of yet to be billed stream. For example, in case of Direct finance lease, while booking the transaction, the unbilled receivable stream can be generated based on the sum of all unbilled stream with the purpose rent. At the time of billing transaction for rent, the stream elements which are yet to be billed will get reduced for a contract.</li> <li>• <b>For Unearned Income:</b> Select the combination, which should either change the sum of yet to be accrued stream (for the stream type selected in Streams) for a contract or generated based on the sum of yet to be accrued stream. For example, in case of direct finance lease, while booking the transaction, the unearned income stream can be generated based on the sum of all unaccrued streams with the purpose per tax income. At the time of accrual transaction for per tax income, the stream elements, which are yet to be accrued, will get reduced for a contract.</li> <li>• <b>For Residual Value:</b> Select the combination, which should either add, remove, or change the amount of residual value streams. For example, for the direct finance lease, while booking the transaction, the stream with the purpose residual value will be added and while termination, the residual value stream will be historized. While booking, if the residual value is changed for an asset, then re-booking can also result in a change of the residual value for a contract.</li> <li>• <b>For Accrual Value:</b> All stream types that track accrual activity like rent income, interest income, or expenses are included in the selection. You should select the transaction type as accrual when balance type is accrual.</li> </ul> </li> </ol> |

| Report          | Parameters                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Add or Subtract | <p><b>For Unbilled Receivable:</b></p> <p>Select Add for the transaction type and stream combination, which will generate the debit entry for the account in the selected account range and which will increase or generate the yet to be billed stream for a contract.</p> <p>Select Subtract for transaction type and stream combination, which will generate the credit entry for the account in the selected account range and which will decrease or remove (histories) the yet to be billed stream for a contract.</p> <p><b>For Unearned Revenue:</b></p> <p>Select Add for the transaction type and stream combination, which will generate the debit entry for the account in the selected account range and which will increase or generate the yet to be accrued stream for a contract.</p> <p>Select Subtract for the transaction type and stream combination, which will generate the credit entry for the account in the selected account range and which will decrease or remove (histories) the yet to be accrued stream for a contract.</p> <p><b>For Residual Value:</b></p> <p>Select Add for the transaction type and stream combination, which will generate the debit entry for the account in the selected account range and which will increase/generate the residual value stream for a contract.</p> <p>Select Subtract for the transaction type and stream combination, which will generate the credit entry for the account in the selected account range and which will decrease or remove (histories) the residual value stream for a contract.</p> <p><b>For Accrual Value:</b></p> <p>Select Subtract for the transaction type and stream combination. The selected stream type should credit the relevant accrual account each time accruals are run, so select the Subtract option.</p> |

## Balances Report Example

To derive the reconciliation report for Balances for Unbilled receivables, set up the reconciliation template as follows:

**Name:** Unbilled Receivables <xxx>

**Type:** Balances

**Chart of Accounts:** Lease Account Flex <xxx>

**Ledger Name:** Ledger <xxx>

**Segment From:** 1232 (Unbilled Receivables) **Segment To:** 1232 (Unbilled Receivables)

**Book Classification:** Direct Finance

**Balance Type:** Unbilled

**Stream Type:** Unbilled Receivables **Purpose:** Accounting

**Transaction Type:** Booking **Stream Type:** Unbilled Receivables **Add or Subtract:** Add

**Transaction Type:** Billing **Stream Type:** Rent **Add or Subtract:** Subtract

**Transaction Type:** Termination **Stream Type:** Unbilled Receivables **Add or Subtract:** Subtract

**Transaction Type:** Rebook **Stream Type:** Unbilled Receivables **Add or Subtract:** Subtract

Once reconciliation report is set up as mentioned above, use it as parameters to generate reconciliation reports for unbilled receivables for a period or ranges of periods.

## Activity Report Example

To derive the reconciliation report for Activity for Unbilled receivables, set up the reconciliation template as follows:

**Name:** Accruals Rent<xxx>

**Type:** Activity

**Chart of Accounts:** Lease Account Flex <xxx>

**Ledger Name:** Ledger <xxx>

**Segment From:** 4504 (Lease Rent Revenue) **Segment To:** 4504 (Lease Rent Revenue)

**Book Classification:** Operating Lease

**Balance Type:** Accrual

**Stream Type:** Rent Accrual **Purpose:** Rent Accrual

**Transaction Type:** Booking **Stream Type:** Unbilled Receivables **Add or Subtract:** Add

Once reconciliation report is set up as mentioned above, use it as parameters to generate reconciliation reports for unbilled receivables for a period or ranges of periods.

## Set Up Investor Agreement for Fixed Pools

### Overview

To set up investor agreements for fixed pools, complete the following tasks:

- Set up streams for activating investor agreements

- Set up accounting in the Investor Agreement Accounting Template Set

## Set Up Streams for Activating Investor Agreements

Oracle Lease and Finance Management generates the following streams on activation of the investor agreement:

- **Investor Disbursements:** These are the syndicated amounts with the disbursement dates assigned in the investor agreement. These are produced at the financial asset line level.
- **Investor PV Residual:** PV of Residual on the investor agreement start date based on the IA discount rate.
- **Investor Pre-Tax Income:** DF Lease Income Offset Accrual.
- **Investor Finance Income:** DF Lease Income Offset Accrual.
- **Investor Principal Balance:** Secured Borrowing Principal Balance for Operating Leases and DF Leases Guaranteed Residual. This is the present value of syndicated rent and residual based on the investor agreement discount rate.
- **Investor Interest Expense:** Secured Borrowing Interest Expense for Operating Leases and DF Leases Guaranteed Residual.
- **Investor Principal Payment:** Secured Borrowing Principal and Interest split of investor disbursements for Operating Leases and DF Leases Guaranteed Residual.
- **Investor Interest Payment:** Secured Borrowing Principal and Interest split of investor disbursements for Operating Leases and DF Leases Guaranteed Residual.

## Set Up Accounting in the Investor Agreement Accounting Template Set

Investor accounting is generated for each contract in the investor agreement based on accounting setups defined on the Investor Agreement Accounting Template Set.

The following table mentions the formulae that support contract level accounting.

| Formula | Event | Accounting Template Description | Stream Type | Stream Purpose | Transaction Type | ATS Value |
|---------|-------|---------------------------------|-------------|----------------|------------------|-----------|
|---------|-------|---------------------------------|-------------|----------------|------------------|-----------|

|                              |               |                                           |                     |              |              |    |
|------------------------------|---------------|-------------------------------------------|---------------------|--------------|--------------|----|
| IA Unbilled Receivables      | IA Activation | Investor Activation - Unbilled Receivable | Unbilled Receivable | Accounting   | Investor     | IA |
| IA Unearned Income           | IA Activation | Investor Activation - Unearned Income     | Unearned Income     | Accounting   | Investor     | IA |
| Contract Investor Gain/Loss  | IA Activation | IA Gain/Loss on Contract                  | IA Gain/Loss        | Accounting   | Investor     | IA |
| IA Unbilled Receivables      | Termination   | Investor Activation - Unbilled Receivable | Unbilled Receivable | Accounting   | Termination  | IA |
| IA PV of RV                  | Termination   | Present Value of Residual                 | Residual Value      | Accounting   | Termination  | IA |
| IA PV of RV                  | IA Activation | Present Value of Residual                 | Residual Value      | Accounting   | Investor     | IA |
| IA Unbilled Receivables      | Rebook        | Rebook - Unbilled Receivables             | Unbilled Receivable | Accounting   | Rebook       | IA |
| IA Unearned Income           | Rebook        | Rebook – Unearned Income                  | Unearned Income     | Accounting   | Rebook       | IA |
| Investor Termination Payable | Termination   | Investor Disbursement on Termination      | Investor Settlement | Disbursement | Disbursement | IA |
| IA PV of RV                  | Rebook        | Present Value of Residual                 | Residual Value      | Accounting   | Rebook       | IA |



|                                   |             |                                      |                    |            |             |    |
|-----------------------------------|-------------|--------------------------------------|--------------------|------------|-------------|----|
| Contract<br>Investor<br>Gain/Loss | Termination | IA<br>Gain/Loss<br>on<br>Termination | IA<br>Gain/Loss    | Accounting | Termination | IA |
| IA<br>Unearned<br>Income          | Termination | Unearned<br>Income-<br>Termination   | Unearned<br>Income | Accounting | Termination | IA |

Investor accounting transactions are displayed at the contract level.

## Table Attributes for Web Services

This section includes table-level information and minimum attributes required for the interfaces of Web Services.

### Tables for Contract Open Interface

The following table includes the table level information and minimum attributes required for Contract Open Interface.

#### *Minimum Attributes Required for Contract Open Interface*

| Table                | Attributes          | Validation            |
|----------------------|---------------------|-----------------------|
| OKL_HEADER_INTERFACE | STATUS              | NOT NULL VARCHAR2(30) |
| OKL_HEADER_INTERFACE | CREATED_BY          | NOT NULL NUMBER       |
| OKL_HEADER_INTERFACE | DATE_CREATED        | NOT NULL DATE         |
| OKL_HEADER_INTERFACE | APPLICATION_CODE    | NOT NULL VARCHAR2(30) |
| OKL_HEADER_INTERFACE | CONTRACT_CATEGORY   | NOT NULL VARCHAR2(30) |
| OKL_HEADER_INTERFACE | CONTRACT_NUMBER_OLD | NOT NULL VARCHAR2(30) |
| OKL_LINES_INTERFACE  | CONTRACT_NUMBER_OLD | NOT NULL VARCHAR2(30) |

|                           |                     |                       |
|---------------------------|---------------------|-----------------------|
| OKL_LINES_INTERFACE       | LINE_NUMBER         | NOT NULL NUMBER       |
| OKL_LINES_INTERFACE       | LINE_TYPE           | NOT NULL VARCHAR2(30) |
| OKL_PAYMENTS_INTERFACE    | CONTRACT_NUMBER_OLD | NOT NULL VARCHAR2(30) |
| OKL_PARTY_ROLES_INTERFACE | CONTRACT_NUMBER_OLD | NOT NULL VARCHAR2(30) |
| OKL_TERMS_INTERFACE       | CONTRACT_NUMBER_OLD | NOT NULL VARCHAR2(30) |

## Tables for Termination Quote Interface

The following table includes the table level information and minimum attributes required for Termination Quote Interface.

### *Minimum Attributes Required for Termination Quote Interface*

| Table                    | Attributes         | Validation             |
|--------------------------|--------------------|------------------------|
| OKL_TERMNT_INTERFACE_ALL | TRANSACTION_NUMBER | NOT NULL VARCHAR2(50)  |
| OKL_TERMNT_INTERFACE_ALL | CONTRACT_NUMBER    | NOT NULL VARCHAR2(120) |
| OKL_TERMNT_INTERFACE_ALL | QUOTE_TYPE_CODE    | NOT NULL VARCHAR2(30)  |
| OKL_TERMNT_INTERFACE_ALL | QUOTE_REASON_CODE  | NOT NULL VARCHAR2(30)  |
| OKL_TERMNT_INTERFACE_ALL | STATUS             | NOT NULL VARCHAR2(30)  |
| OKL_TERMNT_INTF_PTY      | QUOTE_ROLE_CODE    | NOT NULL VARCHAR2(30)  |
| OKL_TERMNT_INTF_PTY      | TRANSACTION_NUMBER | NOT NULL VARCHAR2(50)  |
| OKL_TERMNT_INTF_PTY      | STATUS             | NOT NULL VARCHAR2(30)  |

## Tables for Third Party Billing Interface

The following table includes the table level information and minimum attributes required for Third Party Billing Interface.

### *Minimum Attributes Required for Third Party Billing Interface*

| Table                        | Attributes      | Validation            |
|------------------------------|-----------------|-----------------------|
| OKL_EXT_BILLING_INTF_A<br>LL | TRX_STATUS_CODE | NOT NULL VARCHAR2(30) |
| OKL_EXT_BILLING_INTF_A<br>LL | INVOICE_DATE    | NOT NULL DATE         |
| OKL_EXT_BILLING_INTF_A<br>LL | AMOUNT          | NOT NULL NUMBER       |

## Tables for Funding Processing API

The following table includes the table level information and minimum attributes required for Funding Processing API.

### *Minimum Attributes Required for Funding Processing API*

| Table                                     | Attributes      | Validation            |
|-------------------------------------------|-----------------|-----------------------|
| CREATE FUNDING<br>REQUEST (Header Record) | ID              | NOT NULL NUMBER       |
| CREATE FUNDING<br>REQUEST (Header Record) | TRX_STATUS_CODE | NOT NULL VARCHAR2(30) |
| CREATE FUNDING<br>REQUEST (Header Record) | CURRENCY_CODE   | NOT NULL VARCHAR2(15) |
| CREATE FUNDING<br>REQUEST (Header Record) | TRY_ID          | NOT NULL NUMBER       |
| CREATE FUNDING<br>REQUEST (Header Record) | IPVS_ID         | NOT NULL NUMBER       |

|                                           |               |                 |
|-------------------------------------------|---------------|-----------------|
| CREATE FUNDING<br>REQUEST (Header Record) | DATE_ENTERED  | NOT NULL DATE   |
| CREATE FUNDING<br>REQUEST (Header Record) | DATE_INVOICED | NOT NULL DATE   |
| CREATE FUNDING<br>REQUEST (Header Record) | AMOUNT        | NOT NULL NUMBER |
| CREATE FUNDING<br>REQUEST (Line Record)   | ID            | NOT NULL NUMBER |
| CREATE FUNDING<br>REQUEST (Line Record)   | TAP_ID        | NOT NULL NUMBER |
| CREATE FUNDING<br>REQUEST (Line Record)   | LINE_NUMBER   | NOT NULL NUMBER |

## Tables for Updating Asset Return

The following table includes the table level information and minimum attributes required for Updating Asset Return.

### *Minimum Attributes Required for Updating Asset Return*

| Table               | Attributes | Validation            |
|---------------------|------------|-----------------------|
| ASSET RETURN UPDATE | ID         | NOT NULL NUMBER       |
| ASSET RETURN UPDATE | KLE_ID     | NOT NULL NUMBER       |
| ASSET RETURN UPDATE | ARS_CODE   | NOT NULL VARCHAR2(30) |
| ASSET RETURN UPDATE | ART1_CODE  | NOT NULL VARCHAR2(30) |

## Set Up Extensible Attributes

You must set up extensible attributes in order to use additional contract terms in Oracle Lease and Finance Management.

### **Prerequisites**

None

### **Responsibility**

Lease Super User

### **Steps**

1. Define authoring template: You must select the OKL\_AUTH\_TEMPLATE\_PUB set up option to enable the configuration of extensible attributes.
2. Associate line style to data group: You must associate line style to the seeded data group and contract class using the OKL\_AUTH\_TEMPLATE\_PUB set up option.
3. Define data set/rule set.
  1. Define data set / rule set context under OKL Rule Developer DF with Prefix "XX".
  2. Add attributes for this data set with rule information 1- 12.
  3. Associate the data group to data set 12 in the new seeded data group added in the look up type OKC\_RULE\_GROUP\_DEF.
4. Enable the Flag in Operation option.

**Note:** For implementing any custom validations around additional terms attributes, API OKL\_VALID\_ADDL\_ATTRBS\_PUB can be used.



---

# Oracle iSetup for Lease and Finance Management

## Oracle iSetup for Lease and Finance Management

Oracle iSetup lets you duplicate or migrate setup components from one Oracle E-Business Suite instance to another. This helps you speed up your implementation task. In Lease and Finance Management, you can migrate the following setup components from one operating unit or instance to another.

- Stream Types
- Stream Generation Templates
- Accounting Template Sets with Template Lines
- Products with Product Template, Values, and Accrual Streams

### Process Overview

To migrate from one instance to another, follow these steps:

- Create a selection set for the setup components using extract filters for the desired components.
- Create an extract file from a specified instance using the selection set.
- Save the extract file on your desktop, CD, or any storage media.
- Upload the extract file to the target instance.
- Load the extract file to the target instance.

For detailed information on creating selection sets, creating extracts, loading extracts, and dependent reports, see *Migrations*, page 7- .

**Caution:** The migration fails if dependent setup components are not present or partly migrated.

**Note:** Lease and Finance Management does not support transforms.

## Migrating Setups from an Operating Unit to Another

To migrate setups from one operating unit to another, perform the following:

1. Create a selection set based on the setup requirements.
2. Use the selection set and create an extract file from the source operating unit.
3. Download the extract file (a zip file) to your desktop or any other storage media and unzip the file.
4. Open the files in an Editor, find and replace all the source operating units to the target operating units.
5. Create a zip file of all the files.
6. Upload the zip file to the target instance.
7. Create a Load using the upload file.



---

## **Lease and Finance Management Command Center Configuration**

# Lease and Finance Management Command Center Configuration

## Setting Up Lease and Finance Management Command Center

The Oracle Lease and Finance Management application configuration and setup must be completed after the installation and common configurations are completed as described in My Oracle Support Knowledge Document 2495053.1, *Installing Oracle Enterprise Command Center, Release 12.2*.

## Setup and Configuration Steps

To complete setup of the Oracle Lease and Finance Management Command Center, you must perform the following:

1. Setting Profile Options, page 8-2
2. Configuring Descriptive Flexfields for Search, page 8-3
3. Loading Lease and Finance Management Command Center Data, page 8-4
4. Setting Up Payment Predictions,
5. Setting Up Asset Renewal Predictions, page 8-24

## Setting Profile Options for Lease and Finance Management Command Center

Set a value for the profile options to specify how Lease and Finance Management Command Center controls access to and processes data.

| Profile Option Name         | Description                                                                                                                                                                                      | Default Value        |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| OKL: ECC History Load Years | Sets the number of years used to load history. Choices are One Year of History, Two Years of History, or Three Years of History. This profile option is used for the Vendor Cash Flow dashboard. | Two Years of History |

| Profile Option Name                    | Description                                                                                                                                                                                                                              | Default Value           |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| OKL: ECC Contract History Years        | This site level profile option sets the number of years to load contract history. Choices are One Year of History, Two Years of History, Three Years of History, or Four Years of History.                                               | Two Years of History    |
| OKL: ECC Receivables History Years     | Sets the number of years used to load receivables history. Choices are Three Months of History, Six Months of History, Twelve Months of History, etc. This profile option is used for the Lease Cash Flow Command Center dashboards.     | Three Months of History |
| OKL:ECC Meter Management History Years | Sets the number of years used to load meter management history. Choices are One Year of History, Two Years of History, Three Years of History, or Four Years of History. This profile option is used for the Meter Management dashboard. | One Year of History     |
| OKL: AR ECC History Years              | This site level profile option sets the number of years to load accounts receivable history. Set this profile at the site level to filter contracts to upload data to the Payment Prediction dashboard based on this reference date.     | Three Months of History |

## Configuring Descriptive Flexfields for Search

Enterprise command centers support Descriptive Flexfields (DFFs) that enable you to search on DFF attributes. After you configure DFFs, you must run the data load process, which ensures that the DFF attributes are available in the command center.

**Note:** You must initially run the Metadata Load concurrent program to load the DFF setup information to Enterprise Command Center. After the DFF setup is initially loaded, running Incremental or Full Load concurrent programs on a regular basis will maintain the DFF attributes.

For additional information on configuring and customizing flexfields, see the *Oracle E-Business Suite Flexfields Guide* and My Oracle Support Knowledge Document 2495053.1, *Installing Oracle Enterprise Command Center Framework, Release 12.2*.

The following table describes the DFFs available in the Oracle Lease and Finance Management dashboards:

| Dashboard                      | Data Set                 | DFF Title                                | DFF Name            | DFF Attribute Group Name |
|--------------------------------|--------------------------|------------------------------------------|---------------------|--------------------------|
| Lease Cash Flow Command Center | okl-ar-trx               | Transaction Information                  | RA_CUSTOMER_TRX     | Transaction Information  |
| Lease Cash Flow Command Center | okl-cash, okl-unapp-cash | Receipt Information                      | AR_CASH_REC EIPTS   | Receipt Information      |
| Lease Cash Flow Command Center | okl-ast-ctr-dtls         | Contract Additional Information          | OKL_K_HEADE RS_DF   | n/a                      |
| Lease Cash Flow Command Center | okl-ast-ctr-dtls         | Contract Line Additional Information     | OKL_K_LINES_DF      | n/a                      |
| Lease Cash Flow Command Center | okl-ast-qte-dtls         | Lease Quotes Additional Information      | OKL_LEASE_QUOTES_DF | n/a                      |
| Lease Cash Flow Command Center | okl-ast-qte-dtls         | Termination Quote Additional Information | OKL_TRX_QUOTES_DF   | n/a                      |

## Loading Lease and Finance Management Command Center Data

The Lease and Finance Management Command Center Data Load concurrent programs

are used for loading lease data into the Enterprise Command Center. You can find the concurrent programs from the **Submit Request** window. The data load concurrent programs include:

- **Lease ECC Data Loader**
- **Lease ECC Meter Management Loader**
- **Lease ECC AR Cash Data Loader**
- **Lease Period Balances Data Load**
- **Lease Asset Management ECC Loader**
- **Lease ECC Contract Revision Data Load**

**Note:** Before you load data from Oracle E-Business Suite into the Lease and Finance Management Command Center, ensure that your EBS data is accurate and current by running any concurrent programs that impact attributes used in the command center.

Run the concurrent program from the **Submit Request** window.

### **To load Lease data into Lease and Finance Management Command Center:**

1. Navigate to the **Lease ECC Data Loader** and other concurrent programs. The Parameters window appears.
2. In the **Name** field, enter a data load concurrent program. For example, enter **Lease ECC Data Loader**.
3. Select the appropriate load type:
  - **Full Load:** Loads all lease data and is required to be run for the first data load. If you select and run full load for subsequent requests, then this program clears all lease data from ECC and loads fresh data.
  - **Incremental Load:** Loads the data modified and updated from the previous load only. Incremental load should be scheduled to run as often as required to keep the ECC dashboard current.
  - **Metadata Load:** In this process, the application waits for other tasks such as consolidation, data entry, or other load processes to finish before proceeding to load the files.
4. Enter one or more language codes in the **Languages** field for the output. For

multiple language codes, use the format AA,BB,NN. For example, enter US,AR,KO. If the field is blank, then the data will be loaded for the base language only (usually US).

5. Select the **Log Level** that you want the program to report. The default value is **Error**.
6. Select **True** to enable **SQL trace**. Otherwise, select **False**.

The screenshot shows two overlapping dialog boxes. The background box is titled 'Submit Request' and contains fields for 'Name' (Lease ECC Data Loader), 'Operating Unit', 'Parameters', and 'Language' (American English). A 'Copy' button is in the top right. The foreground box is titled 'Parameters' and contains fields for 'System Name' (EBS), 'Load Type' (FULL LOAD), 'Languages', 'Log Level' (ERROR), and 'SQL Trace'. A 'Full data load' checkbox is next to the 'Load Type' field. At the bottom of the 'Parameters' box are 'OK', 'Cancel', 'Clear', and 'Help' buttons. At the bottom of the 'Submit Request' box are 'Help (C)', 'Submit', and 'Cancel' buttons.

7. Submit the concurrent request.
8. Review your request using the **Requests** page.
9. Monitor data loading using the **Data Load Tracking** page of the ECC Developer responsibility.

#### To review request details:


1. From the menu, click **Requests**. The **Find Requests** window appears.
2. Highlight the **All My Requests** radio button and click **Find**. The **Requests** window appears and displays all of your requests.
3. In the **Requests** window, select the row that contains your request and then click **View Details**. The **Request Detail** window appears and displays the ECC- Run Data Load information.
4. Click **OK** to exit and close the window.

## Setting Up Payment Predictions

The following setup and configuration must be completed for the Payment Predictions dashboard to extract invoice data.

### Register the application:

Navigate to **Setup > Predictions Applications** to register and enable a prediction application. The Invoice Payment Prediction application is seeded. When you click the **Register** button, it will activate the **Invoice Payment Prediction** application.



The Invoice Payment Prediction application is then in **Active** status and you can proceed with the Invoice Prediction setup.





| Items                    | View Existing | Go To Task (Actionable) | Navigates to Tabs           |
|--------------------------|---------------|-------------------------|-----------------------------|
| Configure Knowledge Base | icon          | icon (create/update)    | Renders Knowledge Base page |

### Create, Update, and Remove Attributes:

Users can create attributes from a list of standard (seeded) attributes, as well as create their own extended (custom) attributes. The attributes are factors which influence the payment of the invoice. This is used to predict the invoice payments if the payment will be made on time or will be late. Organizations can choose either standard attributes and/or define extended attributes that meet their business needs.

Users can:

- Search for attributes
  - Name
  - Entity
  - Type (Standard for seeded, Extended for custom)
- Add, update, or remove extended attributes

Users cannot update or remove any of the standard attributes.

System Options | Receivables | Assets | Transaction Tax | Pricing | Accounting | Formulas | Products | Disbursements | Quotes | **Prediction Applications**

Setup: Prediction Applications >

**Application: Invoice Payment Prediction**

Application Name: Invoice Payment Prediction  
Type: Classification

Attributes | Taxonomy | Data Set | Knowledge Base

Personalize Stack Layout: (AttributesSubTab)  
Personalize Query

**Search**

Personalize "Search"  
Note that the search is case insensitive

Name:   
Entity:   
Type:

Personalize "Attributes Search Results"

| Name                     | Type     | Entity  | Description                       | Source Type | Source Table | Source Select Column | Source Function | Data Type |
|--------------------------|----------|---------|-----------------------------------|-------------|--------------|----------------------|-----------------|-----------|
| INV_AMOUNT_DUE_ORIGINAL  | Standard | Invoice | Original Amount Due for Invoice   |             |              |                      |                 | Numeric   |
| INV_AMOUNT_DUE_REMAINING | Standard | Invoice | Remaining Amount Due for Invoice  |             |              |                      |                 | Numeric   |
| INV_INVENTORY_ITEM       | Standard | Invoice | Invoice Inventory Items           |             |              |                      |                 | Character |
| INV_NUM_DAYS_LATE        | Standard | Invoice | Invoice Number of Days Late       |             |              |                      |                 | Numeric   |
| INV_PRINT_LEAD_DAYS      | Standard | Invoice | Invoice Lead Days                 |             |              |                      |                 | Numeric   |
| INV_RECEIPT_METHOD_ID    | Standard | Invoice | Invoice Receipt Method Identifier |             |              |                      |                 | Numeric   |
| INV_SHIP_TO_SITE_USE     | Standard | Invoice | Invoice Ship To Sites             |             |              |                      |                 | Character |
| INV_STATUS               | Standard | Invoice | Invoice Status                    |             |              |                      |                 | Character |
| INV_STREAM_TYPE          | Standard | Invoice | Invoice Stream Types              |             |              |                      |                 | Character |
| INV_TAX_CODES            | Standard | Invoice | Invoice Tax Codes                 |             |              |                      |                 | Character |

[Return to Prediction Applications](#)

When updating attributes, users can add extended attributes and define the following below. There is on-screen validation to ensure that the data entered is valid. The application displays an error to the user if it fails validation. The attributes must be

unique and no duplicates are allowed.

| Attributes           | Required / Optional | Valid Values                                                                                                              |
|----------------------|---------------------|---------------------------------------------------------------------------------------------------------------------------|
| Name                 | Required            | Character                                                                                                                 |
| Type                 | Required            | Extended                                                                                                                  |
| Entity               | Required            | Invoice, Customer Account, Party, Operating Unit                                                                          |
| Description          | Optional            | Character                                                                                                                 |
| Source Type          | Required            | Table or Function                                                                                                         |
| Source Table         | Required            | If Table selected as source type. Must be a valid table.                                                                  |
| Source Select Column | Required            | If Table selected as source type. Must be a valid column.                                                                 |
| Source Function      | Required            | If Function selected as source type. Must be a valid function. Plsql will get executed while building the knowledge base. |
| Data Type            | Required            | Character or Numeric. Must be valid data type.                                                                            |

## Attributes

**Update Attributes**

Personalize "Attributes Table"

Remove | + | \*\*\*

| Name                                               | Type     |
|----------------------------------------------------|----------|
| <input type="checkbox"/> NUMBER_OF_TIMES_PAID      | Standard |
| <input type="checkbox"/> ORG_ID                    | Standard |
| <input type="checkbox"/> PAID_INVOICES_FLAG        | Standard |
| <input type="checkbox"/> PAST_INVOICES_COUNT       | Standard |
| <input type="checkbox"/> RATIO_AOL_TOT_INVOICES    | Standard |
| <input type="checkbox"/> STDEV_INVOICES_LATE       | Standard |
| <input type="checkbox"/> STDEV_INVOICES_OUTST_LATE | Standard |
| <input type="checkbox"/> TARGET_CLASS_CODE         | Standard |
| <input type="checkbox"/> ATTRIBUTE_TEST1           | Extended |

**Search and Select: Entity**

Search

To find your item, select a filter item in the pulldown list and enter a value in the text field, then select the "Go" button.

Search By: Attribute Name

Go

**Results**

| Select                | Quick Select | Attribute Name   | Description               | Type            |
|-----------------------|--------------|------------------|---------------------------|-----------------|
| <input type="radio"/> |              | Invoice          | RA_CUSTOMER_TRX_ALL       | CUSTOMER_TRX_ID |
| <input type="radio"/> |              | Customer Account | HZ_CUST_ACCOUNTS_ALL      | CUST_ACCOUNT_ID |
| <input type="radio"/> |              | Party            | HZ_PARTIES                | PARTY_ID        |
| <input type="radio"/> |              | Operating Unit   | HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID |

About this Page

Cancel | Select

Table Diagnostics

Copyright (c) 1998, 2022, Oracle and/or its affiliates. All rights reserved.

About this Page | Privacy Statement

## Updated Attributes

**Update Attributes**

Personalize "Attributes Table"

Remove | + | \*\*\*

| Name                                               | Type     | Entity           | Description                                                                                 | Source Type | Source Table | Source Select Column | Source Function | Data Type |
|----------------------------------------------------|----------|------------------|---------------------------------------------------------------------------------------------|-------------|--------------|----------------------|-----------------|-----------|
| <input type="checkbox"/> NUMBER_OF_TIMES_PAID      | Standard | Customer Account | Number of times the customer made a payment.                                                |             |              |                      |                 | Numeric   |
| <input type="checkbox"/> ORG_ID                    | Standard | Operating Unit   | Organization Identifier                                                                     |             |              |                      |                 | Numeric   |
| <input type="checkbox"/> PAID_INVOICES_FLAG        | Standard | Customer Account | Was the most recent invoice paid ?                                                          |             |              |                      |                 | Numeric   |
| <input type="checkbox"/> PAST_INVOICES_COUNT       | Standard | Customer Account | Number of past due invoices                                                                 |             |              |                      |                 | Numeric   |
| <input type="checkbox"/> RATIO_AOL_TOT_INVOICES    | Standard | Customer Account | Ratio of Amount of invoices open and late to Amount of invoices open                        |             |              |                      |                 | Numeric   |
| <input type="checkbox"/> STDEV_INVOICES_LATE       | Standard | Customer Account | Standard Deviation of payment delay for invoices paid late                                  |             |              |                      |                 | Numeric   |
| <input type="checkbox"/> STDEV_INVOICES_OUTST_LATE | Standard | Customer Account | Standard Deviation of payment delay for invoices open and late prior to the current invoice |             |              |                      |                 | Numeric   |
| <input type="checkbox"/> TARGET_CLASS_CODE         | Standard | Invoice          | Invoice Target Classification                                                               |             |              |                      |                 | Numeric   |
| <input type="checkbox"/> ATTRIBUTE_TEST1           | Extended | Invoice          |                                                                                             |             |              |                      |                 |           |

Table Diagnostics

Function Table

## Create, Update, Delete, and Duplicate Taxonomy:

Users can create a taxonomy and associate it to an application. Taxonomy is a method for categorizing and classifying a set of data or objects for target classes in which the predicted value should go into. For payment prediction, invoices are the data used.

Users can:

- Search for taxonomy
  - Name
- Create, update, and delete a taxonomy
- Duplicate a taxonomy
- View details of the taxonomy

User cannot update or delete any of the standard taxonomies.

One seeded taxonomy **Payment Predictions Aging** is available and associated to the application: **Invoice Payment Prediction**. The **Payment Prediction Aging** has four buckets with category names listed below. Customers can use the seeded taxonomy or create their own according to their business requirements.

| Category Code | Category Name | Low Target Value | High Target Value | Display Name      |
|---------------|---------------|------------------|-------------------|-------------------|
| 1             | On-Time       | -9999            | 0                 | On-Time           |
| 2             | Short Delay   | 1                | 30                | 1 to 30 Days Late |
| 3             | Medium Delay  | 31               | 60                | 31 – 60 Days Late |
| 4             | Long Delay    | 61               | 9999              | 61+ Days Late     |

## Taxonomy Details

**Taxonomy Details** Update

Name: Payment Predictions Aging  
 Application Name: Invoice Payment Prediction  
 Description: Classify invoices into 4 buckets - On Time, 1-30, 31-60, 61+ days

**Taxonomy Categories**

Personalize "Taxonomy Categories"  
 Personalize Advanced Table: (TaxonomyDetailsTblIRN)

| Category Code | Category Name | Low Target Value | High Target Value | Display Name    |
|---------------|---------------|------------------|-------------------|-----------------|
| 1             | On-Time       | -9999            | 0                 | On-Time         |
| 2             | Short Delay   | 1                | 30                | 1-30 Days Late  |
| 3             | Medium Delay  | 31               | 60                | 31-60 Days Late |
| 4             | Long Delay    | 61               | 9999              | 61+ Days Late   |

Table Diagnostics

[Return to Taxonomy](#)

Copyright (c) 1998, 2022, Oracle and/or its affiliates. All rights reserved. About this Page Privacy Statement

## Creating Taxonomy

Complete the following steps:

1. In the **Taxonomy** page, click **Create**.
2. Enter taxonomy data in the **Create Taxonomy** page for **Name** and **Description**.
3. Enter **Taxonomy Categories**.
4. When the values of the taxonomy are defined, click **Apply**.

| Column        | Values     | Required/Optional | Description                  |
|---------------|------------|-------------------|------------------------------|
| Category Code | 1, 2, 3, 4 | Seeded            | Seeded and cannot be updated |

| Column            | Values                                         | Required/Optional | Description                                                                                                  |
|-------------------|------------------------------------------------|-------------------|--------------------------------------------------------------------------------------------------------------|
| Category Name     | On-Time, Short Delay, Medium Delay, Long Delay | Seeded            | Seeded and cannot be updated. Used by Prediction Dashboard for buckets to classify likely payment prediction |
| Low Target Value  | Numeric                                        | Required          | Must be an integer, continuous, and no gaps                                                                  |
| High Target Value | Numeric                                        | Required          | Must be an integer, continuous, and no gaps                                                                  |
| Display Name      | Character                                      | Required          | Enter display name                                                                                           |

### Create, Update, Delete, and Duplicate the Data Set:

Users can create a data set and associate it to an application. The data set determines which source data should be processed by the application. Associate the required attributes to the data set and attach it to the knowledge base. Customers can use the seeded data set or create their own. The seeded data set **Receivables Invoices** is provided and associated to the application: **Invoice Payment Prediction**. Users can:

- Search for a data set
  - Name
- Create, update, and delete a data set
- Duplicate a data set
- View details of the data set
- Associate attributes to the data set
- Enable or disable the attributes in the data set

Users cannot update or delete any of the standard data sets. If the data set that is associated to the knowledge base has been deployed, then the user cannot update or delete the data set.

## Data Set

Oracle Lease and Finance Management

Home Favorites Settings Worklist Logged In As LEASEQA1 Help Logout

Home Marketing Vendors Sales Customers Investors Operations Finance Asset Management Risk Management Setup

System Options Receivables Assets Transaction Tax Pricing Accounting Formulas Products Disbursements Quotes Prediction Applications

Setup: Prediction Applications >

**Application: Invoice Payment Prediction**

Application Name Invoice Payment Prediction  
Type Classification

Attributes Taxonomy **Data Set** Knowledge Base

Personalize Stack Layout (DataSetSubTab)  
Personalize Query

**Search**

Personalize "Search"  
Note that the search is case insensitive

Name   
Description   
Go Clear

Personalize "Data Set Search Table"

Create | ...

| Name                | Description                      | Action                                   |
|---------------------|----------------------------------|------------------------------------------|
| Receivable Invoices | Receivable Invoices and Payments | Update <input type="button" value="Go"/> |
| Test Data Set 1     | Test Data Set 1 - Desc           | Update <input type="button" value="Go"/> |
| PSM DS1             | PSM DS1                          | Update <input type="button" value="Go"/> |
| PSM DS2             | PSM DS2                          | Update <input type="button" value="Go"/> |

Table Diagnostics

[Return to Prediction Applications](#)

Copyright (c) 1998, 2022, Oracle and/or its affiliates. All rights reserved. [About this Page](#) [Privacy Statement](#)

### To create the data set:

1. Click **Create** in the **Data Set** page.
2. Enter data set data in the **Create Data Set** page for **Name** and **Description**.
3. Select from the list of **Associated Attributes** and click the **Enabled** box for those attributes to add to the data set. For any extended attributes, you must define the **Target Column**. The list of values for their **Target Column** must map to the predictions results table. It stores the extended attributes in the predictions result tables.
4. When the associated attributes are selected, click **Apply**.

## Create Data Set

**Create Data Set**

Name: Receivables Invoices  
 Application Name: Invoice Payment Prediction  
 Description: Receivables Invoices and Payments

**Associated Attributes**

Personalize "Associated Attributes"  
 Personalize "Data Set Associated Attributes"

| Attribute                                            | Attribute Type | Description                                                              | Target Column               | Enabled                             |
|------------------------------------------------------|----------------|--------------------------------------------------------------------------|-----------------------------|-------------------------------------|
| <input type="checkbox"/> CUSTOMER_TRX_ID             | Standard       | Customer Transaction Identifier                                          | CUSTOMER_TRX_ID             | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> CUST_ACCOUNT_ID             | Standard       | Customer Account Identifier                                              | CUST_ACCOUNT_ID             | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> CUST_AMOUNT_OUTST_LATE      | Standard       | Amount of invoices open and late prior to the current invoice            | CUST_AMOUNT_OUTST_LATE      | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> CUST_AMT_INVOICES           | Standard       | Amount of open invoices                                                  | CUST_AMT_INVOICES           | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> CUST_AMT_PAID_INVOICES      | Standard       | Amount of invoices paid                                                  | CUST_AMT_PAID_INVOICES      | <input type="checkbox"/>            |
| <input type="checkbox"/> CUST_AMT_PAID_INVOICES_LATE | Standard       | Amount of invoices paid late                                             | CUST_AMT_PAID_INVOICES_LATE | <input type="checkbox"/>            |
| <input type="checkbox"/> CUST_AVG_DAYS_LATE          | Standard       | Average days paid late                                                   | CUST_AVG_DAYS_LATE          | <input type="checkbox"/>            |
| <input type="checkbox"/> CUST_AVG_DAYS_OUTST_LATE    | Standard       | Average days late of invoices open and late prior to the current invoice | CUST_AVG_DAYS_OUTST_LATE    | <input type="checkbox"/>            |
| <input type="checkbox"/> CUST_AVG_INVOICES_PER_PMT   | Standard       | Average invoices applied per payment                                     | CUST_AVG_INVOICES_PER_PMT   | <input type="checkbox"/>            |
| <input type="checkbox"/> CUST_CATEGORY               | Standard       | Customer Category                                                        | CUST_CATEGORY               | <input type="checkbox"/>            |

Table Diagnostics

## Creating and Updating the Knowledge Base:

Users can create a knowledge base and associate it to an application. The knowledge base is a combination of the data set, taxonomy, algorithm, and historical data that is used to define a model. It provides the patterns that will be used by the machine learning algorithms to carry out the classification process. After the attributes, taxonomy, and data set have been defined, the user can create the knowledge base. Only one knowledge base is allowed per operating unit. The seeded knowledge base **Payment Predictions Model** is provided and associated to the application: **Invoice Payment Prediction** with the data set **Receivables Invoices**.

You can create the knowledge base by clicking the **Go to Task** icon from the **Prediction Setup Checklist** for the **Configure Knowledge Base**. The **Create Knowledge Base** page appears.

### To create the knowledge base:

1. Enter the knowledge base data in the **Create Knowledge Base** page.



| Attributes       | Values                     | Required/Optional | Description                                                                                                                                                                                             |
|------------------|----------------------------|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating Unit   | Enter OU                   | Required          | Enter valid <b>Operating Unit</b>                                                                                                                                                                       |
| Application Name | Invoice Payment Prediction | Default           | Defaults to the application name                                                                                                                                                                        |
| Name             | Character                  | Required          | Name of the Knowledge Base                                                                                                                                                                              |
| Data Set         | LOV                        | Required          | Select the data set from LOV of standard or extended. The default for standard seeded is <b>Receivable Invoices</b>                                                                                     |
| Taxonomy         | LOV                        | Required          | Select the Taxonomy that is mapped to Invoice Payment Prediction. The default is <b>Payment Predictions Aging</b>                                                                                       |
| Status           | Read only                  | Display           | Status: <b>New</b> - when first created<br><b>Incomplete</b> - when any updates is done<br><b>Valid</b> - when passes validation<br><b>Build</b> - build is complete<br><b>Deployed</b> - when deployed |
| Algorithm        | Drop-down list             | Required          | Select from list of Algorithms available:<br><br><b>Decision Tree, Random Forest, Support Vector Machine</b>                                                                                            |

| Attributes                | Values         | Required/Optional | Description                                                                                                                                                                 |
|---------------------------|----------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Train Split          | Drop-down list | Required          | <p>Select from list which determines the percentage used to train versus testing</p> <p>70% to Train, 30% to Test, 75% to Train, 25% to Test, 80% to Train, 20% to Test</p> |
| Months of Historical Data | Drop-down list | Required          | <p>Select from drop down list the number of months to data to load to the staging model.<br/>Select from:</p> <p><b>6 Months, 12 Months, 18 Months, 24 Months</b></p>       |

## Create Knowledge Base

The screenshot shows the 'Create Knowledge Base' form within the Oracle Lease and Finance Management interface. The top navigation bar includes the Oracle logo, 'Lease and Finance Management', and various icons for Home, Favorites, Settings, Worklist, and user information (Logged In As LEASEQA1). Below the navigation bar, a breadcrumb trail shows 'Home > Marketing > Vendors > Sales > Customers > Investors > Operations > Finance > Asset Management > Risk Management > Setup > Prediction Applications > Create Knowledge Base'. The form itself has a title 'Create Knowledge Base' and a 'Cancel' button. It contains several input fields: 'Operating Unit' (set to 'LeaseQA1'), 'Name', 'Data Set', 'Taxonomy', 'Status' (set to 'New'), 'Algorithm', 'Test Train Split', and 'Months of Historical Data'. A 'Diagnostic Console' button is located at the bottom right of the form. The footer of the page contains copyright information: 'Copyright (c) 1998, 2020, Oracle and/or its affiliates. All rights reserved.' and links for 'About this Page' and 'Privacy Statement'.

2. Click **Apply** when the values of the knowledge base are defined.

### Activate the Knowledge Base (Validate, Build, Deploy):

Users can activate the knowledge base.

## Activate Knowledge Base

HomeMarketingVendorsSalesCustomersInvestorsOperationsFinanceAsset ManagementRisk ManagementSetup

System OptionsReceivablesAssetsTransaction TaxPricingAccountingFormulasProductsDisbursementsQuotesPrediction Applications

Setup: Prediction Applications > Update Knowledge Base: Invoice\_Predictions\_Model >

Knowledge Base

Operating UnitLeaseQA1

Application NameInvoice Payment Prediction

NameInvoice\_Predictions\_Model

Data SetReceivable Invoices

TaxonomyPayment Predictions Aging

StatusIncomplete

AlgorithmSupport Vector Machine

Months of Historical Data24 Months

Test Train Split80% to Train, 20% to Test

Update

Activation Summary

Personalize "Activation Summary"

Personalize "Activation Summary Table"

Activate Knowledge Base | \*\*\*

| Process  | Status      | Details     |
|----------|-------------|-------------|
| Validate | <div></div> | <div></div> |
| Build    | <div></div> | <div></div> |
| Deploy   | <div></div> | <div></div> |

Table Diagnostics

Return to Knowledge Base

Copyright (c) 1998, 2022, Oracle and/or its affiliates. All rights reserved. About this Page Privacy Statement

When the user clicks **Activate Knowledge Base**, the application guides the user through the validation, building, and deploying of the knowledge base.

## Validate Knowledge Base

ORACLE

Lease and Finance Management

Home

Favorites

Settings

Worklist

Logged In As LEASEQA1

Help

Logout

Home

Marketing

Vendors

Sales

Customers

Investors

Operations

Finance

Asset Management

Risk Management

Setup

System Options

Receivables

Assets

Transaction Tax

Pricing

Accounting

Formulas

Products

Disbursements

Quotes

Prediction Applications

Validate Knowledge Base

Build and Deploy Knowledge Base

Activate Knowledge Base: Validate Knowledge Base

Save for Later

Continue

Operating Unit

LeaseQA1

Status

Valid

Application Name

Invoice Payment Prediction

Algorithm

Random Forest

Name

Invoice\_Predictions\_Model

Months of Historical Data

24 Months

Data Set

Receivable Invoices

Test Train Split

80% to Train, 20% to Test

Taxonomy

Payment Predictions Aging

Validation Checklist

Personalize "Validation Checklist"

Personalize "Checklist Validation Results"

Description

Severity

The Knowledge Base validation process has completed successfully.

Success

Table Diagnostics

Copyright (c) 1998, 2022, Oracle and/or its affiliates. All rights reserved.

About this Page

Privacy Statement

| Process  | Status                                  | Description                                                                                                                                                                  |
|----------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Validate | <b>Valid</b> – validation is successful | Validates the knowledge base model with all of the information provided. In the table above, if any validation fails, it will be listed in the <b>Validation Checklist</b> . |

| Process                                                                                                                                                                                                                                                                                                                                         | Status                                                                                                               | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Build</p> <p>Two options:</p> <ul style="list-style-type: none"> <li>• <b>Load Training Data</b> – the data will be reloaded to staging table for invoice payment prediction.</li> <li>• <b>User Existing Training Data</b> – it will not reload the table, instead it will use the existing data and run the data mining process</li> </ul> | <p><b>Built</b> – after successful completion of the concurrent program. The model is then ready to be deployed.</p> | <p>Builds the knowledge base. The user can continue on the train.</p> <ul style="list-style-type: none"> <li>• Launches the Master Program – <b>Build Invoice Payment Predictions</b> concurrent program. The user can view the status and phase of the program by the training batch number.</li> <li>• The training batch number and related details will be provided after user runs the build.</li> <li>• View the activity log (see below).</li> </ul> |
| <p>Deploy</p>                                                                                                                                                                                                                                                                                                                                   | <p><b>Deployed</b></p>                                                                                               | <p>Deploys the knowledge base. The user can continue on the train.</p> <p>Once the user is satisfied with the accuracy of the knowledge base, they can deploy the knowledge base.</p>                                                                                                                                                                                                                                                                       |

### Undeploy the Knowledge Base:

Users can update the knowledge base. If the knowledge base has been deployed, then the user must undeploy the knowledge base in order to make further changes.

## Undeploy Knowledge Base

**Oracle Lease and Finance Management**

Home | Marketing | Vendors | Sales | Customers | Investors | Operations | Finance | Asset Management | Risk Management | **Setup**

System Options | Receivables | Assets | Transaction Tax | Pricing | Accounting | Formulas | Products | Disbursements | Quotes | **Prediction Applications**

Setup: Prediction Applications > **Knowledge Base** Update | Undeploy

Operating Unit: LeaseQA1  
 Application Name: Invoice Payment Prediction  
 Name: Invoice\_Predictions\_Model  
 Data Set: Receivable Invoices  
 Taxonomy: Payment Predictions Aging

Status: Deployed  
 Algorithm: Support Vector Machine  
 Months of Historical Data: 24 Months  
 Test Train Split: 80% to Train, 20% to Test

**Activation Summary**

Personalize "Activation Summary"  
 Personalize "Activation Summary Table"

| Process  | Status  | Details |
|----------|---------|---------|
| Validate | Success |         |
| Build    | Success |         |
| Deploy   | Success |         |

[Table Diagnostics](#)  
[Return to Knowledge Base](#)

Copyright (c) 1996, 2022, Oracle and/or its affiliates. All rights reserved. [About this Page](#) [Privacy Statement](#)

## Verify the Accuracy of the Training Set:

You can verify the accuracy of the training set. Additional changes may be made to fine tune the training set. You can view the activity log by clicking the **Training Batch Request ID**.

## Prediction Accuracy



- The activity log provides header data information for knowledge base, data set, taxonomy, algorithm use, months of historical data retrieved, and the test train split used.
- **Number of Training Transactions** – used to train the model
- **Number of Transactions Classified** – used to test the model

- **Classification Accuracy** – accuracy percentage
- **Prediction Accuracy bar chart** – Displays actual versus predicted
- **Influencing Attributes** – attributed used to influence the model

### Perform Payment Predictions:

You can schedule the payment predictions concurrent program. This makes predictions when payments will be paid (on time or late), and the magnitude of the delay based on the deployed knowledge base.

### Extract to ECC:

Provides the ability to extract the payment predictions for future invoices as well as customer summary table and loads to the E-Business Suite Command Center (ECC).

## Setting Up Asset Renewal Predictions

The following setup and configuration must be completed for Asset Renewal Predictions.

### Register the application:

1. Navigate to the **Setup** tab > **Predictions Applications** to register and enable the prediction application. The **Asset Outcome Prediction** application is seeded. When you click **Register**, the **Asset Outcome Prediction** application is activated.

| Select                           | Application Name           | Status | Application Type | Transaction Table          | Register |
|----------------------------------|----------------------------|--------|------------------|----------------------------|----------|
| <input type="radio"/>            | Invoice Payment Prediction | Active | Classification   | OKL_INV_PYMT_PRED_TRX_ALL  |          |
| <input checked="" type="radio"/> | Asset Outcome Prediction   | Active | Classification   | OKL_ASSET_OUTCOME_PRED_ALL |          |

2. The **Asset Outcome Prediction** application is now in **Active** status. You can proceed with Prediction setup.



Home Marketing Vendors Sales Customers Investors Operations Finance Asset Management Risk Management **Setup**

System Options Receivables Assets Transaction Tax Pricing Accounting Formulas Products Disbursements Quotes Prediction Applications

### Prediction Applications

#### Register Application

...

| Select                           | Application Name           | Status | Application Type | Transaction Table          | Register |
|----------------------------------|----------------------------|--------|------------------|----------------------------|----------|
| <input type="radio"/>            | Invoice Payment Prediction | Active | Classification   | OKL_INV_PYMT_PRED_TRX_ALL  |          |
| <input checked="" type="radio"/> | Asset Outcome Prediction   | Active | Classification   | OKL_ASSET_OUTCOME_PRED_ALL |          |

#### Prediction Setup Checklist

\* Operating Unit: LeaseQA1

Expand All | Collapse All

| Focus | Setup Name               | View Existing | Go To Task | Status | Mandatory Setup |
|-------|--------------------------|---------------|------------|--------|-----------------|
|       | Prediction Setups        |               |            |        |                 |
|       | Create Attributes        |               |            |        |                 |
|       | Create Taxonomy          |               |            |        |                 |
|       | Create Data Set          |               |            |        |                 |
|       | Configure Knowledge Base |               |            |        |                 |

3. A setup checklist displays with a list of checklist items and related order that items must be performed and completed. Alongside the checklist items are mandatory setup items and related status. You can:

- **View Existing** - Click the icon to render the page
- **Go To Task** - Click the icon to take you to that task

| Items                    | View Existing | Go To Task (Actionable) | Navigates to Tabs           |
|--------------------------|---------------|-------------------------|-----------------------------|
| Create Attributes        | icon          | icon (create/update)    | Renders Attributes page     |
| Create Taxonomy          | icon          | icon (create/update)    | Renders Taxonomy page       |
| Create Data Set          | icon          | icon (create/update)    | Renders Data Set page       |
| Configure Knowledge Base | icon          | icon (create/update)    | Renders Knowledge Base page |

### Create, Update, and Remove Attributes:

1. You can create attributes from a list of standard (seeded) attributes as well as create your own extended (custom) attributes. The attributes are factors that influence the active assets and units. This is used to predict the active assets and units. The business can choose either standard attributes and/or define extended attributes

that satisfy business requirements.

You can:

- Search for attributes by:
  - Name
  - Entity
  - Type (**Standard** for seeded, **Extended** for custom)
- Add, Update, and Remove extended attributes

You cannot update or remove any of the standard attributes.

**Application: Asset Outcome Prediction**

Application Name: Asset Outcome Prediction  
Type: Classification

Attributes | Taxonomy | Data Set | Knowledge Base

**Search** Update

Note that the search is case insensitive

Name:

Entity:

Type:

| Name                      | Type     | Entity           | Description                     | Source Type | Source Table | Source Select Column | Source Function | Data Type |
|---------------------------|----------|------------------|---------------------------------|-------------|--------------|----------------------|-----------------|-----------|
| ASSET_NUMBER              | Standard | Asset            | Asset Number                    |             |              |                      |                 | Character |
| ASSET_UNITS               | Standard | Asset            | Asset Units                     |             |              |                      |                 | Numeric   |
| ASSET_UNIT_COST           | Standard | Asset            | Asset Unit Cost                 |             |              |                      |                 | Numeric   |
| BILL_TO_SITE_USE_ID       | Standard | Asset            | Bill to Site Address Identifier |             |              |                      |                 | Numeric   |
| CONTRACT_NUMBER           | Standard | Asset            | Contract Number                 |             |              |                      |                 | Character |
| CONTRACT_RESTRUCTURED_YN  | Standard | Asset            | Contract Restructured Yes/No    |             |              |                      |                 | Character |
| CREDIT_LINE_NUM_YN        | Standard | Asset            | Credit line Yes/No              |             |              |                      |                 | Character |
| CURRENCY_CODE             | Standard | Asset            | Contract Currency               |             |              |                      |                 | Character |
| CUSTOMER_ACCOUNT_ID       | Standard | Asset            | Customer Account Identifier     |             |              |                      |                 | Numeric   |
| CUSTOMER_ACTIVE_CONTRACTS | Standard | Customer Account | Customer Total Active Contracts |             |              |                      |                 | Numeric   |

2. Update attributes - add extended attributes and define them according to the following table. There is on-screen validation to ensure that the entered data is valid. The application displays an error if validation fails. The attributes must be unique and duplicates are not allowed.

| Attributes  | Required / Optional | Valid Values            |
|-------------|---------------------|-------------------------|
| Name        | Required            | Character               |
| Type        | Required            | Extended                |
| Entity      | Required            | Asset, Customer Account |
| Description | Optional            | Character               |

| Attributes           | Required / Optional | Valid Values                                                                                                                      |
|----------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Source Type          | Required            | Table or Function                                                                                                                 |
| Source Table         | Required            | If Table is selected as source type, then must be a valid table.                                                                  |
| Source Select Column | Required            | If Table is selected as source type, then must be a valid column.                                                                 |
| Source Function      | Required            | If Function is selected as source type, then must be a valid function. Plsql will be processed while building the knowledge base. |
| Data Type            | Required            | Character or Numeric. Must be a valid data type.                                                                                  |

**Search and Select: Name**
Cancel Select

**Search**

To find your item, select a filter item in the pulldown list and enter a value in the text field, then select the "Go" button.

Search By Attribute Name  Go

**Results**

Rows 1 to 30

| Select                | Quick Select | Attribute Name            | Description                     | Type     |
|-----------------------|--------------|---------------------------|---------------------------------|----------|
| <input type="radio"/> |              | ASSET_NUMBER              | Asset Number                    | Standard |
| <input type="radio"/> |              | ASSET_UNITS               | Asset Units                     | Standard |
| <input type="radio"/> |              | ASSET_UNIT_COST           | Asset Unit Cost                 | Standard |
| <input type="radio"/> |              | BILL_TO_SITE_USE_ID       | Bill to Site Address Identifier | Standard |
| <input type="radio"/> |              | CONTRACT_NUMBER           | Contract Number                 | Standard |
| <input type="radio"/> |              | CONTRACT_RESTRUCTURED_YN  | Contract Restructured Yes/No    | Standard |
| <input type="radio"/> |              | CREDIT_LINE_NUM_YN        | Credit line Yes/No              | Standard |
| <input type="radio"/> |              | CURRENCY_CODE             | Contract Currency               | Standard |
| <input type="radio"/> |              | CUSTOMER_ACCOUNT_ID       | Customer Account Identifier     | Standard |
| <input type="radio"/> |              | CUSTOMER_ACTIVE_CONTRACTS | Customer Total Active Contracts | Standard |

| Update Attributes                                                                                |          |        |                             |             |              |                      |                 |           |  |
|--------------------------------------------------------------------------------------------------|----------|--------|-----------------------------|-------------|--------------|----------------------|-----------------|-----------|--|
| <div> <div>Remove</div> <div>+</div> <div>✎</div> <div>...</div> </div> <div>Rows 51 to 72</div> |          |        |                             |             |              |                      |                 |           |  |
| <input type="checkbox"/> Name                                                                    | Type     | Entity | Description                 | Source Type | Source Table | Source Select Column | Source Function | Data Type |  |
| <input type="checkbox"/> QUOTE_REASON                                                            | Standard | Asset  | Termination Quote Reason    |             |              |                      |                 | Character |  |
| <input type="checkbox"/> QUOTE_TYPE                                                              | Standard | Asset  | Termination Quote Type      |             |              |                      |                 | Character |  |
| <input type="checkbox"/> RENEWAL_OPTION                                                          | Standard | Asset  | Renewal Options             |             |              |                      |                 | Character |  |
| <input type="checkbox"/> REPURCHASE_AGRMINT_YN                                                   | Standard | Asset  | Repurchase Agreement Yes/No |             |              |                      |                 | Character |  |
| <input type="checkbox"/> RE_LEASE_YN                                                             | Standard | Asset  | Release Asset Yes/No        |             |              |                      |                 | Character |  |
| <input type="checkbox"/> STREAM_TYPE                                                             | Standard | Asset  | Asset Payment Streams       |             |              |                      |                 | Character |  |
| <input type="checkbox"/> TERM_DURATION                                                           | Standard | Asset  | Contract Term in Months     |             |              |                      |                 | Numeric   |  |
| <input type="checkbox"/> UPFRONT_TAX_TYPE                                                        | Standard | Asset  | Upfront Tax Type            |             |              |                      |                 | Character |  |
| <input type="checkbox"/> YEAR_BUILT                                                              | Standard | Asset  | Asset Built Year            |             |              |                      |                 | Numeric   |  |
| <input type="checkbox"/> ASSET_1                                                                 | Extended | Asset  |                             |             |              |                      |                 |           |  |

## Create, Update, Delete, and Duplicate Taxonomy:

You can create a taxonomy and associate it to an application. Taxonomy is a method for categorizing and classifying a set of data or objects for target classes in which the predicted value should go. For asset outcome prediction, the data used is related to assets, contracts, and customer information.

The Taxonomy is based on a two-tiered categorization:

| ECC Metrics                   | Predicted Unit Outcomes                                                                                                             |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Early Termination Units       | <ul style="list-style-type: none"> <li>Early Return</li> <li>Early Purchase</li> <li>Loan Early Payoff</li> </ul>                   |
| End of Term Termination Units | <ul style="list-style-type: none"> <li>End of Term Return</li> <li>End of Term Purchase</li> <li>Loan End of Term Payoff</li> </ul> |
| Renewal Units                 | <ul style="list-style-type: none"> <li>Refinance</li> <li>Fixed Term Renewal</li> <li>Evergreen</li> <li>Rollover</li> </ul>        |
| Default Units                 | Default                                                                                                                             |

## ECC Metrics

## Predicted Unit Outcomes

Repossession Units

- Loan Early Repossession
- Loan End of Term Repossession

You can:

- Search for taxonomy
  - Name
- Create, update, and delete a taxonomy
- Duplicate a taxonomy
- View details of the taxonomy

You cannot update or delete any of the standard taxonomies.

The **Asset Outcomes** seeded taxonomy is made available and associated to the **Asset Outcome Prediction** application. The **Asset Outcome Classification** contains fourteen categories, with category names as illustrated below. Customers can use the seeded taxonomy or create their own that satisfies their business requirements.

**Note:** If the classification doesn't fall within the first thirteen categories, then the application saves the Asset Outcome as **Undetermined**.

|                                                                                                                                                                                                                                                                                          |                               |  |  |  |  |  |  |  |  |  |                               |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|--|--|--|--|--|--|--|--|--|-------------------------------|--|--|
| Home   Marketing   Vendors   Sales   Customers   Investors   Operations   Finance   Asset Management   Risk Management   Setup   System Options   Receivables   Assets   Transaction Tax   Pricing   Accounting   Formulas   Products   Disbursements   Quotes   Prediction Applications |                               |  |  |  |  |  |  |  |  |  |                               |  |  |
| Setup   Prediction Applications > Application > Taxonomy Details                                                                                                                                                                                                                         |                               |  |  |  |  |  |  |  |  |  |                               |  |  |
| Name Asset Outcomes                                                                                                                                                                                                                                                                      |                               |  |  |  |  |  |  |  |  |  |                               |  |  |
| Application Name Asset Outcome Prediction                                                                                                                                                                                                                                                |                               |  |  |  |  |  |  |  |  |  |                               |  |  |
| Description Asset Outcome Classification - Asset Return, Purchase, Refinance, Fixed Term Renewal, Evergreen, Rollover, Repossession, Write off                                                                                                                                           |                               |  |  |  |  |  |  |  |  |  |                               |  |  |
| Taxonomy Categories                                                                                                                                                                                                                                                                      |                               |  |  |  |  |  |  |  |  |  |                               |  |  |
| ***                                                                                                                                                                                                                                                                                      |                               |  |  |  |  |  |  |  |  |  |                               |  |  |
| Category Code                                                                                                                                                                                                                                                                            | Category Name                 |  |  |  |  |  |  |  |  |  | Display Name                  |  |  |
| 1                                                                                                                                                                                                                                                                                        | Early Return                  |  |  |  |  |  |  |  |  |  | Early Return                  |  |  |
| 2                                                                                                                                                                                                                                                                                        | Early Purchase                |  |  |  |  |  |  |  |  |  | Early Purchase                |  |  |
| 3                                                                                                                                                                                                                                                                                        | End of Term Return            |  |  |  |  |  |  |  |  |  | End of Term Return            |  |  |
| 4                                                                                                                                                                                                                                                                                        | End of Term Purchase          |  |  |  |  |  |  |  |  |  | End of Term Purchase          |  |  |
| 5                                                                                                                                                                                                                                                                                        | Refinance                     |  |  |  |  |  |  |  |  |  | Refinance                     |  |  |
| 6                                                                                                                                                                                                                                                                                        | Fixed Term Renewal            |  |  |  |  |  |  |  |  |  | Fixed Term Renewal            |  |  |
| 7                                                                                                                                                                                                                                                                                        | Evergreen                     |  |  |  |  |  |  |  |  |  | Evergreen                     |  |  |
| 8                                                                                                                                                                                                                                                                                        | Rollover                      |  |  |  |  |  |  |  |  |  | Rollover                      |  |  |
| 9                                                                                                                                                                                                                                                                                        | Loan Early Payoff             |  |  |  |  |  |  |  |  |  | Loan Early Payoff             |  |  |
| 10                                                                                                                                                                                                                                                                                       | Loan Early Repossession       |  |  |  |  |  |  |  |  |  | Loan Early Repossession       |  |  |
| 11                                                                                                                                                                                                                                                                                       | Loan End of Term Payoff       |  |  |  |  |  |  |  |  |  | Loan End of Term Payoff       |  |  |
| 12                                                                                                                                                                                                                                                                                       | Loan End of Term Repossession |  |  |  |  |  |  |  |  |  | Loan End of Term Repossession |  |  |
| 13                                                                                                                                                                                                                                                                                       | Default                       |  |  |  |  |  |  |  |  |  | Default                       |  |  |
| 14                                                                                                                                                                                                                                                                                       | Undetermined                  |  |  |  |  |  |  |  |  |  | Undetermined                  |  |  |

## Create Taxonomy:

1. Click **Create** in the Taxonomy page.
2. Enter taxonomy **Name** and **Description** data in the **Create Taxonomy** page.

3. Enter Taxonomy Categories.
4. Click **Apply** when the values of the taxonomy are defined.

| Column        | Values          | Required / Optional | Description                                                                                                            |
|---------------|-----------------|---------------------|------------------------------------------------------------------------------------------------------------------------|
| Category Code | 1, 2, 3, 4...13 | Seeded              | Seeded and cannot be updated                                                                                           |
| Category Name | Character       | Seeded              | Seeded and cannot be updated. Used by the Asset Outcome Dashboard for buckets to classify the asset outcome prediction |
| Display Name  | Character       | Required            | Enter display name                                                                                                     |

### Create, Update, Delete, and Duplicate the Data Set:

You can create a data set and associate it to an application. The data set determines which source the data should be processed by the application. The application associates the required attributes to the data set and attaches it to the knowledge base. Customers can use the seeded data set or create their own that satisfies their business requirements.

The **Asset Outcomes** seeded data set is made available and associated to the **Asset Outcome Prediction** application.

You can:

- Search for a dataset
  - Name
  - Description
- Create, update, and delete a dataset
- Duplicate a dataset
- View details of the dataset
- Associate attributes to the data set
- Enable and disable the attributes in the data set

You cannot update or delete any of the standard data sets. If the data set that is associated to the knowledge base has been deployed, then you cannot update or delete the data set.

**Application: Asset Outcome Prediction**

Application Name: Asset Outcome Prediction  
Type: Classification

Attributes | Taxonomy | **Data Set** | Knowledge Base

**Search**

Note that the search is case insensitive

Name:

Description:

**Create** | ...

| Name           | Description    | Action                                   |
|----------------|----------------|------------------------------------------|
| Asset Outcomes | Asset Outcomes | Update <input type="button" value="Go"/> |

### Creating the Data Set:

1. Click **Create** in the **Data Set** page.
2. Enter data set data in the **Create Data Set** page for **Name** and **Description**.
3. Select from the list of associated attributes, and click the **Enabled** box for those to add to the data set. For any extended attributes, you must define the target column. The list of values for the target column must map to the predictions results table. The application stores the extended attributes in the predictions result tables.
4. Click **Apply** when the associated attributes are selected.

**Data Set Details**

Name: Asset Outcomes  
Application Name: Asset Outcome Prediction  
Description: Asset Outcomes

**Associated Attributes**

Rows 1 to 30

| Attribute                 | Attribute Type | Description                     | Target Column             | Enabled                             |
|---------------------------|----------------|---------------------------------|---------------------------|-------------------------------------|
| ASSET_NUMBER              | Standard       | Asset Number                    | ASSET_NUMBER              | <input checked="" type="checkbox"/> |
| ASSET_UNITS               | Standard       | Asset Units                     | ASSET_UNITS               | <input checked="" type="checkbox"/> |
| ASSET_UNIT_COST           | Standard       | Asset Unit Cost                 | ASSET_UNIT_COST           | <input checked="" type="checkbox"/> |
| BILL_TO_SITE_USE_ID       | Standard       | Bill to Site Address Identifier | BILL_TO_SITE_USE_ID       | <input checked="" type="checkbox"/> |
| CONTRACT_NUMBER           | Standard       | Contract Number                 | CONTRACT_NUMBER           | <input checked="" type="checkbox"/> |
| CONTRACT_RESTRUCTURED_YN  | Standard       | Contract Restructured Yes/No    | CONTRACT_RESTRUCTURED_YN  | <input checked="" type="checkbox"/> |
| CREDIT_LINE_NUM_YN        | Standard       | Credit line Yes/No              | CREDIT_LINE_NUM_YN        | <input checked="" type="checkbox"/> |
| CURRENCY_CODE             | Standard       | Contract Currency               | CURRENCY_CODE             | <input checked="" type="checkbox"/> |
| CUSTOMER_ACCOUNT_ID       | Standard       | Customer Account Identifier     | CUSTOMER_ACCOUNT_ID       | <input checked="" type="checkbox"/> |
| CUSTOMER_ACTIVE_CONTRACTS | Standard       | Customer Total Active Contracts | CUSTOMER_ACTIVE_CONTRACTS | <input checked="" type="checkbox"/> |

### Create and Update the Knowledge Base:

You can create a knowledge base and associate it to an application. The knowledge base is a combination of the data set, taxonomy, algorithm, and historical data that is used to define a model. It provides the patterns that will be used by the machine learning algorithms to carry out the classification process. After the attributes, taxonomy, and data set have been defined, you can create the knowledge base. Only one knowledge base is allowed per operating unit.

You can create the knowledge base by clicking the **Go to Task** icon from the **Prediction Setup Checklist** for **Configure Knowledge Base**. The **Create Knowledge Base** page appears.

To create the **Knowledge Base**:

1. Enter the following knowledge base data in the **Create Knowledge Base** page:

| Attributes      | Values                   | Required / Optional | Description                                                                                             |
|-----------------|--------------------------|---------------------|---------------------------------------------------------------------------------------------------------|
| Operating Unit  | Enter OU                 | Required            | Enter valid Operating Unit                                                                              |
| Applicaion Name | Asset Outcome Prediction | Default             | The application name is defaulted                                                                       |
| Name            | Character                | Required            | Name of the Knowledge Base                                                                              |
| Data Set        | LOV                      | Required            | Select the data set from LOV of standard or extended. The default for standard seeded is Asset Outcomes |
| Taxonomy        | LOV                      | Required            | Select the Taxonomy that is mapped to Asset Outcome Prediction. The default is Asset Outcomes           |



| Attributes       | Values         | Required / Optional | Description                                                                                                                                                                                                                                                                                |
|------------------|----------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Status           | Read only      | Display             | Status: <ul style="list-style-type: none"> <li>• <b>New</b> – when first created</li> <li>• <b>Incomplete</b> – when any update is made</li> <li>• <b>Valid</b> – when passes validation</li> <li>• <b>Built</b> – build is complete</li> <li>• <b>Deployed</b> – when deployed</li> </ul> |
| Algorithm        | Drop-down list | Required            | Select from list of Algorithms available:<br><br>Decision Tree, Random Forest, Support Vector Machine                                                                                                                                                                                      |
| Test Train Split | Drop-down list | Required            | Select from the list that determines the percentage used for training vs. testing: <ul style="list-style-type: none"> <li>• 70% to Train, 30% to Test</li> <li>• 75% to Train, 25% to Test</li> <li>• 80% to Train, 20% to Test</li> </ul>                                                 |

| Attributes                | Values         | Required / Optional | Description                                                                                                                                                                                                                                                                                          |
|---------------------------|----------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Months of Historical Data | Drop-down list | Required            | <p>Select the number of months of data to load to the staging table from the drop-down list. Example:</p> <ul style="list-style-type: none"> <li>• 6 Months</li> <li>• 12 Months</li> <li>• 18 Months</li> <li>• 24 Months</li> <li>• 36 Months</li> <li>• 48 Months</li> <li>• 60 Months</li> </ul> |

Setup: Prediction Applications >  
**Create Knowledge Base** Cancel Apply

\* Operating Unit LeaseQA1

\* Name

\* Data Set

\* Taxonomy

Status New

\* Algorithm

\* Test Train Split

\* Months of Historical Data

2. Click **Apply** when the values of the knowledge base are defined.

### Activate the Knowledge Base (Validate, Build, Deploy):

You can activate the knowledge base.

| Knowledge Base   |                          |                           |                           | Update | Undeploy |
|------------------|--------------------------|---------------------------|---------------------------|--------|----------|
| Operating Unit   | LeaseQA1                 | Status                    | Deployed                  |        |          |
| Application Name | Asset Outcome Prediction | Algorithm                 | Random Forest             |        |          |
| Name             | Asset_Predictions        | Months of Historical Data | 60 Months                 |        |          |
| Data Set         | Asset Outcomes           | Test Train Split          | 80% to Train, 20% to Test |        |          |
| Taxonomy         | Asset Outcomes           |                           |                           |        |          |

| Activation Summary |        |         |
|--------------------|--------|---------|
| ***                |        |         |
| Process            | Status | Details |
| Validate           | ✓      |         |
| Build              | ✓      |         |
| Deploy             | ✓      |         |

## Steps to Activate the Knowledge Base:

When you click **Activate Knowledge Base**, the application renders train to guide you through the validation, building, and deploying of the knowledge base.

| Activate Knowledge Base: Validate Knowledge Base |                          |                           |                           | Save for Later | Continue |
|--------------------------------------------------|--------------------------|---------------------------|---------------------------|----------------|----------|
| Operating Unit                                   | LeaseQA1                 | Status                    | Valid                     |                |          |
| Application Name                                 | Asset Outcome Prediction | Algorithm                 | Random Forest             |                |          |
| Name                                             | AssetOutcome             | Months of Historical Data | 60 Months                 |                |          |
| Data Set                                         | Asset Outcomes           | Test Train Split          | 80% to Train, 20% to Test |                |          |
| Taxonomy                                         | Asset Outcomes           |                           |                           |                |          |

| Validation Checklist                                              |          |  |
|-------------------------------------------------------------------|----------|--|
| Personalize "Validation Checklist"                                |          |  |
| Personalize "Checklist Validation Results"                        |          |  |
| ***                                                               |          |  |
| Description                                                       | Severity |  |
| The Knowledge Base validation process has completed successfully. | Success  |  |

1. **Validate the Knowledge Base** - Knowledge base validation is the first step in the activation process. The validation step checks for data inaccuracies. If any validation fails, then it will be listed in the Validation Checklist along with the description message and severity. All validations must be passed before you can proceed to the next step. You can click **Continue** to move to the next step.
2. **Build the Knowledge Base** - If your knowledge base passed validation, then the next step is building the knowledge base. If you are satisfied with the knowledge base, then you can deploy the knowledge base.

The build knowledge base process builds the model. There are two build options:

1. **Load Training Data** – Click **Go** and the data will be reloaded to the staging table for asset outcome prediction.
2. **User Existing Training Data** – Click **Go** and the table will not be reloaded. It will use the existing data and run the data mining process.

After selecting one of the options described above, the **Build Asset Outcome Predictions** concurrent program is launched. **Built** status displays after successful completion of the concurrent program. The model is then ready to be deployed.

### Search Training Batch

You can search on **Training Batch** by providing the training batch number and clicking **Go**. The related details of the training batch appear. You can click **Refresh** to verify that the **Phase** completed for the training batch.

Validate Knowledge Base: Previously visited step

Build and Deploy Knowledge Base: Active step

Activate Knowledge Base: Build and Deploy Knowledge Base

Save for Later

Deploy

Operating Unit: LeaseQA1

Status: Valid

Application Name: Asset Outcome Prediction

Algorithm: Random Forest

Name: AssetOutcome

Months of Historical Data: 60 Months

Data Set: Asset Outcomes

Test Train Split: 80% to Train, 20% to Test

Taxonomy: Asset Outcomes

Personalize Stack Layout: (TrainingBatchLayout)

Personalize Table Layout: (BuildTable)

Build

Load Training Data

Go

Refresh

Personalize Query: (TrainingBatchRN)

Search

Personalize "Search"

Note that the search is case insensitive

Training Batch Number

Go

Clear

Personalize "Training Batch Search Results"

\*\*\*

| Training Batch Number | Status  | Algorithm     | Data Set       | Taxonomy       | Months of Historical Data | Test Train Split          | Phase     | Request Status | Output |
|-----------------------|---------|---------------|----------------|----------------|---------------------------|---------------------------|-----------|----------------|--------|
| 55064296              | Current | Decision Tree | Asset Outcomes | Asset Outcomes | 60 Months                 | 75% to Train, 25% to Test | Completed | Normal         |        |
| 55064285              | History | Random Forest | Asset Outcomes | Asset Outcomes | 60 Months                 | 75% to Train, 25% to Test | Completed | Normal         |        |
| 55064281              | History | Decision Tree | Asset Outcomes | Asset Outcomes | 60 Months                 | 75% to Train, 25% to Test | Completed | Normal         |        |

| Column                    | Description                                                                                                                                                             |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Training Batch Number     | Request number of the training batch                                                                                                                                    |
| Status                    | Training batch status <ul style="list-style-type: none"><li><b>Current</b> – current training data</li><li><b>History</b> – previous version of training data</li></ul> |
| Algorithm                 | Displays the algorithm                                                                                                                                                  |
| Data Set                  | Displays the data set                                                                                                                                                   |
| Taxonomy                  | Displays the taxonomy                                                                                                                                                   |
| Months of Historical Data | Displays the months of historical data                                                                                                                                  |
| Test Train Split          | Displays the test train split                                                                                                                                           |
| Phase                     | Displays the phase: Pending, Running, or Completed.<br><br>When completed the status of the knowledge base is updated to <b>Built</b> .                                 |

| Column         | Description                                                                                                                                                                              |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Request Status | Display the request status: <b>Standby, Normal, Error</b>                                                                                                                                |
| Output icon    | Displays the output report for the program; <b>Build Asset Outcome Predictions</b> . This contains the knowledge base name, load training data, number of processes, and error messages. |

## Verify Accuracy of the Training Set

You can verify the accuracy of the training set. Additional changes may be made to fine-tune the training set.

Click on the **Training Batch Request ID** to review the training set results.



| Influencing Attributes                                             |                |
|--------------------------------------------------------------------|----------------|
| Personalize "Influencing Attributes"                               |                |
| Personalize "Influencing Attributes Table"                         |                |
| ***                                                                |                |
| Previous 1 - 10 Next 10                                            |                |
| Attribute Name                                                     | Attribute Rank |
| Asset Line Status                                                  | 1              |
| Contract Term in Months                                            | 1              |
| Line Term in Months                                                | 1              |
| Ratio of Customer Evergreen Contracts to Customer Total Contracts  | 2              |
| Ratio of Customer Expired Contracts to Customer Total Contracts    | 2              |
| Ratio of Customer Terminated Contracts to Customer Total Contracts | 2              |
| Customer Total Active Contracts                                    | 2              |
| Number of Overdue Invoices                                         | 2              |
| Contract Product Identifier                                        | 2              |
| Ratio of Item's Evergreens to Item's Total Outcomes for Customer   | 2              |
| Previous 1 - 10 Next 10                                            |                |

- The results provides header data information for **Knowledge Base**, **Data Set**, **Taxonomy**, **Algorithm** used, **Months of Historical Data** retrieved, the **Test Train Split** used.
- **Number of Training Transactions** – used to train the model
- **Number of Transactions Classified** – used to test the model
- **Classification Accuracy** – accuracy percentage
- **Prediction Accuracy** bar chart – displays actual versus predicted
  - X-axis displays predicted outcome
  - Y-axis displays the number of transactions classified
- **Influencing Attributes** – attributes used to influence the model

### 3. Deploy the Knowledge Base

Deploys the knowledge base. You can continue on the train. After the knowledge base is built and you are satisfied with the accuracy of the knowledge base, you may deploy the knowledge base. Click **Deploy**. The **Status** of the knowledge base is updated to **Deployed**.

### Undeploy the Knowledge Base :

You can update the knowledge base. If the knowledge base has been deployed, then you must undeploy the knowledge base to make any further changes.

| Knowledge Base   |                          |                           |                           | Update | Undeploy |
|------------------|--------------------------|---------------------------|---------------------------|--------|----------|
| Operating Unit   | LeaseQA1                 | Status                    | Deployed                  |        |          |
| Application Name | Asset Outcome Prediction | Algorithm                 | Random Forest             |        |          |
| Name             | AssetOutcome             | Months of Historical Data | 60 Months                 |        |          |
| Data Set         | Asset Outcomes           | Test Train Split          | 80% to Train, 20% to Test |        |          |
| Taxonomy         | Asset Outcomes           |                           |                           |        |          |

**Activation Summary**

Personalize "Activation Summary"  
Personalize "Activation Summary Table"

\*\*\*

| Process  | Status | Details                                                                             |
|----------|--------|-------------------------------------------------------------------------------------|
| Validate | ✓      |  |
| Build    | ✓      |  |
| Deploy   | ✓      |  |

### Perform Asset Outcome Predictions:

You can schedule the asset outcome predictions **Generate Asset Outcome Predictions** concurrent program. This program takes the active assets and units, and places them into the appropriate asset outcome prediction category.

### Extract to ECC:

You can extract the asset outcome predictions for active assets and units, and load to ECC. You must run the **Lease Asset Management ECC Loader** program.





---

# Profile Options and Profile Option Categories

This appendix covers the following topics:

- Profile Options and Profile Option Categories Overview
- Profile Option Category and Profile Options Descriptions

## Profile Options and Profile Option Categories Overview

During implementation, set a value for each Oracle Lease and Finance Management profile option to specify how Lease and Finance Management controls access to and processes data.

See: Setting User Profile Options, *Oracle Applications System Administrator's Guide - Maintenance*

Profile options are grouped into one or more profile option categories enabling you to view only the profile options that pertain to your application or function.

### Lease and Finance Management Categories

- Accounting, page A-2
- Billing, page A-3
- Collections, page A-4
- Credit, page A-4
- Customer Service, page A-6
- Fulfillment, page A-9
- Insurance, page A-12

- Interaction History, page A-16
- Origination, page A-19
- Remarketing, page A-22
- Sales, page A-24
- Streams, page A-25
- Subledger Accounting, page A-29
- Technical, page A-27
- Vendor, page A-28

## Profile Option Category and Profile Options Descriptions

This section describes profile options by category.

The tables in this section provide profile option information as follows:

- The Default column displays either the default profile option value in italics, or No Default if none exists.
- The User Access column indicates whether you can view or update the profile option.
- The System Administration: Site, Application, Responsibility, and User columns indicate at which levels the system administrator can update these profile options.

The key for each table is:

- + - You can update the profile option.
- V - You can view the profile option but cannot change it.
- 0 - You cannot view or change the profile option.

## Accounting Category

The table below lists the profile options that control the accounting feature.

### **Accounting Category**

| Profile Option Name and Level           | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|-----------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Update Sales Tax Calculation Rules |      | +               | +                | +                      | +               | No        | No default    |
| OKL: Use Account Generator Workflow     | +    | +               | +                | +                      | +               | No        | No            |

#### **OKL: Update Sales Tax Calculation Rules**

Enables users to control updates to the Sales Tax Calculation rules. The default value of Null prevents the user from updating these rules.

#### **OKL: Use Account Generator Workflow**

Yes / No list of values. Default set to No which uses the program logic to derive account codes for the account generator. Set value to Yes to derive the account codes through the OKL Account Generator workflow. You can modify this workflow to evaluate user-defined sources for account code derivation.

### **Billing Category**

The table below lists the profile options that controls the default summary view for the Receipt Application.

### **Billing Category**

| Profile Option Name and Level                               | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|-------------------------------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Number of Receipt Applications to Default Summary View | +    | +               | +                | +                      | +               | No        | No Default    |

### OKL: Number of Receipt Applications to Default Summary View

Used to set the default number for the receipt applications in the summary view. If the number of receipt application line is equal to or more than the value set for this option, the default view mode is Summary otherwise it is Detail.

## Collections Category

The table below lists the profile options that control the collections feature.

### *Collections Category*

| Profile Option Name and Level                 | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|-----------------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Collections Approver                     |      | +               | +                | +                      | +               | No        | No Default    |
| OKL: Collections Specific Loss Provision Name |      | 0               | +                | 0                      | +               | No        | No Default    |
| OKL: Small Balance Write-Off Tolerance        | V    | +               | +                | +                      | +               | No        | No Default    |

### OKL: Collections Approver

Used to identify the approver for collections.

### OKL: Collections Specific Loss Provision Name

Used while writing off a contract.

### OKL: Small Balance Write-Off Tolerance

The contract termination process checks the value of this profile option and generates a small balance write-off if the amount not received from the lessee is less than or equal to the value in the profile option. If the balance amount due exceeds the value in the profile option, the contract is terminated without any write-off.

## Credit Category

The table below lists the profile options that control the credit feature.

### Credit Category

| Profile Option Name and Level       | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value        |
|-------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|----------------------|
| OKL: Credit Analyst                 | +    | +               | +                | +                      | +               | Yes       |                      |
| OKL: Credit Approver                |      | +               | +                | +                      | +               | No        | No Default           |
| OKL: Credit Line Approval Process   |      | +               | +                | +                      | +               | No        | No Default           |
| OKL: Credit Line Approver           | +    | +               | +                | +                      | +               | No        |                      |
| OKL: Cure Approval User             |      | +               | 0                | 0                      | 0               | No        | System Administrator |
| OKL: Funding Request Approver       | +    | +               | +                | +                      | +               | No        |                      |
| OKL: Lease Funding Approval Process | +    | 0               | +                | 0                      | +               | No        | No Default           |

#### OKL: Credit Analyst

Determines the user who receives credit recommendation notifications. Assign value to set workflow notification for credit management.

#### OKL: Credit Approver

Used to identify the approver for credit line requests.

#### OKL: Credit Line Approval Process

Determines which application process to use for credit line approval requests. Available options include None, Oracle Workflow and Oracle Approvals Management (AME).

#### OKL: Credit Line Approver

Used to enable credit line approver role for the user.

### OKL: Cure Approval User

Identifies the user to receive notifications to approve cure requests sent by the Request Cure Approvals program.

### OKL: Funding Request Approver

Used to enable funding request approver role for the user.

### OKL: Lease Funding Approval Process

Determines which application process to use for lease funding approvals.

## Customer Service Category

The table below lists the profile options that control the customer service feature.

#### *Customer Service Category*

| Profile Option Name and Level            | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required?                                  | Default Value |
|------------------------------------------|------|-----------------|------------------|------------------------|-----------------|--------------------------------------------|---------------|
| OKL: Allow Renewal Quote                 | +    | +               | +                | +                      | +               | No                                         |               |
| OKL: Asset Update Enabled for a Contract | +    | +               | +                | +                      | +               | No                                         |               |
| OKL: iPayment Account ID                 |      | 0               | +                | 0                      | +               | No                                         | No Default    |
| OKL: Lease Center Default Tab            | +    | +               | +                | +                      | +               | No                                         |               |
| OKL: Recent Number of Days               | V    | +               | +                | +                      | +               | No                                         |               |
| OKL: Update Asset Return Rules           | +    | +               | +                | +                      | +               | Yes for non-financial update, otherwise No |               |

| Profile Option Name and Level                        | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required?                                  | Default Value |
|------------------------------------------------------|------|-----------------|------------------|------------------------|-----------------|--------------------------------------------|---------------|
| OKL: Update Billing Structure                        | +    | +               | +                | +                      | +               | Yes for non-financial update, otherwise No |               |
| OKL: Update Descriptive Flexfields from Lease Center |      | +               | +                | +                      | +               | No                                         | No Default    |
| OKL: Update Evergreen Eligibility                    | +    | +               | +                | +                      | +               | No                                         |               |
| OKL: Update Late Charges Rules                       | +    | +               | +                | +                      | +               | Yes for non-financial update, otherwise No |               |
| OKL: Update Misc Non Financial Information           | +    | +               | +                | +                      | +               | Yes for non-financial update, otherwise No |               |
| OKL: Update Party Information                        | +    | +               | +                | +                      | +               | Yes for non-financial update, otherwise No |               |
| OKL: Update Renewal Options                          | +    | +               | +                | +                      | +               | Yes for non-financial update, otherwise No |               |
| OKL: Update Termination Option Rules                 | +    | +               | +                | +                      | +               | Yes for non-financial update, otherwise No |               |
| OKL: Waive Service Fee                               | V    | +               | +                | +                      | +               | Yes                                        |               |

| Profile Option Name and Level | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|-------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Waive Service Fee Limit  | V    | +               | +                | +                      | +               | Yes       |               |

#### **OKL: Allow Renewal Quote**

Used to check whether a renewal quote can be requested from the Lease Center.

#### **OKL: Asset Update Enabled for a Contract**

Determines tax status updates from the Lease Center. If set to Yes, the user can update the tax status and exempt number on the Asset Details page in the Lease Center.

#### **OKL: iPayment Account ID**

Specifies the bank account to post payments received through the iPayment integration service when using the Make Payment function in Lease and Finance Management.

#### **OKL: Lease Center Default Tab**

Determines which tab is automatically opened when the Lease Center is launched.

#### **OKL: Recent Number of Days**

Used to query billing transactions on specific transaction dates. Sets the number of recent days of billing transactions that you want to appear.

#### **OKL: Update Asset Return Rules**

Determines whether the user is allowed to update asset return rules on the Structure tab of the Lease Center.

#### **OKL: Update Billing Structure**

Determines whether the user is allowed to update billing information on the Structure tab of the Lease Center.

#### **OKL: Update Descriptive Flexfields from Lease Center**

Enables updates to descriptive flexfields for contract header and lines in the Lease Center.



**OKL: Update Evergreen Eligibility**

Used to check whether Evergreen eligibility rules can be updated from the Lease Center.

**OKL: Update Late Charges Rules**

Determines whether the user is allowed to update late charge rules on the Structure tab of the Lease Center.

**OKL: Update Misc Non Financial Information**

Determines whether the user is allowed to update other information on the Structure tab of the Lease Center not covered by the other "OKL: Update" profile options.

**OKL: Update Party Information**

Determines whether the user is allowed to add, update, or delete guarantor, or add or update vendor on the Parties tab of the Lease Center.

**OKL: Update Renewal Options**

Determines whether the user is allowed to update renewal option rules on the Structure tab of the Lease Center.

**OKL: Update Termination Option Rules**

Determines whether the user is allowed to update termination option rules on the Structure tab of the Lease Center.

**OKL: Waive Service Fee**

Determines whether leasing agent has authority to waive service fee charges generated in the Lease Center.

**OKL: Waive Service Fee Limit**

Determines the maximum amount (in user's organization unit ledger currency) of a service fee charge that a leasing agent can waive.

**Fulfillment Category**

The table below lists the profile options that control the fulfillment feature.

### ***Fulfillment Category***

| <b>Profile Option Name and Level</b>         | <b>User</b> | <b>Sys Admin: User</b> | <b>Sys Admin: Resp.</b> | <b>Sys Admin: Application</b> | <b>Sys Admin: Site</b> | <b>Required?</b> | <b>Default Value</b> |
|----------------------------------------------|-------------|------------------------|-------------------------|-------------------------------|------------------------|------------------|----------------------|
| OKL: Agent for Receiving Customer Response   |             | +                      | +                       | +                             | +                      | No               | No Default           |
| OKL: Agent for Receiving Vendor Response     |             | +                      | +                       | +                             | +                      | No               | No Default           |
| OKL: Default Note Type                       | +           | +                      | +                       | +                             | +                      | Yes              |                      |
| OKL: Email Identity                          | V           | +                      | +                       | +                             | +                      | Yes              |                      |
| OKL: Manual Termination Quote Representative | +           | +                      | +                       | +                             | +                      | Yes              |                      |
| OKL: Transportation Department Notification  | +           | +                      | +                       | +                             | +                      | Yes              |                      |
| OKL: Vendor Approval Email From              |             | +                      | +                       | +                             | +                      | No               | No Default           |
| OKL: Vendor Approval Email Subject           |             | +                      | +                       | +                             | +                      | No               | No Default           |
| OKL: Vendor Approval Template                |             | +                      | +                       | +                             | +                      | No               | No Default           |
| OKL: Vendor Contact Email                    |             | +                      | +                       | +                             | +                      | No               | No Default           |
| OKL: Vendor Notification Email From          |             | +                      | +                       | +                             | +                      | No               | No Default           |

| Profile Option Name and Level          | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|----------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Vendor Notification Email Subject |      | +               | +                | +                      | +               | No        | No Default    |
| OKL: Vendor Notification Template      |      | +               | +                | +                      | +               | No        | No Default    |
| OKL: Write Customer Template           | +    | +               | +                | +                      | +               | Yes       |               |

#### **OKL: Agent for Receiving Customer Response**

Determines the agent to receive customer responses for fulfillment documents.

#### **OKL: Agent for Receiving Vendor Response**

Determines the agent to receive vendor responses for fulfillment documents.

#### **OKL: Default Note Type**

Used by the Lease Center to determine the type of interaction history note to create as a default when initiating a new note.

#### **OKL: Email Identity**

Sets the FROM e-mail address for the user when sending notices or other correspondence from the Lease Center. Stores e-mail address that will be used as default if email address is not explicitly set.

#### **OKL: Manual Termination Quote Representative**

Determines who to send manual termination quote requests to.

#### **OKL: Transportation Department Notification**

User / Responsibility . From the list of values, select the user, employee, or responsibility to whom the Transportation Department notification should be sent.

#### **OKL: Vendor Approval Email From**

Used by Oracle Advanced Collections to get approval from vendors associated to Lease Contracts, before sending Collections cases to Credits Bureaus or Other Third Party

Collection Agencies.

**OKL: Vendor Approval Email Subject**

Used by Oracle Advanced Collections to get approval from vendors associated to Lease Contracts, before sending Collections cases to Credits Bureaus or Other Third Party Collection Agencies.

**OKL: Vendor Approval Template**

Used by Oracle Advanced Collections to get approval from vendors associated to Lease Contracts, before sending Collections cases to Credits Bureaus or Other Third Party Collection Agencies.

**OKL: Vendor Contact Email**

Determines the vendor to contact through email while sending the fulfillment documents.

**OKL: Vendor Notification Email From**

Used by Oracle Advanced Collections to notify vendors associated to Lease Contracts, before sending Collections cases to Credits Bureaus or Other Third Party Collection Agencies.

**OKL: Vendor Notification Email Subject**

Used by Oracle Advanced Collections to notify vendors associated to Lease Contracts, before sending Collections cases to Credits Bureaus or Other Third Party Collection Agencies.

**OKL: Vendor Notification Template**

Used by Oracle Advanced Collections to notify vendors associated to Lease Contracts, before sending Collections cases to Credits Bureaus or Other Third Party Collection Agencies.

**OKL: Write Customer Template**

Template is used while sending fulfillment requests to the customer from custom workflows invoked from the strategy engine.

**Insurance Category**

The table below lists the profile options that control the insurance feature.

### Insurance Category

| Profile Option Name and Level                                    | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|------------------------------------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Cancel policy with proof of third party insurance           | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Days After Contract Booking Date to Activate Policy         |      | 0               | +                | 0                      | +               | No        | No Default    |
| OKL: Days After Contract Booking Date to Policy Creation         |      | 0               | +                | 0                      | +               | No        | No Default    |
| OKL: Insurance Item Type                                         | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Insurance quote deal size limit                             | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Insurance quote deal term maximum months                    | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Insurance quote deal term minimum months                    | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Insurance quote duration in days                            | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Lead days to notify customer of insurance policy expiration | V    | 0               | +                | 0                      | +               | Yes       |               |

| Profile Option Name and Level                                  | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|----------------------------------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Maximum Number of Months Allowed After Payment for Refund | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Maximum Number of Months to Refund                        | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Minimum Percent of Premium Paid for Policy Activation     | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Notify Customer of Insurance Policy Expiration            | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Payment Frequency for Automatic Insurance                 | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Percent of Total Premium to Pay                           | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Third Party Task Group ID                                 | 0    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Third Party Task Owner Group ID                           | V    | 0               | +                | 0                      | +               | Yes       |               |

#### **OKL: Cancel Policy With Proof of Third Party Insurance**

Allows the insurance program to cancel a lessor-provided insurance policy when proof of a third party policy is recorded for the contract.

#### **OKL: Days After Contract Booking Date to Activate Policy**

Specifies the number of days after contract booking. The program that automatically

activates insurance policies for assets not covered by an active insurance policy or third party insurance policy to determine the activation date uses this profile option's value.

**OKL: Days After Contract Booking Date to Policy Creation**

Specifies the number of days after contract booking. The program that automatically creates insurance policies for assets not covered by an active insurance policy or third party insurance policy to determine the creation date uses this profile option's value.

**OKL: Insurance Item Type**

Determines the inventory item type used for identifying and searching for insurance products from the user's inventory organization. Select from a list of values.

**OKL: Insurance Quote Deal Size Limit**

Contract amount which can be covered by lessor insurance. Contracts with a total covered asset cost over this amount (in the organization's ledger currency) are excluded from the automatic insurance placement program.

**OKL: Insurance Quote Deal Term Maximum Months**

Maximum contract term for which lessor can sell insurance. Contracts with a term longer than this number of months are excluded from the automatic insurance placement program.

**OKL: Insurance Quote Deal Term Minimum Months**

Minimum contract term for which lessor can sell insurance. Contracts with a total covered asset cost less than this amount (in the organization's ledger currency) are excluded from the automatic insurance placement program.

**OKL: Insurance Quote Duration in Days**

Insurance quote duration in days.

**OKL: Lead days to notify customer of insurance policy expiration**

Number of days before insurance policy (including third party) expiration that a notification is sent to a user.

**OKL: Maximum Number of Months Allowed After Payment for Refund**

Determines the maximum number of months after policy activation during which a refund can be performed for a policy cancellation.

**OKL: Maximum Number of Months to Refund**

Determines the maximum number of months of premium payments that can be refunded for a cancelled policy.

**OKL: Minimum Percent of Premium Paid for Policy Activation**

Determines the minimum payment amount required against an insurance policy for it to be activated.

**OKL: Notify Customer of Insurance Policy Expiration**

Determines whether the customer is to be notified of an expiring insurance policy.

**OKL: Payment Frequency for Automatic Insurance**

Determines the default payment frequency for automatic insurance policy quotes.

**OKL: Percent of Total Premium to Pay**

Determines the percent of the total lessor premium due to a provider that is paid annually as a lump sum.

**OKL: Third Party Task Group ID**

Determines the task group ID used for sending tasks related to the insurance policy placement program.

**OKL: Third Party Task Owner Group ID**

Determines the task owner group ID used for sending tasks related to the insurance policy placement program.

**Interaction History Category**

The table below lists the profile options that control the interaction history feature.

***Interaction History Category***

| Profile Option Name and Level | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|-------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Debug                    | +    | +               | +                | +                      | +               | No        |               |



| Profile Option Name and Level               | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|---------------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Hangup On End                          | +    | +               | +                | +                      | +               | No        |               |
| OKL: Interactions - Default Action          | +    | +               | +                | +                      | +               | Note      |               |
| OKL: Interactions - Default Action Item     | +    | +               | +                | +                      | +               | Note      |               |
| OKL: Interactions - Default Outcome         | +    | +               | +                | +                      | +               | Note      |               |
| OKL: Interactions - Enable Auto Wrapup      | +    | +               | +                | +                      | +               | No        |               |
| OKL: Interactions - Enable Automatic Start  | +    | +               | +                | +                      | +               | No        |               |
| OKL: Interactions - Enable Change Activity  | +    | +               | +                | -                      | +               | No        |               |
| OKL: Interactions - Generate Event Activity | +    | +               | +                | +                      | +               | No        |               |
| OKL: Interactions - Record Media Item ID    | +    | +               | +                | +                      | +               | No        |               |
| OKL: Interactions - Start On Query          | +    | +               | +                | +                      | +               | No        |               |
| OKL: Script Launch on Interaction           | +    | +               | +                | +                      | +               | No        |               |
| OKL: Script Launch on UWQ Delivery          | +    | +               | +                | +                      | +               | No        |               |

| Profile Option Name and Level | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|-------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Scripting Installation   | +    | +               | +                | +                      | +               | No        |               |

#### **OKL: Debug**

Determines whether Lease and Finance Management is running in debug mode or not. Profile used to display diagnostic information related to interaction history and UWQ drill down from the Lease Center.

#### **OKL: Hangup On End**

Determines whether the call management program used in the Lease Center automatically hangs up the call after an interaction is closed.

#### **OKL: Interactions - Default Action**

Sets the user's default action type when creating new interaction records for a contract using the Lease Center.

#### **OKL: Interactions - Default Action Item**

Sets the user's default action item when creating new interaction records for a contract using the Lease Center.

#### **OKL: Interactions - Default Outcome**

Sets the user's default outcome when creating new interaction records for a contract using the Lease Center.

#### **OKL: Interactions - Enable Auto Wrapup**

Determines whether an interaction record is automatically closed in the Lease Center when the user selects a new contract. If set to Yes, interaction is wrapped up automatically without appearing in the wrap-up window.

#### **OKL: Interactions - Enable Automatic Start**

Enables Lease Center logic to automatically open a new interaction record when the user accesses the Lease Center.

**OKL: Interactions - Enable Change Activity**

Enables user to change action and action item of system generated interaction activities. If set to No, user cannot change the system generated action or action item on the Interaction window.

**OKL: Interactions - Generate Event Activity**

Determines whether or not interaction activity should be logged. If a profile is set to Yes, then the system logs the interaction; if the profile is set to No, the system logs no actions, and the user cannot close the interaction.

**OKL: Interactions - Record Media Item ID**

Required for media integration with Universal Work Queue. Setting this profile records which means of communication (e-mail, phone, and so on) was used in the interaction.

**OKL: Interactions - Start On Query**

Determines whether the Lease Center program opens the automatic interaction record (if enabled) upon contract query or some other event.

**OKL: Script Launch on Interaction**

Script launch on interaction.

**OKL: Script Launch on UWQ Delivery**

Script launch on UWQ delivery.

**OKL: Scripting Installation**

Determines whether Oracle Scripting is installed.

**Origination Category**

The table below lists the profile options that control the origination feature.

### Origination Category

| Profile Option Name and Level                                         | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|-----------------------------------------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Allow Lease Contract Template Creation                           | V    | +               | +                | +                      | +               | Yes       | No            |
| OKL: Allow Manual Termination Quote Create and Updates                |      | +               | V                | V                      | V               | No        | No Default    |
| OKL: Apply Billing Adjustment                                         | +    | +               | +                | +                      | +               | No        |               |
| OKL: Book the Contract without IRR                                    |      | 0               | +                | 0                      | 0               | No        | Yes           |
| OKL: Contract Administrator                                           |      | +               | +                | +                      | +               | No        | No Default    |
| OKL: Contract Total Asset Lines                                       |      | 0               | +                | 0                      | +               | No        | 10            |
| OKL: Display Contract Additional Information in Customer Self Service |      | +               | +                | +                      | +               | No        | No Default    |
| OKL: Display Contract Additional Information in Vendor Self Service   |      | +               | +                | +                      | +               | No        | No Default    |
| OKL : Enable Business Events for Batch Processes                      |      | +               | +                | +                      | +               | No        | No Default    |
| OKL: Funding Approver                                                 | +    | +               | +                | +                      | +               | No        |               |

| Profile Option Name and Level      | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Split Asset Retirement Type   | V    | 0               | +                | 0                      | +               | Yes       |               |
| OKL: Subsidy Pool Approval Process |      |                 |                  |                        |                 | No        | No Default    |
| OKL: Subsidy Pool Global Access    |      | +               | +                | +                      | +               | No        | No Default    |

### OKL: Allow Lease Contract Template Creation

Allows user to create lease contract template.

### OKL: Allow Manual Termination Quote Create and Updates

Allows users to create and update with purchase and without purchase manual termination quotes.

### OKL: Apply Billing Adjustment

Used with contract revisions and rebookings that change financial information. If set to Null, credit memos are not automatically applied to invoices in Receivables. Users must do this manually. If set to Seeded, credit memos are automatically applied to invoices by applying to the invoices from the original contract version first, in date order. If set to Custom, users can customize the way that credit memos are applied. Users must create a custom package with the rules.

### OKL: Book the Contract without IRR

Enables the user to book a contract without the IRR. The Internal Stream Generator API uses this profile value. When the profile option is set to Y, if the API cannot calculate the yields or there are errors in calculations, then the program does not error out and the process continues to update the okc\_K\_headers\_tl.comments with an error message. When the profile option is set to N, if the API cannot calculate the yields or there are errors in calculations, then the program errors out and the process comes to a halt.

### OKL: Contract Administrator

Determines the contract administrator to approve the Transfer and Assumption requests.

**OKL: Contract Total Asset Lines**

Determines the minimum number of asset lines for initiating batch mode processing. If the number of asset lines is less than this threshold, then the system initiates normal online activation. For example, if the profile value is zero, then the system initiates batch mode to book all contracts.

**OKL: Display Contract Additional Information in Customer Self Service**

Enables display of descriptive flexfields for additional contract data in Customer Self Service.

**OKL: Display Contract Additional Information in Vendor Self Service**

Enables display of descriptive flexfields for additional contract data in Vendor Self Service.

**OKL : Enable Business Events for Batch Processes**

Enables business events for batch processes.

**OKL: Funding Approver**

Workflow role name for funding approval performer.

**OKL: Split Asset Retirement Type**

From the list of values, select the value to assign for retirement of split assets, for example, theft, casualty, or split.

**OKL: Subsidy Pool Approval Process**

Enables subsidy pool approval process.

**OKL: Subsidy Pool Global Access**

If set to Yes, allows user to search for subsidy pools across operating units.

**Remarketing Category**

The table below lists the profile options that control the remarketing feature.

**Remarketing Category**

| Profile Option Name and Level                  | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|------------------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Contract Renewal Representative           |      | +               | +                | +                      | +               | Yes       | No Default    |
| OKL: Contract Restructure Representative       |      | +               | +                | +                      | +               | Yes       | No Default    |
| OKL: Default Price List                        | V    | V               | +                | +                      | +               | Yes       |               |
| OKL: Default Remarketer Team for Asset Returns | V    | +               | +                | +                      | +               | Yes       |               |
| OKL: Default Subinventory                      | V    | V               | +                | +                      | +               | Yes       |               |
| OKL: Remarketing Inventory Organization        | V    | V               | V                | +                      | +               | Yes       |               |

**OKL: Contract Renewal Representative**

Identifies the user to receive notifications for processing contract renewal requests originating in the Lease Center.

**OKL: Contract Restructure Representative**

Identifies the user to receive notifications for processing contract restructure requests for Non-Like-for-Like Equipment Exchanges originating in the Lease Center.

**OKL: Default Price List**

Price list, list of values. Select the default price list for remarketing. Set up the same price list for iStore.

### OKL: Default Remarketer Team for Asset Returns

Remarketer list of values. Select the default remarketer team for asset returns.

### OKL: Default Subinventory

Subinventory list of values. Select the default subinventory for remarketing.

### OKL: Remarketing Inventory Organization

Inventory organization list of values. Select the inventory organization for remarketing items.

## Sales Category

The table below lists the profile options that control the sales feature.

### *Sales Category*

| Profile Option Name and Level                   | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|-------------------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Allow Manual Interest Rates                | V    | +               | +                |                        |                 | No        | Yes           |
| OKL: End of Term Values Access Level            | V    | +               | +                |                        |                 | No        | Update        |
| OKL: Front End Approval Process                 |      | V               | +                | 0                      | +               | No        | No Default    |
| OKL: Lease Rate Access Level                    | V    | +               | +                |                        |                 | No        | Update        |
| OKL: Number of days a sales quote remains valid | +    | V               | +                | +                      | +               | No        |               |
| OKL: Vendor Access Sales Additional Info        |      | +               | +                | +                      | +               | No        | No Default    |
| OKL: Vendor Access Sales Objects                |      | +               | +                | +                      | +               | No        | No Default    |



**OKL: Allow Manual Interest Rates**

Determines whether or not the user can manually enter interest rates, as an alternative to selecting a Standard Rate Template.

**OKL: End of Term Values Access Level**

Determines the user's access level to the assets' End of Term.

**OKL: Front End Approval Process**

Determines which application process to use when submitting approval requests for Sales Quotes and Lease Applications. Available options include None, Oracle Workflow and Oracle Approvals Management (AME).

**OKL: Lease Rate Access Level**

Determines the user's access level to Lease Rate Factors used to determine the rent payments.

**OKL: Number of days a sales quote remains valid**

The system adds this option's value to the Effective From date of a new sales quote to determine the Effective To date.

**OKL: Vendor Access Sales Additional Info**

Enables users to control vendor access to the additional information for sales objects.

**OKL: Vendor Access Sales Objects**

Enables users to control vendor access to the vendor sales objects created by lessor.

**Streams Category**

The table below lists the profile options that control the streams feature.

***Streams Category***

| Profile Option Name and Level     | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|-----------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Pre-tax IIR Percentage Limit |      | +               | +                | +                      | +               | No        | No Default    |

| Profile Option Name and Level                 | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|-----------------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Pre-tax IRR Percentage Limit             | +    | +               | +                | +                      | +               | Yes       |               |
| OKL: Pricing Enhancements Approval Process    |      | V               | +                | 0                      | +               | No        | No Default    |
| OKL: Stream Generation Log Directory          | V    | +               | +                | +                      | +               | Yes       |               |
| OKL: Stream Generation Pricing Engine Name    | V    | 0               | 0                | 0                      | +               | Yes       |               |
| OKL: Stream Generation Time Out               | +    | +               | +                | +                      | +               | Yes       | 10            |
| OKL: Stream Generation URL for Pricing Engine | 0    | +               | +                | +                      | +               | Yes       |               |
| OKL: Streams for Booking Path                 | V    | 0               | +                | 0                      | +               | Yes       |               |

#### OKL: Pre-tax IIR Percentage Limit

Used by the pre-tax IIR program within the Internal Stream Generator API. Determines the maximum rate that can be calculated.

#### OKL: Pre-tax IRR Percentage Limit

Used by the pre-tax IRR program within the Internal Stream Generator API. Determines the maximum rate that can be calculated.

#### OKL: Pricing Enhancements Approval Process

Used for approval of the following entities: End of Term Options, Lease Rate Sets, Standard Rate Template, Pricing Adjustment Matrix, and Item Residuals.

**OKL: Stream Generation Log Directory**

Specifies the directory location where the log is located for storing details about the XML calls to the external stream generation software server.

**OKL: Stream Generation Pricing Engine Name**

Specifies the name of the pricing engine used for external stream generation software.

**OKL: Stream Generation Time Out**

Determines how long the stream generation program waits for the request to the external stream generation software to process before timing out the request.

**OKL: Stream Generation URL for Pricing Engine**

Specifies the URL of the pricing engine used for external stream generation software.

**OKL: Streams for Booking Path**

Determines the program used by the contract booking process for stream generation.

**Technical Category**

The table below lists the profile options that control the technical features.

***Technical Category***

| Profile Option Name and Level             | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|-------------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Debug Level                          |      | +               | +                | +                      | +               | No        | No Default    |
| OKL: Generate Accruals Concurrent Workers |      | V               | +                | V                      | +               | No        | No Default    |
| OKL: Maximum Lines Per Worker             |      | 0               | 0                | 0                      | +               | No        | 25,000        |

**OKL: Debug Level**

Determines the level of debug messages printed in the log files.

### OKL: Generate Accruals Concurrent Workers

Used by system administrators to control the child workers spawned by the parent Generate Accruals Master program.

### OKL: Maximum Lines Per Worker

Determines the maximum number of lines that a worker can process. The Contract Import process uses this profile value to improve its performance.

## Vendor Category

The table below lists the profile options that control the vendor feature.

### Vendor Category

| Profile Option Name and Level                  | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|------------------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Agreement Change Request Approval Process |      | 0               | +                | 0                      | +               | No        | No Default    |
| OKL: Operating Agreement Approval Process      |      | 0               | +                | 0                      | +               | No        | No Default    |
| OKL: Program Agreement Approval Process        |      | V               | +                | 0                      | +               | No        | No Default    |

### OKL: Agreement Change Request Approval Process

Enables users to configure the approval process for agreement change requests using Oracle Approvals Manager (AME). If the user does not define this option, then the system approves the agreement change requests automatically.

### OKL: Operating Agreement Approval Process

Enables users to configure the approval process for operating agreements using Oracle Approvals Manager (AME). If the user does not define this option, then the system approves the agreement change requests automatically.

### OKL: Program Agreement Approval Process

Determines the approval process to approve a (vendor) Operating or Program Agreement.

### Subledger Accounting Category

The table below lists the profile options that control the subledger feature.

#### *Subledger Category*

| Profile Option Name and Level               | User | Sys Admin: User | Sys Admin: Resp. | Sys Admin: Application | Sys Admin: Site | Required? | Default Value |
|---------------------------------------------|------|-----------------|------------------|------------------------|-----------------|-----------|---------------|
| OKL: Supporting Reference for Trial Balance |      | 0               | 0                | 0                      | +               | No        | No Default    |

### OKL: Supporting Reference for Trial Balance

Defines the supporting reference used by Lease and Finance Management to generate Contract Trial Balance at contract level.



---

## Seed Data

This appendix covers the following topics:

- Stream Purposes
- Formulas
- Workflows

### Stream Purposes

The following table shows seeded Lease and Finance Management stream purposes and contains columns for:

- **Type** - indicates the types of templates in which the Purpose can be used by book class.
  1. **ALL** means the Purpose can be used in all stream generation templates with a product type of Financial Product.
  2. **LS** means the Purpose can be used in stream generation templates with a product type of Financial Product and Book Class of Operating Lease, Direct Financial Lease, or Sales Type Lease.
  3. **LN** means the Purpose can be used in stream generation templates with a product type of Financial Product and Book Class of Loan or Loan-Revolving.
  4. **INV** means the Purpose can be used in stream generation templates with a product type of Investor Product.
- **Used By- User** indicates the stream purpose is selected by the user during booking or other processes. **System** indicates the stream purpose is used by the system without being selected by the user.
- **Single or Multiple** - **Single** means only one stream type with this purpose can be

added to the stream generation template. **Multiple** means one or more stream types with this purpose can be added to the stream generation template.

- **Mandatory**- indicates if the stream Purpose is mandatory on the type of stream generation template used.
- **Attributes**- indicates whether a stream Purpose is Taxable, Billable, and can Capitalize.
- **Primary or Dependent**- indicates whether a stream purpose is primary or dependent.
- **Depends On** - for dependent stream purposes only, indicates the primary stream purpose to which the stream is dependent.

#### *Lease and Finance Management Seeded Stream Type Purposes*

| Purpose Name          | Type     | Used By | Single or Multiple               | Mandatory | Attributes                                       | Primary or Dependent | Depends On                                        |
|-----------------------|----------|---------|----------------------------------|-----------|--------------------------------------------------|----------------------|---------------------------------------------------|
| Accounting            | ALL, INV | User    | Multiple                         | No        | Taxable = No<br>Billable = No<br>Capitalize = No | Primary              | -                                                 |
| Accrued Fee Expense   | ALL      | System  | Single for each expense          | No        | Taxable = No<br>Billable = No<br>Capitalize = No | Dependent            | Expense                                           |
| Accrued Fee Income    | ALL      | System  | Single for each fee payment type | No        | Taxable = No<br>Billable = No<br>Capitalize = No | Dependent            | Fee Payment - All Types except Income Fee Payment |
| Actual Income Accrual | LN       | System  | Single                           | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No | Dependent            | Rent                                              |



| Purpose Name          | Type | Used By | Single or Multiple               | Mandatory | Attributes                                          | Primary or Dependent | Depends On          |
|-----------------------|------|---------|----------------------------------|-----------|-----------------------------------------------------|----------------------|---------------------|
| Actual Property Tax   | ALL  | System  | Single                           | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |                     |
| Adjusted Property Tax | ALL  | System  | Single                           | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Dependent            | Actual Property Tax |
| Advance Rent          | ALL  | System  | Single for each rent             | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No  | Dependent            | Rent                |
| Amortized Fee Expense | ALL  | System  | Single for each expense          | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Expense             |
| Amortized Fee Income  | ALL  | System  | Single for each fee payment type | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Income Fee Payment  |
| Billing Adjustment    | ALL  | System  | Single                           | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |                     |
| Book Depreciation     | LS   | System  | Single                           | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |                     |
| Cure                  | ALL  | System  | Single                           | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No  | Primary              |                     |

| Purpose Name               | Type | Used By | Single or Multiple | Mandatory | Attributes                                          | Primary or Dependent | Depends On |
|----------------------------|------|---------|--------------------|-----------|-----------------------------------------------------|----------------------|------------|
| Daily Interest - Interest  | LN   | System  | Single             | Yes       | Taxable = Both<br>Billable = No<br>Capitalize = No  | Dependent            | Rent       |
| Daily Interest - Principal | LN   | System  | Single             | Yes       | Taxable = Both<br>Billable = No<br>Capitalize = No  | Dependent            | Rent       |
| Down Payment               | ALL  | User    | Multiple           | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Estimated Property Tax     | ALL  | User    | Multiple           | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Excess Interest Paid       | LN   | System  | Single             | Yes       | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Dependent            | Rent       |
| Excess Loan Payment Paid   | LN   | System  | Single             | Yes       | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Dependent            | Rent       |
| Excess Principal Paid      | LN   | System  | Single             | Yes       | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Dependent            | Rent       |

| Purpose Name            | Type     | Used By | Single or Multiple               | Mandatory | Attributes                                                      | Primary or Dependent | Depends On               |
|-------------------------|----------|---------|----------------------------------|-----------|-----------------------------------------------------------------|----------------------|--------------------------|
| Expense                 | ALL      | User    | Multiple                         | No        | Taxable = Yes<br>Billable = No<br>Capitalize = Yes, No, or Null | Primary              |                          |
| Federal Depreciation    | LS       | System  | Single                           | No        | Taxable = No<br>Billable = No<br>Capitalize = No                | Primary              |                          |
| Fee Payment             | ALL      | User    | Multiple                         | No        | Taxable = Yes<br>Billable = Yes<br>Capitalize = No              | Primary              |                          |
| Fee Renewal             | LS       | System  | Single for each fee payment type | No        | Taxable = Yes<br>Billable = Yes<br>Capitalize = No              | Dependent            | Fee Payments - All Types |
| Float Factor Adjustment | LS       | System  | Single                           | Yes       | Taxable = Both<br>Billable = Yes<br>Capitalize = No             | Dependent            | Rent                     |
| Funding                 | ALL      | User    | Multiple                         | Yes       | Taxable = Yes<br>Billable = No<br>Capitalize = No               | Primary              |                          |
| General Loss Provision  | ALL, INV | User    | Multiple                         | No        | Taxable = No<br>Billable = No<br>Capitalize = No                | Primary              |                          |

| Purpose Name                 | Type | Used By | Single or Multiple | Mandatory | Attributes                                          | Primary or Dependent | Depends On |
|------------------------------|------|---------|--------------------|-----------|-----------------------------------------------------|----------------------|------------|
| Insurance Accrual Adjustment | ALL  | System  | Single             | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |            |
| Insurance Adjustment         | ALL  | System  | Single             | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |            |
| Insurance Expense Accrual    | ALL  | System  | Single             | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |            |
| Insurance Income Accrual     | ALL  | System  | Single             | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |            |
| Insurance Payable            | ALL  | System  | Single             | No        | Taxable = Yes<br>Billable = No<br>Capitalize = No   | Primary              |            |
| Insurance Receivable         | ALL  | System  | Single             | No        | Taxable = Yes<br>Billable = Yes<br>Capitalize = No  | Primary              |            |
| Insurance Refund             | ALL  | System  | Single             | No        | Taxable = Yes<br>Billable = No<br>Capitalize = No   | Primary              |            |
| Interest Catchup             | LN   | System  | Single             | Yes       | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Dependent            | Rent       |

| <b>Purpose Name</b>                  | <b>Type</b> | <b>Used By</b> | <b>Single or Multiple</b> | <b>Mandatory</b> | <b>Attributes</b>                                  | <b>Primary or Dependent</b> | <b>Depends On</b> |
|--------------------------------------|-------------|----------------|---------------------------|------------------|----------------------------------------------------|-----------------------------|-------------------|
| Interest Income                      | LN          | System         | Single                    | Yes              | Taxable = No<br>Billable = No<br>Capitalize = No   | Dependent                   | Rent, Fee Payment |
| Interest Payment                     | LN          | System         | Single                    | Yes              | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Dependent                   | Rent, Fee Payment |
| Interim Rent or Interim Interest     | ALL         | System         | Single                    | No               | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Dependent                   | Rent/Loan Payment |
| Interim Fee Payment                  | ALL         | System         | Multiple                  | No               | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Dependent                   | Fee Payment       |
| Interim Service Payment              | ALL         | System         | Multiple                  | No               | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Dependent                   | Service Payment   |
| Investor Contract Obligation Payable | INV         | System         | Single                    | Yes              | Taxable = No<br>Billable = No<br>Capitalize = No   | Primary                     |                   |
| Investor Disbursement Adjustment     | INV         | System         | Single                    | Yes              | Taxable = No<br>Billable = No<br>Capitalize = No   | Primary                     |                   |
| Investor Evergreen Rent Payable      | INV         | System         | Single                    | Yes              | Taxable = No<br>Billable = No<br>Capitalize = No   | Primary                     |                   |

| Purpose Name                                 | Type | Used By | Single or Multiple | Mandatory | Attributes                                       | Primary or Dependent | Depends On |
|----------------------------------------------|------|---------|--------------------|-----------|--------------------------------------------------|----------------------|------------|
| Investor Financed Service Obligation Payable | INV  | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No | Primary              |            |
| Investor Interest Income                     | LN   | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No | Primary              |            |
| Investor Interest Payable                    | INV  | System  | Single             | No        | Taxable = No<br>Billable = No<br>Capitalize = No | Primary              |            |
| Investor Late Fee Payable                    | INV  | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No | Primary              |            |
| Investor Late Interest Payable               | INV  | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No | Primary              |            |
| Investor Payable                             | INV  | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No | Primary              |            |
| Investor Pre-tax Income                      | LS   | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No | Primary              |            |

| Purpose Name                         | Type | Used By | Single or Multiple | Mandatory | Attributes                                          | Primary or Dependent | Depends On |
|--------------------------------------|------|---------|--------------------|-----------|-----------------------------------------------------|----------------------|------------|
| Investor Principal Payable           | INV  | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |            |
| Investor Receivable                  | INV  | System  | Single             | Yes       | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Investor Rent Buyback                | INV  | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |            |
| Investor Rent Disbursement Basis     | INV  | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |            |
| Investor Rent Payable                | INV  | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |            |
| Investor Rental Accrual              | LS   | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |            |
| Investor Residual Buyback            | INV  | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |            |
| Investor Residual Disbursement Basis | INV  | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |            |

| Purpose Name                 | Type   | Used By | Single or Multiple                    | Mandatory | Attributes                                         | Primary or Dependent | Depends On        |
|------------------------------|--------|---------|---------------------------------------|-----------|----------------------------------------------------|----------------------|-------------------|
| Investor Residual Payable    | INV    | System  | Single                                | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No   | Primary              |                   |
| Investor Variable Interest   | LN     | System  | Single                                | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No   | Primary              |                   |
| Late Fee                     | ALL    | System  | Single                                | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |                   |
| Late Interest                | ALL    | System  | Single                                | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |                   |
| Lease Income                 | DF, ST | System  | Single                                | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No   | Dependent            | Rent              |
| Loan Payment                 | LN     | System  | Single                                | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No   | Dependent            | Rent, Fee Payment |
| Pass-Through Expense Accrual | ALL    | System  | Single for each Pass-Through Fee Type | No        | Taxable = No<br>Billable = No<br>Capitalize = No   | Dependent            | Pass-Through Fee  |
| Pass-Through Fee             | ALL    | User    |                                       | No        | Taxable = Yes<br>Billable = No<br>Capitalize = No  | Primary              |                   |



| Purpose Name                         | Type | Used By | Single or Multiple                           | Mandatory | Attributes                                         | Primary or Dependent | Depends On           |
|--------------------------------------|------|---------|----------------------------------------------|-----------|----------------------------------------------------|----------------------|----------------------|
| Pass-Through Fee Renewal             | LS   | System  | Single for each Pass-Through Fee Type        | No        | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Dependent            | Pass-Through Fee     |
| Pass-Through Renewal Rent            | LS   | System  | Single for each Rent                         | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Dependent            | Rent                 |
| Pass-Through Revenue Accrual         | ALL  | System  | Single for each Pass-Through Fee Type        | No        | Taxable = No<br>Billable = No<br>Capitalize = No   | Dependent            | Pass-Through Fee     |
| Pass-Through Service                 | ALL  | System  |                                              | No        | Taxable = Yes<br>Billable = No<br>Capitalize = No  | Primary              |                      |
| Pass-Through Service Expense Accrual | ALL  | System  | Single for each Pass-Through Service Payment | No        | Taxable = No<br>Billable = No<br>Capitalize = No   | Dependent            | Service Pass-Through |
| Pass-Through Service Renewal         | LS   | System  | Single for each Pass-Through Service Payment | No        | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Dependent            | Pass-Through Service |
| Pass-Through Service Revenue Accrual | ALL  | System  | Single for each Pass-Through Service Payment | No        | Taxable = No<br>Billable = No<br>Capitalize = No   | Dependent            | Pass-Through Service |

| Purpose Name                 | Type | Used By | Single or Multiple | Mandatory | Attributes                                          | Primary or Dependent | Depends On        |
|------------------------------|------|---------|--------------------|-----------|-----------------------------------------------------|----------------------|-------------------|
| Pre-funding                  | ALL  | User    | Multiple           | No        | Taxable = Yes<br>Billable = No<br>Capitalize = No   | Primary              |                   |
| Pre-funding Interest Payment | ALL  | System  | Single             | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No  | Primary              |                   |
| Principal Balance            | LN   | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Rent, Fee Payment |
| Principal Catchup            | LN   | System  | Single             | Yes       | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Dependent            | Rent              |
| Principal Payment            | LN   | System  | Single             | Yes       | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Dependent            | Rent, Fee Payment |
| PV Rent                      | LS   | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Rent              |
| PV Rent Securitized          | INV  | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |                   |
| PV RV                        | LS   | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Residual Value    |

| Purpose Name              | Type | Used By | Single or Multiple | Mandatory | Attributes                                          | Primary or Dependent | Depends On     |
|---------------------------|------|---------|--------------------|-----------|-----------------------------------------------------|----------------------|----------------|
| PV RV Guaranteed          | LS   | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Residual Value |
| PV RV Insured             | LS   | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Residual Value |
| PV RV Securitized         | INV  | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |                |
| PV RV Unguaranteed        | LS   | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Residual Value |
| PV RV Uninsured           | LS   | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Residual Value |
| Quote Absorbed Fee        |      | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |                |
| Quote Contract Obligation |      | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |                |
| Quote Contractual Fee     |      | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |                |

| Purpose Name                       | Type | Used By | Single or Multiple | Mandatory | Attributes                                          | Primary or Dependent | Depends On |
|------------------------------------|------|---------|--------------------|-----------|-----------------------------------------------------|----------------------|------------|
| Quote Discount                     |      | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Estimated Billing Adjustment |      | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Estimated Property Tax       |      | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Expense Fee                  |      | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Fee                          |      | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Financed Fee                 |      | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Financed Service Obligation  |      | System  | Single             | no        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote General Fee                  |      | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |

| Purpose Name                | Type   | Used By | Single or Multiple | Mandatory | Attributes                                          | Primary or Dependent | Depends On |
|-----------------------------|--------|---------|--------------------|-----------|-----------------------------------------------------|----------------------|------------|
| Quote Income Fee            |        | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Miscellaneous         |        | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Miscellaneous Fee     |        | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Pass-Through Fee      |        | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Per Diem              | LN, LS | System  | Single             | Yes       | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Principal Balance     |        | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Purchase Amount       |        | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Quote Repurchase Sale Price | ALL    | System  | Single             | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |            |

| Purpose Name                  | Type | Used By | Single or Multiple                     | Mandatory | Attributes                                          | Primary or Dependent | Depends On             |
|-------------------------------|------|---------|----------------------------------------|-----------|-----------------------------------------------------|----------------------|------------------------|
| Quote Return Fee              |      | System  | Single                                 | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |                        |
| Quote Rollover Incentive      |      | System  | Single                                 | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |                        |
| Quote Service and Maintenance |      | System  | Single                                 | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |                        |
| Quote Termination Penalty     |      | System  | Single                                 | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |                        |
| Quote Unbilled Receivables    |      | System  | Single                                 | No        | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Primary              |                        |
| Renewal Property Tax          | LS   | System  | Single for each Estimated Property Tax | No        | Taxable = Yes<br>Billable = Yes<br>Capitalize = No  | Dependent            | Estimated Property Tax |
| Renewal Rent                  | LS   | System  | Single for each Rent                   | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No  | Dependent            | Rent                   |

| Purpose Name                     | Type | Used By | Single or Multiple   | Mandatory | Attributes                                         | Primary or Dependent | Depends On     |
|----------------------------------|------|---------|----------------------|-----------|----------------------------------------------------|----------------------|----------------|
| Rent                             | ALL  | User    | Single               | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |                |
| Rent Accrual                     | OP   | System  | Single for each Rent | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No   | Dependent            | Rent           |
| Repair Charge                    | ALL  | System  | Single               | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |                |
| Residual Guaranteed              | LS   | System  | Single               | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No   | Dependent            | Residual Value |
| Residual Value                   | LS   | System  | Single               | Yes       | Taxable = No<br>Billable = Yes<br>Capitalize = No  | Primary              |                |
| Residual Value Insurance Premium | LS   | System  | Single               | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No   | Dependent            | Residual Value |
| Security Deposit                 | ALL  | User    | Multiple             | No        | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |                |
| Service Expense                  | ALL  | System  | Multiple             | No        | Taxable = No<br>Billable = No<br>Capitalize = No   | Primary              |                |

| Purpose Name                        | Type | Used By | Single or Multiple | Mandatory | Attributes                                         | Primary or Dependent | Depends On |
|-------------------------------------|------|---------|--------------------|-----------|----------------------------------------------------|----------------------|------------|
| Service Fee - Amortization Schedule | ALL  | System  | Single             | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Service Fee - Audit Letter          | ALL  | System  | Single             | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Service Fee - Document Request      | ALL  | System  | Single             | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Service Fee - Exchange Request      | ALL  | System  | Single             | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Service Fee - General               | ALL  | System  | Single             | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Service Fee - Interest Conversion   | ALL  | System  | Single             | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Service Fee - Invoice On Demand     | ALL  | System  | Single             | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |            |
| Service Fee - Invoice Reprint       | ALL  | System  | Single             | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |            |



| Purpose Name                          | Type | Used By | Single or Multiple              | Mandatory | Attributes                                         | Primary or Dependent | Depends On      |
|---------------------------------------|------|---------|---------------------------------|-----------|----------------------------------------------------|----------------------|-----------------|
| Service Fee - Payment Change          | ALL  | System  | Single                          | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |                 |
| Service Fee - Restructure Request     | ALL  | System  | Single                          | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |                 |
| Service Fee - Termination Request     | ALL  | System  | Single                          | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |                 |
| Service Fee - Transfer Request        | ALL  | System  | Single                          | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |                 |
| Service Fee - Variable Rate Statement | ALL  | System  | Single                          | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |                 |
| Service Fee - VAT Schedule            | ALL  | System  | Single                          | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |                 |
| Service Income                        | ALL  | System  | Single for each Service Payment | No        | Taxable = No<br>Billable = No<br>Capitalize = No   | Dependent            | Service Payment |
| Service Payment                       | ALL  | User    | Multiple                        | No        | Taxable = Yes<br>Billable = Yes<br>Capitalize = No | Primary              |                 |

| Purpose Name             | Type     | Used By | Single or Multiple              | Mandatory | Attributes                                          | Primary or Dependent | Depends On      |
|--------------------------|----------|---------|---------------------------------|-----------|-----------------------------------------------------|----------------------|-----------------|
| Service Renewal          | ALL      | System  | Single for each Service Payment | No        | Taxable = Yes<br>Billable = Yes<br>Capitalize = No  | Dependent            | Service Payment |
| Specific Loss Provision  | ALL, INV | User    | Multiple                        | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |                 |
| State Depreciation       | LS       | System  | Single                          | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |                 |
| Strip Loss Value         | LS       | System  | Single                          | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Rent            |
| Subsidy                  | ALL      | User    | Multiple                        | No        | Taxable = Yes<br>Billable = Yes<br>Capitalize = No  | Primary              |                 |
| Subsidy Income           | ALL      | System  | Single for each Subsidy         | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Subsidy         |
| Termination Value        | LS       | System  | Single                          | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Rent            |
| Unscheduled Loan Payment | LN       | System  | Single                          | Yes       | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Dependent            | Rent            |

| Purpose Name                  | Type | Used By | Single or Multiple | Mandatory | Attributes                                          | Primary or Dependent | Depends On        |
|-------------------------------|------|---------|--------------------|-----------|-----------------------------------------------------|----------------------|-------------------|
| Unscheduled Principal Payment | LN   | System  | Single             | Yes       | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Dependent            | Rent              |
| Usage Payment                 | ALL  | System  | Single             | No        | Taxable = Yes<br>Billable = Yes<br>Capitalize = No  | Primary              |                   |
| Variable Income Non-Accrual   | LN   | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Variable Interest |
| Variable Interest             | LN   | User    | Single             | Yes       | Taxable = Yes<br>Billable = Yes<br>Capitalize = No  | Primary              |                   |
| Variable Interest Income      | LN   | System  | Single             | Yes       | Taxable = No<br>Billable = No<br>Capitalize = No    | Dependent            | Variable Interest |
| Variable Interest Schedule    | LN   | System  | Single             | No        | Taxable = No<br>Billable = No<br>Capitalize = No    | Primary              |                   |
| Variable Loan Payment         | LN   | System  | Single             | Yes       | Taxable = Both<br>Billable = Yes<br>Capitalize = No | Dependent            | Rent              |
| Vendor Residual Sharing       | LS   | User    | Single             | No        | Taxable = Yes<br>Billable = No<br>Capitalize = No   | Primary              |                   |

## Formulas

The following table lists formulas that are part of the Oracle Lease and Finance Management seed data:

### *Seeded Formulas in Oracle Lease and Finance Management*

| Formula Name                | Description                                                                                                | Calculation                                                                                                                                                                                                                                                                | Parameters                                    |
|-----------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| LINE_OEC                    | Calculates the OEC                                                                                         | Price per unit * no of units                                                                                                                                                                                                                                               | Contract id (mandatory) + Line id (optional)  |
| Contract_Cap_Amnt_Assets    | Capital amount excludes financed service assets. This is used for booking accounting for Operating leases. | Derive the capital amount of a contract excluding the financed service assets.                                                                                                                                                                                             | -                                             |
| CONTRACT_SUMOF_RENTS        | Sum of rents                                                                                               | Sum of amounts on stream type - Rent. Use this formula on the booking transaction type template.                                                                                                                                                                           | -                                             |
| CONT_RBK_UNBILL_RECEIVABLES | Sum of unbilled rents                                                                                      | Sum of rent not billed for all active assets on a lease contract. Use this formula on the rebook transaction type. The amount calculation for this formula and the CONTRACT_SUMOF_RENTS formula together gives the correct accounting amounts for the rebook transactions. | -                                             |
| LINE_RESIDUAL_VALUE         | Calculates the RV                                                                                          | Residual Value per unit                                                                                                                                                                                                                                                    | Contract id (mandatory) + Line id (mandatory) |

| Formula Name             | Description                 | Calculation                                                                | Parameters                                    |
|--------------------------|-----------------------------|----------------------------------------------------------------------------|-----------------------------------------------|
| CONTRACT_RESIDUAL_VALUE  | Calculates the RV           | Residual Value for the contract                                            | Contract id (mandatory)                       |
| CONTRACT_OEC             | Contract Capitalized Amount | Sum of capitalized amount of all asset lines                               | Contract id (mandatory)                       |
| CONTRACT_TRADEIN         | Sum of Trade Ins            | Sum of all trade ins from financial asset lines                            | Contract id (mandatory)                       |
| LINE_TRADEIN             | Trade in amount for a line  | Trade in amount for the asset line                                         | Contract id (mandatory) + Line id (mandatory) |
| CONTRACT_CAPREDUCTION    | Sum of Capital Reduction    | Sum of capital reduction of all asset lines                                | Contract id (mandatory)                       |
| LINE_CAPREDUCTION        | Capital Reduction of a line | Capital reduction amount for the asset line                                | Contract id (mandatory) + Line id (mandatory) |
| CONTRACT_FEESCAPITALIZED | Sum of Capitalized Fees     | Sum of capitalized fees lines                                              | Contract id (mandatory)                       |
| LINE_FEESCAPITALIZED     | Capitalized Fees for line   | Capitalized fees for the asset line                                        | Contract id (mandatory) + Line id (mandatory) |
| CONTRACT_CAP_AMNT        | Total financed amount       | OEC-Trade in - Cap Reduction + Cap Fees                                    | Contract id (mandatory)                       |
| LINE_CAP_AMNT            | Financed amount for line    | OEC-Trade in - Cap Reduction + Cap Fees                                    | Contract id (mandatory) + Line id (mandatory) |
| CONTRACT_AMNT_PREFUNDED  | Amount pre-funded           | Sum of all approved requests for specific contract where type = prefunding | Contract id (mandatory)                       |

| Formula Name                  | Description             | Calculation                                                                                                                   | Parameters               |
|-------------------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| CONTRACT_TOT_F<br>NDED        | Total funded amount     | Sum of all approved requests for specific contract                                                                            | Contract id (mandatory)  |
| CONTRACT_TOT_D<br>EBITS       | Total negative fundings | Sum of all approved requests for specific contract where amount is negative (A/P debits)                                      | Contract id (mandatory)  |
| CONTRACT_TOT_C<br>RDT_LMT     | Total credit limit      | Sum of all credit limit (contract line) for specific contract entity scs_code = 'CREDITLINE_CONTRACT'                         | 'Contract id (mandatory) |
| CONTRACT_CRDT_<br>RMNG        | Balance credit limit    | Sum of all credit limit (contract line) for specific contract cs_code = 'CREDITLINE_CONTRACT' and subtract from Funding total | Contract id (mandatory)  |
| CONTRACT_TOT_C<br>RDT_NEW_LMT | New credit limit        | Sum of all credit new limit (contract line) for specific contract scs_code = 'CREDITLINE_CONTRACT'                            | Contract id (mandatory)  |
| CONTRACT_TOT_C<br>RDT_ADDN    | Additional credit limit | Sum of all credit addition (contract line) for specific contract scs_code = 'CREDITLINE_CONTRACT'                             | Contract id (mandatory)  |

| Formula Name                  | Description                     | Calculation                                                                                                      | Parameters                 |
|-------------------------------|---------------------------------|------------------------------------------------------------------------------------------------------------------|----------------------------|
| CONTRACT_TOT_C<br>RDT_REDN    | Reduction in credit<br>limit    | Sum of all credit<br>addition (contract<br>line) for specific<br>contract scs_code =<br>'CREDITLINE_CONT<br>RACT | Contract id<br>(mandatory) |
| AM_UNBILLED_RE<br>CEIVABLES   | Future Dues for a<br>lease      | Sum of unbilled rents<br>(at present value) -<br>advance rent                                                    | Contract id<br>(mandatory) |
| AMCTOC                        | Principal Balance for<br>a loan | Principal Balance                                                                                                | Contract id<br>(mandatory) |
| AM_DISCOUNT_RA<br>TE          | Discount Rate                   | Original Capitalized<br>Cost * (-0.1)                                                                            | Contract id<br>(mandatory) |
| AM_QUOTE_FEE                  | Quote Fee                       | Original Capitalized<br>Cost * 0.1                                                                               | Contract id<br>(mandatory) |
| AM_RETURN_FEE                 | Return Fee                      | Original Capitalized<br>Cost * 0.1                                                                               | Contract id<br>(mandatory) |
| AM_ROLLOVER_IN<br>CENTIVE     | Rollover Incentive              | Original Capitalized<br>Cost * 0.1                                                                               | Contract id<br>(mandatory) |
| AM_SECURITY_DEP<br>OSIT       | Security Deposit<br>refundable  | Balance Security<br>Deposit Amount                                                                               | Contract id<br>(mandatory) |
| AM_TERMINATION<br>_PENALTY    | Termination Penalty             | Original Capitalized<br>Cost * 0.1                                                                               | Contract id<br>(mandatory) |
| AM_ESTIMATED_PR<br>OPERTY_TAX | Estimated Property<br>Tax       | Estimated Property<br>Tax                                                                                        | Contract id<br>(mandatory) |
| VARIABLE_INCOM<br>E_ACCRUAL   | Variable Income<br>Amount       | Principal * Interest<br>Rate * No of days to<br>accrue / No of days in<br>a year                                 | Contract id<br>(mandatory) |

| Formula Name                  | Description                                                                                                | Calculation                                                                                        | Parameters              |
|-------------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------|
| LP_NET_INVESTMENT_VALUE       | Balance investment on contract                                                                             | Operating Lease - Net Book Value, DF Lease - Net Investment Value and Loan - Principal Balance     | Contract id (mandatory) |
| CS_ADVANCE_RENT               | Advance Rent                                                                                               | Advance Rent                                                                                       | Contract id (mandatory) |
| CS_SECURITY_DEPOSIT           | Security Deposit                                                                                           | Security Deposit                                                                                   | Contract id (mandatory) |
| CS_NET_INVESTMENT             | Net Investment                                                                                             | Rent + Residual Value - Unearned Income                                                            | Contract id (mandatory) |
| NET_GAIN_LOSS_QUOTE           | Net Gain/Loss                                                                                              | The net gain loss resulting from a termination quote                                               | N/A                     |
| Financed_Service_Principal    | Principal balance for financed serviced assets. This is used for booking accounting for leases.            | Derive the capital amount of a contract for financed service assets only.                          | -                       |
| Contract_Cap_Amnt_Assets      | Capital amount excludes financed service assets. This is used for booking accounting for Operating leases. | Derive the capital amount of a contract excluding the financed service assets.                     | -                       |
| Quote_Serv_Unbilled_Principal | Derive unbilled receivables for lease and principal balance for loan financed service asset.               | Sum of unbilled rents for lease and principal balance for loan of financed service asset.          | -                       |
| Quote_Termination             | The operands included determine the elements to be computed for the termination quote.                     | Added AMFSOC operand to the string. This add financed service obligation to the termination quote. | -                       |



| Formula Name      | Description                                  | Calculation                                                         | Parameters |
|-------------------|----------------------------------------------|---------------------------------------------------------------------|------------|
| Fair_Value_Assets | Formula to calculate Asset Comparison Amount | Added new operands:<br>OP_ASSET_FEES<br>CAPITALIZED<br>OP_ASSET_OEC | -          |

## Workflows

The following table lists workflows that are part of the Oracle Lease and Finance Management seed data:

### *Seeded Workflows in Oracle Lease and Finance Management*

| Workflow Name                      | File Name    | Functional Area | Description                                                                                                                     |
|------------------------------------|--------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------|
| OKL CS Equipment Exchange.         | OKLCSEQU.wft | Lease Center    | This work flow is used in equipment exchange to exchange the equipment in the background after getting the necessary approvals. |
| OKL CS Transfer Assumption Request | OKLCSTRQ.wft | Lease Center    | This work flow is used to carry out a Transfer and Assumption Request after receiving the appropriate approvals.                |
| OKL CS Billing Correction Request. | OKLCSBCW.wft | Lease Center    | This work flow is used for Billing Correction Request to notify an Administrator about any corrections.                         |

| Workflow Name                    | File Name    | Functional Area | Description                                                                                                                                                                                                                                                                                                                                                                                           |
|----------------------------------|--------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OKL CS Billing Refund Request.   | OKLCSBRW.wft | Lease Center    | This work flow is used for Billing Refund Request to notify an Administrator about any Refunds.                                                                                                                                                                                                                                                                                                       |
| OKL CS Convert Interest Type     | OKLCSCIT.wft | Lease Center    | This work flow is used to notify an Administrator about any changes in the interest types.                                                                                                                                                                                                                                                                                                            |
| OKL CS Contract Lease Renewal.   | OKLCSKLR.wft | Lease Center    | This work flow is used for lease renewals.                                                                                                                                                                                                                                                                                                                                                            |
| OKL Stream Generation - Outbound | OKLSTOUT.wft | Authoring       | <p>Workflow to start an out-bound transaction with Pricing Engine for Streams Generation.</p> <p><b>Steps:</b></p> <ol style="list-style-type: none"> <li>1. Receive raised Business Event to send out bound xml message.</li> <li>2. Call ECX api to check for validity of the generated document.</li> <li>3. Report Error if applicable.</li> <li>4. Call ECX API to send the document.</li> </ol> |

| Workflow Name                                     | File Name    | Functional Area  | Description                                                                                                                                                                                                                                                    |
|---------------------------------------------------|--------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OKL Stream Generation - Inbound                   | OKLSTIN.wft  | Authoring        | <p>Workflow to start an in-bound transaction coming from Pricing Engine for Streams Generation. <b>Steps:</b></p> <ol style="list-style-type: none"> <li>1. Capture the business event for Inbound xml message.</li> <li>2. Process Stream Results.</li> </ol> |
| OKL - IN Gather Third Party Insurance Information | OKLININF.wft | Authoring        | To gather third-party information when customer fails to provide insurance proof, and the lessor cannot sell insurance.                                                                                                                                        |
| Lease Account Generator                           | OKLFLXWF.wft | Accounting       | You can use this workflow to generate account combinations instead of the seeded sources.                                                                                                                                                                      |
| Approve Contract Portfolio                        | OKLAMATK.wft | Asset Management | This workflow routes the contract portfolio for approval.                                                                                                                                                                                                      |
| Notify Contract Portfolio Execution               | OKLAMCPE.wft | Asset Management | This workflow notifies the remarketer for the contract portfolio execution.                                                                                                                                                                                    |
| Approve Restructure                               | OKLAMRQT.wft | Asset Management | This workflow routes the restructure for approval.                                                                                                                                                                                                             |

| Workflow Name                        | File Name    | Functional Area  | Description                                                                                          |
|--------------------------------------|--------------|------------------|------------------------------------------------------------------------------------------------------|
| Approve Gain / Loss                  | OKLAMGAL.wft | Asset Management | This workflow routes the gain / loss on termination for approval.                                    |
| Approve Partial Quote                | OKLAMPAR.wft | Asset Management | This workflow routes partial quotes for approval.                                                    |
| Shipping Instructions                | OKLAMNSI.wft | Asset Management | This workflow is used to inform the shipping details for an asset.                                   |
| Notify Internal Transport Department | OKLAMNTD.wft | Asset Management | This workflow is used to inform the internal transport department the shipping details for an asset. |
| Send Quote                           | OKLAMNQT.wft | Asset Management | This workflow is used to send a quote.                                                               |
| Repurchase Acceptance                | OKLAMRAC.wft | Asset Management | This workflow informs user(s) of the acceptance of a repurchase quote.                               |
| Termination Quote Acceptance         | OKLAMPPT.wft | Asset Management | This workflow informs user(s) of the acceptance of a termination quote.                              |
| Restructure Quote Acceptance         | OKLAMRQT.wft | Asset Management | This workflow informs user(s) of the acceptance of a restructure quote.                              |
| Notify Remarketer                    | OKLAMNRM.wft | Asset Management | This workflow informs the remarketing team of a new asset assignment                                 |

| <b>Workflow Name</b>       | <b>File Name</b> | <b>Functional Area</b> | <b>Description</b>                                                                                       |
|----------------------------|------------------|------------------------|----------------------------------------------------------------------------------------------------------|
| Notify Collections         | OKLAMNCO.wft     | Asset Management       | This workflow informs the collections agent of updates on returns in the case of a repossession.         |
| Notify Repossession Agent  | OKLAMNRA.wft     | Asset Management       | This workflow informs the external repossession agent of a new repossession request.                     |
| Notify Provider            | OKLAMNPR.wft     | Asset Management       | This workflow informs the provider of service and/or maintenance of the asset return.                    |
| Asset Repair               | OKLAMAAR.wft     | Asset Management       | This workflow routes asset repair requests for approval.                                                 |
| Request Title Return       | OKLAMRTR.wft     | Asset Management       | This workflow requests the 3rd party title holder to return the title on the expiration of the contract. |
| Remarketing Order Cycle    | OKLAMROM.wft     | Asset Management       | This workflow defines the order cycle in Order Management for remarketed assets.                         |
| Credit Application Request | OKLSOCAR.wft     | Sales and Origination  | Notifies the Lease Credit Analyst of credit request recommendations from Oracle Credit Management.       |



---

## FND Lookup Types

This appendix covers the following topics:

- About the Lookup Tables
- OKL Lookup Types - A
- OKL Lookup Types - B through C
- OKL Lookup Types - D through H
- OKL Lookup Types - I through K
- OKL Lookup Types - L through P
- OKL Lookup Types - Q through R
- OKL Lookup Types - S
- OKL Lookup Types - T through Z

### About the Lookup Tables

Depending on the access level, you can change, add, or delete values for some fields in Oracle Lease and Finance Management. The following tables show you:

- **Lookup Type:** Name of the lookup type
- **Access Level:** Three access levels are:
  - **User:** Field values that you can add or delete.
  - **Extensible:** Field values that you can add.
  - **System:** Field values that you cannot add or delete.
- **Navigation Path:** Location of field in the Oracle Lease and Finance Management client.

- **Page or Window Name:** Title of browser's page or window where you can find the field.
- **UI Field Label:** The name of the field in the Oracle Lease and Finance Management client application.

For specific information on how to access, add, or delete lookup fields, see:

- *Oracle CRM Application Foundation User Guide*
- *Oracle CRM Application Foundation Implementation Guide*

## OKL Lookup Types - A

The following table contains the OKL\_ lookup types with names that follow OKL\_ that start with the letter **A**, such as **OKL\_ACCEPTANCE\_METHOD**.

**OKL Lookup Types—A**

| Lookup Type               | Access Level: User, Extensible, System | OKL Client Navigation Path                           | Page or Window Name  | UI Field Label    | Label Uses Meaning or Description |
|---------------------------|----------------------------------------|------------------------------------------------------|----------------------|-------------------|-----------------------------------|
| OKL_ACCEPTANCE_METHOD     | User                                   | Origination > Contracts > Contract > Contract Detail | Contract Detail      | Acceptance Method | Meaning                           |
| OKL_ACCOUNTING_EVENTS     | System                                 | Not applicable                                       | Not applicable       | Not applicable    | Not applicable                    |
| OKL_ACCOUNTING_EVENT_TYPE | System                                 | Processing > Correct Accounting Entries              | Accounting Entries   | Event Type        | Meaning                           |
| OKL_ACCRUAL_RULE_OPERATOR | System                                 | Setup > Financials > Accrual Rules                   | Create Accrual Rules | Logical Operator  | Meaning                           |



| Lookup Type                       | Access Level: User, Extensible, System | OKL Client Navigation Path                                                                                           | Page or Window Name                      | UI Field Label               | Label Uses Meaning or Description |
|-----------------------------------|----------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------|-----------------------------------|
| OKL_ACCR<br>UAL_RULE_<br>OPERAND  | System                                 | Setup ><br>Financials ><br>Accrual Rules                                                                             | Create<br>Accrual Rules                  | Operands                     | Meaning                           |
| OKL_ACCR<br>UAL_RULE_<br>OPERATOR | System                                 | Setup ><br>Financials ><br>Accrual Rules                                                                             | Create<br>Accrual Rules                  | Relational<br>Operator       | Meaning                           |
| OKL_ACCT_<br>BAL_FORM<br>AT       | System                                 | Processing ><br>Account<br>Balances                                                                                  | Account<br>Balances                      | Format                       | Meaning                           |
| OKL_ACC_D<br>IST_POSTED           | System                                 | Not<br>applicable                                                                                                    | Not<br>applicable                        | Not<br>applicable            | Not<br>applicable                 |
| OKL_ACC_G<br>EN_SOURCE<br>_TABLE  | Extensible                             | Setup ><br>Accounting ><br>Account<br>Generator<br>Sources                                                           | Create<br>Account<br>Generator<br>Source | Source Table                 | Meaning                           |
| OKL_ADJ_F<br>REQUENCY             | System                                 | Origination ><br>Contracts ><br>Contract ><br>Contract<br>Detail; then<br>Terms and<br>Conditions ><br>Interest Rate | Terms and<br>Conditions                  | Adjustment<br>Frequency      | Meaning                           |
| OKL_ADVA<br>NCE_ARREA<br>RS       | Not Used                               | Not<br>applicable                                                                                                    | Not<br>applicable                        | Not<br>applicable            | Not<br>applicable                 |
| OKL_AE_LI<br>NE_TYPE              | Extensible                             | Setup ><br>Accounting ><br>Accounting<br>Template                                                                    | Accounting<br>Template<br>Lines Details  | Account<br>Generator<br>Rule | Meaning                           |

| Lookup Type              | Access Level: User, Extensible, System | OKL Client Navigation Path                           | Page or Window Name              | UI Field Label            | Label Uses Meaning or Description |
|--------------------------|----------------------------------------|------------------------------------------------------|----------------------------------|---------------------------|-----------------------------------|
|                          |                                        | Setup ><br>Accounting ><br>Account Generator Rules   | Account Generator Rules Details  | Account Generator Rule    | Meaning                           |
|                          |                                        | Setup ><br>Accounting ><br>Account Generator Sources | Create Account Generator Sources | Account Generator Rule    | Meaning                           |
|                          |                                        | Setup ><br>Accounting ><br>Account Generator Sources | Account Generator Sources        | Account Generator Rule    | Meaning                           |
| OKL_APPLY_ROUNDING_DIFF  | System                                 | Setup ><br>Accounting ><br>Accounting Options        | Accounting Options Detail        | Apply Rounding Difference | Meaning                           |
| OKL_AP_DIS_TR_LINE_TYPE  | Not Used                               | Not applicable                                       | Not applicable                   | Not applicable            | Not applicable                    |
| OKL_AP_IN_VOICE_CATEGORY | Not Used                               | Not applicable                                       | Not applicable                   | Not applicable            | Not applicable                    |
| OKL_AP_PAYMENT_METHOD    | Extensible                             | Origination ><br>Funding ><br>Funding Request        | Create Funding Request           | Payment Method            | Meaning                           |
| OKL_AP_VENDOR_SITES_V    | Extensible                             | Setup ><br>Accounting ><br>Account Generator Sources | Create Account Generator Source  | Select Column             | Meaning                           |

| Lookup Type                        | Access Level: User, Extensible, System | OKL Client Navigation Path                                                                          | Page or Window Name                      | UI Field Label     | Label Uses Meaning or Description |
|------------------------------------|----------------------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------|--------------------|-----------------------------------|
| OKL_AR_SIT<br>E_USES_V             | Extensible                             | Setup ><br>Accounting ><br>Account<br>Generator<br>Sources                                          | Create<br>Account<br>Generator<br>Source | Select<br>Column   | Meaning                           |
| OKL_ASSET_<br>CNDN_LINE<br>_STATUS | System                                 | Asset<br>Management<br>> Asset<br>Returns ><br>Asset<br>Condition ><br>Asset<br>Conditions<br>Lines | Asset<br>Condition<br>Line Details       | Status             | Meaning                           |
| OKL_ASSET_<br>CONDITION            | Extensible                             | Asset<br>Management<br>> Asset<br>Returns ><br>Asset<br>Condition                                   | Asset<br>Condition<br>Details            | Asset<br>Condition | Description                       |
| OKL_ASSET_<br>RETURN_ST<br>ATUS    | Extensible                             | Asset<br>Management<br>> Asset<br>Returns                                                           | Asset Return<br>Details                  | Status             | Meaning                           |
| OKL_ASSET_<br>RETURN_TY<br>PE      | System                                 | Asset<br>Management<br>> Asset<br>Returns                                                           | Asset Return<br>Details                  | Type               | Meaning                           |
| OKL_ASSET_<br>TRACK_STR<br>ATEGIES | Extensible                             | Asset<br>Management<br>> Contract<br>Portfolios                                                     | Contract<br>Portfolios                   | Strategy           | Meaning                           |
| OKL_ASSET_<br>TYPE                 |                                        |                                                                                                     |                                          |                    |                                   |

## OKL Lookup Types - B through C

The following table contains the OKL\_ lookup types with names that follow OKL\_ that start with the letters **B** through **C**, such as OKL\_BATCH\_RULES\_SEARCH\_TYPE.

**OKL Lookup Types—B through C**

| Lookup Type                 | Access Level: User, Extensible, System | OKL Client Navigation Path                                                                      | Page or Window Name  | UI Field Label        | Label Uses Meaning or Description |
|-----------------------------|----------------------------------------|-------------------------------------------------------------------------------------------------|----------------------|-----------------------|-----------------------------------|
| OKL_BATCH_RULES_SEARCH_TYPE | Not Used                               | Not applicable                                                                                  | Not applicable       | Not applicable        | Not applicable                    |
| OKL_BOOK_CLASS              | System                                 | Origination > Contracts > Contract > Contract Detail                                            | Contract Detail      | Book Classification   | Meaning                           |
| OKL_BOOK_CLASS              | System                                 | Sales > Quotes > Payments Plan > Create Plan                                                    | Create Payment Plan  | Book Class            | Meaning                           |
| OKL_BOOK_CLASS              | System                                 | Sales > Quotes > Payments Plan > Details                                                        | Payment Plan Details | Book Class            | Meaning                           |
| OKL_CALC_METHOD             | System                                 | Origination > Contracts > Contract > Contract Detail; then Terms and Conditions > Interest Rate | Terms and Conditions | Method of Calculation | Meaning                           |
| OKL_CHECKLIST_TYPE          | System                                 | Setup > Checklist > Create Checklist                                                            | Create Checklist     | Type                  | Meaning                           |

| Lookup Type                   | Access Level: User, Extensible, System | OKL Client Navigation Path                                                                                           | Page or Window Name                             | UI Field Label       | Label Uses Meaning or Description |
|-------------------------------|----------------------------------------|----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|----------------------|-----------------------------------|
| OKL_CHKLS<br>T_SRCH_OPTIONS   | System                                 | Setup ><br>Checklist                                                                                                 | Checklists                                      | Checklist            | Meaning                           |
| OKL_CLAIM<br>_STATUS          | User                                   | Insurance ><br>Claim<br>Summary ><br>Create<br>Insurance<br>Claim                                                    | Create Lease,<br>Optional<br>Insurance<br>Claim | Claim Status         | Meaning                           |
| OKL_CLAIM<br>_TYPE            | System                                 | Insurance ><br>Claim<br>Summary ><br>Create<br>Insurance<br>Claim                                                    | Create Lease,<br>Optional<br>Insurance<br>Claim | Claim Type           | Meaning                           |
| OKL_CONV<br>ERSION_ME<br>THOD | System                                 | Origination ><br>Contracts ><br>Contract ><br>Contract<br>Detail; then<br>Terms and<br>Conditions ><br>Interest Rate | Terms and<br>Conditions                         | Conversion<br>Method | Meaning                           |
| OKL_CONV<br>ERT_TYPE          | System                                 | Origination ><br>Contracts ><br>Contract ><br>Contract<br>Detail; then<br>Terms and<br>Conditions ><br>Interest Rate | Terms and<br>Conditions                         | Convert Type         | Meaning                           |
| OKL_COST_<br>TYPE             | Extensible                             | Asset<br>Management<br>> Asset<br>Returns ><br>Fees                                                                  | Fees                                            | Type                 | Meaning                           |

| Lookup Type                | Access Level: User, Extensible, System | OKL Client Navigation Path                                               | Page or Window Name           | UI Field Label | Label Uses Meaning or Description |
|----------------------------|----------------------------------------|--------------------------------------------------------------------------|-------------------------------|----------------|-----------------------------------|
| OKL_CREDIT_NATURE          | System                                 | Origination > Credit > Credit Lines > Credit Line Details > Credit Limit | Credit Limit                  | Nature         | Meaning                           |
| OKL_CREDITION_DATA_TYPE    | Not Used                               | Not applicable                                                           | Not applicable                | Not applicable | Not applicable                    |
| OKL_CSH_RLS_SEARCH_TYPE    | Extensible                             | Setup > Cash > Search Rules                                              | Search Rules                  | Search Type    | Meaning                           |
| OKL_CSH_RLS_SEARCH_TYPE_DB | Extensible                             | Setup > Cash > Search Rules > Create Search Rule                         | Create Search Rules           | Search Type    | Meaning                           |
| OKL_CSH_RLS_SETUP          | Not Used                               | Not applicable                                                           | Not applicable                | Not applicable | Not applicable                    |
| OKL_CS_DEFAULT_TAB         | System                                 | Not applicable                                                           | Not applicable                | Not applicable | Meaning                           |
| OKL_CURE_ACTIONS           | User                                   | Receivables > Refund > Vendor Cures > Refund > Details                   | History                       | Action         | Meaning                           |
| OKL_CURE_RECON_SCR_OPTIONS | User                                   | Receivables > Vendor Cure Requests > Reconcile                           | Vendor Cures - Reconciliation | Request Type   | Meaning                           |

| Lookup Type                     | Access Level: User, Extensible, System | OKL Client Navigation Path                          | Page or Window Name          | UI Field Label | Label Uses Meaning or Description |
|---------------------------------|----------------------------------------|-----------------------------------------------------|------------------------------|----------------|-----------------------------------|
| OKL_CURE_REFUND_OPTIONS         | User                                   | Receivables > Refund > Vendor Cure Summary > Refund | Vendor Cures - Refund        | Select         | Meaning                           |
| OKL_CURE_REFUND_STATUSES        | System                                 | Not applicable                                      | Not applicable               | Not applicable | Not applicable                    |
| OKL_CURE_REQUEST_APPROVE_STATUS | User                                   | Receivables > Cure                                  | Vendor Cures                 | Status         | Meaning                           |
| OKL_CURE_REQUEST_TYPE           | User                                   | Receivables > Create Request > Contract Search      | Vendor Cures - Add Contracts | Request Type   | Meaning                           |
| OKL_CURE_TYPE                   | User                                   | Internal Status used by Concurrent Process          | Not applicable               | Not applicable | Not applicable                    |
| OKL_CUSTOMER_STATUSES           | Extensible                             | VSS > Customers > Customers                         | Customers                    | Status         | Meaning                           |

## OKL Lookup Types - D through H

The following table contains the OKL\_ lookup types with names that follow OKL\_ that start with the letters **D** through **H**, such as **OKL\_DAMAGE\_TYPE**.

**OKL Lookup Types—D through H**

| Lookup Type         | Access Level: User, Extensible, System | OKL Client Navigation Path                                                        | Page or Window Name         | UI Field Label | Label Uses Meaning or Description |
|---------------------|----------------------------------------|-----------------------------------------------------------------------------------|-----------------------------|----------------|-----------------------------------|
| OKL_DAMA<br>GE_TYPE | Extensible                             | Asset Management > Asset Returns > Asset Condition                                | Create Asset Condition Line | Damage Type    | Meaning                           |
| OKL_DATA_<br>TYPE   | Extensible                             | Setup > Operational > Contexts > Context Parameters > Create Context Parameter    | Create Context Parameter    | Data Type      | Meaning                           |
|                     |                                        | Setup > Operational > Functions > Function Parameters > Create Function Parameter | Create Function Parameter   | Data Type      | Meaning                           |



| Lookup Type            | Access Level: User, Extensible, System | OKL Client Navigation Path                                                                                                                                                                                                                                     | Page or Window Name        | UI Field Label         | Label Uses Meaning or Description |
|------------------------|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------|-----------------------------------|
| OKL_DISBURSEMENT_BASIS | System                                 | 1. Origination<br>> Contracts ><br>Contract ><br>Contract Detail; then<br>Lines ><br>Service ><br>Create Service ><br>Passthrough<br><br>2. Origination<br>Contracts ><br>Contract ><br>Contract Detail; then<br>Lines > Fees ><br>Create Fee ><br>Passthrough | Passthrough                | Passthrough Basis Code | Meaning                           |
| OKL_EOT_OPTION         | Extensible                             | Origination ><br>Contracts ><br>Terms and Conditions ><br>Purchase Option                                                                                                                                                                                      | Terms and Conditions       | Purchase Option Type   | Meaning                           |
| OKL_EOT_RENEW          | System                                 | Origination ><br>Contracts ><br>Contract ><br>Contract Detail; then<br>Terms and Conditions ><br>Renewal Options                                                                                                                                               | Terms and Conditions       | Renewal Option         | Meaning                           |
| OKL_FACTORING_CODE     | Extensible                             | Setup ><br>Accounting ><br>Accounting Template                                                                                                                                                                                                                 | Create Accounting Template | Factoring Code         | Meaning                           |

| Lookup Type                    | Access Level: User, Extensible, System | OKL Client Navigation Path                                                               | Page or Window Name             | UI Field Label           | Label Uses Meaning or Description |
|--------------------------------|----------------------------------------|------------------------------------------------------------------------------------------|---------------------------------|--------------------------|-----------------------------------|
| OKL_FACTORING_SYNDICATION      | System                                 | Setup > Accounting > Accounting Template                                                 | Create Accounting Template      | Factoring or Syndication | Meaning                           |
| OKL_FACTORY_CATEGORY_BOOKS     | User                                   | Setup > Accounting > Account Generator Sources                                           | Create Account Generator Source | Select Column            | Meaning                           |
| OKL_FEE_TYPE                   | System                                 | Origination > Contracts > Contract Lines > Fees > Create Fee                             | Create Fee                      | Fee Type                 | Meaning                           |
| OKL_FILING_STATUS              | User                                   | Origination > Contracts > Contract > Contract Detail; then Terms and Conditions > Filing | Filing                          | Status                   | Meaning                           |
| OKL_FILING_TYPE                | User                                   | Origination > Contracts > Contract > Contract Detail; then Terms and Conditions > Filing | Filing                          | Lien Type, Title Type    | Meaning                           |
| OKL_FINANCIAL_IMPAIRMENT_POSES |                                        |                                                                                          |                                 |                          |                                   |

| Lookup Type                     | Access Level: User, Extensible, System | OKL Client Navigation Path                                                                        | Page or Window Name             | UI Field Label | Label Uses Meaning or Description |
|---------------------------------|----------------------------------------|---------------------------------------------------------------------------------------------------|---------------------------------|----------------|-----------------------------------|
| OKL_FINANCIALS_SYSTEM_PARAMETER | Extensible                             | Setup > Accounting > Account Generator Sources                                                    | Create Account Generator Source | Select Column  | Meaning                           |
| OKL_FORMULA_TYPE                | Extensible                             | Not applicable                                                                                    | Not applicable                  | Not applicable | Not applicable                    |
| OKL_FREQUENCY                   | Extensible                             | Sales Quote > Details                                                                             | Frequency                       | Meaning        | Meaning                           |
| OKL_FUNCTION_PARAMETER_TYPE     | System                                 | Not applicable                                                                                    | Not applicable                  | Not applicable | Not applicable                    |
| OKL_FUNCTION_TYPE               | System                                 | Not applicable                                                                                    | Not applicable                  | Not applicable | Not applicable                    |
| OKL_FUNDING_CATEGORY            | Not used                               | Not applicable                                                                                    | Not applicable                  | Not applicable | Not applicable                    |
| OKL_FUNDING_TYPE                | System                                 | Origination > Funding > Funding Request                                                           | Create Funding Request          | Funding Type   | Meaning                           |
| OKL_GUARANTEE_TYPE              | System                                 | Origination > Contracts > Contract > Contract Detail; then Parties > Create Party > Party Details | Party Details                   | Guarantee Type | Meaning                           |

| Lookup Type        | Access Level: User, Extensible, System | OKL Client Navigation Path                                                                        | Page or Window Name | UI Field Label | Label Uses Meaning or Description |
|--------------------|----------------------------------------|---------------------------------------------------------------------------------------------------|---------------------|----------------|-----------------------------------|
| OKL_GUARANTOR_TYPE | System                                 | Origination > Contracts > Contract > Contract Detail; then Parties > Create Party > Party Details | Party Details       | Guarantor Type | Meaning                           |

## OKL Lookup Types - I through K

The following table contains the OKL\_ lookup types with names that follow OKL\_ that start with the letters **I** through **K**, such as **OKL\_IDX\_FREQUENCY**.

### *OKL Lookup Types—I through K*

| Lookup Type            | Access Level: User, Extensible, System | OKL Client Navigation Path          | Page or Window Name     | UI Field Label  | Label Uses Meaning or Description |
|------------------------|----------------------------------------|-------------------------------------|-------------------------|-----------------|-----------------------------------|
| OKL_IDX_FREQUENCY      | Extensible                             | Setup > Financials > Interest Rates | Create Interest Rate    | Index Frequency | Meaning                           |
| OKL_IDX_TYPE           | System                                 | Not applicable                      | Not applicable          | Not applicable  | Not applicable                    |
| OKL_INS_ACTIVATION_ALL | Extensible                             | Setup > Insurance Asset Classes     | Insurance Asset Classes | View            | Meaning                           |
| OKL_INS_ACTIVATION_ALL | Extensible                             | Setup > Insurance Rankings          | Insurance Rankings      | View            | Meaning                           |

| Lookup Type               | Access Level: User, Extensible, System | OKL Client Navigation Path                                          | Page or Window Name             | UI Field Label      | Label Uses Meaning or Description |
|---------------------------|----------------------------------------|---------------------------------------------------------------------|---------------------------------|---------------------|-----------------------------------|
| OKL_INS_ACTIVATIVE_ALL    | Extensible                             | Setup > Insurance Rates                                             | Insurance Rates                 | View                | Meaning                           |
| OKL_INS_ACTIVATIVE_ALL    | Extensible                             | Setup > Insurance Restrictions                                      | Insurance Restrictions          | View                | Meaning                           |
| OKL_INS_CANCEL_REASON     | User                                   | Insurance                                                           | Insurance Tab                   | Cancellation Reason | Meaning                           |
| OKL_INS_PAYMENT_FREQUENCY | System                                 | Insurance > Create Insurance Lease Quote                            | Create Insurance Lease Quote    | Payment Frequency   | Meaning                           |
| OKL_INS_PAYMENT_FREQUENCY | System                                 | Insurance > Create Insurance Optional Quote                         | Create Insurance Optional Quote | Payment Frequency   | Meaning                           |
| OKL_INS_PAYMENT_FREQUENCY | System                                 | Origination > Contracts > Lines > Insurance > Create Lease Quote    | Create Lease Quote              | Payment Frequency   | Meaning                           |
| OKL_INS_PAYMENT_FREQUENCY | System                                 | Origination > Contracts > Lines > Insurance > Create Optional Quote | Create Optional Quote           | Payment Frequency   | Meaning                           |

| Lookup Type                        | Access Level: User, Extensible, System | OKL Client Navigation Path                                                    | Page or Window Name                | UI Field Label           | Label Uses Meaning or Description |
|------------------------------------|----------------------------------------|-------------------------------------------------------------------------------|------------------------------------|--------------------------|-----------------------------------|
| OKL_INS_Q<br>UOTE_STAT<br>US       | Extensible                             | Origination ><br>Contracts ><br>Lines ><br>Insurance                          | Insurance<br>Quotes                | View                     | Meaning                           |
| OKL_INSUR<br>ANCE_ASSE<br>T_CLASS  | User                                   | Setup ><br>Insurance<br>Asset Classes                                         | Insurance<br>Asset Classes         | Insurance<br>Class       | Meaning                           |
| OKL_INSUR<br>ANCE_ASSE<br>T_CLASS  | User                                   | Setup ><br>Insurance<br>Asset Classes<br>> Create<br>Insurance<br>Asset Class | Create<br>Insurance<br>Asset Class | Insurance<br>Class       | Meaning                           |
| OKL_INSUR<br>ANCE_ASSE<br>T_CLASS  | User                                   | Setup ><br>Insurance<br>Rate > Create<br>Insurance<br>Rate                    | Create<br>Insurance<br>Rate        | Insurance<br>Asset Class | Meaning                           |
| OKL_INSUR<br>ANCE_POLI<br>CY_TYPE  | User                                   | Not Used                                                                      | Not Used                           | Not Used                 | Not Used                          |
| OKL_INSUR<br>ANCE_PRO<br>DUCT_TYPE | System                                 | Setup ><br>Insurance<br>Products                                              | Insurance<br>Products              | Insurance<br>Type        | Meaning                           |
| OKL_INSUR<br>ANCE_PRO<br>DUCT_TYPE | System                                 | Setup ><br>Insurance<br>Products ><br>Create<br>Insurance<br>Product          | Create<br>Insurance<br>Product     | Insurance<br>Type        | Meaning                           |

| Lookup Type                   | Access Level: User, Extensible, System | OKL Client Navigation Path                                      | Page or Window Name             | UI Field Label | Label Uses Meaning or Description |
|-------------------------------|----------------------------------------|-----------------------------------------------------------------|---------------------------------|----------------|-----------------------------------|
| OKL_INSURANCE_STAT<br>US      | System                                 | Used in all Insurance Policies page (Display Only)              | Not applicable                  | Status         | Meaning                           |
| OKL_INSURANCE_TYPE            | System                                 | Not applicable                                                  | Not applicable                  | Not applicable | Not applicable                    |
| OKL_INTENT_TYPE               | System                                 | Setup > Products > Options > Option Values > Option Value Rules | Option Value Rules              | Action         | Meaning                           |
| OKL_INTPMT_TYPE               | Not Used                               | Not applicable                                                  | Not applicable                  | Not applicable | Not applicable                    |
| OKL_INV_PRIMARY_PURPOSES      |                                        |                                                                 |                                 |                |                                   |
| OKL_INV_RECEIVABLES_LINE_TYPE | Not Used                               | Not applicable                                                  | Not applicable                  | Not applicable | Not applicable                    |
| OKL_JTF_RS_SALESREPS_MO_V     | User                                   | Setup > Accounting > Account Generator Sources                  | Create Account Generator Source | Select Column  | Meaning                           |

## OKL Lookup Types - L through P

The following table contains the OKL\_ lookup types with names that follow OKL\_ that start with the letters L through P, such as **OKL\_LATE\_CHRG\_FIXED\_YN**.

**OKL Lookup Types—L through P**

| <b>Lookup Type</b>        | <b>Access Level: User, Extensible, System</b> | <b>OKL Client Navigation Path</b>                        | <b>Page or Window Name</b>             | <b>UI Field Label</b> | <b>Label Uses Meaning or Description</b> |
|---------------------------|-----------------------------------------------|----------------------------------------------------------|----------------------------------------|-----------------------|------------------------------------------|
| OKL_LATE_CHRG_FIXED_YN    | Extensible                                    | Setup > Receivables > Late Policies > Create Late Policy | Create Late Policy                     | Late Charge Type      | Meaning                                  |
| OKL_LATE_INNT_FIXED_YN    | Extensible                                    | Setup > Receivables > Late Policies > Create Late Policy | Create Late Policy                     | Rate Type             | Meaning                                  |
| OKL_LATE_POLICY_EXEMPT_YN | Extensible                                    | Setup > Receivables > Late Policies > Create Late Policy | Exempt Late Policy                     | Exempt YN             | Meaning                                  |
| OKL_LATE_POLICY_TYPE_CODE | Extensible                                    | Setup > Receivables > Late Policies > Create Late Policy | Create Late Policy                     | Late Policy Type      | Meaning                                  |
| OKL_LOSS_TYPE             | User                                          | Insurance > Claim Summary > Create Insurance Claim       | Create Lease, Optional Insurance Claim | Claim Loss Type       | Meaning                                  |
| OKL_MASS_REBOOK_CRITERIA  | System                                        | Processing > Mass Rebook > New Request                   | Mass Rebook                            | Criteria              | Meaning                                  |



| Lookup Type                | Access Level: User, Extensible, System | OKL Client Navigation Path                                                                 | Page or Window Name             | UI Field Label                         | Label Uses Meaning or Description |
|----------------------------|----------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------|----------------------------------------|-----------------------------------|
| OKL_MTL_SYSTEM_ITEM_VL     | Extensible                             | Setup > Accounting > Account Generator Sources                                             | Create Account Generator Source | Select Column                          | Meaning                           |
| OKL_OPERAND_TYPE           | System                                 | Setup > Operational > Operands > Create Operand                                            | Create Operand                  | Operand Type                           | Meaning                           |
| OKL_OPTION_VALUE_RULE_FLAG | System                                 | Setup > Products > Options > Option Values > Option Value Rules > Create Option Value Rule | Create Option Value Rule        | Intent                                 | Meaning                           |
| OKL_PARENTHESIS            | System                                 | Setup > Financials > Accrual Rules                                                         | Create Accrual Rules            | Left parenthesis and right parenthesis | Meaning                           |
| OKL_PAYABLES_INVOICE_TYPE  | Extensible                             | Receivables > Disbursements > Manual Disbursements > Create Manual Disbursements           | Create Manual Disbursements     | Invoice Type                           | Meaning                           |
| OKL_PAYMENT_METHODS_ODS    | Not Used                               | Not applicable                                                                             | Not applicable                  | Not applicable                         | Not applicable                    |

| Lookup Type                             | Access Level: User, Extensible, System | OKL Client Navigation Path                               | Page or Window Name         | UI Field Label        | Label Uses Meaning or Description |
|-----------------------------------------|----------------------------------------|----------------------------------------------------------|-----------------------------|-----------------------|-----------------------------------|
| OKL_PAYM<br>ENT_PLAN_<br>STATUS         | Extensible                             | Sales ><br>Quotes ><br>Payment<br>Plans                  | Payment Plan                | Status                | Meaning                           |
| OKL_PAYM<br>ENT_PLAN_<br>STATUS         | Extensible                             | Sales ><br>Quotes ><br>Payment<br>Plans ><br>Details     | Payment Plan<br>Details     | Status                | Meaning                           |
| OKL_PAYM<br>ENT_STRUC<br>TURES          | Extensible                             | Sales ><br>Quotes ><br>Payment<br>Plans ><br>Create Plan | Create<br>Payment Plan      | Payment<br>Structure  | Meaning                           |
| OKL_PAYM<br>ENT_STRUC<br>TURES          | Extensible                             | Sales ><br>Quotes ><br>Payment<br>Plans ><br>Details     | Payment Plan<br>Details     | Payment<br>Structure  | Meaning                           |
| OKL_PERIO<br>D_STATUS                   | System                                 | Setup ><br>Accounting ><br>Accounting<br>Periods         | Accounting<br>Period Status | Status                | Meaning                           |
| OKL_POOL_<br>REJECT_REA<br>SON          |                                        |                                                          |                             |                       |                                   |
| OKL_POOL_<br>TRANSACTI<br>ON_REASO<br>N | System                                 | Investor ><br>Pools > Pool<br>Transactions               | Pool<br>Transactions        | Transaction<br>Reason | Meaning                           |
| OKL_POOL_<br>TRANSACTI<br>ON_TYPE       | System                                 | Investor ><br>Pools > Pool<br>Transactions               | Pool<br>Transactions        | Transaction<br>Type   | Meaning                           |

| Lookup Type                | Access Level: User, Extensible, System | OKL Client Navigation Path                                      | Page or Window Name      | UI Field Label | Label Uses Meaning or Description |
|----------------------------|----------------------------------------|-----------------------------------------------------------------|--------------------------|----------------|-----------------------------------|
| OKL_POSTING_DETAIL         | Not Used                               | Not applicable                                                  | Not applicable           | Not applicable | Not applicable                    |
| OKL_PRICE_PARAMS_DYP_CODE  | Extensible                             | Setup > Pricing > Pricing Parameters > Create Pricing Parameter | Create Pricing Parameter | Data Type      | Meaning                           |
| OKL_PRICE_PARAMS_SPS_CODE  | Extensible                             | Setup > Pricing > Pricing Parameters > Create Pricing Parameter | Create Pricing Parameter | Level          | Meaning                           |
| OKL_PRICING_METHOD         | Extensible                             | Sales > Quotes > Payments Plan > Create Plan                    | Create Payment Plan      | Pricing Method | Meaning                           |
| OKL_PRICING_METHOD         | Extensible                             | Sales > Quotes > Payments Plan > Details                        | Payment Plan Details     | Pricing Method | Meaning                           |
| OKL_PRINCIPAL_INTEREST     | Not Used                               | Not applicable                                                  | Not applicable           | Not applicable | Not applicable                    |
| OKL_PROCESSES              | Extensible                             | Not applicable                                                  | Not applicable           | Not applicable | Not applicable                    |
| OKL_PROPERTY_CLASS_OPTIONS | User                                   | Contract > Lines > Assets > Real Estate button                  | Real Estate              | Property Class | Meaning                           |

## OKL Lookup Types - Q through R

The following table contains the OKL\_ lookup types with names that follow OKL\_ that start with the letters **Q** through **R**, such as **OKL\_QUOTE\_PARTY\_TYPE**.

**OKL Lookup Types—Q through R**

| Lookup Type                   | Access Level: User, Extensible, System | OKL Client Navigation Path                                             | Page or Window Name      | UI Field Label   | Label Uses Meaning or Description |
|-------------------------------|----------------------------------------|------------------------------------------------------------------------|--------------------------|------------------|-----------------------------------|
| OKL_QUOTE_LINE_TYPE           |                                        |                                                                        |                          |                  |                                   |
| OKL_QUOTE_LINE_TYPES          |                                        |                                                                        |                          |                  |                                   |
| OKL_QUOTE_PARTY_TYPE          | System                                 | Contracts > Terms and Conditions > Termination Quote Process           | Terms and Conditions     | Recipient        | Meaning                           |
| OKL_QUOTE_PRORATE_OPTION_TYPE | System                                 | Contracts > Terms and Conditions > Early Termination Quote Calculation | Terms and Conditions     | Prorate          | Meaning                           |
| OKL_QUOTE_REASON              | Extensible                             | Asset Management > Quotes > Create Quote                               | Create Termination Quote | Quote Reason     | Description                       |
| OKL_QUOTE_RULE_OPTION_TYPE    | System                                 | Contracts > Terms and Conditions > Termination Quote Process           | Terms and Conditions     | Net Quote Option | Meaning                           |

| Lookup Type           | Access Level: User, Extensible, System | OKL Client Navigation Path                                           | Page or Window Name             | UI Field Label   | Label Uses Meaning or Description |
|-----------------------|----------------------------------------|----------------------------------------------------------------------|---------------------------------|------------------|-----------------------------------|
| OKL_QUOTE_STATUS      | System                                 | Asset Management > Quotes                                            | Termination Quote Details       | Status           | Meaning                           |
| OKL_QUOTE_TYPE        | Extensible                             | Asset Management > Quotes                                            | Create Termination Quote        | Quote Type       | Meaning                           |
| OKL_RA_CUST_TRX_TYPES | Extensible                             | Setup > Accounting > Account Generator Sources                       | Create Account Generator Source | Select Column    | Meaning                           |
| OKL_REDEALTTYPE       | Not Used                               | Not applicable                                                       | Not applicable                  | Not applicable   | Not applicable                    |
| OKL_REBOOK_REASON     | System                                 | Origination > Contracts > Contract > Contract Detail; then Revisions | Revisions                       | Reason           | Meaning                           |
| OKL_REFUND_REASON     | User                                   | Lease Center > Account tab > Billing refund Request > Refund Reason  | Billing Refund Request          | Refund Reason    | Meaning                           |
| OKL_REJECTION_REASON  | Extensible                             | Lease Center > Transfer & Assumption > Cancel request                | Transfer & Assumption           | Rejection Reason | Meaning                           |

| Lookup Type         | Access Level: User, Extensible, System | OKL Client Navigation Path                                                                     | Page or Window Name                                            | UI Field Label          | Label Uses Meaning or Description |
|---------------------|----------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-------------------------|-----------------------------------|
| OKL_REMIT_BASIS     | System                                 | Investor > Investor Agreement> Investors                                                       | Investor                                                       | Remittance Occurs After | Meaning                           |
| OKL_REQUE_ST_STATUS | System                                 | Lease Center > Equipment Exchange, Transfer & Assumption page, Lease Renewals > Request Status | Equipment Exchange, Transfer & Assumption page, Lease Renewals | Request Status          | Meaning                           |
| OKL_REQUE_ST_TYPE   | System                                 | Lease Center > Request Tab > Request Type                                                      | Request Tab                                                    | Request Type            | Meaning                           |
| OKL_RESID_UAL_CODE  | System                                 | Origination > Contracts > Contract > Contract Detail; then Lines > Assets > Create Asset       | Asset                                                          | Guarantor               | Meaning                           |
| OKL_ROUNDING_RULE   | System                                 | Setup > Accounting > Accounting Options                                                        | Accounting Options Detail                                      | Rounding Rule           | Meaning                           |

## OKL Lookup Types - S

The following table contains the OKL\_ lookup types with names that follow OKL\_ that start with the letter S, such as **OKL\_SERVICE\_BY**.

### OKL Lookup Types—S

| Lookup Type                   | Access Level: User, Extensible, System | OKL Client Navigation Path                                                                                | Page or Window Name     | UI Field Label    | Label Uses Meaning or Description |
|-------------------------------|----------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------|-------------------|-----------------------------------|
| OKL_SEC_P<br>AYMENT_B<br>ASIS | System                                 | Investor ><br>Investor<br>Agreements ><br>Terms and<br>Conditions ><br>Disbursement<br>Setup              | Terms and<br>Conditions | Payment<br>Basis  | Meaning                           |
| OKL_SERVIC<br>E_BY            | System                                 | Investor ><br>Investor<br>Agreement ><br>Investors                                                        | Investor                | Service By        | Meaning                           |
| OKL_SERVIC<br>E_FEES          | System                                 | Lease Center<br>> Send<br>Document<br>button ><br>Service fees<br>page ><br>Charge<br>Service Fee<br>Name | Charge<br>Service Fee   | Name              | Meaning                           |
| OKL_SFE_TY<br>PE              | Extensible                             | Not<br>applicable                                                                                         | Not<br>applicable       | Not<br>applicable | Not<br>applicable                 |
| OKL_SIF_ST<br>ATUS            | Extensible                             | Origination ><br>Contracts ><br>Booking ><br>Streams ><br>Generate<br>Streams                             | Streams                 | Request<br>Status | Meaning                           |
| OKL_SIL_TY<br>PE              | Extensible                             | Not<br>applicable                                                                                         | Not<br>applicable       | Not<br>applicable | Not<br>applicable                 |
| OKL_SIY_TY<br>PE              | Extensible                             | Not<br>applicable                                                                                         | Not<br>applicable       | Not<br>applicable | Not<br>applicable                 |

| Lookup Type                   | Access Level: User, Extensible, System | OKL Client Navigation Path                                | Page or Window Name | UI Field Label | Label Uses Meaning or Description |
|-------------------------------|----------------------------------------|-----------------------------------------------------------|---------------------|----------------|-----------------------------------|
| OKL_SOURCE_PK_COLUMN          | Not Used                               | Not applicable                                            | Not applicable      | Not applicable | Not applicable                    |
| OKL_SOURCE_SELECT_COLUMN      | Not Used                               | Not applicable                                            | Not applicable      | Not applicable | Not applicable                    |
| OKL_SOURCE_TABLE              | System                                 | Not applicable                                            | Not applicable      | Not applicable | Not applicable                    |
| OKL_SRCH_STRM_TYPS_ADDYN      | Not Used                               | Not applicable                                            | Not applicable      | Not applicable | Not applicable                    |
| OKL_SRCH_STRM_TYPS_ADDYN_FLAG | Extensible                             | Setup > Cash > Search Rules > Create Search Rule > Create | Create Combination  | Plus, Minus    | Meaning                           |
| OKL_STREAM_ACTIVITY           | Extensible                             | Financials > Inquiry > Streams                            | Streams             | Status         | Meaning                           |
| OKL_STREAM_GENERATOR          | Extensible                             | Not applicable                                            | Not applicable      | Not applicable | Not applicable                    |
| OKL_STREAM_TYPE_CLASS         | System                                 | Setup > Pricing > Stream Types > Create Stream Type       | Create Stream Type  | Class          | Meaning                           |
| OKL_STREAM_TYPE_SUBCLASS      | System                                 | Setup > Pricing > Stream Types > Create Stream Type       | Create Stream Type  | Subclass       | Meaning                           |



| Lookup Type                                           | Access Level: User, Extensible, System | OKL Client Navigation Path                                                    | Page or Window Name   | UI Field Label      | Label Uses Meaning or Description |
|-------------------------------------------------------|----------------------------------------|-------------------------------------------------------------------------------|-----------------------|---------------------|-----------------------------------|
| OKL_STREAM_TYPE_SC<br>OPE                             | System                                 | Setup ><br>Pricing ><br>Stream Types<br>> Create<br>Stream Type               | Create<br>Stream Type | Scope               | Meaning                           |
| OKL_STREAM_TYPE_PU<br>RPOSE                           |                                        |                                                                               |                       |                     |                                   |
| Lookup<br>Code:<br>INVESTOR_F<br>INSRV_OBLIGATION_PAY |                                        |                                                                               |                       |                     |                                   |
| OKL_STREAM_TYPE_PU<br>RPOSE                           |                                        |                                                                               |                       |                     |                                   |
| Lookup<br>Code:<br>AMFSOC                             |                                        |                                                                               |                       |                     |                                   |
| OKL_STREAM_ORIGINATION_PROCESS                        | Extensible                             | Origination ><br>Contracts ><br>Booking ><br>Streams ><br>Generate<br>Streams | Streams               | Contract<br>Process | Meaning                           |
| OKL_STREAM_EN_PATHS                                   | System                                 | Not<br>applicable                                                             | Not<br>applicable     | Not<br>applicable   | Not<br>applicable                 |
| OKL_STREAM_ALLOCATION_BASIS                           | System                                 | Setup ><br>Pricing ><br>Stream Types<br>> Create<br>Stream Type               | Create<br>Stream Type | Allocation<br>Basis | Meaning                           |

| Lookup Type                         | Access Level: User, Extensible, System | OKL Client Navigation Path                                          | Page or Window Name   | UI Field Label       | Label Uses Meaning or Description |
|-------------------------------------|----------------------------------------|---------------------------------------------------------------------|-----------------------|----------------------|-----------------------------------|
| OKL_STY_C<br>USTOMIZAT<br>ION_LEVEL | System                                 | Setup ><br>Pricing ><br>Stream Types<br>> Create<br>Stream Type     | Create<br>Stream Type | Access Level         | Meaning                           |
| OKL_SUB_C<br>RITERIA_SR<br>CH       | System                                 | Setup ><br>Pricing ><br>Subsidy ><br>Subsidy<br>Application         | Subsidy<br>Criteria   | Subsidy<br>Criteria  | Meaning                           |
| OKL_SUBAC<br>CT_METHO<br>D          | System                                 | Setup ><br>Pricing ><br>Subsidy ><br>Subsidy ><br>Create<br>Subsidy | Create<br>Subsidy     | Accounting<br>Method | Meaning                           |
| OKL_SUBCA<br>LC_BASIS               | System                                 | Setup ><br>Pricing ><br>Subsidy ><br>Subsidy ><br>Create<br>Subsidy | Create<br>Subsidy     | Basis                | Meaning                           |
| OKL_SUBRC<br>PT_METHO<br>D          | System                                 | Setup ><br>Pricing ><br>Subsidy ><br>Subsidy ><br>Create<br>Subsidy | Create<br>Subsidy     | Net on<br>Funding    | Meaning                           |
| OKL_SUBRF<br>ND_BASIS               | System                                 | Setup ><br>Pricing ><br>Subsidy ><br>Subsidy ><br>Create<br>Subsidy | Create<br>Subsidy     | Refund Basis         | Meaning                           |

| Lookup Type             | Access Level: User, Extensible, System | OKL Client Navigation Path               | Page or Window Name        | UI Field Label   | Label Uses Meaning or Description |
|-------------------------|----------------------------------------|------------------------------------------|----------------------------|------------------|-----------------------------------|
| OKL_SUBSIDY_SRCH_OP_TNS | System                                 | Setup > Pricing > Subsidy > Subsidy      | Subsidies                  | Subsidies        | Meaning                           |
| OKL_SYNDICATION_CODE    | Extensible                             | Setup > Accounting > Accounting Template | Create Accounting Template | Syndication Code | Meaning                           |

## OKL Lookup Types - T through Z

The following table contains the OKL\_ lookup types with names that follow OKL\_ that start with the letters **T** through **Z**, such as **OKL\_TAX\_OWNER**.

### *OKL Lookup Types—T through Z*

| Lookup Type   | Access Level: User, Extensible, System | OKL Client Navigation Path                           | Page or Window Name  | UI Field Label | Label Uses Meaning or Description |
|---------------|----------------------------------------|------------------------------------------------------|----------------------|----------------|-----------------------------------|
| OKL_TAX_OWNER | System                                 | Origination > Contracts > Contract > Contract Detail | Contract Detail      | Tax Owner      | Meaning                           |
| OKL_TAX_OWNER | System                                 | Sales > Quotes > Payments Plan > Create Plan         | Create Payment Plan  | Tax Owner      | Meaning                           |
| OKL_TAX_OWNER | System                                 | Sales > Quotes > Payments Plan > Details             | Payment Plan Details | Tax Owner      | Meaning                           |

| <b>Lookup Type</b>      | <b>Access Level: User, Extensible, System</b> | <b>OKL Client Navigation Path</b>      | <b>Page or Window Name</b> | <b>UI Field Label</b> | <b>Label Uses Meaning or Description</b> |
|-------------------------|-----------------------------------------------|----------------------------------------|----------------------------|-----------------------|------------------------------------------|
| OKL_TAX_REPORTING       | Not Used                                      | Not applicable                         | Not applicable             | Not applicable        | Not applicable                           |
| OKL_TC_LINKS            | System                                        | Not applicable                         | Not applicable             | Not applicable        | Not applicable                           |
| OKL_TCL_TYPE            | System                                        | Not applicable                         | Not applicable             | Not applicable        | Not applicable                           |
| OKL_TCN_TYPE            | System                                        | Not applicable                         | Not applicable             | Not applicable        | Not applicable                           |
| OKL_TODO_CREDIT_CHKLST  | Extensible                                    | Setup > Checklist > Checklist Contents | Checklist Contents         | Item Code             | Meaning                                  |
| OKL_TODO_FUNDING_CHKLST | Extensible                                    | Setup > Checklist > Checklist Contents | Checklist Contents         | Item Code             | Meaning                                  |
| OKL_TRANS_HEADER_TYPE   | System                                        | For Internal Use Only                  | For Internal Use Only      | For Internal Use Only | Meaning                                  |
| OKL_TRANS_LINE_TYPE     | System                                        | For Internal Use Only                  | For Internal Use Only      | For Internal Use Only | Meaning                                  |

| Lookup Type                               | Access Level: User, Extensible, System | OKL Client Navigation Path                                                                                                                                                                                                                                                  | Page or Window Name            | UI Field Label          | Label Uses Meaning or Description |
|-------------------------------------------|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-------------------------|-----------------------------------|
| OKL_TRANS<br>ACTION_ST<br>ATUS            | Extensible                             | Various areas use this lookup for creating transactions. Accounting area has seeded the lookup type, but respective transaction areas include seeded values.<br><br>Possible values for this lookup type are:<br>Accrued ,<br>Approved,<br>Canceled,<br>Closed,<br>Entered. | Various                        | Not applicable          | Meaning                           |
| OKL_TRANS<br>ACTION_TY<br>PE_CATEGOR<br>Y | System                                 | Setup ><br>Accounting ><br>Transaction<br>Types                                                                                                                                                                                                                             | Create<br>Transaction<br>Types | Transaction<br>Category | Meaning                           |
| OKL_TRANS<br>ACTION_TY<br>PE_CLASS        | System                                 | Setup ><br>Accounting ><br>Transaction<br>Types                                                                                                                                                                                                                             | Create<br>Transaction<br>Types | Transaction<br>Class    | Meaning                           |
| OKL_UNIVE<br>RSAL_SEAR<br>CH              | User                                   | Lease Center<br>Search ><br>Advanced<br>Search > Item<br>(LOV)                                                                                                                                                                                                              | Lease Center<br>Search         | Search<br>Criteria      | Meaning                           |

| Lookup Type                       | Access Level: User, Extensible, System | OKL Client Navigation Path                                                                                           | Page or Window Name     | UI Field Label     | Label Uses Meaning or Description |
|-----------------------------------|----------------------------------------|----------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------|-----------------------------------|
| OKL_VAR_I<br>NTCALC               | System                                 | Origination ><br>Contracts ><br>Contract ><br>Contract<br>Detail; then<br>Terms and<br>Conditions ><br>Interest Rate | Terms and<br>Conditions | Interest<br>Method | Meaning                           |
| OKL_VARIA<br>BLE_METHO<br>D       | System                                 | Origination ><br>Contracts ><br>Contract ><br>Contract<br>Detail; then<br>Terms and<br>Conditions ><br>Interest Rate | Terms and<br>Conditions | Variable<br>Method | Meaning                           |
| OKL_VIEW_<br>ACC_SOURC<br>ES      | System                                 | Financials ><br>Inquiry ><br>Transactions                                                                            | View<br>Transactions    | Source             | Meaning                           |
| OKL_VP_TE<br>RMINATION<br>_REASON | System                                 | For Internal<br>Use Only                                                                                             | Not<br>Applicable       | Not<br>Applicable  | Not<br>applicable                 |
| OKL_VSS_C<br>ONTRACT_S<br>TATUS   | Extensible                             | VSS ><br>Contracts ><br>Contracts                                                                                    | Contracts               | Status             | Meaning                           |
| OKL_VSS_O<br>BJECT_TYPE           | Extensible                             | VSS > Home<br>> My List                                                                                              | My List                 | Filter By          | Meaning                           |
| OKL_VSS_Q<br>UOTE_TYPE            | User                                   | VSS ><br>Contracts ><br>Quotes                                                                                       | Quotes                  | Quote Type         | Meaning                           |

| Lookup Type            | Access Level: User, Extensible, System | OKL Client Navigation Path                                           | Page or Window Name | UI Field Label | Label Uses Meaning or Description |
|------------------------|----------------------------------------|----------------------------------------------------------------------|---------------------|----------------|-----------------------------------|
| OKL_WARRANT_SHARE_TYPE | Extensible                             | Origination > Credit > Credit Lines > Credit Line Details > Warrants | Warrants            | Type           | Meaning                           |
| OKL_WARRANT_TYPE       | Not Used                               | Not Used                                                             | Not Used            | Not Used       | Not applicable                    |
| OKL_YES_NO             | User                                   | Setup > Products > Products > Product Option                         | Product Option      | Required       | Meaning                           |
| OKL_YES_NO             | User                                   | Setup > Products > Products > Product Stream Type                    | Product Stream Type | Accrue         | Meaning                           |





---

## Formula Engine

This appendix covers the following topics:

- About the Formula Engine
- Terminology
- Examples of Formulas
- Commission Formula Example
- Net Investment Value Formula Example
- General Setup Steps for a Formula with Operand Functions
- Write the Source PL/SQL Function To Use in a Formula

### About the Formula Engine


The Formula Engine is a tool that lets you define custom formulas and execute them.

Many different parts of Oracle Lease and Finance Management use formulas. Formulas are always relevant to either a particular contract or an individual line on a contract.

Examples of formulas that Oracle Lease and Finance Management uses include asset residual, contract original equipment cost, and contract capitalized fees.

**Note:** All formulas return values in the ledger currency associated with the ledger.

**Simplified Formula Engine Architecture**



## Terminology

The main parts of the Formula Engine are:

- **PL/SQL:** PL/SQL is Oracle's Procedural Language extension to SQL. The PL/SQL language includes object oriented programming techniques such as encapsulation, function overloading, and information hiding. PL/SQL is commonly used to write data centric programs to manipulate data in an Oracle database.
- **PARAMETER:** A seeded variable whose value is calculated and passed to a function. Used by functions and context groups.
- **FORMULA:** A combination of arithmetic symbols and operands that evaluates to a numeric value.

The symbols you can use in a formula are: + - \* / ( )

- **OPERAND:** An object that can take part in arithmetic operations. An operand derives its value either from another formula, an expression or a function.
- **FUNCTION:** The registration of a source PL/SQL function, which returns a numeric value. The source PL/SQL function must have been previously created in the database. A function can accept parameters.
- **FUNCTION PARAMETER:** An object that passes a value to the function.
- **CONTEXT:** A grouping mechanism that allows for the efficient evaluation and passing of parameters to functions in formulas. Every formula executes within a context.

- **CONTEXT PARAMETER:** A variable of a context whose value is calculated and passed to a function when a formula is executed that contains the function.

## Examples of Formulas

The following sections show examples of formulas:

- Commission Formula Example
- Net Investment Value Formula Example
- Write the Source PL/SQL Function To Use in a Formula

## Commission Formula Example

The main topics in this section are:

- Functions and Parameters for the Commission Formula
- Context and Context Parameters
- Context Parameters for the Commission Formula
- How a Formula Executes

You can configure Context Groups and Function parameters as described in the next section when seeded parameters are available. Currently no seeded parameters are available.

To understand how the Formula Engine works, consider a sample formula to calculate sales commissions.

**Note:** This example is not oriented to specific lease or loan transactions, but illustrates some of the features of the Formula Engine, especially the concepts of context and context parameters.

The Commission formula is:

`Commission := (Delta Amount) * 0.05 + Group Bonus`

This formula calculates a sales agent's commission as 5% of the difference between bookings and cancellations plus some group bonus.

The Commission formula consists of three operands:

- **Delta Amount**, which is another formula:  
`Delta Amount: = Ordered Amount - Canceled Amount`

This formula consists of two operands: **Ordered Amount** and **Canceled Amount**. Both of these operands are functions.

- The **constant value** 0.05.
- **Group Bonus**, which is a function.

The essential concepts that this illustrates are:

- **Formulas** consist of **operands + symbols**.
- **Operands** derive their values from **formulas, constants** or **functions**.

## Functions and Parameters for the Commission Formula

Functions accept input parameters, which can either be constants or variables.

There can be any number of function parameters.

Assume that the variable parameters for the Commission example functions are:

- **EMPLOYEE\_ID**
- **GROUP\_ID**
- **START\_DATE**
- **END\_DATE**

The Commission example functions and the parameters that they use appear in the following table.

***Commission Example Functions and Parameters***

| <b>Functions</b> | <b>Parameters</b> |
|------------------|-------------------|
| Ordered Amount   | EMPLOYEE_ID       |
| Ordered Amount   | START_DATE        |
| Ordered Amount   | END_DATE          |
| Canceled Amount  | EMPLOYEE_ID       |
| Canceled Amount  | START_DATE        |

| Functions       | Parameters |
|-----------------|------------|
| Canceled Amount | END_DATE   |
| Group Bonus     | START_DATE |
| Group Bonus     | END_DATE   |
| Group Bonus     | GROUP_ID   |

The essential concepts that this illustrates are:

- **Functions** can accept **parameters**.
- The same parameters can be used in many functions.

## Context and Context Parameters

A context is a basically a grouping mechanism, whose main task is to provide an efficient way of passing parameters to functions.

Each formula is defined as belonging to a context.

If the formula calls any functions with parameters, how does the function receive values for those parameters? The formula execution passes values to the function parameters via **context parameters**.

Context parameters form a pool of all the parameters that are needed for all functions to be executed by all the formulas belonging to that context. The name of each context parameter must be the same as the name of the corresponding function parameter. You can use a validation procedure to verify that the formula parameters and context parameters match.

**Note:** All contexts and formulas for lease and loan transactions are associated with either a contract or a line in the contract. If the source PL/SQL functions contain the parameters **P\_CONTRACT\_ID** and **P\_LINE\_ID**, you do not need to have context parameters corresponding to these two parameters.

For each context parameter, there must be a special internal PL/SQL function, **GET\_<par>\_VALUE** (where <par> is the actual parameter name). At formula execution time, the internal PL/SQL function calculates a value for the context parameter and passes it to the formula function.

The advantage of this mechanism is that, when a formula is executed, each context parameter is evaluated once and is then passed to possibly many functions being

executed by the formula.

## Context Parameters for the Commission Formula

The context parameters for the Commission Formula are the parameters needed for all of the functions—**Ordered Amount**, **Canceled Amount**, and **Group Bonus**—namely:

- **EMPLOYEE\_ID**
- **GROUP\_ID**
- **START\_DATE**
- **END\_DATE**

As you can see from the table Commission Example Functions and Parameters, three of the parameters are used more than once during the execution of the Commission Formula. However, because the formula executes within a context, and each of the parameters is also a context parameter, the parameters are only evaluated once.

## How a Formula Executes

The following example shows the sequence of how a formula executes.

1. If the formula contains a **function** (for clarity, this also refers to the **formula function**), the formula engine looks at each parameter of the function.
2. For each function parameter, the formula engine looks for the corresponding **CONTEXT PARAMETER**.
3. For each context parameter, the formula engine executes the internal PL/SQL **GET\_<par>\_VALUE** function and passes the value returned from this internal function to the formula function parameter.
4. This continues until the formula produces a result.

## Net Investment Value Formula Example

The Net Investment Value formula is:

`Net Investment Value := Receivables + Residuals - Unearned Income`

Each of the three operands—Receivables, Residuals and Unearned Income—derives its value from a similarly-named function.

## FUNCTION GET\_LEASE\_RECEIVABLE

The following example shows the source function for the Receivables operand.

```

( p_contract_id IN NUMBER, p_line_id IN NUMBER )

RETURN NUMBER

IS

    v_lease_rec NUMBER;

    CURSOR get_lease_rec IS

    SELECT NVL(SUM(c.amount),0)

    FROM okl_streams_v a, okl_strm_type_v b, okl_strm_elements_v c

    WHERE c.stm_id = a.id AND b.id = a.sty_id

    AND b.name = 'Rent' AND c.stream_element_date >= SYSDATE

    AND a.khr_id = p_contract_id;

BEGIN

    OPEN get_lease_rec;

    FETCH get_lease_rec INTO v_lease_rec;

    CLOSE get_lease_rec;

    RETURN v_lease_rec;

END GET_LEASE_RECEIVABLE;

```

## General Setup Steps for a Formula with Operand Functions

The general steps for setting up a formula with at least one operand function, which contains parameters in addition to P\_CONTRACT\_ID and P\_LINE\_ID, are:

1. Write the Source PL/SQL Function To Use in a Formula.
2. Register the Source PL/SQL Function.
3. Register the Function Parameters (register them in Oracle Lease and Finance Management).
4. Create the Context (first-time only for a particular context).
5. Create the Context Parameters.

6. Write the Internal Functions for the Context Parameters.
7. Create the (Formula Function type) Operand.
8. Create the Formula.
9. Validate the Formula. (strongly recommended)

You can follow the sequence exactly as shown in the preceding list.

Alternatively, you can first perform steps 4 through 6, then steps 1 to 3, then step 7. Step 8 must be the last mandatory step that you perform. Step 9—formula validation— is optional, but it is strongly recommended to perform this step.

**Important:** If your source function contains only the standard **contract** and **line id** parameters, you do not need to perform all the steps.

Specifically, in this simpler case, you can omit steps 3, 5, and 6, that is, the steps which relate to function parameters and context parameters.

The example formula in the following pages uses two parameters **PMR1** and **PARAMETER2**, both of which are numeric, in addition to the standard **contract** and **line id** parameters.

## Write the Source PL/SQL Function To Use in a Formula

The topics in this section include:

- Code Example of a Sample Source
- Register the Source PL/SQL Function
- Register the Function Parameters
- Create the Context
- Create the Context Parameters
- Write the Internal Functions for the Context Parameters
- Create the (Formula Function type) Operand
- Create the Formula
- Create or Edit Operand Labels
- Validate the Formula



## Code Example of a Sample Source

Here is the coding for a sample source PL/SQL function **SFNC1**, which has both the standard lease-oriented parameters **P\_CONTRACT\_ID** and **P\_LINE\_ID** as input parameters, as well as the special parameters **PMR1** and **PARAMETER2**.

### FUNCTION SFNC1

```
P_CONTRACT_ID IN NUMBER,

P_LINE_ID IN NUMBER,

PMR1 IN NUMBER,

PARAMETER2 IN NUMBER

) return number

IS

v_pre_tax_yield number;

BEGIN

select nvl(pre_tax_yield,0)

into v_pre_tax_yield

from okl_k_headers_v

where id=p_contract_id ;

RETURN (20 *(PMR1 + PARAMETER2) + v_pre_tax_yield) ;

END ;
```

## Register the Source PL/SQL Function

### Navigation

Setup > Formulas > Functions

### Steps

Perform the following steps:

1. Click Create.
2. Enter the Name for the function, and optionally, the Description.

3. Enter the Effective From date, and optionally the Effective To date.
4. Select the Source Function you are registering.
5. Click Create.

## Register the Function Parameters

After the function is created, if it contains parameters other than the standard **contract** and **line id** parameters, then you must register the non-standard parameters with Oracle Lease and Finance Management.

To do this, you must:

1. Search for the function.
2. Select the function.
3. Choose to create or edit function parameters.

You must perform all of the following steps for each non-standard function parameter.

### Prerequisites

You have created the function and it contains parameters other than the standard **contract** and **line id** parameters.

### Navigation

Setup > Formulas > Functions

### Steps

Perform the following steps:

1. Search for the function.
2. In the Results panel, click the function name hypertext link.
3. Click the Function Parameters button.
4. In the Function Parameters area, enter the Sequence of the function parameter.
5. Enter the parameter name.
6. If the function parameter has a static value in the source function, enter this value in the Static Value field.
7. Click Create.

## Create the Context

Each formula executes within a context. A context is basically a container for formulas that allows for the efficient passing of parameter values to the functions of a formula.

If the formula that you want to create does not have a context to be associated with, you must create the context.

### Navigation

Setup > Formulas > Contexts

### Steps

Perform the following steps:

1. Click Create.
2. Enter the context Name, and optionally the Description.
3. Click Create.

## Create the Context Parameters

For each non-standard function parameter that you register with Oracle Lease and Finance Management, you must create a context parameter with exactly the same name as the function parameter. For more information on registering non-standard function parameters, see [Create the Context](#).

To do this, you must:

1. Search for the context,
2. Select the context,
3. Choose to create or edit context parameters.

You must perform all of the following steps for each context parameter.

### Navigation

Setup > Formulas > Contexts

### Steps

Perform the following steps:

1. Search for the context.
2. In the Results panel, click the context name hypertext link.
3. Click the Context Parameters button.

4. In the Context Parameters area, enter the Parameter name.
5. Click Create.

## Write the Internal Functions for the Context Parameters

Now we need to define the internal PL/SQL function that returns the context parameter's run-time value.

**Note:** If function requires any parameters other than **contract\_id** and **line\_id**, then you must create a context with the required additional parameters from the seeded parameters.

The function must have the name **GET\_[PARAMETER]\_VALUE**, where **[PARAMETER]** is the parameter name.

The function must be in the package **OKL\_FORMULAFUNCTION\_PVT**.

The internal functions must have **p\_contract\_id** and **p\_line\_id** as input parameters.

The following two code samples show the internal functions related to the parameters **PMR1** and **PARAMETER2**, which in both examples, returns the number 1:

### FUNCTION GET\_PMR1\_VALUE

```
( p_contract_id IN number, p_line_id IN number )  
  
return number  
  
IS  
  
BEGIN  
  
RETURN 1;  
  
END GET_PMR1_VALUE;
```

### FUNCTION GET\_PARAMETER2\_VALUE

```
( p_contract_id IN number, p_line_id IN number )  
  
return number  
  
IS  
  
BEGIN
```

```
RETURN 1;  
  
END GET_PARAMETER2_VALUE;
```

## Create the (Formula Function type) Operand

Here you define an operand **OKLOPRND** of type Formula Function, which uses the function **OKLFUNC** registered in step 2 of Register the Function Parameters.

### Navigation

Setup > Formulas > Operands

### Steps

Perform the following steps:

1. Click Create.
2. Enter the Name for the operand, and optionally, the Description.
3. Enter the Effective From date, and optionally, the Effective To date.
4. In the Operand Type field, select Formula Function.
5. In the Function Name field, select the name of the function you registered.
6. Click Create.

## Create the Formula

Each formula must be created within a context. As you create the formula, you must specify the context name for the formula.

You must enter the formula string, which is an arithmetic expression consisting of labels of operands and the symbols + - \* / ( ).

Once you have created an operand it is available to be used in a formula string.

However you do not enter the operand name itself into the formula string, instead you must create a *label* for the operand, and use the label in the formula string. Basically, an operand label is a shortcut or alias for an operand.

The procedure for creating the formula consists of a two-stage process:

- Create the formula, including the formula string containing operand labels and symbols. You might or might not have created the operand labels at this point.
- If the operand labels have not been created, create the operand labels.

The following description of creating a formula assumes that operand labels have not been created.

## Navigation

Setup > Formulas > Formulas

## Steps

Perform the following steps:

1. Click Create.
2. Enter the formula Name, and optionally, the Description.
3. Enter the Effective To date, and optionally, the Effective From date.
4. Select the Context for this formula.
5. Enter your formula in the String field, consisting of labels of operands and the symbols + - \* / ( ).

**Note:** You can enter operand label names that you have not yet created.

6. Click Create.

## Create or Edit Operand Labels

After you have created the formula and formula string, you create the operand labels. The following steps show you how to create operand labels.

## Steps

Perform the following steps:

1. Search for the formula.
2. Select the formula.
3. Choose to create or edit formula operands (this final step is where you actually create or edit the operand labels used in the formula string).

## Prerequisites

You have created the formula and formula string.

## Navigation

Setup > Formulas > Formulas

## Steps

You must perform all of the following steps for each formula operand.

1. Search for the formula.
2. In the Results panel, click the formula name hypertext link.
3. Click the Formula Operands button.
4. In the Formula Operands area, enter the Label for the operand name.
5. Select the operand to associate with the label.
6. Click Create.

## Validate the Formula

Validation of the formula is optional, but recommended to verify its correctness. The validation procedures checks:

- Recursion—whether any one of the functions calls itself.
- Whether there is a correct context parameter for each of the function parameters used by all the formulas of the context, that is, the name and type of the parameters must match.

The full validation procedure also lets you see the values of your context parameters and operands, as well as the evaluated formula result.

For completeness, the following set of steps shows the full validation procedure.

### Navigation

Setup > Formulas > Formulas

### Steps

Perform the following steps:

1. Search and select the formula to be validated.
2. Click the Validate button.
3. Click Next to go to the next page.

The Formula Context Parameters Value page appears. This shows the run-time context parameter values.

4. Click Next to go to the next page.

The Evaluate Formula page shows the formula result and operand value.

In the example, the context parameters **PMR1** and **PARAMETER2** both return a value of 1.

The coding for the function OKLOPRND appears in Write the Source PL/SQL Function To Use in a Formula.

Assuming that the pre\_tax\_yield for the contract is null, the function **OKLOPRND** returns **(20\*(1+1) + 0)**, that is, **40**.



## Seeded Contract Classification Parameters

This appendix covers the following topics:

- Seeded Contract Classification Parameters

### Seeded Contract Classification Parameters

The following table shows the seeded qualities and quality values, which must be added to a product template and product, so that contracts that are associated with the product are correctly classified.

#### *Seeded Qualities and Quality Values*

| Contract Type          | Quality (to be added to the product template) | Quality Description               | Quality Value (to be added to the product) | Quality Value Description |
|------------------------|-----------------------------------------------|-----------------------------------|--------------------------------------------|---------------------------|
| Investor Agreement     | INVESTOR                                      | Investor Agreement Classification | SECURITIZATION                             | Securitization            |
| -                      | -                                             | -                                 | SYNDICATION                                | Syndication               |
| Lease or Loan Contract | LEASE                                         | Lease Book Classification         | LEASEDF                                    | Direct Finance Lease      |
| -                      | -                                             | -                                 | LEASEOP                                    | Operating Lease           |
| -                      | -                                             | -                                 | LEASEST                                    | Sales Type Lease          |
| -                      | -                                             | -                                 | LOAN                                       | Loan                      |

| Contract Type | Quality (to be added to the product template) | Quality Description        | Quality Value (to be added to the product) | Quality Value Description |
|---------------|-----------------------------------------------|----------------------------|--------------------------------------------|---------------------------|
| -             | -                                             | -                          | LOAN-REVOLVING                             | Loan-Revolving            |
| -             | TAXOWNER                                      | Tax Owner                  | LESSOR                                     | Lessor                    |
| -             | -                                             | -                          | LESSEE                                     | Lessee                    |
|               | INTEREST CALCULATION BASIS                    | Interest Calculation Basis | FIXED                                      |                           |
|               | -                                             | -                          | FLOAT                                      |                           |
|               | -                                             | -                          | REAMORT                                    |                           |
|               | -                                             | -                          | FLOAT FACTORS                              |                           |
|               | -                                             | -                          | CATCHUP/CLEANUP                            |                           |
|               | REVENUE RECOGNITION METHOD                    | Revenue Recognition Method | STREAMS                                    |                           |
|               | -                                             | -                          | ESTIMATED AND BILLED                       |                           |
|               | -                                             | -                          | ACTUAL                                     |                           |

Each Oracle Lease and Finance Management contract must have a product, and each product must have a product template.

In order to classify contracts, first you must add one or more of the seeded qualities to a product template.

Within a single product template, you can have:

- the quality Investor for investor agreements
- the four qualities of Lease, Taxowner, Interest Calculation Basis, and Revenue

Recognition Method, for lease or loan contracts.

Subsequently, when you create a product using the product template, you must assign one of the seeded quality values for each seeded quality in the associated product template.

**Note:** The only way to assign a lease book classification, tax owner, interest calculation basis, or revenue recognition method, to a contract is through the *product*. To change one of these values on a contract, you must select a different *product* for the contract, with different values.

For lease and loan contracts, the following table shows the valid tax owner options allowed for each lease book classification.

***Valid Lease Book Classification/Tax Owner Combinations***

| Lease Book Classification | Tax Owner Options |
|---------------------------|-------------------|
| Direct Finance Lease      | Lessor, Lessee    |
| Operating Lease           | Lessor            |
| Sales Type Lease          | Lessor, Lessee    |
| Loan                      | Lessee            |
| Loan-Revolving            | Lessee            |



---

## Seeded Business Events For Lease Contract Authoring

This appendix covers the following topics:

- Seeded Business Events For Authoring Lease Contracts

### Seeded Business Events For Authoring Lease Contracts

By default these business events are not active. You must enable them to make use of them.

| Number | Name                           | Data Passed                                              |
|--------|--------------------------------|----------------------------------------------------------|
| 1.     | Create Contract                | Contract ID, User ID, User ID, Date of event             |
| 2.     | Update Contract                | Contract ID, User ID, Date of event                      |
| 3.     | Create Party                   | Contract ID, User ID, Party ID, Date of event            |
| 5.     | Remove Party                   | Contract ID, User ID, Party ID, Date of event            |
| 6.     | Create Asset                   | Contract ID, User ID, Asset ID, Date of event            |
| 7.     | Remove Asset                   | Contract ID, User ID, Asset ID, Date of event            |
| 8.     | Update Asset                   | Contract ID, User ID, Asset ID, Date of event            |
| 9.     | Create Asset Book Depreciation | Contract ID, User ID, Asset ID, Date of event, Book Code |

| <b>Number</b> | <b>Name</b>                                    | <b>Data Passed</b>                                           |
|---------------|------------------------------------------------|--------------------------------------------------------------|
| 10.           | Update Asset Book Depreciation                 | Contract ID, User ID, Asset ID, Date of event, Book Code     |
| 11.           | Create Asset Tax Depreciation                  | Contract ID, User ID, Asset ID, Date of event                |
| 12.           | Update Asset Tax Depreciation                  | Contract ID, User ID, Asset ID, Date of event                |
| 13.           | Remove Asset Tax Depreciation                  | Contract ID, User ID, Asset ID, Date of event                |
| 14.           | Update Taxes, Property Tax                     | Contract ID, User ID, Asset ID, Date of event                |
| 15.           | Create Serial Numbers                          | Contract ID, User ID, Asset ID, Date of event, Serial Number |
| 16.           | Update Serial Numbers                          | Contract ID, User ID, Asset ID, Date of event, Serial Number |
| 17.           | Remove Serial Numbers                          | Contract ID, User ID, Asset ID, Date of event, Serial Number |
| 18.           | Create Supplier Invoice                        | Contract ID, User ID, Asset ID, Date of event, Party ID      |
| 19.           | Update Supplier Invoice                        | Contract ID, User ID, Asset ID, Date of event, Party ID      |
| 20.           | Update Filing for Liens, Title, & Registration | Contract ID, User ID, Asset ID, Date of event                |
| 21.           | Create Subsidies                               | Contract ID, User ID, Asset ID, Date of event, Subsidy ID    |
| 22.           | Update Subsidies                               | Contract ID, User ID, Asset ID, Date of event, Subsidy ID    |
| 23.           | Remove Subsidies                               | Contract ID, User ID, Asset ID, Date of event, Subsidy ID    |

| <b>Number</b> | <b>Name</b>                  | <b>Data Passed</b>                                                                                  |
|---------------|------------------------------|-----------------------------------------------------------------------------------------------------|
| 24.           | Create Fee                   | Contract ID, User ID, Fee Line ID, Date of event                                                    |
| 25.           | Remove Fee                   | Contract ID, User ID, Fee Line ID, Date of event                                                    |
| 26.           | Update Fee                   | Contract ID, User ID, Fee Line ID, Date of event                                                    |
| 27.           | Create Fee by Asset          | Contract ID, User ID, Fee Line ID, Date of event, Asset ID                                          |
| 28.           | Update Fee by Asset          | Contract ID, User ID, Fee Line ID, Date of event, Asset ID                                          |
| 29.           | Remove Fee by Asset          | Contract ID, User ID, Fee Line ID, Date of event, Asset ID                                          |
| 30.           | Update Expense               | Contract ID, User ID, Fee Line ID, Date of event                                                    |
| 31.           | Update Passthrough           | Contract ID, User ID, Fee Line ID, Date of event                                                    |
| 32.           | Create Service               | Contract ID, User ID, Service Line ID, Date of event                                                |
| 33.           | Remove Service               | Contract ID, User ID, Service Line ID, Date of event                                                |
| 34.           | Update Fee                   | Contract ID, User ID, Service Line ID, Date of event                                                |
| 35.           | Update Passthrough           | Contract ID, User ID, Service Line ID, Date of event                                                |
| 36.           | Update Expense               | Contract ID, User ID, Service Line ID, Date of event                                                |
| 37.           | Create Serviced Asset        | Contract ID, User ID, Service Line ID, Date of event, Asset ID                                      |
| 38.           | Update Serviced Asset        | Contract ID, User ID, Service Line ID, Date of event, Asset ID                                      |
| 39.           | Remove Serviced Asset        | Contract ID, User ID, Service Line ID, Date of event, Asset ID                                      |
| 40.           | Create from Service Contract | Contract ID, User ID, Service Line ID, Date of event, Service Contract ID, Service Contract Line ID |
| 41.           | Create Usage                 | Contract ID, User ID, UBB ID, Date of event                                                         |

| <b>Number</b> | <b>Name</b>                                        | <b>Data Passed</b>                                    |
|---------------|----------------------------------------------------|-------------------------------------------------------|
| 42.           | Remove Usage                                       | Contract ID, User ID, UBB ID, Date of event           |
| 43.           | Update Usage                                       | Contract ID, User ID, UBB ID, Date of event           |
| 44.           | Add Asset                                          | Contract ID, User ID, UBB ID, Date of event, Asset ID |
| 45.           | Update Asset                                       | Contract ID, User ID, UBB ID, Date of event, Asset ID |
| 46.           | Validate Contract                                  | Contract ID, User ID, Date of event                   |
| 47.           | Streams Launched<br>(Launch Request)               | Contract ID, User ID, Date of event                   |
| 48.           | Streams Completed<br>(Request Completed)           | Contract ID, User ID, Date of event                   |
| 49.           | Generate Journal<br>Entries                        | Contract ID, User ID, Date of event                   |
| 50.           | Submit for Approval                                | Contract ID, User ID, Date of event                   |
| 51.           | Activate Contract                                  | Contract ID, User ID, Date of event                   |
| 52.           | Rebook Launched<br>(Launch Request)                | Contract ID, User ID, Revision Date, Date of event    |
| 53.           | Rebook Completed<br>(Request Completed)            | Contract ID, User ID, Revision Date, Date of event    |
| 56.           | Split Contract<br>Launched (Launch<br>Request)     | Contract ID, User ID, Revision Date, Date of event    |
| 57.           | Split Contract<br>Completed (Request<br>Completed) | Contract ID, User ID, Revision Date, Date of event    |
| 58.           | Reverse Contract<br>Launched (Launch<br>Request)   | Contract ID, User ID, Revision Date, Date of event    |



| <b>Number</b> | <b>Name</b>                                              | <b>Data Passed</b>                                           |
|---------------|----------------------------------------------------------|--------------------------------------------------------------|
| 59.           | Reverse Contract Completed (Request Completed)           | Contract ID, User ID, Revision Date, Date of event           |
| 60.           | Split Assets by Units Launched (Launch Request)          | Contract ID, User ID, Revision Date, Date of event, Asset ID |
| 61.           | Split Assets by Units Completed (Request Completed)      | Contract ID, User ID, Revision Date, Date of event, Asset ID |
| 62.           | Split Assets by Components Launched (Launch Request)     | Contract ID, User ID, Revision Date, Date of event, Asset ID |
| 63.           | Split Assets by Components Completed (Request Completed) | Contract ID, User ID, Revision Date, Date of event, Asset ID |
| 64.           | Create Credit Line                                       | Credit Line ID, Date of event                                |
| 65.           | Update Credit Line                                       | Credit Line ID, Date of event                                |
| 66.           | Create Credit Limit                                      | Credit Line ID, Date of event, CreditLimit ID                |
| 67.           | Remove Credit Limit                                      | Credit Line ID, Date of event, CreditLimit ID                |
| 68.           | Update Credit Limit                                      | Credit Line ID, Date of event, CreditLimit ID                |
| 69.           | Activate Credit Line                                     | Credit Line ID, Date of event                                |
| 70.           | Create Funding Request                                   | Contract ID, User ID, Funding Request ID, Date of event      |
| 71.           | Update Funding Request                                   | Contract ID, User ID, Funding Request ID, Date of event      |
| 72.           | Cancel Funding Request                                   | Contract ID, User ID, Funding Request ID, Date of event      |

| <b>Number</b> | <b>Name</b>            | <b>Data Passed</b>                                      |
|---------------|------------------------|---------------------------------------------------------|
| 73.           | Submit Funding Request | Contract ID, User ID, Funding Request ID, Date of event |
| 74.           | Update Filing          | Contract ID, User ID, Terms ID, Date of event           |

---

## Interface Tables

### Interface Table for Uploading the Initial Balance

The following table describes the interface table to upload Initial Balances.

***Table description to Upload Initial Balances***

| Column                    | Data Type     | Null     | Description                                                                                                                                                                       |
|---------------------------|---------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BATCH_CODE                | VARCHAR2(100) | Not Null | The Import program will accept a parameter "Batch Code". This parameter can be used to restrict the concurrent job to process only those records corresponding to the Batch Code. |
| APPLICATION_ID            | NUMBER        | Not Null | Application Identifier                                                                                                                                                            |
| LEDGER_ID                 | NUMBER        | Not Null | Ledger Identifier                                                                                                                                                                 |
| CODE_COMBINATION_ID       | NUMBER        |          | If this is provided then this is used to import the initial balances. If Not provided then code combination segment values are used to derive account.                            |
| ANALYTICAL_CRITERION_CODE | VARCHAR2(30)  | Not Null | Analytical criterion code                                                                                                                                                         |

| Column                                 | Data Type    | Null     | Description                         |
|----------------------------------------|--------------|----------|-------------------------------------|
| ANALYTICAL_<br>CRITERION_TY<br>PE_CODE | VARCHAR2(1)  | Not Null | Analytical criterion type code      |
| AMB_CONTEX<br>T_CODE                   | VARCHAR2(30) | Not Null | AMB context code+D39                |
| AC1                                    | VARCHAR2(30) | Not Null | Analytical criterion detail value 1 |
| AC2                                    | VARCHAR2(30) | Not Null | Analytical criterion detail value 2 |
| AC3                                    | VARCHAR2(30) | Not Null | Analytical criterion detail value 3 |
| AC4                                    | VARCHAR2(30) | Not Null | Analytical criterion detail value 4 |
| AC5                                    | VARCHAR2(30) | Not Null | Analytical criterion detail value 5 |
| PERIOD_NAME                            | VARCHAR2(30) | Not Null | Period Name                         |
| INIT_BALANCE<br>_DR                    | NUMBER       |          | Initial Balance Debit amount        |
| INIT_BALANCE<br>_CR                    | NUMBER       |          | Initial Balance Credit amount       |
| SEGMENT1                               | VARCHAR2(25) |          | Code Combination Segment<br>value   |
| SEGMENT2                               | VARCHAR2(25) |          | Code Combination Segment<br>value   |
| SEGMENT3                               | VARCHAR2(25) |          | Code Combination Segment<br>value   |
| SEGMENT4                               | VARCHAR2(25) |          | Code Combination Segment<br>value   |
| SEGMENT5                               | VARCHAR2(25) |          | Code Combination Segment<br>value   |

| Column    | Data Type    | Null | Description                    |
|-----------|--------------|------|--------------------------------|
| SEGMENT6  | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT7  | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT8  | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT9  | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT10 | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT11 | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT12 | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT13 | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT14 | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT15 | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT16 | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT17 | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT18 | VARCHAR2(25) |      | Code Combination Segment value |
| SEGMENT19 | VARCHAR2(25) |      | Code Combination Segment value |

| Column    | Data Type     | Null     | Description                                                                                                                                                                                                            |
|-----------|---------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SEGMENT20 | VARCHAR2(25)  |          | Code Combination Segment value                                                                                                                                                                                         |
| SEGMENT21 | VARCHAR2(25)  |          | Code Combination Segment value                                                                                                                                                                                         |
| SEGMENT22 | VARCHAR2(25)  |          | Code Combination Segment value                                                                                                                                                                                         |
| SEGMENT23 | VARCHAR2(25)  |          | Code Combination Segment value                                                                                                                                                                                         |
| SEGMENT24 | VARCHAR2(25)  |          | Code Combination Segment value                                                                                                                                                                                         |
| SEGMENT25 | VARCHAR2(25)  |          | Code Combination Segment value                                                                                                                                                                                         |
| SEGMENT26 | VARCHAR2(25)  |          | Code Combination Segment value                                                                                                                                                                                         |
| SEGMENT27 | VARCHAR2(25)  |          | Code Combination Segment value                                                                                                                                                                                         |
| SEGMENT28 | VARCHAR2(25)  |          | Code Combination Segment value                                                                                                                                                                                         |
| SEGMENT29 | VARCHAR2(25)  |          | Code Combination Segment value                                                                                                                                                                                         |
| SEGMENT30 | VARCHAR2(25)  |          | Code Combination Segment value                                                                                                                                                                                         |
| STATUS    | VARCHAR2 (30) | Not Null | Status of the row. The value is NULL if the row is successfully imported. Other possible values are: IMPORTED – For the rows that got imported. ERROR – For the rows that encountered error and could not be imported. |

| Column            | Data Type       | Null | Description                                                                                                                                          |
|-------------------|-----------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| MESSAGE_CODES     | VARCHAR2 (1000) |      | This stores message codes for the errors. This will be reported on the report and will be used by users to see the error message for the erred rows. |
| LAST_UPDATE_LOGIN | NUMBER          |      | Standard Who column                                                                                                                                  |
| LAST_UPDATE_DATE  | DATE            |      | Standard Who column                                                                                                                                  |
| LAST_UPDATE_D_BY  | NUMBER          |      | Standard Who column                                                                                                                                  |
| CREATION_DATE     | DATE            |      | Standard Who column                                                                                                                                  |
| CREATED_BY        | NUMBER          |      | Standard Who column                                                                                                                                  |





---

# Glossary

**\$1 buyout**

The end of term purchase option given to the lessee where the fixed purchase option is at a value of \$1. A \$1 buyout is used in conjunction with a \$1 purchase option.

**accrual accounting**

Recognizes economic events regardless of when actual cash transactions occur. The opposite of cash basis accounting.

**advance rent**

Rent received at the start of the lease that will be adjusted against the last rents.

**advance/arrears indicator**

Shows if the rents are billed in advance or in arrears of the rental period.

**amortization**

The systematic method for recording financial elements to income or expense over a defined period, typically the lease or loan term.

**approver**

The person who is authorized to approve the document before the next activity may be carried out.

**asset item**

Anything you make, purchase, or sell including components, subassemblies, finished products, or supplies that carries a cost and is valued in your asset subinventories.

**articles**

Textual sections of contract terms and conditions.

**as-due basis**

An event initiated based on when the invoice is due.

**asset disposition**

Sale or disposal of assets.

**authoring**

A process of creating a contract.

**auto-invoice**

The process of automatically invoicing the lessee for a payment due. This process can be automated by running a concurrent program.

**auto-terminate**

The process of automatically terminating a lease contract when it reaches its end of term. This process is automated by running a concurrent program.

**billed basis**

An event initiated based on when the item is billed.

**billing**

The process of notifying the responsibility party of amounts due.

**billing frequency**

The frequency with which bills are presented to a customer.

**booking**

The process of preparing and recording accounting records associated with a contract.

**broker**

A person or organization acting as an agent to vendor, dealer, or lessor in negotiating a transaction.

**buck-out lease**

Full payout, net leases structured with a bargain purchase option for the lessee to purchase the equipment for one dollar at the expiration of the lease. These leases are often referred to as dollar buyout or buck-out leases.

**business unit**

A business unit is an entity created by a company to manage a certain segment or segments of its business. The business unit can span multiple product lines and geographies.

**buyout**

customer buys equipment from lessor at the end of the contract's full life.

**buyout amount**

This is the amount necessary for the customer to pay in order to consider the contract paid in full.

**cancellation**

When a customer has the contractual right to end an agreement (that is, the customer is at the end of term in month-to-month status, non-appropriation clause, or rental agreement).

**capital lease**

A type of lease classified and accounted for by a lessee as a purchase and by the lessor as a sale or financing. It must meet at least one of the criteria outlined in paragraph 7 of FASB 13. It is treated as debt and an offsetting depreciable asset for book accounting purposes.

**capitalized cost**

The cost of equipment to be leased plus various fees, charges, or interest that may be added to the equipment cost. The total capitalized cost--or basis--is the amount upon which the tax benefits or depreciation on the equipment are based.

**cash basis**

An event initiated based on when cash is received. A related pass-through disbursement is created when cash is applied against an invoice.

**catch-all**

A placeholder used at the top of a territory hierarchy when no other is defined in Territory Management.

**closed item**

An invoiced item that was paid.

**collateral**

The additional security provided by the borrower for availing the credit facility provided by the lender. The additional security is normally in the form of assets which are, in addition to the asset, financed by the loan or lease.

From a customer service perspective, collateral also is a static fulfillment document that doesn't contain merged data. It is usually some sort of marketing brochure or some other document. It is sent in an email as an attachment. It is often called a deliverable in the marketing applications.

**concurrent program**

An instance of an execution file, along with parameter definitions and incompatibilities. Concurrent programs use concurrent program executables to locate the correct execution file. Several concurrent programs may use the same execution file to perform their specific tasks, each having different parameter defaults and incompatibilities.

**consolidated billing**

One or more billing items combined into one group for invoicing purposes.

**consolidated counter**

A logical counter that groups the counters belonging to more than one contract. These counters need to be consolidated into one consolidated record as per customer requirement.

**context**

A context is a pool of global variables that are passed as parameters to functions. An instance of context should exist to execute Formulae.

**context assembler**

A Context Assembler is a PL/SQL procedure that creates a new instance of a context and populates values of context parameters. Each external entity which wants to use the Contracts Formula Engine must have its Context Assembler and Context.

**context parameter**

A context parameter is a variable of a context that is be passed as a parameter to functions. An instance of context parameter is created whenever a new instance of context object is required.

**contract**

A written, signed, Legal Agreement between/among trading partners that has financial, legal, and industry-specific operational consequences.

**contract activation**

A series of steps performed on an authored contract that culminates with a booked contract that is ready to be billed.

**contract ID**

Unique identifier of a contract.

**contract status**

The state of the contract. Possible values: new, passed, complete, incomplete, pending approval, booked, under revision, evergreen, litigation hold, expired, terminated,

reversed, amended, abandoned

**contract validation**

The application of various QA logic and business rules to a contract to insure it meets business requirements.

**contracts formula engine thread**

A formula is executed within an instance of a context. Operands of the formula can call other formulae and functions that are executed within the same instance of the context. This process is referred to as the contract formula engine thread.

**contract shell**

A contract in inactive state with minimal data contained in it. The minimal data is customer information and product category.

**coterminous**

All assets on a contract terminate at the same time, regardless of their start dates.

**cure amount**

The amount due to satisfy a customer's past due rents. The payment may be required from a vendor or other third party.

**customization**

Customizations are enhancements to an Oracle applications system made to fit the needs of a specific user community.

**DBA**

Name company is Doing Business As.

**dealer**

The dealer, or supplier, supplies equipment or some kind of services for a transaction. Either one of them may be a party to the vendor program agreement. See Supplier.

**direct debit**

Direct Debit is a feature offered by banks to enable their customers, the lessors, to collect payments due to them directly from the lessee's bank. The lessee must authorize the lessor to withdraw the funds

**due date**

The date on which payment is due from the customer.

**direct finance lease**

Direct finance lease is a non-leveraged lease by a lessor (not a manufacturer or dealer) in which the lease meets any of the definitional criteria of a capital lease, plus certain additional criteria.

**disposition**

Sale or disposal of assets.

**disbursement**

Disbursements are payments to suppliers or other third parties for the cost of equipment, a prepayment facility with lessor, maintenance, insurance and other services. Some disbursements such as pass-through and investor payments are linked to billing events.

**distribution**

Defined group of accounting codes that determine debit and credit accounts that is affected in the General Ledger. A distribution may define percentage-wise allocation of funds between accounts.

**distribution group**

Distribution group is a logical grouping of distributions.

**effective dates**

Effective dates are the dates a record is effective or to be in use.

**employee**

A resource type that represents a person who is hired to work for a company. Employee resources can be input as resources in various pages available without installing the Human Resources Management System (HRMS).

**end-of-term (EOT)**

The end of the primary or renewal term. Unless specified otherwise, end-of-term refers to the end of the primary term.

**end-of-term option**

An option used to derive the future value component of the leasing pricing equations. It can be based on either the expected residual value or a purchase option. The value is assigned for specific combinations of contract term and items or item categories. The option is not used for termination quote calculation.

**escalation**

Actions in a process that increase in extent or intensity.

**evergreen**

Evergreen refers to a lease contract period past the initial term end date, when rents are still collected. Evergreen is the default contingent continuation of a lease after its contractual end-of-term, where a lessee continues to pay indefinitely.

The contract language includes an Evergreen Eligibility Clause, indicating the customer will be billed a rental amount indefinitely unless they provide the Equipment Return Notice by a certain date.

**execution date**

The strategy performance date. At the execution date a member of the assignment group executes the strategy and notes the action taken.

Also refers to the date a lease contract is signed.

**exposure**

The total amount of credit risk the lessor has with the customer. This amount is normally the amounts due, plus net investment value (NIV), plus approved credit not drawn down.

**fair market value lease**

A lease that includes an option for the lessee to either renew the lease at a fair market value, or purchase the equipment for its fair market value at the end of the lease term.

**FASB**

An acronym for Financial Accounting Standards Board.

**FASB 13**

The FASB's statement of Financial Accounting Standards No. 13 is recognized as the accounting guideline for financial statement reporting of lease investments and/or liabilities.

**FASB 109**

The FASB's statement of Financial Accounting Standards No. 109 supersedes FASB statement 96, Accounting for Income Taxes. This includes a basic principle that *the measurement of deferred tax assets is reduced, if necessary.*

**financial product**

A financial product in Oracle Lease and Finance Management groups together a set of attributes and rules based on which contracts are created. It is mandatory for every contract to be associated with a single product.

**fixed rate**

A contract with an interest rate factor that does not change during its life.

**fixed purchase option**

a pre-defined fixed price that is agreed to by the lessor/lessee while writing a contract.

**flexfield**

A flexible data field format that your organization can customize to your business needs without programming.

**floor price**

The targeted minimum amount acceptable for the sale of an asset.

**FMV**

An acronym for Fair Market Value. The price for which property is sold in an arms-length transaction between two unrelated parties. (See Fair Market Value Lease.)

**form**

Forms are a logical collection of fields, regions, and graphical components that appears on a single page. Oracle applications forms resemble paper forms used to run a business. You enter data by typing information into the form.

**forms server**

A Forms server is a type of application server that hosts the Forms server engine. It mediates between the desktop client and the database, providing input pages for the Forms-based products on the desktop client and creating or changing database records based on user actions.

**formula**

An arithmetic operation over operands.

**formula counter**

Formula type counters allow users to use simple math to derive the counter value. For example, you use a formula counter to track total number of copies made with photo copy machine, which provides both black and white copies and color copies.

**full payout lease**

A lease in which the full cost of the asset is recouped through the lease stream. The present value of the lease stream equals the initial product cost. The lessor assumes no residual value for the equipment at end of term. In essence, this is a loan to the lessor's customer, the lessee. However, by including a \$1 end of term buyout, the lessor and lessee treat the transaction as a lease.



**function**

A function is a register of a function that returns a scalar numeric value.

**function parameter**

A function parameter passes a value to function. The function parameter gets its value from the corresponding context parameter. The context parameter comes from an instance of context in which the function is executed.

**funding**

Generally, funding is the process of paying a supplier for leased equipment.

**general ledger**

The General Ledger (GL) is the book of final entry summarizing all of a company's financial transactions through offsetting debit and credit accounts.

**general loss provision**

Loss Provisions and reserves established based on contract types and aging categories to offset write-offs for bad debts.

**general reserve**

See *general loss provision*.

**gross remaining receivables**

The remaining unpaid billed and not billed gross receivable at a point in time.

**guaranteed residual**

That portion of the residual that becomes guaranteed from a third party through the purchase of residual value insurance and is to be accounted for as accounts receivable rather than residual receivable.

**guarantor**

The entity that guarantees payments in the event of lessee default.

**insurance premium**

The amount paid or payable by the lessee to the lessor, and by the lessor to the insurance provider, for the insurance policy. It can be paid either in installments or upfront in a lump sum.

**insurance provider**

The insurance company or underwriter who insures the asset(s) on a lease. The insurance policy may be funded by either the lessor or the lessee, but the insurance provider is the financial institution that sells the policy and covers the asset.

**interaction**

An interaction is a touch point that occurs between a customer, a customer system, a resource, or a resource system. An example of a touch point is a phone call between an agent and a customer. Interactions include activities, media, and media items.

**Interaction History**

Interaction History (IH) provides Oracle applications with a common framework for capturing and accessing all interaction data associated with customer contacts. IH acts as the central repository and provides a consistent API for tracking all automated or agent-based customer interactions.

**inventory item**

Items you stock in inventory. You control inventory for inventory items by quantity and value. Typically, the inventory item remains an asset until you consume it. You recognize the cost of an inventory item as an expense when you consume it or sell it. You generally value the inventory for an item by multiplying the item standard cost by the quantity on hand.

**investor**

Investors are parties to syndicated contracts. For the purpose of this document, **investor** and **syndicated party** are interchangeable terms.

**investor stake (%)**

The amount an investor pays to acquire an interest in an investor agreement.

**invoice**

A bill sent to a customer, or a notice for the lessor to pay a disbursement to an investor.

**invoice amount**

Total amount of charges on an invoice.

**invoice date**

The date of the Oracle Receivables invoice. The invoice creation date, invoice date, invoice printing date, and the due dates can be different in any receivables system. In Lease and Finance Management, the invoice date and payment term derive the due date.

**invoice format**

Invoice format is a group of invoice types that specify how data is to appear on the invoices.

**invoice generation**

The process of creating an open receivables invoice within Oracle Receivables.

**invoice parameters**

Invoice Parameters specify rules for grouping transactions within an Oracle Lease and Finance Management invoice.

**items**

Items can be master documents, collateral, or attachments in fulfillment. Items are inserted in the body of an email. Items are selected from the list of all possible documents and collateral material available to the user from fulfillment templates.

**IVR**

Acronym for Interactive Voice Recognition.

**journal entries**

A set of financial data that is of significance for recording ledger transactions in accounting.

**key flexfield**

A key flexfield is a field format you can customize to enter multi-segment values such as part numbers, account numbers, location, and so on. Key flexfields relate to specific uses in Oracle applications.

**late charge**

An amount assessed as a result of the payment due on a contract not being received within a certain pre-set number of days from the due date.

**late interest**

Refers to the interest rate factor applied to an outstanding invoice amount from the time it is due until it is paid.

**lease**

A lease is a contract in which one party conveys the use of an asset to another party for a specific period of time for a predetermined payment amount.

**lessee**

User of the equipment being leased.

**lessor**

Owner of the equipment which is being leased.

**lockbox**

A service offered by banks to companies in which the company receives payments by mail to a post box office, and the bank picks up the payments several times a day, deposits them into the company's account, and notifies the company of the deposit. Lockbox enables the company to put the money to work as soon as it is received.

**lookup codes**

Embedded codes in Oracle Applications that enable you to define a feature prior to setup. These include defining article sets, contract roles, and so on.

**margin**

For variable interest rate, add margin to the base interest rate factor to determine the actual rate of interest. This is expressed as the number of basis points on top of the index rate.

**master lease contract**

A master lease contract is an (electronic) document, which contains leasing terms and conditions that, through reference to the master lease agreement number, can apply to contracts.

**media**

In Interaction History, media represents the communication channel through which an activity takes place. Examples can include: the phone, the fax machine, an ATM, or a cell phone.

**messages**

A message is an informative note maintained with the customer's invoice record. There are several types of messages, including the following: a permanent message, a one-time message, or a miscellaneous message.

**meter read**

Actual number of usage units from a counter at a point in time.

**mill rate**

The percentage tax rate in effect for property tax. (This applies to the USA only.)

**net book value (NBV)**

In terms of an operating lease, it is the original first cost, less accumulated book depreciation. The amount represents the lessor's investment in a lease.

**net investment**

The investment or equity, net of expected income, a lessor has in a transaction.

**net present value (NPV)**

The net present value (NPV) is the valuation method based on discounted cash flows. NPV is calculated by discounting a series of future cash flows and summing the discounted amounts.

**non-consolidated counter**

A non-consolidated counter is assigned to each asset on a specific contract.

**non termination write down**

Creation of a loss provision on a contract without terminating the contract.

**Notes**

Notes is a tool that provides locations where you can specify more text detail, if needed. You can add a note to a task in Task Manager.

**note status**

There are three statuses available for notes in Oracle Applications:

- Private: Only the creator can view it.
- Public: The creator and others can read or write to it.
- Publish: Publishable over the Internet. Everyone can view it.

**note text**

A large text note, such as a customer's letter or directions.

**note type**

Note type is selected from a lookup table. You can add note types through the setup window. They provide a further categorization of notes based on a user's needs. Also, you can tie a note type to a source type and such note types are visible only to that mapped source. Therefore, you must choose between the entire list of note types that have been defined for your source and those which do not have any source type attached to them.

**object**

An object is any identifiable individual or thing. It can be physical, such as a telephone or PBX, or an abstract concept, such as a market campaign in Interaction History.

**OEC**

An acronym for Original Equipment Cost, which is the original cost of the leased equipment.

**OKL**

An acronym for the Oracle Lease and Finance Management product, as designated in the Oracle applications database.

**OLM**

A general reference acronym for Oracle Lease and Finance Management, not to be confused with Oracle Learning Management.

**open item**

A receivable item that has not been paid.

**operand**

An operand is a register of an object that can take part in arithmetic operations. Operand can use formula, function or a regular expression as the source for its value.

**operating agreement**

1. An operating agreement is a mutual agreement between a lessor and vendor to work together and administer certain financing programs which set specific terms and conditions for future transactions. 2. For more complex business models, Oracle Lease and Finance Management enables a two-tier vendor agreement structure. The operating agreement serves as a parent to a program agreement. Operating agreements are not operating unit-specific. Therefore, they may act as parents to program agreements from various operating units and may have different primary parties than the program agreement.

**operating lease**

A lease which does not satisfy any of the criteria of a "capital lease" under local accounting principles.

**partial termination**

The amount a customer must pay for a subset of assets and a contract to terminate them and pay off all future amounts due.

**payment in advance**

Periodic payments due in advance of the rental period.

**payment in arrears**

Periodic payments due before the last day of the rental period.

**payment level**

A payment level is the number, frequency, and due amount for a specific time period.

**payment method**

Method used to facilitate and process payment.

**PO Number**

Purchase Order number.

**principal balance**

A loan concept, which can also be used in leasing vernacular, designating remaining gross receivable, less unearned finance charges.

**private label**

Private label products or services are typically those manufactured or provided by one company for offer under another company's brand.

**product**

Usually, financial product (not an asset; for example, not a piece of equipment).

**product option**

A property of a financial product that defines a value or allows the user to select a value from a set of values at the time of the lease authoring. Options are typically associated with specific terms and conditions that govern the behavior of contract transactions. At the time of authoring a contract, you can render an option as **required** or as **optional**. A typical option with multiple values associated with it might be **Interest Method** or **End-of-term Purchase** option.

**product quality**

A property of a financial product that is mandatory and, once selected, cannot be changed. Qualities are used for the purpose of categorization of products.

**profile options**

In Oracle Applications, profile options enable you to turn on or off specific functionality, such as integrations and processes, and allows you to set specific parameters that govern a process or transaction such as number of days before a task is due that the user is notified.

**program agreement**

An agreement between a lessor and a vendor such that the lessor provides financing for the vendor to its customers. The terms and conditions of the program agreement may govern aspects of the leases created as a result of the program.

**property tax**

Tax assessed for owning property.

**pro-rate read**

An actual reading, but received either before or after the due date. To use pro ration, calculate a daily rate and then multiply that value to the number of days from the last meter read due date until the current meter read due date.

**purchase option**

An option given to the lessee to purchase the equipment from the lessor, usually as of a specified date. Options vary in type: Guaranteed Purchase Option (GPO), Bargain Purchase Option, Fair Market Value Option (FMV), Mid-Term Purchase Option.

**quote history**

This is the history of buyout quotes given to a customer.

**rebooking**

The process of altering an existing lease/loan transaction due to some financial change in the deal structure; rental payment change, credit extension, due date change, etc. New accounting entries or adjusting entries are made when the contract is reactivated.

**re-amortization**

Recalculation of rental payments on variable rate products as interest rates change.

**recourse**

The right of the lender/lessor to pursue payment from a third party if the lessee/borrower defaults.

**regular counter**

Physical counters found in tangible objects like automobiles, gas meters, photo copy machine, etc.

**re-lease**

Assets from previous leases that are placed onto a new lease.

**remit-to address**

Address where customers send in the payment for their invoices.

**repurchase**

Vendor or other third party agrees to purchase original asset when it comes off lease.

**repurchase amount**

The amount required from the vendor or third party to buy a transaction back. This amount is determined by pre-set calculation specified in the vendor agreement. This may vary from vendor to vendor.



**residual amount**

The estimated value of an asset at the end of a lease for which the lessee is not expected to pay.

**residual value insurance**

An insurance premium purchased from a third party so as to guarantee a portion of the residual value, which in turn is designated as a recovery of the capital cost and included in the FASB 13 test for classifying a leasing transaction.

**residual write-down**

Taken to reflect a drop in the expected market value of an asset at lease expiration.

**resource**

The basic element of the Resource Manager in Oracle Applications and is defined as people, places and things.

**resource category**

In Oracle Applications, any of five types of resources defined in Resource Manager: party, employee, partner, supplier contact, and other/to be hired (TBH).

**Resource Manager**

The Resource Manager is a tool used to define, access, and maintain all Oracle Applications resources.

**responsibility**

A responsibility is a level of authority in Oracle Applications that allows access only to those Oracle Applications functions and data appropriate to fulfill your role in the organization.

**restructure**

When an agreement is made with a customer to amend the current payment structure, usually to reduce regular payment amounts or extend the term.

**role**

Roles group various permissions at the page level and function level, are used to maintain application security.

**role type**

A role type is a group of related roles associated with a particular Oracle Applications module.

**sales tax**

Tax based on the sale of property by federal, state and local authorities.

**sales-type lease**

A lease in which the lessor is also the vendor (manufacturer or distributor) of the equipment.

**salvage value**

The accounting estimate of the asset value once it is depreciated over the term of the lease. This is typically based on an estimate of the future value, less a safety margin.

**securitization**

This is the process of selling the cash flows in a pool of assets to outside investors at a rate below the earning rate, enabling an accelerated gain to be recorded. The servicing and administration of the contracts for the pooled assets is normally retained by the lessor.

**service (1)**

- a) Customer Service, the Lease Center view of Oracle Lease and Finance Management provided to a lessor's Customer Service agents who login using the Lease Center Agent profile. Lessees, vendors, and other interested parties typically telephone into lessor's call center to ask questions regarding specific account details.
- b) Customer Self Service, web portal access to lessees so they can view their account and contract information. Set up by the lessor so that lessees can access their own account information, according to the lessor's information and security policies.
- c) Vendor Self Service, web portal access to both vendor and customer contract and account information. Set up by the lessor so that vendors and suppliers can access their own account information, and information on lessees of their equipment, according to the lessor's information and security policies. (May update and enter some transactions.)

**service (2)**

Service contracts on leased equipment assets. (Also, Oracle Service Contracts is a separate Oracle E-Business Suite application that integrates with Oracle Lease and Finance Management.)

**service and maintenance**

Fees charged to a customer for servicing or warranting assets, such as extended warranty contracts.

**specific provision or reserve**

A loss provision or reserve, established to recognize potential impairment of the

collection of a specific receivable.

**stipulated loss value table**

A table indicating the amount to be paid to the lessor in case a leased asset is lost or destroyed.

**straight-line depreciation**

A form of depreciation whereby the owner of the equipment takes an equal amount of depreciation in each full year of the equipment's useful life or recovery period.

**stream**

A stream is a schedule of amounts and associated dates.

**stream activity**

Stream activity types describe the state of the stream. A stream can be ACTIVE, CURRENT, HISTORY, or WORKING.

**stream element**

A single amount and its corresponding date (that is, a cash flow). A stream element is the line level detail of a stream. A stream can have multiple stream elements.

**stream purpose**

A stream purpose is an important attribute of a stream type that determines how Lease and Finance Management processes the stream. Lease and Finance Management recognizes streams based on their stream purpose name.

**stream type**

The functional name for a stream which relates to the attributes used to process a stream.

**stream type subclass**

Rent or Residual.

**subledger**

A book in which the monetary transactions related to a specific financial function of a business are posted in the form of debits and credits before the financial transaction is posted in the General Ledger.

**supplier**

Oracle Payables uses the term "Supplier" for vendors, so "Vendor" and "Supplier" are used interchangeably for the purpose of this document, unless specified otherwise.

**syndicated contract**

Investors other than the lessor invest a stake in the contract in return for a portion of the rent and related receivables. Oracle Lease and Finance Management makes a disbursement to an investor in relationship to the billing. Information about the investment and disbursement method is setup when the investor agreement is authored.

**syndication**

The selling off of a deal, or portion of a deal, to outside investors. This arrangement reduces the lessor's risk and accelerates the return on the deal. See Investor Agreements in the *Oracle Lease and Finance Management User's Guide*.

**system administrator**

The system administrator is the person who manages administrative tasks in Oracle Applications, such as registering new users and defining system printers, using the system administrator responsibility.

**task**

A task is a discrete unit of work that is assigned to one or more individuals. Tasks are managed by the Task Manager. Tasks are often scheduled events and have defined expirations.

**task group templates**

A task group template is a grouping of different task templates defined during setup in Task Manager.

**Task Manager**

Task Manager is a tool used to manage tasks throughout other applications. Task Manager provides a mechanism for tasks to be created, assigned, managed, sorted, and prioritized to provide timely response to customer issues.

**task owner**

An owner is the person (resource) that creates and is responsible for the task.

**task type**

A task type defines the nature of the task such as a callback or a meeting.

**terminal rental adjustment clause (TRAC)**

A provision in a lease that permits or requires an adjustment of rentals according to the amount realized by a lessor upon a sale of the leased equipment. This allows the lessor to guarantee a terminal (residual) value while still claiming tax ownership on a lease. This benefit only applies to certain classes of vehicles.

**termination**

The process of ending a leasing transaction with the lessee.

**territory**

A territory is an organizational domain with boundaries defined by attributes of customers, products, services, and resources in Territory Management.

**territory administrator**

This person administers the specific and periodic duties of Territory Management.

**Territory Manager (TM)**

Territory Manager is a tool that helps manages territories.

**TCA**

An acronym for Trading Community Architecture. This is a standardized approach in Oracle Applications for handling customer and other party information.

**termination quote**

Termination quotes allow contracts or assets on a contract to terminate early or at the expiration of a contract. Termination quotes identify the financial impact of the termination. The various business rules specified in a contract's terms and conditions are the basis of calculating the financial impact of a termination quote.

**terms and conditions**

Financial and legal arrangements that are agreed to by parties of a contract.

**transaction business category (TBC)**

A business classification provided by Oracle E-Business Tax to identify and classify business transactions.

**transfer and assumption**

When a contract obligation and use of leased assets are transferred from one party to another party with the lessor's consent.

**transaction type**

An event in Oracle Lease and Finance Management relating to a contract or asset.

**UBB**

An acronym for Usage Based Billing. Rental payments are derived in part or in full, based on a specific rate per number of units used or counted.

**user**

A user is any person who needs access to any application, including various types of customers, partners, suppliers, and employees.

**user ID**

The User ID is a combination of a user name and its password.

**user profile**

User profiles, which are associated with responsibilities, are a set of user interfaces that give users access to their personal data and preferences.

**user type**

A user type is a category of users that caters to the specific needs of an application's business requirements in User Management. User types allow flexible and extensible ways for defining, categorizing and implementing behavior of users. A user type is associated to only one template, one responsibility, zero or one approval and zero or more roles.

**value added tax (VAT)**

An indirect tax on consumer expenditure that is collected on business transactions and imports. VAT is charged at each stage (for example, production, distribution, retail, etc.) in the supply of products. If a customer is registered for VAT and uses the supplies for taxable business purposes, they will receive credit for this VAT paid. The broad effect is that VAT is actually borne by the final consumer of a product.

**vendor**

A supplier of equipment or services. A vendor can be a manufacturer, reseller, distributor, or dealer.

**vendor program**

An agreement between the lessor and a vendor to create a specific financing program for the vendor's customers who desire financing. The terms and conditions of the vendor program may govern aspects of the deals created as a result of the program.

**warrant**

A warrant is an option to purchase an equity instrument. Lessors may accept warrants as collateral on deals.

**workflow**

A complete workflow management system that supports business process definition and automation in Oracle Applications. Typically, workflow is used for contract approval, change requests, and notifications.

**workflow attributes**

Workflow attributes control the behavior of the workflow.

**workflow monitor**

The workflow monitor is a Java based tool used for administering and viewing workflow process.

**write off**

When a contract is deemed uncollectable, the loss is recognized for accounting purposes by charging off future receivables and/or investments.

**yield**

A measurement of profitability obtained from a series of cash flows. This may represent the lessor's return on invested funds.

**90% Test**

A Financial Accounting Standards Board (FASB) test, which indicates whether or not 90% or more of the cost of the leased equipment, at lease inception, will be recovered through the present valuation of minimum lease payments using the lessee's incremental borrowing rate.





---

# Index

## A

---

- access level
  - extensible, C-1
  - FND lookup types, C-1
  - system, C-1
  - user, C-1
- account
  - receipt classes, 4-28
- account code
  - account generator, 6-36
- account combination, account generator, 6-36
- Account Derivation Options, 6-24
- account generator
  - account code, 6-36
  - account combinations, 6-36
  - accounting code combinations, 6-36
  - account type, 6-37
- account generator rule, 6-37
- accounting
  - automatic, 4-27
  - close periods, 4-26
  - open periods, 4-26
- accounting code combination, 6-36
- Accounting Options, 6-24
- Accounts Controller, responsibility, 3-2
- accounts payable
  - define payable lookups, 4-34
  - define purchasing lookups, 4-35
  - See also payables., 4-34
- account type
  - in account generator, 6-37
- accrual accounting, defined, Glossary-1
- accrual rule, 6-17
  - bills unpaid, 6-91
  - limit days, 6-91
  - parameters, 6-91
  - set up, 6-91
- accrual rules, 6-91
- action code, interaction history, 5-8
- action item code, interaction history, 5-8
- add, billing type combination, 6-76
- advance indicator, defined, Glossary-1
- advance rent, defined, Glossary-1
- aging bucket, define receivables, 4-30
- agreement, articles in, 5-2
- amortization
  - defined, Glossary-1
- application, rules for cash, 6-77
- applied, cash application, 6-78
- approver, defined, Glossary-1
- area code, territory based on, 5-10
- arrears indicator, defined, Glossary-1
- article, defined, Glossary-1
- articles
  - Contract Core, 5-2
  - referenced in agreements, 5-2
- as-due basis, defined, Glossary-1
- asset
  - associate categories with items, 4-22
  - book controls, 4-6
  - calendar, 4-4
  - categories for, 4-8
  - category flexfield, 4-7
  - combinations for, 6-95

- combine in invoice, 6-59
- define, 4-1
- define books, 4-6
- define categories, 4-6
- define general information, 4-1
- define insurance asset classes, 6-108
- define insurance exclusion, 6-110
- define retirement conventions, 4-6
- depreciation methods, 4-3, 4-5, 4-9
- fiscal years, 4-4
- hold periods, 6-94
- location flexfield, 4-3
- prorated conventions, 4-6
- remarket, 5-5
- remarketer, 6-89
- set up specialty store, 5-5
- system control, 4-2
- asset disposition, defined, Glossary-2
- Asset Manager, responsibility, 3-2
- assignment group
  - define, 5-13
- associate, asset categories with items, 4-22
- authoring
  - defined, Glossary-2
- AutoAccounting, define, 4-27
- automatic receipt
  - about, 4-28
- autonumber
  - contract by business group, 3-9
  - contract by category, 3-9
  - contract by class, 3-9
  - contract by operating unit, 3-9
  - contract by prefix, 3-9
  - contract by site, 3-9
  - contract by suffix, 3-9

## B

---

- bank
  - define remittance to, 4-28
  - payment method to, 4-29
  - remit receipt to, 4-28
- billed basis, defined, Glossary-2
- billing
  - defined, Glossary-2
- billing frequency, defined, Glossary-2
- billing groups

- define, 6-63
- billing type
  - about, 6-74
  - add combination, 6-76
  - combination, 6-74
  - in a line, 6-59
  - in invoice, 6-59
  - specify order in invoice, 6-59
  - used in combinations, 6-74
- Billing Type Combination, 6-74
- bills unpaid, accrual rule, 6-91
- book
  - define asset, 4-6
- book control, set up, 4-6
- booking
  - defined, Glossary-2
- bucket, define receivables aging, 4-30
- buck-out lease, defined, Glossary-2
- business activity, related to media item, 5-8
- business group, autonumber contract by, 3-9
- buyout amount, defined, Glossary-3

## C

---

- calendar
  - accounting periods, 4-26
  - define, 4-4
- cancellation, defined, Glossary-3
- capitalized cost, defined, Glossary-3
- capital lease, defined, Glossary-3
- cash
  - define application rules, 6-77
  - overpayment, 6-77
  - receipt mismatch, 6-77
  - termination quotes, 6-77
  - tolerance, 6-77
  - underpayment, 6-77
- cash accounting, 6-17
- cash application
  - about terms of, 6-78
  - applied, 6-78
  - on account, 6-78
  - rules, 6-73
  - unapplied, 6-78
  - unidentified, 6-78
- cash basis, defined, Glossary-3
- cash basis accounting, 6-17

- cash receipt, 6-17
- cash revenue , 6-17
- cash search
  - rules, 6-73
- catalog item group, 4-12
- catch-all, defined, Glossary-3
- category
  - autonumber contract by, 3-9
  - define asset, 4-6
  - define default set, 4-17
  - define for asset, 4-8
  - define inventory, 4-16
  - define item flexfield, 4-12
  - define set of, 4-16
  - flexfield for asset, 4-7
  - interest rate, 6-67
- category set
  - assign default to contract, 4-17
  - assign default to costing, 4-17
  - assign default to engineering, 4-17
  - assign default to inventory, 4-17
  - assign default to order management, 4-17
  - assign default to planning, 4-17
  - assign default to purchasing, 4-17
  - define, 4-16
  - define default, 4-17
- class
  - autonumber contract by, 3-9
  - define insurance asset, 6-108
  - define receipt, 4-28
- closed item, defined, Glossary-3
- collateral, defined, Glossary-3
- combination
  - add billing type, 6-76
  - billing type, 6-74
  - create, 6-74
  - define for asset, 6-95
  - in rules, 6-74
  - streams used in, 6-74
- commission
  - context parameters for, D-6
  - example of functions and parameters, D-4
  - formula example, D-3
- concurrent managers
  - set up, 3-8
- concurrent program
  - defined, Glossary-4
  - pricing time out schedule, 6-120
- concurrent programs
  - managing, 3-8
- Configuring ECC Descriptive Flexfields for Search, 8-3
- consolidated billing, defined, Glossary-4
- consolidated counter
  - defined, Glossary-4
- context
  - create, D-10
  - create parameters for, D-11
  - defined, D-2, Glossary-4
  - formula engine, D-5
  - internal functions for parameters, D-12
  - parameters, D-5
  - parameters for commission, D-6
- context assembler, defined, Glossary-4
- context parameter, defined, D-2, Glossary-4
- contract
  - assign category set to, 4-17
  - defined, Glossary-4
  - master lease, defined, Glossary-12
  - numbering by business group, 3-9
  - numbering by category, 3-9
  - numbering by class, 3-9
  - numbering by operating unit, 3-9
  - numbering by site, 3-9
  - numbering define, 3-9
- contract activation, defined, Glossary-4
- contract classification parameters
  - seeded qualities and quality values, E-1
- contract formula engine thread, defined, Glossary-5
- contract ID, defined, Glossary-4
- contract portfolio
  - define a team, 5-13
- contracts
  - set up, 5-2
- Contracts
  - about, 5-2
- Contracts Core
  - about, 5-2
  - add articles, 5-2
  - quality assurance checklist, 5-2
- contract shell, defined, Glossary-5
- contract status
  - defined, Glossary-4

- contract validation
  - defined, Glossary-5
- costing, assign category set to, 4-17
- coterminous, defined, Glossary-5
- country, territory based on, 5-10
- create, combination, 6-74
- cure amount, defined, Glossary-5
- customer, define payment method, 4-29
- customer service
  - about, 6-84
- customization, defined, Glossary-5

## D

---

- date, interest rate effective, 6-67
- DBA, defined, Glossary-5
- default invoice line type
  - specify, 6-63
- define
  - accrual rules, 6-91
  - cash application rules, 6-77
  - payables lookups, 4-34
  - payment terms, 4-34
  - purchasing lookups, 4-35
  - search rule, 6-74
  - suppliers, 4-37
  - users, 3-3
- delete, note type, 5-9
- depreciation
  - define calendar, 4-4
  - fiscal years, 4-4
  - method for asset, 4-5
  - of assets, 4-3, 4-9
  - straight-line defined, Glossary-19
- direct finance lease, defined, Glossary-5
- disbursement, defined, Glossary-6
- disposition, defined, Glossary-6
- distribution, defined, Glossary-6
- distribution group, defined, Glossary-6
- document, sequencing set up, 3-8
- document sequencing, set up, 3-8

## E

---

- E-Business Tax
  - integration, 4-30
- edit
  - receipt mismatch, 6-79

- search rules, 6-75
- employee
  - define, 3-2
  - Oracle HRMS, 3-2
- engineering, assign category set to, 4-17
- Enterprise Command Center
  - setting up asset renewal predictions, 8-24
- estimated property tax, 6-
- exclusion, define insurance, 6-110
- extensible attributes
  - set up, 6-136

## F

---

- field label, lookup type, C-1
- Financial Options, 6-24
- financial product
  - defining, 6-55
- financial product, define, 6-49
- fiscal year, define, 4-4
- flat fee, late charges, 6-72
- flexfield
  - asset category, 4-7
  - define item, 4-11
  - define item categories, 4-12
  - define location, 4-3
  - key, defined, Glossary-11
- FND lookup
  - access level, C-1
  - extensible access level, C-1
  - field label, C-1
  - navigation path, C-1
  - page or window name, C-1
  - system access level, C-1
  - types, what are, C-1
  - user access level, C-1
- formula
  - defined, D-2
- formula engine
  - commission example, D-3
  - context, D-2, D-5
  - context in commission formula, D-6
  - context parameter, D-2
  - context parameters, D-5
  - create context, D-10
  - create context parameters, D-11
  - example of functions and parameters, D-4

- formula, D-2
- function, D-2
- function parameter, D-2
- internal functions for context parameters, D-12
- net investment value, D-6
- operand, D-2
- setup formula with operand, D-7
- terminology, D-2
- write source PL/SQL function, D-8
- foundation
  - about CRM, 5-7
  - set up interaction history, 5-8
- function
  - defined, D-2, Glossary-9
  - parameter, defined, Glossary-9
- function parameter, defined, D-2
- funding
  - defined, Glossary-9

## G

---

- general ledger
  - defined, Glossary-9
  - set up, 4-10
- general loss provision, defined, Glossary-9
- general reserve, defined, Glossary-9
- geographic location, territory based on, 5-10
- gross remaining receivables, defined, Glossary-9
- group, invoice, 6-59
- guaranteed residual, defined, Glossary-9
- guarantor
  - defined, Glossary-9

## H

---

- history, setup interaction, 5-8
- hold period, define for assets, 6-94
- Home page, 6-124

## I

---

- Implementation Steps Checklists, 2-1
- insurance
  - about third-party, 6-106
  - automatic placement, 6-111
  - define asset classes, 6-108
  - define exclusions, 6-110
  - define insurer ranking, 6-106

- define parameters for, 6-111
- define products, 6-107
- define providers, 4-37
- define rates, 6-109
- item code, 4-21
- item type for product, 4-19
- lease, 6-107
- main goal of, 6-104
- optional, 6-107
- refer item code, 6-107
- setup product profile option, 6-105
- insurance tasks
  - define, 6-111
- interaction
  - about, 5-8
  - See also Interaction Center and interaction history., 5-8
- interaction, defined, Glossary-10
- Interaction Center
  - history
    - See* interaction history
  - Telephony Manager, 5-14
  - Universal Work Queue, 5-14
- interaction history
  - action code, 5-8
  - action item code, 5-8
  - define outcome code, 5-8
  - define result code, 5-8
  - reason code, 5-8
  - set up, 5-8
  - touch point, 5-8
- interaction history, defined, Glossary-10
- interest
  - maximum late charge, 6-70
  - minimum late charge, 6-70
- interest charge, penalty, 6-69
- interest rate
  - categories, 6-67
  - define, 6-67
  - effective date, 6-67
  - name of, 6-67
  - percentage, 6-67
- inventory
  - assign category set to, 4-17
  - change organizations, 4-14
  - define, 4-10
  - define categories, 4-16

- define category set, 4-16
- define default category set, 4-17
- define item, 4-19
- define item category flexfield, 4-12
- define item flexfield, 4-11
- define organizations, 4-13
- define remarketing items, 4-22
- define statuses, 4-18
- define subinventory, 4-15
- define unit of measure classes, 4-14
- item code for insurance product, 6-107
- referred by insurance product, 6-107
- remarketing, 5-5
- set up specialty store for, 5-5
- investor agreement for fixed pools
  - set up, 6-130
- invoice
  - 30 Net payment, 4-26
  - apply overpayments against, 6-73
  - apply underpayments against, 6-73
  - billing type to include, 6-59
  - define search rules for, 6-74
  - format, defined, Glossary-10
  - immediate payment term, 4-26
  - interest charge, 6-69
  - late charge setup, 6-72
  - one-time fee, 6-69
  - parameters, defined, Glossary-11
  - payment terms, 4-26
  - payment term seeded options, 4-26
  - penalties in, 6-69
  - receipt mismatch, 6-73
- invoice format
  - combine assets in, 6-59
  - group contracts in, 6-59
  - specify order of billing types in, 6-59
- invoice group
  - about, 6-59
  - create, 6-60
- invoice line type
  - default, 6-63
- invoice messages
  - define, 6-66
- iStore
  - about, 5-5
  - set up specialty store, 5-5
  - used in remarketing, 5-5

- item
  - associate with asset categories, 4-22
  - catalog groups, 4-12
  - category flexfield, 4-12
  - define for remarketing, 4-22
  - define inventory, 4-19
- item, defined, Glossary-11
- item code
  - insurance, 4-21
  - reference for insurance product, 6-107
- item type, for insurance products, 4-19

## J

---

- journal entry
  - defined, Glossary-11

## K

---

- key business flow
  - accounting period open to close, 1-5
  - inquiry to resolution, 1-5
  - invoice to receipt, 1-4
  - overview, 1-2
  - quote to termination, 1-4
  - return to disposal, 1-5
- key flexfield, defined, Glossary-11

## L

---

- late charge
  - flat fee, 6-72
  - interest charge, 6-69
  - invoice, 6-72
  - maximum interest, 6-70
  - minimum interest, 6-70
  - one-time fee, 6-69
  - penalty, 6-69
  - percentage, 6-72
  - rates, 6-70
  - rate type, 6-70
- lease, sales type, Glossary-18
- Lease and Finance Management Command Center
  - loading data, 8-4
  - profile options, 8-2
- lease quoting options
  - define, 6-35

lessee, defined, Glossary-11  
lessor, defined, Glossary-11  
limit days, accrual rule, 6-91  
line, billing type, 6-59  
list of values, define, 3-5  
location, flexfield, 4-3  
lockbox, processing, 6-74  
lookup  
    define, 3-5, 6-105, 6-105  
    defined, 4-34, 4-35  
    define receivables, 4-32  
    field label, C-1  
    page or window name, C-1  
    payables, 4-34  
    purchasing, 4-35  
    seeded, 4-34, 4-35  
lookup code, defined, Glossary-12  
lookup type  
    what is, C-1  
loss provision  
    components, 6-93  
    rates, 6-93  
    set up, 6-93

## **M**

---

manual  
    receipt, 4-28  
margin, defined, Glossary-12  
marketing  
    about, 5-7  
master lease contract, defined, Glossary-12  
measure, define class unit of, 4-14  
media, relate business activity to, 5-8  
mismatch, receipt, 6-73, 6-77

## **N**

---

navigation path  
    lookup type, C-1  
net book value, defined, Glossary-12  
non-termination write down, defined, Glossary-13  
notes  
    delete type of, 5-9  
    set up, 5-9  
notification, workflow, 6-120  
numbering, define contract, 3-9

## **O**

---

on account, cash application, 6-78  
one-time fee, penalty, 6-69  
operand  
    defined, D-2  
    label, 6-22  
    setup formula with, D-7  
operating unit, autonumber contract by, 3-9  
operational options  
    define, 6-35  
option  
    define product, 6-50  
    define profile, 3-7  
Oracle HRMS, define employees in, 3-2  
Oracle Lease and Finance Management  
    accounting period open to close, 1-5  
    credit application to booking, 1-4  
    inquiry to resolution, 1-5  
    investor agreements, 1-5  
    invoice to receipt, 1-4  
    lead to opportunity, 1-3  
    overview, 1-2  
    quote to termination, 1-4  
    return to disposal, 1-5  
    vendor programs, 1-6  
order capture, about, 5-6  
order management  
    assign category set to, 4-17  
    sales orders and returns, 4-23  
    set up, 4-23  
organization  
    change inventory, 4-14  
    define inventory, 4-13  
outcome code, define, 5-8  
overpayment  
    apply against invoice, 6-73  
    cash application, 6-77  
    receipt, 6-73, 6-77

## **P**

---

parameter  
    accrual rule, 6-91  
party contact roles  
    about, 6-85  
payables

- define lookups, 4-34
- define payment terms for, 4-34
- define purchasing lookups for, 4-35
- define suppliers for, 4-37
- insurance providers, 4-37
- set up, 4-33
- payment
  - bank remittance, 4-28
  - define method, 4-29
  - define terms for, 4-34
  - See also receipt., 6-73
- Payment Predictions
  - configuring payment predictions, 8-7
- payment term
  - 30 Net, 4-26
  - define, 4-26, 4-34
  - immediate, 4-26
  - seeded options, 4-26
- penalty
  - interest charge, 6-69
  - late charges, 6-69
  - one-time fee, 6-69
- percentage
  - interest rate, 6-67
  - late charges, 6-72
- planning, assign category set to, 4-17
- postal code, territory based on, 5-10
- prefix, autonumber contract by, 3-9
- price
  - associate product to, 6-10
  - third party template, 6-10
- pricing
  - criteria categories, 6-15
  - item residuals, 6-13
  - pricing tools, 6-13
  - residual category sets, 6-14
- pricing engine
  - defined as Oracle Receivables customer, 6-113
  - set up stream integration, 6-112
  - timeout concurrent program, 6-120
- product
  - associate to price, 6-10
  - define insurance, 6-107
  - defining, 6-55
  - item type for insurance, 4-19
  - option, defined, Glossary-15
  - quality, defined, Glossary-15
  - quality names, 6-53
  - quality values, 6-53
  - steps for defining, 6-50
  - template, 6-52
  - See also product template
- product expertise, territory based on, 5-10
- product template
  - defining, 6-54
  - prerequisites for defining, 6-54
  - seeded qualities and quality values, 6-51
  - steps for defining, 6-54
- profile
  - define options of, 3-7
  - options, defined, Glossary-15
  - set up option for insurance product, 6-105
- profile option categories
  - Accounting, A-2
  - Collections, A-4
  - Credit, A-4
  - Customer Service, A-6
  - description, A-2
  - Fulfillment, A-9
  - Insurance, A-12
  - Interaction History, A-16
  - Origination, A-19
  - overview, A-1
  - Remarketing, A-22
  - Sales, A-24
  - Streams, A-25
  - subledger accounting , A-29
  - Technical, A-27
  - Vendor, A-28
- profile options
  - descriptions, A-2
  - Lease and Finance Management Command Center, 8-2
  - overview, A-1
- property tax, 6-
- prorate
  - define conventions for, 4-6
  - stream name, 6-83
  - underpayment, 6-83
- provision
  - set up loss, 6-93
- provision, specific defined, Glossary-18
- purchase option
  - defined, Glossary-16



- purchasing
  - assign category set to, 4-17
  - lookups, 4-35
  - set up, 4-35

## Q

---

- qualities
  - seeded
    - adding to product template, E-1
- quality
  - define product names of, 6-53
  - define product values of, 6-53
  - product defined, 6-50
- quality assurance checklist, add more checks, 5-2
- quality name, define product template, 6-52
- quality value, define product template, 6-52
- quality values
  - seeded
    - adding to financial product, E-1
- quote history, defined, Glossary-16
- quote valid date, about, 6-82

## R

---

- ranking, define insurer, 6-106
- rate
  - define insurance, 6-109
  - late charge, 6-70
  - loss provision, 6-93
  - stream schedule, 6-2
- rate type, about, 6-70
- reason code, interaction history, 5-8
- rebooking, defined, Glossary-16
- receipt
  - automatic, 4-28
  - clear accounts, 4-28
  - clearance method, 4-28
  - define class, 4-28
  - define payment method, 4-29
  - lockbox processing, 6-74
  - manual, 4-28
  - mismatches, 6-73
  - overpayment, 6-73
  - prorate underpaid, 6-83
  - remit to bank, 4-28
  - set up or edit receipt, 6-79
  - termination quote rules for, 6-82

- termination quotes, 6-73
- tolerance, 6-73
- underpayment, 6-73
- receipt mismatch
  - cash application, 6-77
  - rule, 6-77
  - set up or edit, 6-79
- receivables
  - 30 Net payment term, 4-26
  - about, 4-25
  - accounting periods, 4-26
  - auto-accounting, 4-27
  - define aging buckets, 4-30
  - immediate payment term, 4-26
  - lookups, 4-32
  - payment methods, 4-29
  - payment terms, 4-26
  - payment term seeded options, 4-26
  - pricing engine customer, 6-113
  - receipt classes, 4-28
  - remittance bank, 4-28
- recourse, defined, Glossary-16
- remarket
  - define items with Web attributes, 4-22
  - inventory, 5-5
  - specialty stores, 5-5
  - used with iStore, 5-5
- remarketer
  - define, 5-12, 6-89
- remarketing
  - about, 6-89
- Remarketing: order management
  - sales orders and returns, 4-23
- remittance bank, define, 4-28
- repossession
  - set up termination quotes, 6-86
- Representation Options, 6-24
- repurchase
  - defined, Glossary-16
- resell
  - See* remarket
- residual amount, defined, Glossary-17
- residual value insurance
  - defined, Glossary-17
- residual write-down, defined, Glossary-17
- resource, set up, 5-11
- resource category, defined, Glossary-17

- Resource Manager
  - about, 5-11
  - See also resource., 5-11
- responsibility
  - Accounts Controller, 3-2
  - Asset Manager, 3-2
  - define, 3-2
  - defined, Glossary-17
  - seeded, 3-2
- restructure, defined, Glossary-17
- result code, interaction history, 5-8
- retirement, define conventions for, 4-6
- revenue recognition upon cash receipt, 6-17
- role
  - contract portfolio assignment group, 5-13
- role, defined, Glossary-17
- role type, contract portfolio assignment, 5-13
- Rounding Options, 6-24
- rule
  - accrual, 6-91
  - billing type used in, 6-74
  - combination, 6-74
  - define automatic placement, 6-111
  - define cash application, 6-77
  - define invoice search, 6-74
  - edit receipt mismatch, 6-79
  - edit search, 6-75
  - limit days, 6-91
  - overpayment, 6-77
  - receipt mismatch, 6-77
  - set up receipt mismatch, 6-79
  - termination quote, 6-77, 6-82
  - tolerance, 6-77
  - underpayment, 6-77
  - unpaid bill, 6-91
  - user-defined, 6-74

## S

---

- sales order, order management, 4-23
- sales representative, define, 5-12
- sales tax
  - set up, 6-99
- sales-type lease, defined, Glossary-18
- salvage value
  - defined, Glossary-18
- schedule, stream rate, 6-2

- search
  - billing type, 6-74
  - edit rules, 6-75
  - user-defined rules, 6-74
- securitization, defined, Glossary-18
- seeded
  - lookups, 4-34, 4-35
- seeded data
  - stream type purposes, B-1
- seeded qualities and quality values
  - product template, 6-51
- Setting Up Asset Renewal Predictions, 8-24
- site, autonumber contract by, 3-9
- size of company, territory based on, 5-10
- specialty store, set up, 5-5
- specific provision, defined, Glossary-18
- status, define inventory, 4-18
- straight-line depreciation, defined, Glossary-19
- stream
  - about, 6-2
  - billing type, 6-74
  - defined, Glossary-19
  - name of transaction type, 6-82
  - prorate by name, 6-83
  - stream type purpose seeded data, B-1
  - used in combinations, 6-74
- stream generation, pricing engine integration, 6-112
- stream purpose, defined, Glossary-19
- stream type, defined, Glossary-19
- subinventory, define, 4-15
- subledger, defined, Glossary-19
- subsidy
  - set up, 6-95
- suffix, autonumber contract by, 3-9
- supplier
  - define, 4-37
- supplier, defined, Glossary-19
- syndicated contract, defined, Glossary-19
- syndication, defined, Glossary-20
- system
  - define employees, 3-2
  - define lookups, 3-5, 6-105, 6-105
  - define profile options, 3-7
  - define responsibilities, 3-2
  - define users, 3-3
  - document setup, 3-8

- tasks, 3-1
- system administration
  - tasks, 3-1
- system control, asset, 4-2
- system-wide
  - See also system., 3-1
  - tasks, 3-1

## T

---

- tax property taxestimated property tax, 6-102
- telephony, set up, 5-14
- Telephony Manager, about, 5-14
- template, product
  - define quality name, 6-52
  - define value, 6-52
  - defining, 6-54
  - option, 6-50
  - quality defined, 6-50
  - third-party pricing, 6-10
  - value, 6-50
- termination
  - closed fiscal year, 6-89
  - completion, 6-88
  - defined, Glossary-21
- termination quote
  - cash application, 6-77
  - edit rules for, 6-82
  - quote valid date, 6-82
  - receipt, 6-73, 6-77
  - rule, 6-77
  - set up rules for, 6-82
- terms and conditions
  - defined, Glossary-21
- territory
  - based on geographic location, 5-10
  - setup, 5-10
- territory, defined, Glossary-21
- third-party
  - parameters for automatic placement, 6-111
  - pricing vendor template, 6-10
- tolerance
  - cash application, 6-77
  - receipt, 6-73, 6-77
  - rule, 6-77
- touch point, about, 5-8
- trading partner, inbound transaction types, 6-118

- transaction type
  - defined, Glossary-21
  - sequence in underpayment, 6-82
  - stream name, 6-82
- transfer and assumption
  - defined, Glossary-21

## U

---

- UBB
  - See also usage-based billing., 4-21
- UBB, defined, Glossary-21
- unapplied
  - cash application, 6-78
- underpayment
  - apply against invoice, 6-73
  - cash application, 6-77
  - prorate, 6-83
  - prorate by stream, 6-83
  - receipt, 6-73, 6-77
  - rule, 6-77
  - transaction type sequence, 6-82
- unidentified, cash application, 6-78
- unit, define measure classes, 4-14
- Universal Work Queue, about, 5-14
- unpaid bill, accrual rule, 6-91
- Usage-Based Billing
  - Set Up UBB, 6-68
- usage-based billing, verifying, 4-21
- usage items, about, 4-21
- user, define, 3-3
- user profile, defined, Glossary-22
- UWQ
  - See Universal Work Queue

## V

---

- value, product, 6-50
- vendor program, defined, Glossary-22
- vendor residual sharing
  - setting up, 6-124
- vertical market, territory based on, 5-10

## W

---

- web services
  - table attributes, 6-133
- workflow

- about, 6-120
- contract approval, 6-120
- engine, 6-120
- notifications, 6-120
- work queue
  - about, 5-14
  - See also Universal Work Queue., 5-14

## **X**

---

- XML gateway
  - pricing engine integration set up, 6-112
- XML layout templates
  - associate to processes, 6-36
- XML Publisher
  - set up, 3-10

## **Y**

---

- year, define fiscal, 4-4