SauceDemo Web Application

Test Plan

Author	Paul Haarala	**Version**	1.1
Date	October 27, 2026	**Status**	Final

1. Objective

Validate SauceDemo's core end-to-end shopping flow: logging in, browsing the inventory page, adding and removing items in the cart, and the full checkout flow. Validate in the latest builds of Chrome, Firefox and Edge. Defects will be documented thoroughly enough for others to reproduce them.

2. Scope

In scope

- Login and logout
- Product list and sorting
- Product detail
- Cart
- Checkout: information, overview and complete
- Side menu: All Items, Logout, Reset App State
- Session behavior: refresh, Back button, typing a URL directly
- PDF receipt (light check)

Out of scope

Item	Reason
Performance and load testing	No permission to load-test a public site.
Security testing	No permission, and it requires specialist tools.
Full accessibility audit	Only a basic keyboard-navigation check is included.
Native mobile apps	Web-only plan; phone width is checked in browser DevTools.
External sites (About, social links)	Only checked that each link opens.
Real payment processing	The demo takes no real payments.
Dynamic Catalog pages (Log #52)	Separate demo pages with no add-to-cart, so they are not part of the purchase flow. Listed as a follow-up.
Slow loading for performance_glitch_user (Log #57)	Recorded as an observation but not measured, since performance testing is out of scope.

3. Approach

1. Timed exploratory sessions to learn the app's functionality and establish a baseline using standard_user.
2. Scripted functional test cases covering the happy path, negative testing, edge cases and equivalence partitioning.
3. Full execution as standard_user in Chrome.
4. Rerun of the 11 High-priority cases with the four other test accounts.
5. A cross-browser smoke suite of the same 11 cases in Chrome, Firefox, Edge and a 375×667 phone viewport.
6. Defects logged in Jira with severity, priority, steps to reproduce and evidence.

4. Test environment

Item	Value
Application URL	https://www.saucedemo.com
Operating system	Windows 11
Browsers	Chrome 155 · Firefox 158 · Edge 155
Screen sizes	1920×1080 desktop · 375×667 phone (DevTools emulation)
Tools	Google Sheets (cases, results) · Jira Cloud (defects) · Windows screen capture

5. Test data

Test accounts

Account	Purpose in this plan	Observed in Session 3
standard_user	Baseline: defines expected behavior	All core flows work; used as the baseline
locked_out_user	Error handling for a blocked account	Login blocked: “Sorry, this user has been locked out.” (Log #55)
problem_user	Product and checkout flows with known defects	Every product shows the same dog image (Log #56)
performance_glitch_user	Behavior under slow responses	Inventory page loads noticeably slower (Log #57)
error_user	Error handling during actions	Last Name field won't accept text; checkout cannot be completed (Log #58)
visual_user	Layout and visual differences	Cart icon overlaps the section below (Log #59)

Checkout input data

Set	Values
Valid	First name “Jane” · Last name “Doe” · Postal code “12345”
Invalid	Each field empty · spaces only · 300 characters · special characters

6. Entry, exit and suspension criteria

Criterion	Condition
Entry	Site is reachable; test cases are written; browsers are installed and their versions recorded; the Jira project is ready.
Exit	100% of High-priority cases executed; at least 90% of all cases executed; every failure has a linked Jira bug; every unexecuted case has a written reason; the summary report is complete.
Suspension	If login fails for standard_user or the site is down for more than 1 hour, stop and mark the affected cases Blocked.

7. Deliverables

- Test plan (this document)
- Exploration log
- Test cases with results
- Browser matrix
- Jira defect reports
- Test summary report
- GitHub README

8. Risks

Risk	Impact	Mitigation
No written requirements	Expected results could be wrong	Use standard_user behavior and common e-commerce conventions; list assumptions; log open questions
Unclear field rules (e.g., postal code format)	Can't call a result pass or fail	Record it as an assumption; flag it in the summary
The public demo may change without notice	Results may not reproduce later	Record date and browser version on every run; screenshot every failure
Single tester, no peer review	Blind spots	Use checklists and test design techniques; note it in the summary report

Risk	Impact	Mitigation
Limited time	Not every case can run in every browser	Prioritize High cases; cross-browser runs the smoke suite only

9. Open questions and assumptions

Each assumption below sets the expected result used for pass/fail until the question is answered. Log numbers refer to the exploration log.

Log #	Question	Assumption
10	Should login trim a trailing space?	No, so rejecting it counts as a pass.
21 / 32	How does a customer buy 2 of the same item?	Not tested (no quantity control); open question.
26	Should the sort choice persist when navigating to other pages?	Not required, so not tested.
27	What if a product URL has an invalid ID?	A not-found message or redirect is a pass.
29	Should the cart show a message when it is empty?	Not required: a UX suggestion, not a defect.
39	Should the Checkout: Your Info fields allow unlimited characters?	Fields need a maximum length; no limit is a defect.
40	Should a name contain only special characters?	Hyphens and apostrophes are valid; a name made only of symbols is not.
42	Should postal codes be validated?	Postal codes should not be purely alphabetical, but letters are possible in international postal codes.
44 / 48	Should Cancel on Checkout: Your Info go to the same page as Cancel on Checkout: Overview?	Yes, because it makes the interface predictable.
46	What tax rate should customers be charged?	The 8% rate shown at checkout is correct.