# Excesise 4

① Select Statement:
write a SQL query to retrieve all columns from the employees table.

→ * Select * from workspace.default.employees;

| ID | firstname | Last_name | Department | Salary | Hire_date | City |
|---|---|---|---|---|---|---|
| 1 | John | Doe | IT | 55000 | 2018-06-5 | New York |
| 2 | Jane | Smith | HR | 48000 | 2019-07-20 | Chicago |
| 3 | Mike | Johson | finance | 60000 | 2017-09-30 | Los Angeles |
| 4 | Sarg | Brown | IT | 53000 | 2012-03-25 | New York |
| 5 | Davis | White | Marketing | 52000 | 2016-04-10 | San Francisco |
| 6 | Emily | Davis | IT | 62000 | 2015-02-14 | Chicago |
| 7 | Robert | Wilson | finance | 59000 | 2099-10-01 | Houston |
| 8 | Jessica | Moore | HR | 51000 | 2018-05-22 | Los Angeles |
| 9 | Daniel | Clark | Marketing | 53000 | 2022-06-01 | Chicago |
| 10 | Laura | Hall | IT | 50000 | 2020-08-10 | San Francisco |

10

② Select Distinct Statements
write a SQL query to find all unique departments in the employees table.

→ Select distinct department from workspace.default.employees;

| Department |
|---|
| IT |
| HR |
| finance |
| marketing |

Powered by CamScanner