CSE 3400: Introduction to Computer & Network Security

(or CSE 5850: Introduction to Cybersecurity)

Lecture 1

Ghada Almashaqbeh

UConn - Spring 2021

Outline

- Course logistics and syllabus overview.
- Brief history.
- Cryptography and cybersecurity.
- Background.

History I

- Cryptology "science of secrets".
 - Ancient field, even before computers were invented.
 - Was merely about confidential communication.
 - Mainly about encryption; convert plaintext to ciphertext that only the intended recipient can correctly decrypt.
 - Cryptography "secret writing" is a more popular term now.
- Kerckhoffs' Principle.
 - Avoid security by obscurity.
 - Instead, cryptographic/security algorithms, schemes, or mechanisms should be public.

History II

- Modern Cryptography.
 - Moved from ad hoc ancient solutions and military secret tools to science/scholarly research/industrial products/etc.
 - Public algorithms.
 - Well defined security notions.
 - Formal security proofs and/or extensive cryptanalysis.

Cryptography is only about secrecy?

- No!! It can achieve a large variety of goals, to name a few:
 - Confidentiality (or secrecy) encryption.
 - Integrity and authenticity message authentication codes and digital signatures.
 - Nonrepudiation digital signatures.
 - Secret key establishment, sharing, and management.
 - Secure function evaluation over private input (two or multiparty setup).
 - Computation over encrypted data.
 - o etc.

Cybersecurity

- Securing the cyberspace.
 - The cyberspace is the collection of interconnected computers, devices, machines, etc., and the information flow between them.
 - More technological advances ⇒ more critical data can be exchanged ⇒ attackers are more motivated to attack the cyberspace.
 - Resulted in multiple fields, such as:
 - Computer security.
 - Software security.
 - Network security.
 - Information security.

Background - Computational Complexity I

- Mainly we deal efficient or computationally bounded adversaries.
 - The class of PPT (probabilistic polynomial time) algorithms.
 - An algorithm A is in PPT if it takes a polynomial number of steps (in the input size) to terminate.
- A scheme that is secure against PPT adversaries is computationally secure.
 - An attacker succeeds in attacking the system with negligible probability.
 - This rules out exhaustive search attacks.
 - Infeasible in practice.

Background - Computational Complexity II

- A scheme secure against unbounded attackers is information theoretically (or unconditionally) secure.
 - Even if the attacker has unbounded resources (storage, time, etc.), it cannot break the security of the scheme.
- Security parameter.
 - The main factor impacting the run time of cryptographic algorithms.
 - Used instead of the size of the input (e.g., message length to be encrypted).
 - Usually related to the key length.
 - Passed as input to algorithms in unary representation.
 - **E**.g., a security parameter value is integer l we pass it as 1^{l} .


Security Goals and Definitions I

- Three principles of modern cryptography:
 - Correctness and security definitions (or notions).
 - Define how the scheme should act when used as defined (benign scenario)
 - Define exactly the security goals/requirements/properties that when met the scheme will be secure.
 - This also prevents incorrect use of the scheme.
 - Precise assumptions.
 - Precise definition of attacker capability (but not strategies) we account for.
 - Usually this involves hardness assumptions on which we rely to establish the security of the developed scheme.

Security Goals and Definitions II

- Three principles of modern cryptography (contd.):
 - Formal security proofs.
 - Show how the scheme satisfies the security notion under our assumptions.
 - For involved systems/protocols, it could be hard to have completely rigorous models and proofs.

An Example - Digital Signatures



- Assuming limitations:
 - Knowledge limitations: key s is secret (unknown to attacker)
 - Resource limitations: can't find key s by trying all keys
- Correctness: any signature produced using S will verify correctly (V will always output OK)
- Security: An attacker cannot forge signatures
 - ο I.e., find 'signature' σ for unsigned-message m s.t. $V_{\nu}(m, \sigma)$ =OK

Concrete and Asymptotic Security

Concrete security:

- Measure security in terms of the adversary advantage function value.
- So it computes a concrete probability value for specific (concrete) parameter values such as key length, number of queries an adversary can perform, etc.

Asymptotic security:

- It requires the advantage function to be negligible in the security parameter.
 - I.e., it converges to zero for large enough input values.
 - E.g., a polynomial p(n) is non-negligible while an inverse exponential 2^{-n} is negligible in n.
- We use NEGL to denote the set of all negligible functions.

Notes - Chapter 1

- Self study.
 - Section 1.2.5 to refresh your knowledge of basic probability.
- For later.
 - Sections 1.2.2 1.2.4 (Background on Modular Arithmetic) will be covered when we reach public key cryptography.
- Table 1.1 under section 1.2 includes most of the notations used in the textbook.
 - We will revisit them over and over again while studying the course material.
- You may find several concepts mentioned in Chapter 1 to be too hard to comprehend. These will become much clearer as we progress in the course material.
 - So do not get discouraged!!

Notes - Textbook

- As you may have noticed, the textbook is still a draft version.
 - Prof. Herzberg is still reviewing/editing the textbook.
 - Make sure to poll the latest version of each chapter as we move forward in the semester.
 - If you find any mistakes or typos, or you have any suggestions or comments, please share them with me/Prof. Herzberg.

Covered Material From the Textbook

• Chapter 1: all except the background on number theory.

