Lab: CSS Selectors and Rules

Photo Shoot Effect

Create a Web Page like the following using "**photo-shoot-effect.html**"

Create file: "**photo-shoot-effect.css**"

You are **NOT** allowed to change the HTML file.

Constrains

- `<body>`
  - Width: **960px;**
  - Center the body
  - font-family: **Arial, sans-serif;**
  - Text Color: **#fcfcfc;**
  - Background: **#355664;**
- **Headings**
  - Font-family: **forte, Arial, sans-serif;**
- `<h1>`
  - Text size: **50px;**

- o Padding: **10px 0 0;**
  - o Center the text
- **\<h2\>**
  - o Text size: **40px;**
  - o Letter spacing: **15px;**
  - o Center the text
  - o Border at the bottom: **3px solid #416371;**
  - o Padding at the bottom: **20px;**
- **\<h3\>**
  - o Text Align: **right;**
  - o Text size: **30px;**
  - o Font-weight: **normal;**
  - o Margin: **0 0 10px;**
- **Paragraphs**
  - o Line height: **20px;**
  - o Padding bottom: **5px;**
  - o Text Color: **#94c258;**
- **Images**
  - o Width: **500px;**
  - o Height: **300px;**
  - o Border: **None;**
- Div with class = "**article-content**"
  - o Margin: **15px 0;**
- **Navigation**
  - o Background: **#355664;**
  - o Padding-right and Left: **5px;**
  - o Padding-top and Bottom: **0px;**
- **Hyperlinks**
  - o Text Color: **#ffffff;**
  - o Text Color: **#7CB3E9;**
  - o Text Color: **#8EC45B;**
  - o Margin: **5px 2px;**
  - o Padding: **7px 10px 4px;**
  - o Text Size: **30px;**
- **Article**
  - o Height: **390px;**
  - o Background: **#213E4A;**
  - o Padding: **20px;**
  - o Margin: **0 0 10px;**
- **Figure**
  - o Border: **3px solid #142830;**
  - o Float: **right;**

- o Height: **300px;**
- o Width: **500px;**
- o Margin left: **15px;**
- **Footer**
  - o Border at top: **3px solid #142830;**
  - o Padding Top: **15px;**
  - o Margin Bottom: **30px;**
 - o Center the text
  - o Text size: **20px;**

Hints

Use:

- Reset the CSS file;
- text-transform: **uppercase;**
- text-transform: **none;**
- text-transform: **lowercase;**
- border-radius: **10px;**

Ancient Architecture

Create a Web Page like the following using "**ancient-architecture.html**".

Create file: "**ancient-architecture.css**"

You are **NOT** allowed to change the HTML file.

Font Family: **Roboto, sans-serif; 'Indie Flower', cursive; EucrosiaUPC sans-serif;**

Constrains

- **Body**
  - Font Family: **Roboto, sans-serif;**
  - Background: **#e2d7aa;**
  - Text Color: **#000000**
  - Text size: **16px**
  - Width: **1180px;**
  - Center the **container**
- **Image**
  - Width: **1100px;**
  - Height: **450px;**
- **Image-container**
  - Width: **1600px;**
  - Height: **450px;**
  - Margin at Top: **65px;**
- **<h1>**
  - Text size: **60px;**
  - Center the text
  - Margin at the top: **65px;**
  - Font Family: **'Indie Flower', cursive;**

- **Navigation**
  - Margin: **30px;**
- **Hyperlinks**
  - Text size: **28px;**
  - Text-color: **#000000;**
- **Hyperlink**

  - Text-color: **#0a2d4a;**
  - Font Weight: **Bold;**

- **Image** in Article
  - Width: **350px;**
  - Height: **200px;**
  - Margin Bottom: **20px;**
- **First Letter in paragraph**
  - font-family: **EucrosiaUPC, sans-serif;**
  - Text size: 40px;
- **Hyperlink in span**
  - Background: **url(images/bg2.jpg)**
  - Text color: **#ffffff;**
  - **Padding: 10px;**
  - **Margin-top: 10px;**
- **Footer**
  - Margin: **0px;**
  - Padding: **10px 0 10px 0;**
  - Center the text

Hints

To style the comments box use:

```
article p:last-of-type span:first-of-type a::before {
content: url("images/comment.png");
position: relative;
right: 5px;
top: 7px;
padding: 10px;
}
```