

VIETNAM NATIONAL UNIVERSITY, HO CHI MINH CITY
UNIVERSITY OF TECHNOLOGY
FACULTY OF COMPUTER SCIENCE AND ENGINEERING



NATURAL LANGUAGE PROCESSING (CO3085)

Assignment

“Duplicate question detection”

Instructor(s): Nguyễn Đức Dũng

Students: Phạm Trần Minh Trí - 2313622 (*Group TN01*)

HO CHI MINH CITY, JANUARY 2026



Contents

List of Symbols	2
List of Acronyms	2
List of Figures	4
List of Tables	4
1 Section 1	4
1.1 Subsubsection 1	4



List of Symbols

$\mathbb{N}$ Set of natural numbers

$\mathbb{R}$ Set of real numbers

$\mathbb{R}^+$ Set of positive real numbers

List of Acronyms

ODE (First-Order) Ordinary Differential Equation

IVP Initial-Value Problem

LTE Local Truncation Error

DS Dynamical System

Fig. Figure

Tab. Table

Sys. System of Equations

Eq. Equation

e.g. For Example

i.e. That Is



List of Figures

1	Red-black tree	4
---	--------------------------	---

List of Tables

1 Section 1

1.1 Subsubsection 1



Figure 1: Red-black tree

```
1 import numpy as np
2
3 def incmatrix(genl1,genl2):
4     m = len(genl1)
5     n = len(genl2)
6     M = None #to become the incidence matrix
7     VT = np.zeros((n*m,1), int) #dummy variable
8
9     #compute the bitwise xor matrix
10    M1 = bitxormatrix(genl1)
11    M2 = np.triu(bitxormatrix(genl2),1)
12
13    for i in range(m-1):
14        for j in range(i+1, m):
15            [r,c] = np.where(M2 == M1[i,j])
16            for k in range(len(r)):
17                VT[(i)*n + r[k]] = 1;
18                VT[(i)*n + c[k]] = 1;
19                VT[(j)*n + r[k]] = 1;
20                VT[(j)*n + c[k]] = 1;
21
22            if M is None:
23                M = np.copy(VT)
24            else:
25                M = np.concatenate((M, VT), 1)
26
27            VT = np.zeros((n*m,1), int)
28
29    return M
```

Listing 1: Python example