Login_Test

Execution Environment

Host name datnmd - 192.168.17.3
OS Windows 10 64bit

Katalon version 7.7.0.205

Browser Chrome 86.0.4240.75

Summary

ID Test Suites/Login_Test

Description

Total 5

Passed 3 Failed 1
Error 0 Incomplete 1

Start 2020-10-12 21:42:27 End 2020-10-12 21:43:40

Elapsed 1m - 12.495s

| # ID | Description | Status |
|--------------------|---|------------|
| 1 Test Cases/TC001 | Login username and password success | FAILED |
| 2 Test Cases/TC002 | Username and password wrong. Login fail | PASSED |
| 3 Test Cases/TC003 | Login with wrong username | PASSED |
| 4 Test Cases/TC004 | Login with wrong password | PASSED |
| 5 Test Cases/TC005 | Username and password Null | INCOMPLETE |

Information

ID Test Cases/TC001

Description Login username and password success

Tag

Start 2020-10-12 21:42:28 End 2020-10-12 21:42:40


Elapsed 11.535s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|-----------------|---------|--------|
| 1 | openBrowser("") | 9.542s | PASSED |

Browser is opened with url: "

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 2 | navigateToUrl(URL) | 1.228s | FAILED |
| | | | |
| | Unable to navigate to 'null' (Root cause: com.kms.katalon.core.exception. | | |
| | StepFailedException: Unable to navigate to 'null' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. | | |
| | navigateToUrl(NavigateToUrlKeyword.groovy:83) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute | | |
| | (NavigateToUrlKeyword.groovy:67) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:73) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl | | |
| | (WebUiBuiltInKeywords.groovy:184) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl\$0. | | |
| | call(Unknown Source) at TC001.run(TC001:21) | | |
| | at room.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:339) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:330) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:309) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:301) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |
| | (TestSuiteExecutor.java:191) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:141) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 90) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | 157) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) | | |
| | at TempTestSuite1602513736454.run(TempTestSuite1602513736454.groovy:39) Caused by: java.lang.lllegalArgumentException: Url cannot be null or empty | | |
| | at com.kms.katalon.core.webui.keyword.builtin. | | |
| | NavigateToUrlKeyword\$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:75) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. | | |
| | NavigateToUrlKeyword\$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:20) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. | | |
| | navigateToUrl(NavigateToUrlKeyword.groovy:83) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute | | |
| | (NavigateToUrlKeyword.groovy:67) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl | | |
| | (WebUiBuiltInKeywords.groovy:184) | | |
| | (**obolibulianitywords.groovy.10-7) | | |



Information

ID Test Cases/TC002

Description Username and password wrong. Login fail

Tag

Start 2020-10-12 21:42:40 End 2020-10-12 21:42:55

Elapsed 15.370s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 4.598s | PASSED |
| 2 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/") Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully | 3.853s | PASSED |
| 3 | click(findTestObject("Object Repository/Username and password wrong/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle")) Object: 'Object Repository/Username and password wrong/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle' is clicked on | 0.938s | PASSED |
| 4 | click(findTestObject("Object Repository/Username and password wrong/Page_CURA Healthcare Service/a_Login")) Object: 'Object Repository/Username and password wrong/Page_CURA Healthcare Service/a_Login' is clicked on | 1.427s | PASSED |
| 5 | setText(findTestObject("Object Repository/Username and password wrong/Page_CURA Healthcare Service/input_Username_username"), "John Anderson") | 1.305s | PASSED |

Text 'John Anderson' is set on object 'Object Repository/Username and password wrong/Page_CURA Healthcare Service/input_Username_username'

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 6 | setEncryptedText(findTestObject("Object Repository/Username and password wrong/Page_CURA Healthcare Service/input_Password_password"), "uWoZH2qPlJvGwXzk9vtkJA==") | 0.955s | PASSED |
| | Text ****** has been set on object 'Object Repository/Username and password wrong/Page_CURA Healthcare Service/input_Password_password' | | |
| 7 | click(findTestObject("Object Repository/Username and password wrong/Page_CURA Healthcare Service/button_Login")) | 1.637s | PASSED |
| | Object: 'Object Repository/Username and password wrong/Page_CURA Healthcare Service/button_Login' is clicked on | | |

Information

ID Test Cases/TC003

Description Login with wrong username

Tag

Start 2020-10-12 21:42:55 End 2020-10-12 21:43:10

Elapsed 15.356s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 5.521s | PASSED |
| 2 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/") Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully | 4.017s | PASSED |
| 3 | click(findTestObject("Object Repository/Wrong username/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle")) Object: 'Object Repository/Wrong username/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle' is clicked on | 0.685s | PASSED |
| 4 | click(findTestObject("Object Repository/Wrong username/Page_CURA Healthcare Service/a_Login")) Object: 'Object Repository/Wrong username/Page_CURA Healthcare Service/a_Login' is clicked on | 1.114s | PASSED |
| 5 | setText(findTestObject("Object Repository/Wrong username/Page_CURA Healthcare Service/input_Username_username"), "John Dawson") Text 'John Dawson' is set on object 'Object Repository/Wrong username/Page_CURA Healthcare Service/input_Username_username' | 1.110s | PASSED |

is clicked on

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 6 | setEncryptedText(findTestObject("Object Repository/Wrong username/Page_CURA Healthcare Service/input_Password_password"), "g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM") | 0.785s | PASSED |
| | Text ***** has been set on object 'Object Repository/Wrong username/Page_CURA Healthcare Service/input_Password_password' | | |
| 7 | click(findTestObject("Object Repository/Wrong username/Page_CURA Healthcare Service/button_Login")) | 1.616s | PASSED |
| | Object: 'Object Repository/Wrong username/Page CURA Healthcare Service/button Login' | | |

Information

ID Test Cases/TC004

Description Login with wrong password

Tag

Start 2020-10-12 21:43:10 End 2020-10-12 21:43:27

Elapsed 16.443s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") | 5.715s | PASSED |
| | Browser is opened with url: " | | |
| 2 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/") | 3.592s | PASSED |
| | Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully | | |
| 3 | click(findTestObject("Object Repository/Wrong password/Page_CURA Healthcare Service/i_CURA Healthcare_fa fa-bars")) | 0.829s | PASSED |
| | Object: 'Object Repository/Wrong password/Page_CURA Healthcare Service/i_CURA Healthcare_fa fa-bars' is clicked on | | |
| 4 | click(findTestObject("Object Repository/Wrong password/Page_CURA Healthcare Service/a_Login")) | 1.071s | PASSED |
| | Object: 'Object Repository/Wrong password/Page_CURA Healthcare Service/a_Login' is clicked on | | |
| 5 | setText(findTestObject("Object Repository/Wrong password/Page_CURA Healthcare Service/input_Username_username"), "John Doe") | 2.028s | PASSED |

Text 'John Doe' is set on object 'Object Repository/Wrong password/Page_CURA Healthcare Service/input_Username_username'

is clicked on

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 6 | setEncryptedText(findTestObject("Object Repository/Wrong password/Page_CURA Healthcare Service/input_Password_password"), "halmTsiLKUv9x1POaCkgYF6CCQfdnEv6") | 1.033s | PASSED |
| | Text ***** has been set on object 'Object Repository/Wrong password/Page_CURA Healthcare Service/input_Password_password' | | |
| 7 | click(findTestObject("Object Repository/Wrong password/Page_CURA Healthcare Service/button_Login")) | 1.606s | PASSED |
| | Object: 'Object Repository/Wrong password/Page_CURA Healthcare Service/button_Login' | | |

Information

ID Test Cases/TC005

Description Username and password Null

Tag

Start 2020-10-12 21:43:27 End 2020-10-12 21:43:40

Elapsed 12.861s

Status INCOMPLETE

Details

| # | Description | Elapsed | Status | | |
|---|---|---------|------------|--|--|
| 1 | openBrowser("") Browser is opened with url: " | 4.570s | PASSED | | |
| 2 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/") Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully | 4.509s | PASSED | | |
| 3 | click(findTestObject("Object Repository/Null username and password/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle")) Object: 'Object Repository/Null username and password/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle' is clicked on | 0.438s | PASSED | | |
| 4 | click(findTestObject("Object Repository/Null username and password/Page_CURA Healthcare Service/a_Login")) Object: 'Object Repository/Null username and password/Page_CURA Healthcare Service/a_Login' is clicked on | 1.280s | PASSED | | |
| 5 | click(findTestObject("Object Repository/Null username and password/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/Null username and password/Page_CURA Healthcare Service/button_Login' is clicked on | 1.508s | PASSED | | |
| 6 | switchToWindowTitle("trans;ate - Tìm vi Google") | 0.000s | INCOMPLETE | | |