



Exam Questions AZ-104

Microsoft Azure Administrator (beta)



NEW QUESTION 1

- (Exam Topic 1)

You need to the appropriate sizes for the Azure virtual for Server2.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

From the Azure portal:

Create an Azure Migrate project. Create a Recovery Services vault. Upload a management certificate. Create an Azure Import/Export job.

On Server2:

Enable Hyper-V Replica. Install the Azure File Sync agent. Create a collector virtual machine. Configure Hyper-V storage migration. Install the Azure Site Recovery Provider.

A. Mastered B. Not Mastered

Answer: A

Explanation:

Box 1: Create a Recovery Services vault

Create a Recovery Services vault on the Azure Portal. Box 2: Install the Azure Site Recovery Provider

Azure Site Recovery can be used to manage migration of on-premises machines to Azure. Scenario: Migrate the virtual machines hosted on Server1 and Server2 to Azure.

Server2 has the Hyper-V host role. References:

https://docs.microsoft.com/en-us/azure/site-recovery/migrate-tutorial-on-premises-azure

NEW QUESTION 2

- (Exam Topic 2)

You need to resolve the licensing issue before you attempt to assign the license again. What should you do?

- A. From the Groups blade, invite the user accounts to a new group.
- B. From the Profile blade, modify the usage location.
- C. From the Directory role blade, modify the directory role.

Answer: A

Explanation:

License cannot be assigned to a user without a usage location specified. Scenario: Licensing Issue

You attempt to assign a license in Azure to several users and receive the following error message: "Licenses not assigned. License agreement failed for one user." You verify that the Azure subscription has the available licenses.

NEW QUESTION 3

- (Exam Topic 2)

Which blade should you instruct the finance department auditors to use?

- A. invoices
- B. partner information
- C. cost analysis
- D. External services

Answer: A

NEW QUESTION 4


- (Exam Topic 4)

You plan to create an Azure virtual machine named VM1 that will be configured as shown in the following exhibit.

The planned disk configurations for VM1 are shown in the following exhibit.



Create a virtual machine



The planned disk configurations for VM1 are shown in the following exhibit.



Data disks

You can add and configure additional data disks for your virtual machine or attach existing disks. This VM also comes with a temporary disk.

1 Adding unmanaged data disks is currently not supported at the time of VM creation. You can add them after the VM is created



^ Advanced		
Use managed disks ①	● No ○ Yes	
Storage account * ①	(new) rg1disks799	~
	Create new	

You need to ensure that VM1 can be created in an Availability Zone.

Which two settings should you modify? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Use managed disks
- B. Availability options
- C. OS disk type
- D. Size
- E. Image

Answer: AE

NEW QUESTION 5

- (Exam Topic 4)

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Operating system	Connects to
VM1	Windows Server 2019	Subnet1
VM2	Windows Server 2019	Subnet2

VM1 and VM2 use public IP addresses. From Windows Server 2019 on VM1 and VM2, you allow inbound Remote Desktop connections. Subnet1 and Subnet2 are in a virtual network named VNET1.

The subscription contains two network security groups (NSGs) named NSG1 and NSG2. NSG1 uses only the default rules.

NSG2 uses the default and the following custom incoming rule:

- Priority: 100
- 夠 Name: Rule1
- Port: 3389
- Protocol: TCP
- Source: Any Destination: Any
- Action: Allow

NSG1 connects to Subnet1. NSG2 connects to the network interface of VM2.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
From the internet, you can connect to VM1 by using Remote Desktop.	0	0
From the internet, you can connect to VM2 by using Remote Desktop.	0	0
From VM1, you can connect to VM2 by using Remote Desktop.	0	0

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: No

The default port for RDP is TCP port 3389. A rule to permit RDP traffic must be created automatically when you create your VM.

Box 2: Yes

NSG2 will allow this. Box 3: Yes

NSG2 will allow this.

Note on NSG-Subnet1: Azure routes network traffic between all subnets in a virtual network, by default. References:


https://docs.microsoft.com/en-us/azure/virtual-machines/troubleshooting/troubleshoot-rdp-connection



NEW QUESTION 6


- (Exam Topic 4)

You have several Azure virtual machines on a virtual network named VNet1. You configure an Azure Storage account as shown in the following exhibit.




Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

The virtual machines on the 10.2.9.0/24 subnet will have network connectivity to the file shares in the storage account.



Azure Backup will be able to back up the umanaged hard disks of the virtual machines in the storage account.



A. MasteredB. Not Mastered

Answer: A


Explanation:

Box 1: always

Endpoint status is enabled. Box 2: Never

After you configure firewall and virtual network settings for your storage account, select Allow trusted Microsoft services to access this storage account as an exception to enable Azure Backup service to access the network restricted storage account.





Reference

https://docs.microsoft.com/en-us/azure/storage/files/storage-how-to-use-files-windows https://azure.microsoft.com/en-us/blog/azure-backup-now-supports-storage-accounts-secured-with-azure-storage

NEW QUESTION 7

- (Exam Topic 4)

You plan to deploy five virtual machines to a virtual network subnet.


Each virtual machine will have a public IP address and a private IP address. Each virtual machine requires the same inbound and outbound security rules. What is the minimum number of network interfaces and network security groups that you require? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Minimum number of network interfaces:



Minimum number of network security groups:



A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: 10

One public and one private network interface for each of the five VMs. Box 2: 1

You can associate zero, or one, network security group to each virtual network subnet and network interface in a virtual machine. The same network security group can be associated to as many subnets and network interfaces as you choose.

References:

https://docs.microsoft.com/en-us/azure/virtual-network/security-overview

NEW QUESTION 8

- (Exam Topic 4)

This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.



You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

Name	Type	Location	Resource group
RG1	Resource group	East US	Not applicable
RG2	Resource group	West Europe	Not applicable
RG3	Resource group	North Europe	Not applicable
VNET1	Virtual network	Central US	RG1
VM1	Virtual machine	West US	RG2

VM1 connects to a virtual network named VNET2 by using a network interface named NIC1. You need to create a new network interface named NIC2 for VM1. Solution: You create NIC2 in RG1 and Central US. Does this meet the goal?

A. Yes B. No

Answer: B

Explanation:

The virtual machine you attach a network interface to and the virtual network you connect it to must exist in the same location, here West US, also referred to as a region.

References:

https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-network-interface

NEW QUESTION 9

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some guestion sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

Name	Type	Location	Resource group
RG1	Resource group	East US	Not applicable
RG2	Resource group	West Europe	Not applicable
RG3	Resource group	North Europe	Not applicable
VNET1	Virtual network	Central US	RG1
VM1	Virtual machine	West US	RG2

VM1 connects to a virtual network named VNET2 by using a network interface named NIC1. You need to create a new network interface named NIC2 for VM1. Solution: You create NIC2 in RG2 and West US. Does this meet the goal?

A. Yes

B. NO

Answer: A

Explanation: The virtual machine you attach a network interface to and the virtual network you connect it to must exist in the same location, here West US, also referred to as a region.

References:

https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-network-interface

NEW QUESTION 10

- (Exam Topic 4)

You have an Azure subscription named Sub1.

You plan to deploy a multi-tiered application that will contain the tiers shown in the following table.

Tier	Accessible from the Internet	Number of virtual machines
Front-end web server	Yes	10
Business logic	No	100
Microsoft SQL Server database	No	5

You need to recommend a networking solution to meet the following requirements:

- Ensure that communication between the web servers and the business logic tier spreads equally across the virtual machines.
- Protect the web servers from SQL injection attacks.

Which Azure resource should you recommend for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Ensure that communication between the web servers and the business logic tier spreads equally across the virtual machines:

an application gateway that uses the Standard tier an application gateway that uses the WAF tier an internal load balancer a network security group (NSG) a public load balancer

Protect the web servers from SQL injection attacks:

an application gateway that uses the Standard tier an application gateway that uses the WAF tier an internal load balancer a network security group (NSG) a public load balancer

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: an internal load balancer

Azure Internal Load Balancer (ILB) provides network load balancing between virtual machines that reside inside a cloud service or a virtual network with a regional

Box 2: an application gateway that uses the WAF tier

Azure Web Application Firewall (WAF) on Azure Application Gateway provides centralized protection of your web applications from common exploits and vulnerabilities. Web applications are increasingly targeted

by malicious attacks that exploit commonly known vulnerabilities. References:

https://docs.microsoft.com/en-us/azure/web-application-firewall/ag/ag-overview

NEW QUESTION 10

- (Exam Topic 4)

You have an Azure subscription that contains an Azure Active Directory (Azure AD) tenant named adatum.com. The tenant contains 500 user accounts. You deploy Microsoft Office 365. You configure Office 365 to use the user accounts in adatum.com. You configure 60 users to connect to mailboxes in Microsoft Exchange Online.

You need to ensure that the 60 users use Azure Multi-Factor Authentication (MFA) to connect to the Exchange Online mailboxes. The solution must only affect connections to the Exchange Online mailboxes.

What should you do?

- A. From the multi-factor authentication page, configure the Multi-Factor Auth status for each user
- B. From Azure Active Directory admin center, create a conditional access policy
- C. From the multi-factor authentication page, modify the verification options
- D. From the Azure Active Directory admin center, configure an authentication method

Answer: A

Explanation:

Reference:

https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-userstates

NEW QUESTION 15

- (Exam Topic 4)

You have an Azure subscription named Subscription1.

You have 5 TB of data that you need to transfer to Subscription1. You plan to use an Azure Import/Export job.

What can you use as the destination of the imported data?

A. Azure Data Lake Store

B. a virtual machine

C. the Azure File Sync Storage Sync Service

D. Azure Blob storage

Answer: D

Explanation:

Azure Import/Export service is used to securely import large amounts of data to Azure Blob storage and Azure Files by shipping disk drives to an Azure datacenter. The maximum size of an Azure Files Resource of a file share is 5 TB. Reference:

https://docs.microsoft.com/en-us/azure/storage/common/storage-import-export-service

NEW QUESTION 17

- (Exam Topic 4)



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

Name	Туре	Location	Resource group
RG1	Resource group	East US	Not applicable
RG2	Resource group	West Europe	Not applicable
RG3	Resource group	North Europe	Not applicable
VNET1	Virtual network	Central US	RG1
VM1	Virtual machine	West US	RG2

VM1 connects to a virtual network named VNET2 by using a network interface named NIC1. You need to create a new network interface named NIC2 for VM1. Solution: You create NIC2 in RG1 and West US. Does this meet the goal?

A. Yes

B. NO

Answer: A **Explanation:**

The virtual machine you attach a network interface to and the virtual network you connect it to must exist in the same location, here West US, also referred to as a region.

References:

https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-network-interface

NEW QUESTION 19

- (Exam Topic 4)

You have an Azure subscription that contains the following resources:

- 100 Azure virtual machines
- 20 Azure SQL databases
- 50 Azure file shares

You need to create a daily backup of all the resources by using Azure Backup. What is the minimum number of backup policies that you must create?

- A. 1
- B. 2 C. 3
- D. 150
- E. 170

Answer: C

Explanation:

There is a limit of 100 VMs that can be associated to the same backup policy from portal. We recommend that for more than 100 VMs, create multiple backup policies with same schedule or different schedule.

One policy for VMS, one for SQL databases, and one for the file shares. References:

https://docs.microsoft.com/en-us/azure/backup/backup-azure-vm-backup-faq

NEW QUESTION 20

- (Exam Topic 4)

You have an Azure subscription that includes data in following locations:

Name	Туре
container1	Blob container
share1	Azure files share
DB1	SQL database
Table1	Azure Table

You plan to export data by using Azure import/export job named Export1. You need to identify the data that can be exported by using Export1. Which data should you identify?

- A. DB1
- B. Table1
- C. container1
- D. Share1

Answer: D

Explanation:

Azure Import/Export service is used to securely import large amounts of data to Azure Blob storage and Azure Files by shipping disk drives to an Azure datacenter. References:

https://docs.microsoft.com/en-us/azure/storage/common/storage-import-export-service

NEW QUESTION 25

- (Exam Topic 4)

You have an Azure subscription that contains the public load balancers shown in the following table.

Name	SKU
LB1	Basic
LB2	Standard

You plan to create six virtual machines and to load balancer requests to the virtual machines. Each load balancer will load balance three virtual machines. You need to create the virtual machines for the planned solution.

How should you create the virtual machines? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The virtual machines that will be load balanced by using LB1 must:

be connected to the same virtual network.

be created in the same resource group.

be created in the same availability set or virtual machine scale set.

run the same operating system.

The virtual machines that will be load balanced by using LB2 must:

be connected to the same virtual network.

be created in the same resource group.

be created in the same availability set or virtual machine scale set.

run the same operating system.

A. Mastered B. Not Mastered

Answer: A

Explanation:

Box 1: be created in the same availability set or virtual machine scale set.

The Basic tier is quite restrictive. A load balancer is restricted to a single availability set, virtual machine scale set, or a single machine.

Box 2: be connected to the same virtual network

The Standard tier can span any virtual machine in a single virtual network, including blends of scale sets, availability sets, and machines. References:

https://www.petri.com/comparing-basic-standard-azure-load-balancers

NEW QUESTION 27

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- A virtual network that has a subnet named Subnet1
- Two network security groups (NSGs) named NSG-VM1 and NSG-Subnet1
- A virtual machine named VM1 that has the required Windows Server configurations to allow Remote Desktop connections NSG-Subnet1 has the default inbound security rules only.

NSG-VM1 has the default inbound security rules and the following custom inbound security rule:

- Priority: 100
- Source: Any
- Source port range: *
- Destination: *
- Destination port range: 3389
- Protocol: UDP
- Action: Allow

VM1 connects to Subnet1. NSG1-VM1 is associated to the network interface of VM1. NSG-Subnet1 is associated to Subnet1.

You need to be able to establish Remote Desktop connections from the internet to VM1.

Solution: You add an inbound security rule to NSG-Subnet1 that allows connections from the Internet source to the VirtualNetwork destination for port range 3389 and uses the UDP protocol.

Does this meet the goal?



A. Yes B. No

Answer: B

NEW QUESTION 29

- (Exam Topic 4)


You have an Azure subscription named Subcription1 that contains a resource group named RG1. In RG1. you create an internal load balancer named LB1 and a public load balancer named 162.

You need to ensure that an administrator named Admin 1 can manage LB1 and LB2. The solution must follow the principle of least privilege.

Which role should you assign to Admin1 for each task? To answer, select the appropriate options in the answer area.

NOTE: Caen correct selection is worth one point.

Answer Area




A. MasteredB. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 34

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure virtual machine named VM1 that runs Windows Server 2016.

You need to create an alert in Azure when more than two error events are logged to the System log on VM1 within an hour.

Solution: You create an event subscription on VM1. You create an alert in Azure Monitor and specify VM1 as the source.

Does this meet the goal?

A. Yes B. No

Answer: B

Explanation:

Instead: You create an Azure Log Analytics workspace and configure the data settings. You install the Microsoft Monitoring Agent on VM1. You create an alert in Azure Monitor and specify the Log Analytics workspace as the source.

References:

https://docs.microsoft.com/en-us/azure/azure-monitor/platform/agents-overview

NEW QUESTION 35

- (Exam Topic 4)

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.



Name	Туре	Location	Resource group
RG1	Resource group	West US	Not applicable
RG2	Resource group	West US	Not applicable
Vault1	Recovery Services vault	Central US	RG1
Vault2	Recovery Services vault	West US	RG2
VM1	Virtual machine	Central US	RG2
storage1	Storage account	West US	RG1
SQL1	Azure SQL database	East US	RG2

In storage1, you create a blob container named blob1 and a file share named share1.

Which resources can be backed up to Vault1 and Vault2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Can use Vault1 for backups:

The Total Control of	₩
VM1only	
VM1 and share1 only	
VM1 and SQL1 only	
VM1, storage1, and SQL1 or	nly
VM1, blob1, share1, and SQ	L1

Can use Vault2 for backups:

	-
storage1 only	
share1 only	
VM1 and share1 only	
blob1 and share1 only	
storage1 and SQL1 only	

A. Mastered B. Not Mastered

Answer: A

Explanation:

Box 1: VM1 only

VM1 is in the same region as Vault1. File1 is not in the same region as Vault1.

SQL is not in the same region as Vault1. Blobs cannot be backup up to service vaults.

Note: To create a vault to protect virtual machines, the vault must be in the same region as the virtual machines.

Box 2: Share1 only.

Storage1 is in the same region (West USA) as Vault2. Share1 is in Storage1.

Note: After you select Backup, the Backup pane opens and prompts you to select a storage account from a list of discovered supported storage accounts. They're either associated with this vault or present in the same region as the vault, but not yet associated to any Recovery Services vault.

References:

https://docs.microsoft.com/bs-cyrl-ba/azure/backup/backup-create-rs-vault https://docs.microsoft.com/en-us/azure/backup/backup-afs

NEW QUESTION 36

- (Exam Topic 4)

You need to use Azure Automation State Configuration to manage the ongoing consistency of virtual machine configurations.

Which five actions should you perform in sequence? To answer, move the appropriate action from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.



Actions	
Compile a configuration into a node configuration.	
Onboard the virtual machines to Azure Automation State Configuration.	
Upload a configuration to Azure Automation State Configuration.	
Check the compliance status of the node.	
Assign tags to the virtual machines.	
Assign the node configuration.	
Create a management group.	

Answer Area

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Step 1: Upload a configuration to Azure Automation State Configuration. Import the configuration into the Automation account.

Step 2: Compile a configuration into a node configuration.

A DSC configuration defining that state must be compiled into one or more node configurations (MOF document), and placed on the Automation DSC Pull Server.

Step 3: Onboard the virtual machines to Azure Automation State Configuration. Onboard the Azure VM for management with Azure Automation State

Configuration Step 4: Assign the node configuration

Step 5: Check the compliance status of the node

Each time Azure Automation State Configuration performs a consistency check on a managed node, the node sends a status report back to the pull server. You can view these reports on the page for that node.

On the blade for an individual report, you can see the following status information for the corresponding consistency check:

The report status — whether the node is "Compliant", the configuration "Failed", or the node is "Not Compliant"

References:

https://docs.microsoft.com/en-us/azure/automation/automation-dsc-getting-started

NEW QUESTION 40

- (Exam Topic 4)

You download an Azure Resource Manager template based on an existing virtual machine. The template will be used to deploy 100 virtual machines.

You need to modify the template to reference an administrative password. You must prevent the password from being stored in plain text.

What should you create to store the password?

A. Azure Active Directory (AD) Identity Protection and an Azure policy

B. a Recovery Services vault and a backup policy

C. an Azure Key Vault and an access policy

D. an Azure Storage account and an access policy

Answer: C

Explanation:

You can use a template that allows you to deploy a simple Windows VM by retrieving the password that is stored in a Key Vault. Therefore the password is never put in plain text in the template parameter file.

References: https://azure.microsoft.com/en-us/resources/templates/101-vm-secure-password/

NEW QUESTION 42

- (Exam Topic 4)

You have an Azure subscription named Subscription1 that contains the resources in the following table.

You install the Web Server server role (IIS) on WM1 and VM2, and then add VM1 and VM2 to LB1. LB1 is configured as shown in the LB1 exhibit. (Click the Exhibit button.)



-							
F	c	c	a.	m	tial	le.	1.7
1	3	ъ	.	11	LIGHT.		

Resource group (change)

VMRG

Location

West Europe

Subscription name (change)

Azure Pass

Subscription ID

e66d2b22-fde8-4af2-9323-d43516f6eb4e

SKU Basic Backend pool

Backend1 (2 virtual machines)

Health probe

Probe1 (HTTP:80/Probe1.htm)

Load balancing rule

Rule1 (TCP/80)

NAT rules

Public IP address

104.40.178.194 (LB1)

Rule1 is configured as shown in the Rule1 exhibit. (Click the Exhibit button.)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements

	Yes	No
VM1 is in the same availability set as VM2.	0	0
If Probe1.htm is present on VM1 and VM2, LB1 will balance TCP port 80 between VM1 and VM2.	0	0
If you delete Rule1, LB1 will balance all the requests between VM1 and VM2 for all the ports.	0	0

A. Mastered B. Not Mastered

Answer: A

Explanation:

Statements

VM1 is in the same availability set as VM2.

If Probe1.htm is present on VM1 and VM2, LB1 will balance TCP port 80 between VM1 and VM2.

If you delete Rule1, LB1 will balance all the requests between VM1 and VM2 for all the ports.

No







NEW QUESTION 46

- (Exam Topic 4)

You have Azure subscriptions named Subscription1 and Subscription2. Subscription1 has following resource groups:

Name	Region	Lock type
RG1	West Europe	None
RG2	West Europe	Read Only

RG1 includes a web app named App1 in the West Europe location. Subscription2 contains the following resource groups:

Name	Region	Lock type
RG3	East Europe	Delete
RG4	Central US	none

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.



	Statements	Yes	No
	App1 can be moved to RG2		0
- 12	App1 can be moved to RG3		0
	App1 can be moved to RG4		0

A. Mastered B. Not Mastered

Answer: A

Explanation:

Reference:

https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/move-limitations/app-service-mov

NEW QUESTION 49

- (Exam Topic 4)

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

Name	Type	Region	Resource group
RG1	Resource group	West Europe	Not applicable
RG 2	Resource group	North Europe	Not applicable
Vault1	Recovery Services vault	West Europe	RG1

You create virtual machines in Subscription1 as shown in the following table.

Name	Resource group	Region	Operating system
VM1	RG1	West Europe	Windows Server 2016
VM2	RG1	North Europe	Windows Server 2016
VM3	RG2	West Europe	Windows Server 2016
VMA	RG1	West Europe	Ubuntu Server 18.04
VMB	RG1	North Europe	Ubuntu Server 18.04
VMC	RG2	West Europe	Ubuntu Server 18.04

You plan to use Vault1 for the backup of as many virtual machines as possible. Which virtual machines can be backed up to Vault1?

A. VM1, VM3, VMA, and VMC only

B. VM1 and VM3 only

C. VM1, VM2, VM3, VMA, VMB, and VMC

D. VM1 only

E. VM3 and VMC only

Answer: A

Explanation:

To create a vault to protect virtual machines, the vault must be in the same region as the virtual machines. If you have virtual machines in several regions, create a Recovery Services vault in each region.

References:

https://docs.microsoft.com/bs-cyrl-ba/azure/backup/backup-create-rs-vault

NEW QUESTION 51



Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

AZ-104 Practice Exam Features:

- * AZ-104 Questions and Answers Updated Frequently
- * AZ-104 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-104 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-104 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click Order The AZ-104 Practice Test Here