





**RealTime Handson** 

# DevSecOps AZURE CLOUD PROJECTS

PART 1

## CREATING LEADERS

- careerbytecode.substack.com
- +32 471408908









#### 1. Secure CI/CD Pipeline with Azure DevOps and Azure Key Vault

#### **Use Case**

- Securely store and manage sensitive credentials, API keys, and certificates in **Azure Key Vault** and use them in a **CI/CD pipeline**.
- Automate deployment while ensuring secrets are never exposed in the pipeline.

#### **Architecture**

- Azure DevOps for CI/CD pipeline
- Azure Key Vault for secrets management
- Azure App Service as the deployment target

#### **Implementation Steps**

Step 1: Set Up Azure Key Vault Create an Azure Key Vault:

az keyvault create --name MyDevSecOpsVault --resource-group DevSecOpsRG
--location eastus

#### Add a secret:

az keyvault secret set --vault-name MyDevSecOpsVault --name "DatabasePassword" --value "MySecurePass123"

#### Step 2: Configure Azure DevOps Pipeline

- 1. In Azure DevOps, go to Library > Variable Groups and create a new group.
- Link the Key Vault by selecting Azure Key Vault as the source and choose your vault.
- 3. Add the secret from Key Vault to the pipeline.

#### Step 3: Create a CI/CD Pipeline

Create a YAML pipeline (azure-pipelines.yml):

#### trigger:

- main

#### pool:









```
vmImage: 'ubuntu-latest'

variables:
    databasePassword: $(DatabasePassword)

steps:
    - task: UseAzureKeyVault@1
    inputs:
        azureSubscription: 'MyAzureServiceConnection'
        KeyVaultName: 'MyDevSecOpsVault'
        SecretsFilter: '*'

- script: echo "Deploying application..."
    env:
        DB_PASSWORD: $(databasePassword)
```

#### Step 4: Deploy Securely to Azure App Service

Use Azure CLI in pipeline:

az webapp config appsettings set --name MyWebApp --resource-group DevSecOpsRG --settings DB\_PASSWORD=\$(databasePassword)

1. Validate that the app retrieves secrets securely.

#### 2. Implementing Azure Policy for Secure DevOps

#### Use Case

- Enforce security policies automatically in Azure using Azure Policy.
- Prevent insecure configurations (e.g., blocking public storage access).

#### Implementation Steps

#### Step 1: Create an Azure Policy

- 1. Go to Azure Portal > Policy > Assignments > Assign Policy.
- 2. Select Built-in Policy: "Storage accounts should restrict public access."
- 3. Set **Scope** to the subscription or resource group.

#### Step 2: Deploy the Policy via Azure DevOps

Create a **Bicep template** for the policy:







```
resource policyAssignment 'Microsoft.Authorization/policyAssignments@2022-06-01' =
{
   name: 'RestrictPublicStorage'
   properties: {
     displayName: 'Restrict Public Storage'
     policyDefinitionId:
   '/providers/Microsoft.Authorization/policyDefinitions/abc123'
     scope: resourceGroup().id
   }
}
```

Deploy the policy in a **DevOps pipeline**:

```
- task: AzureCLI@2
inputs:
    azureSubscription: 'MyAzureServiceConnection'
    scriptType: 'bash'
    scriptLocation: 'inlineScript'
    inlineScript: |
        az deployment group create --resource-group DevSecOpsRG --template-file
policy.bicep
```

1. Validate by trying to create a public storage account.

# 3. Securing Containerized Applications using Azure Defender for Kubernetes


#### **Use Case**

Monitor and secure a Kubernetes cluster using Azure Defender to detect threats.

#### Implementation Steps

Step 1: Enable Azure Defender for Kubernetes Run the following CLI command:







az security pricing create --name KubernetesService --tier Standard

#### Step 2: Deploy a Kubernetes Application

Deploy a sample NGINX app:

kubectl create deployment nginx --image=nginx

Expose the app:

kubectl expose deployment nginx --type=LoadBalancer --port=80

#### Step 3: Monitor Security Events

- 1. Go to Azure Security Center > Azure Defender > Kubernetes.
- 2. View security recommendations.

#### 4. Identity & Access Management with Azure AD for DevOps

#### **Use Case**

• Implement RBAC (Role-Based Access Control) to restrict access to DevOps pipelines.

#### **Implementation Steps**

#### Step 1: Configure Azure AD Roles

Create an Azure AD group:

az ad group create --display-name "DevSecOpsAdmins" --mail-nickname "DevSecOpsAdmins"

1. Assign the Azure DevOps administrator role to this group.

#### Step 2: Apply RBAC to Azure DevOps

- 1. Go to Azure DevOps > Organization Settings > Security.
- 2. Assign specific roles to users.







#### 5. Infrastructure as Code Security with Terraform & Sentinel

#### **Use Case**

Enforce security guardrails in Terraform deployments.

#### Implementation Steps

#### Step 1: Create Sentinel Policies

Write a Sentinel policy to prevent public storage accounts:

```
policy "no_public_storage" {
  enforcement_level = "hard-mandatory"
  query = rule {
    all aws_s3_bucket as bucket {
       bucket.public_access_block_enabled is true
    }
  }
}
```

#### Step 2: Deploy Policy in Terraform Cloud

- 1. Enable Sentinel Policy in Terraform Cloud.
- 2. Run a **Terraform apply** to test the enforcement.

#### 6. Static Code Analysis in DevOps Pipeline

#### **Use Case**

Detect vulnerabilities in source code using SonarCloud in Azure DevOps.

#### Implementation Steps

#### Step 1: Configure SonarCloud

- 1. Sign up for SonarCloud.
- 2. Create a SonarCloud token.

#### Step 2: Integrate SonarCloud in DevOps







Add SonarCloud Prepare Analysis task in the pipeline:

```
- task: SonarCloudPrepare@1
inputs:
   SonarCloud: 'SonarCloud'
   organization: 'my-org'
   projectKey: 'my-project'
```

# 7. Dynamic Application Security Testing (DAST) with OWASP ZAP

#### Use Case

Scan running applications for security vulnerabilities.

#### **Implementation Steps**

Step 1: Install OWASP ZAP
Add a ZAP Scan task to the pipeline:

```
- task: OWASPZAP@2
inputs:
   targetUrl: 'https://myapp.com'
```

Review vulnerability reports in DevOps logs.

#### 8. Zero Trust Networking in Azure with Private Endpoints

#### Use Case

Securely access Azure services over private networks.

#### **Implementation Steps**









#### Step 1: Create a Private Endpoint

Deploy a private link to an Azure SQL Database:

az network private-endpoint create --name PrivateSQL --resource-group DevSecOpsRG --vnet-name MyVNet --subnet MySubnet --private-connection-resource-id "/subscriptions/.../sqlServers/MySQLServer"

#### **Step 2: Validate Secure Access**

Try accessing the database from an external network (should be blocked).

#### 9. Implementing Azure Sentinel for DevOps Monitoring

#### **Use Case**

Monitor security events from DevOps pipelines.

#### Implementation Steps

#### **Enable Azure Sentinel:**

az sentinel workspace create --resource-group DevSecOpsRG --name SentinelWorkspace

1.

#### Connect Azure DevOps logs:

az sentinel data-connector create --name DevOpsLogs

#### 10. Secure API Gateway with Azure APIM & OAuth

#### **Use Case**

• Protect APIs using OAuth authentication.

#### Implementation Steps

#### Step 1: Deploy Azure API Management







Deploy APIM:

az apim create --name MyAPIM --resource-group DevSecOpsRG

1. Configure OAuth in APIM policies.



# ALL IN ONE PLATFORM

https://careerbytecode.substack.com

241K Happy learners from 91 Countries

Learning Training Usecases Solutions Consulting RealTime Handson Usecases Platform to Launch Your IT Tech Career!





+32 471 40 89 08



CAREERBYTECODE.SUBSTACK.COM



# WE ARE DIFFERENT



At CareerByteCode, we redefine training by focusing on real-world, hands-on experience. Unlike traditional learning methods, we provide step-by-step implementation guides, 500+ real-time cases, and industry-relevant cutting-edge projects across technologies like AWS, Azure, GCP, DevOps, AI, FullStack Development and more.

Our approach goes beyond theoretical knowledge—we offer expert mentorship, helping learners understand how to study effectively, close career gaps, and gain the practical skills that employers value.

16+

Years of operations

Countries worldwide

**241** K Happy clients

Our Usecases Platform

https://careerbytecode.substack.com

Our WebShop

https://careerbytecode.shop







+32 471 40 89 08



CAREERBYTECODE.SUBSTACK.COM



### CareerByteCode All in One Platform

# STAY IN TOUCH WITH US!



( Website

Our WebShop https://careerbytecode.shop

Our Usecases Platform <a href="https://careerbytecode.substack.com">https://careerbytecode.substack.com</a>

E-mail

careerbytec@gmail.com

Social Media @careerbytecode



+32 471 40 8908

HQ address Belgium, Europe













# REALTIME HANDON 6 MONTHS



500+ RealTime Handson Usecases

Our Usecases Platform https://careerbytecode.substack.com









# For any RealTime Handson Projects And for more tips like this





## Like & ReShare







@careerbytecode