BengalStaff2026-511810178 Documentation

Generated at:
4/11/2026, 8:36:49 PM

MICROL REMEDIES

Bengal 2027

Data Summary	21 Tables 346 Columns 8 Slices
UX Summary	63 Views 1 Format Rules
Behavior Summary	77 Actions 0 Workflow Rules

Short Name	Bengal 2027
Version	1.000206
Default app folder	/appsheet/data/BengalStaff2026-511810178
Category	Custom Apps
Runnable?	Yes
Deployable?	Yes
Personal use only?	No

Data

Tables

Table name _Per User Settings

Table name	_Per User Settings
Visible?	NEVER
Shared?	No
Data locale	en-US
Schema	_Per User Settings_Schema
Are updates allowed?	UPDATES_ONLY
Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Areas

Table name	Areas
Visible?	ALWAYS
Shared?	Yes
Data locale	hi-IN
Schema	Areas_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=IF(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", "ALL_CHANGES", "READ_ONLY")
Source Path	Bengal Staff 2026

Worksheet Name/Qualifier	Areas
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Brands

Table name	Brands
Visible?	ALWAYS
Shared?	Yes
Data locale	hi-IN
Schema	Brands_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=IF(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", "ALL_CHANGES", "READ_ONLY")
Source Path	Bengal Staff 2026
Worksheet Name/Qualifier	Brands
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Companies

Table name	Companies
Visible?	ALWAYS
Shared?	Yes
Data locale	hi-IN
Schema	Companies_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=IF(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", "ALL_CHANGES", "READ_ONLY")
Source Path	Bengal Staff 2026
Worksheet Name/Qualifier	Companies
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Company Pay

Table name	Company Pay
Visible?	ALWAYS
Shared?	Yes
Data locale	hi-IN
Schema	Company Pay_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=IF(USEREMAIL() = "sales@microlremedies.com", "ALL_CHANGES", "READ_ONLY")
Security filter	=USEREMAIL() = "sales@microlremedies.com"
Source Path	Bengal Staff 2026

Worksheet Name/Qualifier	Company Pay
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Customers

Table name	Customers
Visible?	ALWAYS
Shared?	Yes
Data locale	hi-IN
Schema	Customers_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=IF(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", "ALL_CHANGES", "READ_ONLY")
Security filter	=OR(IN(LOOKUP(USEREMAIL(), "Staff", "Email", "Role"), {"Manager", "Admin"}), IN(USEREMAIL(), [Assigned Staff]))
Source Path	Bengal Staff 2026
Worksheet Name/Qualifier	Customers
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many worksheets?	No

Table name Farmers

Table name	Farmers
Visible?	ALWAYS
Shared?	Yes
Data locale	hi-IN
Schema	Farmers_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=IF(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", "ALL_CHANGES", "ADDS_AND_UPDATES")
Security filter	=OR(IN(LOOKUP(USEREMAIL(), "Staff", "Email", "Role"), {"Manager", "Admin"}), [Added By] = USEREMAIL(), IN(USEREMAIL(), [Dealer ID]. [Assigned Staff]))
Source Path	Bengal Staff 2026
Worksheet Name/Qualifier	Farmers
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Field Visits

Table name	Field Visits
Visible?	ALWAYS
Shared?	Yes

Data locale	hi-IN
Schema	Field Visits_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=IF(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", "ALL_CHANGES", "ADDS_AND_UPDATES")
Security filter	=OR(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", [Staff Email] = USEREMAIL(), [Staff Email].[Manager Email] = USEREMAIL())
Source Path	Bengal Staff 2026
Worksheet Name/Qualifier	Field Visits
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Leave Requests

Table name	Leave Requests
Visible?	ALWAYS
Shared?	Yes
Data locale	hi-IN
Schema	Leave Requests_Schema
Are updates allowed?	ALL_CHANGES
Security filter	=OR(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", [Staff Email] = USEREMAIL(), LOOKUP([Staff Email], "Staff", "Email", "Manager Email") = USEREMAIL())
Source Path	Bengal Staff 2026

Worksheet Name/Qualifier	Leave Requests
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Messages

Table name	Messages
Visible?	ALWAYS
Shared?	Yes
Data locale	hi-IN
Schema	Messages_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=IF(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", "ALL_CHANGES", "READ_ONLY")
Security filter	=OR(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", [Audience] = "All", AND([Audience] = "Area", [Audience Area] = LOOKUP(USEREMAIL(), "Staff", "Email", "Area")), AND([Audience] = "Selected", IN(USEREMAIL(), [To Staff])))
Source Path	Bengal Staff 2026
Worksheet Name/Qualifier	Messages
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Settings

Table name	Settings
Visible?	ALWAYS
Shared?	Yes
Data locale	hi-IN
Schema	Settings_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=IF(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", "ALL_CHANGES", "READ_ONLY")
Source Path	Bengal Staff 2026
Worksheet Name/Qualifier	Settings
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Staff

Table name	Staff
Visible?	ALWAYS
Shared?	Yes
Data locale	hi-IN
Schema	Staff_Schema

Are updates allowed?	ALL_CHANGES
Expression for update mode	=IF(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", "ALL_CHANGES", "READ_ONLY")
Source Path	Bengal Staff 2026
Worksheet Name/Qualifier	Staff
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Transactions

Table name	Transactions
Visible?	ALWAYS
Shared?	Yes
Data locale	hi-IN
Schema	Transactions_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=IF(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", "ALL_CHANGES", "READ_ONLY")
Security filter	=OR(IN(LOOKUP(USEREMAIL(), "Staff", "Email", "Role"), {"Manager", "Admin"}), IN(USEREMAIL(), [Customer ID].[Assigned Staff]))
Source Path	Bengal Staff 2026
Worksheet Name/Qualifier	Transactions
Data Source	google
Store for image and file capture	_Default

Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Leave Applied - 1 Process Table

Table name	Process for Leave Applied - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Leave Applied - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dcd656e9-adae-477e-8259-624a0e3943c6/e2fe4a4d-a64e-4e42-a61a-0f5fbb090423/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Leave Decided Process Table

Table name	Process for Leave Decided Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Leave Decided Process Table_Schema

Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dcd656e9-adae-477e-8259-624a0e3943c6/2a37f33b-5134-4c35-813d-5c8e90a33964/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Send Scheduled Messages - 1 Process Table

Table name	Process for Send Scheduled Messages - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Send Scheduled Messages - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dcd656e9-adae-477e-8259-624a0e3943c6/00206c6b-6483-4dd7-a64b-cc4c1c5a0382/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Send Message Now - 1 Process Table

Table name	Process for Send Message Now - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Send Message Now - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dcd656e9-adae-477e-8259-624a0e3943c6/9008fb65-88ec-4918-97a4-0ddbc6ecc5e0/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Customer Statement - 1 Process Table

Table name	Process for Customer Statement - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Customer Statement - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dcd656e9-adae-477e-8259-624a0e3943c6/01cbd1f0-4047-417e-822d-f0b2adabcaa6/State Table

Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Mark Non-Reporting Days - 1 Process Table

Table name	Process for Mark Non-Reporting Days - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Mark Non-Reporting Days - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dcd656e9-adae-477e-8259-624a0e3943c6/0229dc15-23ec-4292-9f3e-36b9267e0fa5/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name New step Output

Table name	New step Output
Visible?	NEVER

Shared?	Yes
Schema	New step Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dcd656e9-adae-477e-8259-624a0e3943c6/0229dc15-23ec-4292-9f3e-36b9267e0fa5/StepOutput_New step
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Hourly Field Alert - 1 Process Table

Table name	Process for Hourly Field Alert - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Hourly Field Alert - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/dcd656e9-adae-477e-8259-624a0e3943c6/495d8604-7b15-4220-9165-3c1883ee5d5d/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many worksheets?	No

Columns

Schema Name _Per User Settings_Schema

Schema Name	_Per User Settings_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US

Searchable	No
Scannable	No
Sensitive data	No

Column 2: _EMAIL

Column name	_EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USEREMAIL()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: _NAME

Column name	_NAME
Visible?	ALWAYS

Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USERNAME()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: _LOCATION

Column name	_LOCATION
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Options Heading

Column name	Options Heading
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"\"These options control the content and behavior of the app\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Option 1

Column name	Option 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Option 2

Column name	Option 2
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Country Option

Column name	Country Option
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Australia","Brazil","Canada"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"PlainText\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Language Option

Column name	Language Option
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["English","French","Tamil"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Option 5

Column name	Option 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Option 6

Column name	Option 6
Visible?	ALWAYS
Type	Number
	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Err

Type Qualifier	or_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Option 7

Column name	Option 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Option 8

Column name	Option 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Option 9

Column name	Option 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US

Searchable	No
Scannable	No
Sensitive data	No

Column 15: _THISUSER

Column name	_THISUSER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	onlyvalue
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Areas_Schema

Schema Name	Areas_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Area

Column name	Area
Visible?	ALWAYS
Description	One row per sales area. Used as a dropdown everywhere.
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Related Customers

Column name	Related Customers
Visible?	ALWAYS

Description	Customers entries that reference this entry in the Area column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Customers\",\"ReferencedRootTableName\":\"Customers\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Customer ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Customers", "Area")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 4: Related Farmers

Column name	Related Farmers
Visible?	ALWAYS
Description	Farmers entries that reference this entry in the Area column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Farmers\",\"ReferencedRootTableName\":\"Farmers\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Farmer ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Farmers", "Area")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 5: Related Staffs

Column name	Related Staffs
Visible?	ALWAYS
Description	Staff entries that reference this entry in the Area column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Staff\",\"ReferencedRootTableName\":\"Staff\",\"ReferencedType\":\"Email\",\"ReferencedTypeQualifier\":\"{\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Email\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ","Valid_If":null,"Error_Message_If_Invalid":null,"Sho

	w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Staff", "Area")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 6: Related Messages

Column name	Related Messages
Visible?	ALWAYS
Description	Messages entries that reference this entry in the Audience Area column
Type	List
	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Messages\",\"ReferencedRootTableName\":\"Messages\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain

Type Qualifier	Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Message ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Messages", "Audience Area")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Brands_Schema

Schema Name	Brands_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Brand

Column name	Brand
Visible?	ALWAYS
Description	Billed/Paid brand, linked to its company.
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Company

Column name	Company
Visible?	ALWAYS
Type	Ref
	{"ReferencedTableName":"Companies","ReferencedRootTableName":"Companies","ReferencedType"

Type Qualifier	:"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"PlainText\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Company","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Bank Name

Column name	Bank Name
Visible?	ALWAYS
Description	Billed/Paid brand, linked to its company.
Type	Name

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Account Name

Column name	Account Name
Visible?	ALWAYS
Description	Billed/Paid brand, linked to its company.
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_

	Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Account No

Column name	Account No
Visible?	ALWAYS
Description	Billed/Paid brand, linked to its company.
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: IFSC

Column name	IFSC
Visible?	ALWAYS
Description	Billed/Paid brand, linked to its company.
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: UPI

Column name	UPI
Visible?	ALWAYS
Description	Billed/Paid brand, linked to its company.
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Related Transactions

Column name	Related Transactions
Visible?	ALWAYS
Description	Transactions entries that reference this entry in the Brand column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Transactions\",\"ReferencedRootTableName\":\"Transactions\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Txn ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Transactions", "Brand")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 10: Stmt Used

Column name	Stmt Used
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=ISNOTBLANK(SELECT(Transactions[Txn ID], AND([Customer ID] = MAXROW("Customers", "Statement At"), [Brand] = [_THISROW].[Brand])))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Stmt Sales

Column name	Stmt Sales
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Transactions[Amount], AND([Customer ID] = MAXROW("Customers", "Statement At"), [Brand] = [_THISROW].[Brand], [Txn Type] = "Sale")))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Stmt Payments

Column name	Stmt Payments
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Transactions[Amount], AND([Customer ID] = MAXROW("Customers", "Statement At"), [Brand] = [_THISROW].[Brand], [Txn Type] = "Payment")))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Stmt Balance

Column name	Stmt Balance
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Transactions[Debit], AND([Customer ID] = MAXROW("Customers", "Statement At"), [Brand] = [_THISROW].[Brand]))) - SUM(SELECT(Transactions[Credit], AND([Customer ID] = MAXROW("Customers", "Statement At"), [Brand] = [_THISROW].[Brand])))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Stmt MRP

Column name	Stmt MRP
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Transactions[MRP Value], AND([Customer ID] = MAXROW("Customers", "Statement At"), [Brand] = [_THISROW].[Brand], [Txn Type] = "Sale")))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
	Yes

Editable Initial Value?	
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Stmt Discount %

Column name	Stmt Discount %
Visible?	ALWAYS
Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Stmt MRP] > 0, ([Stmt MRP] - [Stmt Sales]) / [Stmt MRP], 0)
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN

Searchable	No
Scannable	No
Sensitive data	No

Schema Name Companies_Schema

Schema Name	Companies_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Company

Column name	Company
Visible?	ALWAYS
Description	Billing companies.
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Related Brands

Column name	Related Brands
Visible?	ALWAYS
Description	Brands entries that reference this entry in the Company column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Brands\",\"ReferencedRootTableName\":\"Brands\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Brand\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Brands", "Company")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 4: Related Transactions By Company

Column name	Related Transactions By Company
Visible?	ALWAYS
Description	Transactions entries that reference this entry in the Company column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Transactions\",\"ReferencedRootTableName\":\"Transactions\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Txn ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Sho

	w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Transactions", "Company")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Company Pay_Schema

Schema Name	Company Pay_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Pay ID

Column name	Pay ID
Visible?	ALWAYS
Description	Company receipts/payments (admin only).
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Date

Column name	Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Detail

Column name	Detail
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
	Yes

Editable Initial Value?	
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Amount

Column name	Amount
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"₹","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"=[_THIS] > 0","Error_Message_If_Invalid":"=Amount must be more than zero","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN

Searchable	No
Scannable	No
Sensitive data	No

Column 6: Received In

Column name	Received In
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Cash","Bank","UPI","Cheque"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":"","Error_Message_If_Invalid":"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Bank"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Entered By

Column name	Entered By
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN

Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 8: Month

Column name	Month
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TEXT([Date], "YYYY-MM")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Pay

Column name	Pay
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"₹","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"=[_THIS] > 0","Error_Message_If_Invalid":"=Amount must be more than zero","Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Amount] * 0.03
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Total with 3%

Column name	Total with 3%
Visible?	ALWAYS

Type	Price
Type Qualifier	{"CurrencySymbol":"₹","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"=[_THIS] > 0","Error_Message_If_Invalid":"=Amount must be more than zero","Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Amount] + [Pay]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Customers_Schema

Schema Name	Customers_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Customer ID

Column name	Customer ID
Visible?	ALWAYS
	Dealers/shops. Assigned Staff = one or more

Description	staff emails separated by ' , '.
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Customer Name

Column name	Customer Name
Visible?	ALWAYS
Type	Name
	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error

Type Qualifier	_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Customer Type

Column name	Customer Type
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Dealer","Sub-Dealer","Retailer","Direct Farmer"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"

	Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Dealer"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Phone

Column name	Phone
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 6: Area

Column name	Area
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Areas","ReferencedRootTableName":"Areas","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"PlainText\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Area","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Address

Column name	Address
Visible?	ALWAYS
Type	Address
Type Qualifier	{"GeocodingEnabled":true,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Assigned Staff

Column name	Assigned Staff
Visible?	ALWAYS
Type	EnumList
Type Qualifier	{"ItemSeparator":null,"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Ref","BaseTypeQualifier":"{\"ReferencedTableName\":\"Staff\",\"ReferencedRootTableName\":\"Staff\",\"ReferencedType\":\"Email\",\"ReferencedTypeQualifier\":\"{\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Email\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":"=Staff[Email]","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 9: Active

Column name	Active
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TRUE
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Statement At

Column name	Statement At
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN

Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Related Farmers

Column name	Related Farmers
Visible?	ALWAYS
Description	Farmers entries that reference this entry in the Dealer ID column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Farmers\",\"ReferencedRootTableName\":\"Farmers\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Farmer ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Farmers", "Dealer ID")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 12: Related Field Visits

Column name	Related Field Visits
Visible?	ALWAYS
Description	Field Visits entries that reference this entry in the Customer ID column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Field Visits\",\"ReferencedRootTableName\":\"Field Visits\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Visit ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_

	If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Field Visits", "Customer ID")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 13: Related Transactions

Column name	Related Transactions
Visible?	ALWAYS
Description	Transactions entries that reference this entry in the Customer ID column
Type	List
	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Transactions\",\"ReferencedRootTableName\":\"Transactions\",\"Refe

Type Qualifier	rencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Txn ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Transactions", "Customer ID")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 14: Balance

Column name	Balance
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM([Related Transactions][Debit]) - SUM([Related Transactions][Credit])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Microl Balance

Column name	Microl Balance

Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Transactions][Debit], [Company] = "Microl")) - SUM(SELECT([Related Transactions][Credit], [Company] = "Microl"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Alliance Balance

Column name	Alliance Balance
Visible?	ALWAYS
Type	Price

Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Transactions][Debit], [Company] = "Alliance")) - SUM(SELECT([Related Transactions][Credit], [Company] = "Alliance"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Year Sales

Column name	Year Sales
Visible?	ALWAYS
Type	Price
	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThous

Type Qualifier	andsSeparator":true,"NumberDisplayMode":"Auto", "Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset _If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Transactions][Debit], AND([Txn Type] = "Sale", [Date] >= ANY(Settings[Year Start]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Year Payments

Column name	Year Payments
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null," DecimalDigits":2,"NumericDigits":null,"ShowThous andsSeparator":true,"NumberDisplayMode":"Auto", "Valid_If":null,"Error_Message_If_Invalid":null,"Sho

	w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Transactions][Credit], AND([Txn Type] = "Payment", [Date] >= ANY(Settings[Year Start]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Last Payment Date

Column name	Last Payment Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=MAX(SELECT([Related Transactions][Date], [Txn Type] = "Payment"))

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Microl Aqua Bal

Column name	Microl Aqua Bal
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK(SELECT([Related Transactions][Txn ID], [Brand] = \"Microl Aqua\"))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Transactions][Debit], [Brand] = "Microl Aqua")) - SUM(SELECT([Related Transactions][Credit], [Brand] = "Microl Aqua"))
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Microl Remedies Bal

Column name	Microl Remedies Bal
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK(SELECT([Related Transactions][Txn ID], [Brand] = \"Microl Remedies\"))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Transactions][Debit], [Brand] = "Microl Remedies")) - SUM(SELECT([Related Transactions][Credit], [Brand] = "Microl Remedies"))

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Alliance Aqua Bal

Column name	Alliance Aqua Bal
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK(SELECT([Related Transactions][Txn ID], [Brand] = \"Alliance Aqua\"))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Transactions][Debit], [Brand] = "Alliance Aqua")) - SUM(SELECT([Related Transactions][Credit],

	[Brand] = "Alliance Aqua"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Alliance Bal

Column name	Alliance Bal
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK(SELECT([Related Transactions][Txn ID], [Brand] = \"Alliance\"))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Transactions][Debit], [Brand] = "Alliance")) - SUM(SELECT([Related

	Transactions][Credit], [Brand] = "Alliance"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Cash Bal

Column name	Cash Bal
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK(SELECT([Related Transactions][Txn ID], [Brand] = \"Cash\"))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Transactions][Debit], [Brand] = "Cash")) - SUM(SELECT([Related

	Transactions][Credit], [Brand] = CONTAINS([Brand], "Cash")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Statement File

Column name	Statement File
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	="/appsheet/data/BengalStaff2026-511810178/Statements/" & [Stmt File] & ".pdf"
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 26: MRP Sales (Total)

Column name	MRP Sales (Total)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Transactions][MRP Value], [Txn Type] = "Sale"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 27: MRP Returns (Total)

Column name	MRP Returns (Total)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=sum(SELECT([Related Transactions][MRP Value],[Txn Type]="Stock Return"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 28: Net MRP (Total)

Column name	Net MRP (Total)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[MRP Sales (Total)]-[MRP Returns (Total)]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 29: MRP Sales (Year)

Column name	MRP Sales (Year)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=sum(SELECT([Related Transactions][MRP Value],AND([Txn Type]="Sale", [Date]>=ANY(Settings[Year Start]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
	Yes

Editable Initial Value?	
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 30: MRP Sales (Month)

Column name	MRP Sales (Month)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Transactions][MRP Value],AND([Txn Type]="Sale",MONTH([Date])=MONTH(TODAY()),YEAR([Date])=YEAR(TODAY()))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Sales Billed (Total)

Column name	Sales Billed (Total)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Transactions][Amount], [Txn Type]="Sale"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 32: Discount Amount

Column name	Discount Amount
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[MRP Sales (Total)]-[Sales Billed (Total)]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No

Scannable	No
Sensitive data	No

Column 33: Discount %

Column name	Discount %
Visible?	ALWAYS
Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([MRP Sales (Total)]>0,[Discount Amount]/[MRP Sales (Total)],0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Stmt File

Column name	Stmt File
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Customer ID] & "_" & TEXT([Statement At], "YYYYMMDD") & "_" & TOTALSECONDS([Statement At] - DATETIME(DATE([Statement At])))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Farmers_Schema

Schema Name	Farmers_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Farmer ID

Column name	Farmer ID
Visible?	ALWAYS
Description	Farmer master list (replaces New Farmer).
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Farmer Name

Column name	Farmer Name
Visible?	ALWAYS
Type	Name
	{"MaxLength":null,"MinLength":null,"LongTextForm

Type Qualifier	atting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Phone

Column name	Phone
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 5: Village

Column name	Village
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Area

Column name	Area
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Areas","ReferencedRootTableName":"Areas","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Area","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Dealer ID

Column name	Dealer ID
Visible?	ALWAYS
Display name	=Dealer
Type	Ref
Type Qualifier	{"ReferencedTableName":"Customers","ReferencedRootTableName":"Customers","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Customer ID","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Pond Count

Column name	Pond Count
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Total Pond Area (acre)

Column name	Total Pond Area (acre)
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No

Sensitive data	No

Column 10: Location

Column name	Location
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=HERE()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Photo

Column name	Photo
Visible?	ALWAYS
Type	Thumbnail

Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Added By

Column name	Added By
Visible?	ALWAYS
Display name	=Added by
Type	Ref
Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If

	":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 13: Added At

Column name	Added At
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
Initial value	NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Related Field Visits

Column name	Related Field Visits
Visible?	ALWAYS
Description	Field Visits entries that reference this entry in the Farmer ID column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Field Visits\",\"ReferencedRootTableName\":\"Field Visits\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Visit ID\",\"IsAPartOf\":false,\"RelationshipName\":null,

	\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Field Visits", "Farmer ID")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Field Visits_Schema

Schema Name	Field Visits_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Visit ID

Column name	Visit ID
Visible?	ALWAYS
Type	Text
	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Staff Email

Column name	Staff Email
Visible?	ALWAYS
Display name	=Staff
Type	Ref
Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","R

	eferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 4: Visit Date

Column name	Visit Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Visit Time

Column name	Visit Time
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	NOW()
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Visit Type

Column name	Visit Type
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Farmer Visit","Dealer Visit","Office Work"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":"=ISBLANK(FILTER(\"Field Visits\", AND([Staff Email] = USEREMAIL(), [Visit Date] = TODAY(), [Visit ID] <> [_THISROW].[Visit ID], ABS(TOTALMINUTES(NOW() - [Visit Time])) < 5, DISTANCE([Location], [_THISROW].[Location]) < 0.05)))","Error_Message_If_Invalid":"=You already saved a visit here in the last 5 minutes","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Customer ID

Column name	Customer ID
Visible?	ALWAYS
Display name	=Dealer
Type	Ref
Type Qualifier	{"ReferencedTableName":"Customers","ReferencedRootTableName":"Customers","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Customer ID","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"","Error_Message_If_Invali

	d":null,"Show_If":"=[Visit Type] <> \"Office Work\"","Required_If":"=[Visit Type] = \"Dealer Visit\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Farmer ID

Column name	Farmer ID
Visible?	ALWAYS
Display name	=Farmer
Type	Ref
	{"ReferencedTableName":"Farmers","ReferencedRootTableName":"Farmers","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":n

Type Qualifier	ull,\"Suggested_Values\":null}","ReferencedKeyColumn":"Farmer ID","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(Farmers[Farmer ID], OR(ISBLANK([_THISROW].[Customer ID]), [Dealer ID] = [_THISROW].[Customer ID]))","Error_Message_If_Invalid":null,"Show_If":"=[Visit Type] = \"Farmer Visit\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Contact Phone

Column name	Contact Phone
Visible?	ALWAYS
Type	Phone
	{"Callable":true,"Textable":true,"Valid_If":"=OR(ISBLANK([_THIS]), AND(LEN([_THIS]) = 10, ISNOTBLANK(NUMBER([_THIS]))))","Error_Messa

Type Qualifier	ge_If_Invalid":"","Show_If":"=[Visit Type] <> \"Office Work\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(ISNOTBLANK([Farmer ID]), [Farmer ID].[Phone], [Customer ID].[Phone])
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 10: Pond Count

Column name	Pond Count
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Visit Type] = \"Farmer Visit\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[Farmer ID].[Pond Count]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Pond Area (acre)

Column name	Pond Area (acre)
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Visit Type] = \"Farmer Visit\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 12: DOC (days)

Column name	DOC (days)
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Visit Type] = \"Farmer Visit\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Remarks

Column name	Remarks
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=LEN([_THIS]) >= 15","Error_Message_If_Invalid":"=Please write a few more details about the visit","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN

Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Location

Column name	Location
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=HERE()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Photo

Column name	Photo

Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":"=[Visit Type] <> \"Office Work\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Leave Requests_Schema

Schema Name	Leave Requests_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS

Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Leave ID

Column name	Leave ID
Visible?	ALWAYS
Description	Status: Pending / Approved / Rejected / Cancelled. Only managers/admins set Approved or Rejected.
Type	Text
	{"MaxLength":null,"MinLength":null,"LongTextForm

Type Qualifier	atting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Staff Email

Column name	Staff Email
Visible?	ALWAYS
Display name	=Staff
Type	Ref
	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":" {\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":

Type Qualifier	null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 4: Leave Type

Column name	Leave Type
Visible?	ALWAYS
Type	Enum
	{"EnumValues":["Casual","Sick","Unreported"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongText

Type Qualifier	Formatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Casual"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Start Date

Column name	Start Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: End Date

Column name	End Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":"=AND(\n [_THIS] >= [Start Date],\n ISBLANK(FILTER(\"Leave Requests\", AND(\n [Staff Email] = [_THISROW].[Staff Email],\n [Leave ID] <> [_THISROW].[Leave ID],\n IN([Status], {\"Pending\", \"Approved\"}),\n [Start Date] <= [_THISROW].[End Date],\n [End Date] >= [_THISROW].[Start Date]\n)))\n)","Error_Message_If_Invalid":"=End date must be after start date and must not overlap another leave

	request","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[Start Date]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Reason

Column name	Reason
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Status

Column name	Status
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Pending","Approved","Rejected","Cancelled"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
Initial value	="Pending"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Decided By

Column name	Decided By
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Decided At

Column name	Decided At
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Decision Note

Column name	Decision Note
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=IN(LOOKUP(USEREMAIL(), \"Staff\", \"Email\", \"Role\"), {\"Manager\", \"Admin\"})","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Applied At

Column name	Applied At
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Days

Column name	Days
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=HOUR([End Date] - [Start Date]) / 24 + 1
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Messages_Schema

Schema Name	Messages_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Message ID

Column name	Message ID
Visible?	ALWAYS

Description	Broadcasts + festive messages. Audience: All / Area / Selected. Status: Draft / Scheduled / Sent.
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Title

Column name	Title
Visible?	ALWAYS
Type	Text
	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Body

Column name	Body
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Audience

Column name	Audience
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["All","Area","Selected"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
Initial value	="All"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Audience Area

Column name	Audience Area
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Areas","ReferencedRootTableName":"Areas","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"PlainText\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Area","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=[Audience] = \"Area\"","Required_If":"=[Audience] = \"Selected\"","Editable_If":null,"Reset_If":null,"Sugg

	ested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: To Staff

Column name	To Staff
Visible?	ALWAYS
Type	EnumList
Type Qualifier	{"ItemSeparator":null,"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Audience] = \"Selected\"","Required_If":"=[Audience] =

	\"Selected\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Send On

Column name	Send On
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":"=[Status] = \"Scheduled\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Sent By

Column name	Sent By
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 10: Status

Column name	Status
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Draft","Scheduled","Sent"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
Initial value	="Draft"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: For Me

Column name	For Me
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=OR([Audience] = "All", AND([Audience] = "Area", [Audience Area] = LOOKUP(USEREMAIL(), "Staff", "Email", "Area")), AND([Audience] = "Selected", IN(USEREMAIL(), [To Staff])), [Sent By] = USEREMAIL())
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Settings_Schema

Schema Name	Settings_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Setting ID

Column name	Setting ID
Visible?	ALWAYS
Description	One row only. Sale Rate = fraction of MRP billed (0.6 = 60%).
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes

Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Company Name

Column name	Company Name
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Sale Rate

Column name	Sale Rate
Visible?	ALWAYS
Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":0,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	0
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Year Start

Column name	Year Start
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Report Start Date

Column name	Report Start Date
Visible?	ALWAYS
Type	Date
	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_I

Type Qualifier	f":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Finance Email

Column name	Finance Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	Yes

Schema Name Staff_Schema

Schema Name	Staff_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Email

Column name	Email
Visible?	ALWAYS
Description	Email = the Google account each person signs in with. Role: Admin / Manager / Field / Office.
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 3: Name

Column name	Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No

Sensitive data	No

Column 4: Phone

Column name	Phone
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 5: Role

Column name	Role
Visible?	ALWAYS
Type	Enum
	{"EnumValues":

Type Qualifier	["Admin","Manager","Field","Office"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Field"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Area

Column name	Area
Visible?	ALWAYS
Type	Ref

Type Qualifier	{"ReferencedTableName":"Areas","ReferencedRootTableName":"Areas","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Area","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Manager Email

Column name	Manager Email
Visible?	ALWAYS

Type	Ref
Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Join Date

Column name	Join Date
Visible?	ALWAYS
Type	Date
	{"UseLongDateFormat":false,"Valid_If":null,"Error_

Type Qualifier	Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Active

Column name	Active
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Show In Reports

Column name	Show In Reports
Visible?	ALWAYS
Display name	=Field Staff
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Photo

Column name	Photo
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Related Farmers

Column name	Related Farmers
Visible?	ALWAYS
Description	Farmers entries that reference this entry in the Added By column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Farmers\",\"ReferencedRootTableName\":\"Farmers\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Farmer ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Farmers", "Added By")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 13: Related Transactions

Column name	Related Transactions
Visible?	ALWAYS
Description	Transactions entries that reference this entry in the Entered By column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Transactions\",\"ReferencedRootTableName\":\"Transactions\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Txn ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	REF_ROWS("Transactions", "Entered By")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 14: Related Field Visits

Column name	Related Field Visits
Visible?	ALWAYS
Description	Field Visits entries that reference this entry in the Staff Email column
Type	List
	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Field Visits\",\"ReferencedRootTableName\":\"Field Visits\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_I

Type Qualifier	f\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Visit ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Field Visits", "Staff Email")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 15: Related Leave Requests By Staff Email

Column name	Related Leave Requests By Staff Email
Visible?	ALWAYS
Description	Leave Requests entries that reference this entry in the Staff Email column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Leave Requests\",\"ReferencedRootTableName\":\"Leave Requests\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Leave ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Leave Requests", "Staff Email")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 16: Related Leave Requests By Decided By

Column name	Related Leave Requests By Decided By
Visible?	ALWAYS
Description	Leave Requests entries that reference this entry in the Decided By column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Leave Requests\",\"ReferencedRootTableName\":\"Leave Requests\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Leave ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Sho

	w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Leave Requests", "Decided By")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 17: Related Company Pays

Column name	Related Company Pays
Visible?	ALWAYS
Description	Company Pay entries that reference this entry in the Entered By column
Type	List
	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Company Pay\",\"ReferencedRootTableName\":\"Company Pay\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"

Type Qualifier	LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Pay ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Company Pay", "Entered By")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 18: Related Messages

Column name	Related Messages
Visible?	ALWAYS
Description	Messages entries that reference this entry in the Sent By column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Messages\",\"ReferencedRootTableName\":\"Messages\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Message ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Messages", "Sent By")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 19: Leave Taken (Year)

Column name	Leave Taken (Year)
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT([Related Leave Requests By Staff Email][Days], AND([Status] = "Approved", [Start Date] >= ANY(Settings[Year Start]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 20: Pending Leave

Column name	Pending Leave
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT([Related Leave Requests By Staff Email][Leave ID], [Status] = "Pending"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN

Searchable	No
Scannable	No
Sensitive data	No

Column 21: Visits This Month

Column name	Visits This Month
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Field Visits[Visit ID], AND([Staff Email] = [_THISROW].[Email], MONTH([Visit Date]) = MONTH(TODAY()), YEAR([Visit Date]) = YEAR(TODAY()))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No

Scannable	No
Sensitive data	No

Column 22: Visits Today

Column name	Visits Today
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Field Visits[Visit ID], AND([Staff Email] = [_THISROW].[Email], [Visit Date] = TODAY())))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Last Visit

Column name	Last Visit
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=MAX(SELECT(Field Visits[Visit Date], [Staff Email] = [_THISROW].[Email]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Reported Days (Month)

Column name	Reported Days (Month)
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(Field Visits[Visit Date], AND([Staff Email] = [_THISROW].[Email], MONTH([Visit Date]) = MONTH(TODAY()), YEAR([Visit Date]) = YEAR(TODAY()))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Unreported (Month)

Column name	Unreported (Month)
Visible?	ALWAYS
Type	Number
	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":tr

Type Qualifier	ue,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Leave Requests[Leave ID], AND([Staff Email] = [_THISROW].[Email], [Leave Type] = "Unreported", [Status] = "Approved", MONTH([Start Date]) = MONTH(TODAY()), YEAR([Start Date]) = YEAR(TODAY())))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Month Sales

Column name	Month Sales
Visible?	ALWAYS
Type	Price
	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThous

Type Qualifier	andsSeparator":true,"NumberDisplayMode":"Auto", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Transactions[Amount], AND([Txn Type] = "Sale", IN([_THISROW].[Email], [Customer ID].[Assigned Staff]), MONTH([Date]) = MONTH(TODAY()), YEAR([Date]) = YEAR(TODAY())))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Month Payments

Column name	Month Payments
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto",

	"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Transactions[Amount], AND([Txn Type] = "Payment", IN([_THISROW].[Email], [Customer ID].[Assigned Staff]), MONTH([Date]) = MONTH(TODAY()), YEAR([Date]) = YEAR(TODAY())))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 28: Year Sales

Column name	Year Sales
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho

	w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Transactions[Amount], AND([Txn Type] = "Sale", IN([_THISROW].[Email], [Customer ID].[Assigned Staff]), [Date] >= ANY(Settings[Year Start]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Year Payments

Column name	Year Payments
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=SUM(SELECT(Transactions[Amount], AND([Txn Type] = "Payment", IN([_THISROW].[Email], [Customer ID].[Assigned Staff]), [Date] >= ANY(Settings[Year Start]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 30: Outstanding

Column name	Outstanding
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Customers[Balance], IN([_THISROW].[Email], [Assigned Staff])))

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Month MRP

Column name	Month MRP
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Transactions[MRP Value],AND([Txn Type]="Sale",IN([_THISROW].[Email],[Customer ID].[Assigned Staff]),MONTH([Date])=MONTH(TODAY()),YEAR([Date])=YEAR(TODAY()))))

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 32: Year MRP

Column name	Year MRP
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Transactions[MRP Value],AND([Txn Type]="Sale",IN([_THISROW].[Email],[Customer ID].[Assigned Staff]),[Date]>= ANY(Settings[Year Start]))))

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Today Visits

Column name	Today Visits
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Field Visits[Visit ID],AND([Staff Email]=[_THISROW].[Email],[Visit Date]=TODAY())))
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Last Visit Time

Column name	Last Visit Time
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=MAX(SELECT(Field Visits[Visit Date],AND([Staff Email]=[_thisrow].[Email],[Visit Date]=TODAY())))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Transactions_Schema

Schema Name	Transactions_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Txn ID

Column name	Txn ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Date

Column name	Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Customer ID

Column name	Customer ID
Visible?	ALWAYS
Display name	=Customer
Type	Ref
Type Qualifier	{"ReferencedTableName":"Customers","ReferencedRootTableName":"Customers","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Customer ID","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Company

Column name	Company
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Companies","ReferencedRootTableName":"Companies","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Company","IsAPartOf":false,"RelationshipName":null,"InputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Brand

Column name	Brand
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Brands","ReferencedRootTableName":"Brands","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Brand","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(Brands[Brand], [Company] = [_THISROW].[Company])","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes

Scannable	No
Sensitive data	No

Column 7: Txn Type

Column name	Txn Type
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Sale","Payment","Stock Return","JV","Opening Balance"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Sale"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Invoice No

Column name	Invoice No
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Txn Type] = \"Sale\"","Required_If":"=[Txn Type] = \"Sale\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: MRP Value

Column name	MRP Value
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=IN([Txn Type], {\"Sale\", \"Stock Return\"})","Required_If":"=IN([Txn Type], {\"Sale\", \"Stock Return\"})","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Amount

Column name	Amount
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"=[Amount] > 0","Error_Message_If_Invalid":"=Amount must be more than zero","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":"=IN([Txn Type], {\"Sale\", \"Stock Return\"})","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=IN([Txn Type], {"Sale", "Stock Return"})
Initial value	=IF(IN([Txn Type], {"Sale", "Stock Return"}), [MRP Value] * ANY(Settings[Sale Rate]), 0)
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Notes

Column name	Notes

Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Entered By

Column name	Entered By
Visible?	ALWAYS
Type	Ref
	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,

Type Qualifier	\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Buttons","Valid_If":"=LIST(\"sales@microlremedies.com\", \"subratadhara.204@gmail.com\")","Error_Message_If_Invalid":"=IF(IN(USEREMAIL(), LIST(\"sales@microlremedies.com\", \"subratadhara.204@gmail.com\")), USEREMAIL(), \"\")","Show_If":null,"Required_If":null,"Editable_If":"=SELECT(Staff[Email], [Role] = \"Admin\")","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 13: Entered At

Column name	Entered At

Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	hi-IN
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Debit

Column name	Debit
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto",

	"Valid_If":"","Error_Message_If_Invalid":"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(IN([Txn Type], {"Sale", "Opening Balance"}), [Amount], 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Credit

Column name	Credit
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto", "Valid_If":"","Error_Message_If_Invalid":"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=IF(IN([Txn Type], {"Payment", "Stock Return", "JV"}), [Amount], 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Discount %

Column name	Discount %
Visible?	ALWAYS
Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":"=IN([Txn Type], {\"Sale\", \"Stock Return\"})","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(AND([Txn Type] = "Sale", [MRP Value] > 0), ([MRP Value] - [Amount]) / [MRP Value], "")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	hi-IN
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Leave Applied - 1 Process Table_Schema

Schema Name	Process for Leave Applied - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_

	If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Leave ID

Column name	Leave ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Staff Email

Column name	Staff Email
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Leave Type

Column name	Leave Type
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Casual","Sick","Unreported"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	

	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Start Date

Column name	Start Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 6: End Date

Column name	End Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":"=AND(\n [_THIS] >= [Start Date],\n ISBLANK(FILTER(\"Leave Requests\", AND(\n [Staff Email] = [_THISROW].[Staff Email],\n [Leave ID] <> [_THISROW].[Leave ID],\n IN([Status], {\"Pending\", \"Approved\"}),\n [Start Date] <= [_THISROW].[End Date],\n [End Date] >= [_THISROW].[Start Date]\n)))\n)","Error_Message_If_Invalid":"=End date must be after start date and must not overlap another leave request","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 7: Reason

Column name	Reason
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Status

Column name	Status
Visible?	ALWAYS

Type	Enum
Type Qualifier	{"EnumValues": ["Pending","Approved","Rejected","Cancelled"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Decided By

Column name	Decided By
Visible?	ALWAYS

Type	Ref
Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Decided At

Column name	Decided At
Visible?	ALWAYS
Type	DateTime
	{"MinValue":null,"MaxValue":null,"UseLongDateFor

Type Qualifier	mat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Decision Note

Column name	Decision Note
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=IN(LOOKUP(USEREMAIL(), \"Staff\", \"Email\", \"Role\"), {\"Manager\", \"Admin\"})","Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Applied At

Column name	Applied At
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Days

Column name	Days
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Leave Decided Process Table_Schema

Schema Name	Process for Leave Decided Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 2: Leave ID

Column name	Leave ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Staff Email

Column name	Staff Email
Visible?	ALWAYS
Type	Ref

Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Leave Type

Column name	Leave Type
Visible?	ALWAYS
Type	Enum
	{"EnumValues":["Casual","Sick","Unreported"],"AllowOtherValues":f

Type Qualifier	alse,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"PlainText\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Start Date

Column name	Start Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_

	Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: End Date

Column name	End Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":"=AND(\n [_THIS] >= [Start Date],\n ISBLANK(FILTER(\"Leave Requests\", AND(\n [Staff Email] = [_THISROW].[Staff Email],\n [Leave ID] <> [_THISROW].[Leave ID],\n IN([Status], {\"Pending\", \"Approved\"}),\n [Start Date] <= [_THISROW].[End Date],\n [End Date] >= [_THISROW].[Start Date]\n)))\n)","Error_Message_If_Invalid":"=End date must be after start date and must not overlap another leave request","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Reason

Column name	Reason
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Status

Column name	Status
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Pending","Approved","Rejected","Cancelled"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Decided By

Column name	Decided By
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Decided At

Column name	Decided At
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Decision Note

Column name	Decision Note
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=IN(LOOKUP(USEREMAIL(), \"Staff\", \"Email\", \"Role\"), {\"Manager\", \"Admin\"})","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Applied At

Column name	Applied At
Visible?	ALWAYS
Type	DateTime

Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Days

Column name	Days
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Send Scheduled Messages - 1 Process Table_Schema

Schema Name	Process for Send Scheduled Messages - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Message ID

Column name	Message ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Title

Column name	Title
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 4: Body

Column name	Body
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Audience

Column name	Audience
Visible?	ALWAYS
Type	Enum

Type Qualifier	{"EnumValues": ["All","Area","Selected"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Audience Area

Column name	Audience Area
Visible?	ALWAYS
Type	Ref
	{"ReferencedTableName":"Areas","ReferencedRoot

Type Qualifier	TableName":"Areas","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Area","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=[Audience] = \"Area\"","Required_If":"=[Audience] = \"Selected\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: To Staff

Column name	To Staff
Visible?	ALWAYS
Type	EnumList

Type Qualifier	{"ItemSeparator":null,"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Audience] = \"Selected\"","Required_If":"=[Audience] = \"Selected\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Send On

Column name	Send On
Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":"=[Status] = \"Scheduled\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Sent By

Column name	Sent By
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null

	,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Status

Column name	Status
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Draft","Scheduled","Sent"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":n

	ull,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: For Me

Column name	For Me
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Send Message Now - 1 Process Table_Schema

Schema Name	Process for Send Message Now - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Message ID

Column name	Message ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 3: Title

Column name	Title
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Body

Column name	Body
Visible?	ALWAYS

Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Audience

Column name	Audience
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["All","Area","Selected"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\

	"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Audience Area

Column name	Audience Area
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Areas","ReferencedRootTableName":"Areas","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":n

	ull,\"Suggested_Values\":null}","ReferencedKeyColumn":"Area","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=[Audience] = \"Area\"","Required_If":"=[Audience] = \"Selected\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: To Staff

Column name	To Staff
Visible?	ALWAYS
Type	EnumList
Type Qualifier	{"ItemSeparator":null,"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"

	Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Audience] = \"Selected\"","Required_If":"=[Audience] = \"Selected\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Send On

Column name	Send On
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":"=[Status] = \"Scheduled\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Sent By

Column name	Sent By
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Status

Column name	Status
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Draft","Scheduled","Sent"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: For Me

Column name	For Me
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Schema Name Process for Customer Statement - 1 Process Table_Schema

Schema Name	Process for Customer Statement - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Customer ID

Column name	Customer ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Customer Name

Column name	Customer Name

Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Customer Type

Column name	Customer Type
Visible?	ALWAYS
Type	Enum
	{"EnumValues":["Dealer","Sub-Dealer","Retailer","Direct Farmer"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongText

Type Qualifier	Formatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Phone

Column name	Phone
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Area

Column name	Area
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Areas","ReferencedRootTableName":"Areas","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"PlainText\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Area","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Address

Column name	Address
Visible?	ALWAYS
Type	Address
Type Qualifier	{"GeocodingEnabled":true,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Assigned Staff

Column name	Assigned Staff
Visible?	ALWAYS
Type	EnumList
Type Qualifier	{"ItemSeparator":null,"EnumValues":[],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Ref","BaseTypeQualifier":"{\"ReferencedTableName\":\"Staff\",\"ReferencedRootTableName\":\"Staff\",\"ReferencedType\":\"Email\",\"ReferencedTypeQualifier\":\"{\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Email\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":"=Staff[Email]","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Active

Column name	Active
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 10: Statement At

Column name	Statement At
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Related Farmers

Column name	Related Farmers
Visible?	ALWAYS
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Farmers\",\"ReferencedRootTableName\":\"Farmers\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Farmer ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Related Field Visits

Column name	Related Field Visits
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Field Visits\",\"ReferencedRootTableName\":\"Field Visits\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Visit ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	

	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Related Transactions

Column name	Related Transactions
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Transactions\",\"ReferencedRootTableName\":\"Transactions\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Txn ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Balance

Column name	Balance
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Microl Balance

Column name	Microl Balance
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Alliance Balance

Column name	Alliance Balance
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Year Sales

Column name	Year Sales
Visible?	ALWAYS
Type	Price

Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Year Payments

Column name	Year Payments
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Last Payment Date

Column name	Last Payment Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Microl Aqua Bal

Column name	Microl Aqua Bal
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK(SELECT([Related Transactions][Txn ID], [Brand] = \"Microl Aqua\"))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Microl Remedies Bal

Column name	Microl Remedies Bal
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK(SELECT([Related Transactions][Txn ID], [Brand] = \"Microl Remedies\"))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Alliance Aqua Bal

Column name	Alliance Aqua Bal
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK(SELECT([Related Transactions][Txn ID], [Brand] = \"Alliance Aqua\"))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Alliance Bal

Column name	Alliance Bal
Visible?	ALWAYS

Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK(SELECT([Related Transactions][Txn ID], [Brand] = \"Alliance\"))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Cash Bal

Column name	Cash Bal
Visible?	ALWAYS
Type	Price
	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto",

Type Qualifier	"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK(SELECT([Related Transactions][Txn ID], [Brand] = \"Cash\"))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Statement File

Column name	Statement File
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 26: MRP Sales (Total)

Column name	MRP Sales (Total)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: MRP Returns (Total)

Column name	MRP Returns (Total)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 28: Net MRP (Total)

Column name	Net MRP (Total)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: MRP Sales (Year)

Column name	MRP Sales (Year)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: MRP Sales (Month)

Column name	MRP Sales (Month)
Visible?	ALWAYS
Type	Price
	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"

Type Qualifier	DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Sales Billed (Total)

Column name	Sales Billed (Total)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: Discount Amount

Column name	Discount Amount
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Discount %

Column name	Discount %
Visible?	ALWAYS
Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Stmt File

Column name	Stmt File
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for Mark Non-Reporting Days - 1 Process Table_Schema

Schema Name	Process for Mark Non-Reporting Days - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Email

Column name	Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Name

Column name	Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_

	Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Phone

Column name	Phone
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Role

Column name	Role
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Admin","Manager","Field","Office"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Area

Column name	Area
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Areas","ReferencedRootTableName":"Areas","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Area","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Manager Email

Column name	Manager Email
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
	Yes

Editable Initial Value?	
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Join Date

Column name	Join Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Active

Column name	Active
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Show In Reports

Column name	Show In Reports
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Photo

Column name	Photo
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Related Farmers

Column name	Related Farmers
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Farmers\",\"ReferencedRootTableName\":\"Farmers\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Farmer ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Related Transactions

Column name	Related Transactions
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Transactions\",\"ReferencedRootTableName\":\"Transactions\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Txn ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Related Field Visits

Column name	Related Field Visits
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Field Visits\",\"ReferencedRootTableName\":\"Field Visits\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Visit ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Me

	ssage_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Related Leave Requests By Staff Email

Column name	Related Leave Requests By Staff Email
Visible?	ALWAYS
Type	List
	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Leave Requests\",\"ReferencedRootTableName\":\"Leave Requests\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"

Type Qualifier	{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Leave ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Related Leave Requests By Decided By

Column name	Related Leave Requests By Decided By

Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Leave Requests\",\"ReferencedRootTableName\":\"Leave Requests\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Leave ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 17: Related Company Pays

Column name	Related Company Pays
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Company Pay\",\"ReferencedRootTableName\":\"Company Pay\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Pay ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Related Messages

Column name	Related Messages
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Messages\",\"ReferencedRootTableName\":\"Messages\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Message ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Leave Taken (Year)

Column name	Leave Taken (Year)
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 20: Pending Leave

Column name	Pending Leave
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No

Column 21: Visits This Month

Column name	Visits This Month
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Visits Today

Column name	Visits Today
Visible?	ALWAYS

Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Last Visit

Column name	Last Visit
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Reported Days (Month)

Column name	Reported Days (Month)
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Unreported (Month)

Column name	Unreported (Month)
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	No
Scannable	No
Sensitive data	No

Column 26: Month Sales

Column name	Month Sales
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Month Payments

Column name	Month Payments
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 28: Year Sales

Column name	Year Sales
Visible?	ALWAYS
Type	Price
	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThous

Type Qualifier	andsSeparator":true,"NumberDisplayMode":"Auto", "Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset _If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Year Payments

Column name	Year Payments
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null," DecimalDigits":2,"NumericDigits":null,"ShowThous andsSeparator":true,"NumberDisplayMode":"Auto", "Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset _If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: Outstanding

Column name	Outstanding
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Month MRP

Column name	Month MRP
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	No
Scannable	No
Sensitive data	No

Column 32: Year MRP

Column name	Year MRP
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Today Visits

Column name	Today Visits
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Last Visit Time

Column name	Last Visit Time
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: New step

Column name	New step
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"New step Output","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name New step Output_Schema

Schema Name	New step Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Email

Column name	Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Name

Column name	Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Phone

Column name	Phone
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Role

Column name	Role
Visible?	ALWAYS
Type	Enum
	{"EnumValues":["Admin","Manager","Field","Office"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"

Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Area

Column name	Area
Visible?	ALWAYS
Type	Ref
	{"ReferencedTableName":"Areas","ReferencedRootTableName":"Areas","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

Type Qualifier	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Area","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Manager Email

Column name	Manager Email
Visible?	ALWAYS
Type	Ref
	{"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier":"{\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":

Type Qualifier	null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Email","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Join Date

Column name	Join Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Active

Column name	Active
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Show In Reports

Column name	Show In Reports
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Photo

Column name	Photo
Visible?	ALWAYS

Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Related Farmers

Column name	Related Farmers
Visible?	ALWAYS
Type	List
	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Farmers\",\"ReferencedRootTableName\":\"Farmers\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editabl

Type Qualifier	e_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Farmer ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Related Transactions

Column name	Related Transactions
Visible?	ALWAYS
Type	List
	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Transactions\",\"ReferencedRootTableName\":\"Transactions\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\"

Type Qualifier	:\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\" LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\" Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Txn ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Related Field Visits

Column name	Related Field Visits

Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Field Visits\",\"ReferencedRootTableName\":\"Field Visits\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Visit ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 15: Related Leave Requests By Staff Email

Column name	Related Leave Requests By Staff Email
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Leave Requests\",\"ReferencedRootTableName\":\"Leave Requests\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Leave ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Related Leave Requests By Decided By

Column name	Related Leave Requests By Decided By
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Leave Requests\",\"ReferencedRootTableName\":\"Leave Requests\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Leave ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Related Company Pays

Column name	Related Company Pays
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Company Pay\",\"ReferencedRootTableName\":\"Company Pay\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Pay ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Me

	ssage_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Related Messages

Column name	Related Messages
Visible?	ALWAYS
Type	List
	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Messages\",\"ReferencedRootTableName\":\"Messages\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"

Type Qualifier	Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"Message ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Leave Taken (Year)

Column name	Leave Taken (Year)
Visible?	ALWAYS
Type	Number
	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":tr

Type Qualifier	ue,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 20: Pending Leave

Column name	Pending Leave
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Visits This Month

Column name	Visits This Month
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Visits Today

Column name	Visits Today
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 23: Last Visit

Column name	Last Visit
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Reported Days (Month)

Column name	Reported Days (Month)
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Unreported (Month)

Column name	Unreported (Month)
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Month Sales

Column name	Month Sales
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Month Payments

Column name	Month Payments
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
	Yes

Editable Initial Value?	
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 28: Year Sales

Column name	Year Sales
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Year Payments

Column name	Year Payments
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: Outstanding

Column name	Outstanding
Visible?	ALWAYS
Type	Price

Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Month MRP

Column name	Month MRP
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset

	_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: Year MRP

Column name	Year MRP
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":" ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=CONTEXT(\"ViewType\") <> \"Form\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Today Visits

Column name	Today Visits
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Last Visit Time

Column name	Last Visit Time
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for Hourly Field Alert - 1

Process Table_Schema

Schema Name	Process for Hourly Field Alert - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Slices

Slice Name My Visits

Slice Name	My Visits
Slice Columns	_RowNumber Visit ID Staff Email Visit Date Visit Time Visit Type Customer ID Farmer ID Contact Phone Pond Count Pond Area (acre) DOC (days) Remarks Location Photo
Row filter condition	=[Staff Email]=USEREMAIL()
Update mode	ALL_CHANGES
Source Table	Field Visits
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Today Visits

Slice Name	Today Visits
Slice Columns	_RowNumber Visit ID Staff Email Visit Date Visit Time Visit Type Customer ID Farmer ID

	Contact Phone Pond Count Pond Area (acre) DOC (days) Remarks Location Photo
Row filter condition	=[Visit Date]=TODAY()
Update mode	READ_ONLY
Source Table	Field Visits
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name My Leave

Slice Name	My Leave
Slice Columns	_RowNumber Leave ID Staff Email Leave Type Start Date End Date Reason Status Decided By Decided At Decision Note Applied At Days
Row filter condition	=[Staff Email]=USEREMAIL()
Update mode	ALL_CHANGES
Source Table	Leave Requests
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Pending Leave

Slice Name	Pending Leave
Slice Columns	_RowNumber Leave ID Staff Email Leave Type Start Date End Date Reason Status Decided By Decided At Decision Note Applied At Days
Row filter condition	=[Status]="Pending"
Update mode	UPDATES_ONLY
Source Table	Leave Requests
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name My Customers

Slice Name	My Customers
	_RowNumber Customer ID Customer Name Customer Type Phone Area Address Assigned Staff Active Related Farmers Related Field Visits Related Transactions

Slice Columns	Balance Microl Balance Alliance Balance Year Sales Year Payments Last Payment Date Microl Aqua Bal Microl Remedies Bal Alliance Aqua Bal Alliance Bal Cash Bal Statement At Statement File MRP Sales (Total) MRP Returns (Total) Net MRP (Total) MRP Sales (Year) MRP Sales (Month) Sales Billed (Total) Discount %
Row filter condition	=OR(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", IN(USEREMAIL(), [Assigned Staff]))
Update mode	READ_ONLY
Source Table	Customers
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name My Farmers

Slice Name	My Farmers
Slice Columns	_RowNumber Farmer ID Farmer Name Phone Village Area Dealer ID Pond Count

	Total Pond Area (acre) Location Photo Added By Added At Related Field Visits
Row filter condition	=OR(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", [Added By] = USEREMAIL(), IN(USEREMAIL(), [Dealer ID].[Assigned Staff]))
Update mode	ALL_CHANGES
Source Table	Farmers
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name My Messages

Slice Name	My Messages
Slice Columns	_RowNumber Message ID Title Body Audience Audience Area To Staff Send On Sent By Status For Me
Row filter condition	=[For Me]
Update mode	READ_ONLY
Source Table	Messages
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Team

Slice Name	Team
Slice Columns	_RowNumber Email Name Phone Role Area Manager Email Join Date Active Show In Reports Photo Related Farmers Related Transactions Related Field Visits Related Leave Requests By Staff Email Related Leave Requests By Decided By Related Company Pays Related Messages Leave Taken (Year) Pending Leave Visits This Month Visits Today Last Visit Reported Days (Month) Unreported (Month) Month Sales Month Payments Year Sales Year Payments Outstanding Month MRP Year MRP Today Visits Last Visit Time
Row filter condition	=AND([Active], [Show In Reports], OR(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", [Manager Email] = USEREMAIL()))
Update mode	READ_ONLY

Source Table	Staff
Visible?	ALWAYS
Slice Actions	**auto**

UX

Views

View name Customers

View name	Customers
Created by	App owner
View type	deck
ActionType	Square Image
Position	center
View configuration	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"Year Sales","SecondaryDeckHeaderColumn":"Year Payments","DeckSummaryColumn":"**none**","DeckNestedTableColumn":null,"ShowActionBar":false,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[{"Column":"Assigned Staff","Order":"Ascending"},{"Column":"Customer Name","Order":"Ascending"}],"GroupAggregate":"SUM :: Net MRP (Total)","SortBy":[{"Column":"Assigned Staff","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-store-alt","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=OR(LOOKUP(USEREMAIL(), "Staff", "Email", "Show In Reports"), LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Manager")

View name Leave

View name	Leave
Created by	App owner
View type	deck
ActionType	Square Image
Position	center
View configuration	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"Leave Type","SecondaryDeckHeaderColumn":"Status","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"Start Date","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-calendar-check","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name All Visits

View name	All Visits
Created by	App owner
View type	table
Position	left
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[{"Column":"Visit Date","Order":"Descending"},{"Column":"Staff Email","Order":"Descending"},{"Column":"Visit Type","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":[{"Column":"Visit Date","Order":"Descending"}],"PrimarySortColumn":null

	,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=IN(LOOKUP(USEREMAIL(), "Staff", "Email", "Role"), {"Manager", "Admin"})

View name Transactions

View name	Transactions
Created by	App owner
View type	table
Position	left
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["Date","Customer ID","Txn Type","Invoice No","Company","Amount","MRP Value","Entered By"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"Date","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fas fa-rupee-sign","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	₹
Menu order	1
Show if	=LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin"

View name All Customers

View name	All Customers
Created by	App owner
View type	table
Position	left

View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["Customer Name","Year Sales","Year Payments","Balance","Microl Balance","Alliance Balance","Last Payment Date"],"GroupBy":[{"Column":"Assigned Staff","Order":"Ascending"},{"Column":"_RowNumber","Order":"Ascending"}],"GroupAggregate":"SUM :: Year Sales","SortBy":[{"Column":"Assigned Staff","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fas fa-book-user","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin"

View name Farmers

View name	Farmers
Created by	App owner
View type	deck
ActionType	Square Image
Position	left
View configuration	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"Farmer Name","SecondaryDeckHeaderColumn":"Village","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"Farmer Name","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row

	Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-fist-raised","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=OR(LOOKUP(USEREMAIL(), "Staff", "Email", "Show In Reports"), LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Manager")

View name Company Pay

View name	Company Pay
Created by	App owner
View type	table
Position	left
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy": [{"Column":"Month","Order":"Descending"}, {"Column":"Total with 3%","Order":"Ascending"}],"GroupAggregate":"SUM :: Pay","SortBy": [{"Column":"_RowNumber","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fas fa-wallet","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=USEREMAIL() = "sales@microlremedies.com"

View name Visits

View name	Visits
Created by	App owner

View type	deck
ActionType	Square Image
Position	left most
View configuration	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"Visit Type","SecondaryDeckHeaderColumn":"Customer ID","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[{"Column":"Visit Date","Order":"Descending"},{"Column":"_RowNumber","Order":"Descending"}],"GroupAggregate":"COUNT","SortBy":[{"Column":"Visit Time","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-map-marker-check","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=LOOKUP(USEREMAIL(), "Staff", "Email", "Show In Reports")

View name Message

View name	Message
Created by	App owner
View type	deck
ActionType	Square Image
Position	right most
	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"Title","SecondaryDeckHeaderColumn":"Body","DeckSummaryColumn":

View configuration	"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"Send On","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-bell","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=OR(LOOKUP(USEREMAIL(), "Staff", "Email", "Show In Reports"), LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Manager")

View name Areas & Brands

View name	Areas & Brands
Created by	App owner
View type	table
Position	menu
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"Company","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fas fa-tags","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
	=LOOKUP(USEREMAIL(), "Staff", "Email", "Role") =

Show if	"Admin"

View name Daily Monitor

View name	Daily Monitor
Created by	App owner
View type	table
Position	menu
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["Name","Area","Visits Today","Last Visit","Reported Days (Month)","Unreported (Month)","Leave Taken (Year)"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fas fa-desktop-alt","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=USEREMAIL()="sales@microlremedies.com"

View name Farmers List

View name	Farmers List
Created by	App owner
View type	deck
ActionType	Square Image
Position	menu
	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"Farmer Name","SecondaryDeckHeaderColumn":"Village","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":

View configuration	[{"Column":"Farmer Name","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-fist-raised","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=NOT(OR(LOOKUP(USEREMAIL(), "Staff", "Email", "Show In Reports"), LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Manager"))

View name Leave Approvals

View name	Leave Approvals
Created by	App owner
View type	deck
ActionType	Square Image
Position	menu
View configuration	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"Start Date","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-user-

	check","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(LOOKUP(USEREMAIL(), "Staff", "Email", "Role"), {"Manager", "Admin"})

View name Send Message

View name	Send Message
Created by	App owner
View type	deck
ActionType	Square Image
Position	menu
View configuration	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"Send On","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-bullhorn","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin"

View name Settings

View name	Settings
Created by	App owner
View type	detail
ActionType	Automatic
Position	menu
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fas fa-cog","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	⚙
Menu order	1
Show if	=LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin"

View name Staff Performance

View name	Staff Performance
Created by	App owner
View type	table
Position	menu
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["Name","Area","Month Sales","Month Payments","Year Sales","Year Payments","Outstanding"],"GroupBy":[],"GroupAggregate":"SUM :: Visits Today","SortBy":[{"Column":"Name","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fas fa-

	chart-line","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=USEREMAIL()="sales@microlremedies.com"

View name Team

View name	Team
Created by	App owner
View type	table
Position	menu
View configuration	{"ColumnWidth":"Wide","EnableQuickEdit":false,"ColumnOrder":["Name","Role","Area","Visits This Month","Pending Leave","Leave Taken (Year)"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"Name","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fas fa-users","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(LOOKUP(USEREMAIL(), "Staff", "Email", "Role"), {"Manager", "Admin"})

View name Today’s Visits

View name	Today’s Visits
Created by	App owner
View type	deck
ActionType	Square Image
Position	menu
	{"MainDeckImageColumn":"**auto**","ImageShape":"S

View configuration	quare Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[{"Column":"Staff Email","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":[{"Column":"Visit Time","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-map-marked","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(LOOKUP(USEREMAIL(), "Staff", "Email", "Role"), {"Manager", "Admin"})

View name Areas_Detail

View name	Areas_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-

	indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Areas_Form

View name	Areas_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Brands_Detail

View name	Brands_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending

	":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Brands_Form

View name	Brands_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Brands_Inline

View name	Brands_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	
Menu order	1

View name Companies_Detail

View name	Companies_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Companies_Form

View name	Companies_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-

	edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Company Pay_Detail

View name	Company Pay_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Detail","Date","Amount","Received In","Month","Pay","Total with 3%"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Company Pay_Form

View name	Company Pay_Form
Created by	System
View type	form
Position	ref
	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterSt

View configuration	yle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Company Pay_Inline

View name	Company Pay_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Customers_Detail

View name	Customers_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Customer Name","Customer

View configuration	Type","Phone","Area","Address","Assigned Staff","Active","Statement At","Related Farmers","Related Field Visits","Related Transactions","Balance","Microl Balance","Alliance Balance","Year Sales","Year Payments","Last Payment Date","Microl Aqua Bal","Microl Remedies Bal","Alliance Aqua Bal","Alliance Bal","Cash Bal","Statement File","MRP Sales (Total)","MRP Returns (Total)","Net MRP (Total)","MRP Sales (Year)","MRP Sales (Month)","Sales Billed (Total)","Discount Amount","Discount %"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Customers_Form

View name	Customers_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	

Menu order	1

View name Customers_Inline

View name	Customers_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Farmers_Detail

View name	Farmers_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	
Menu order	1

View name Farmers_Form

View name	Farmers_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Farmers_Inline

View name	Farmers_Inline
Created by	System
View type	deck
ActionType	Square Image
Position	ref
View configuration	{"MainDeckImageColumn":null,"ImageShape":"Square Image","PrimaryDeckHeaderColumn":null,"SecondaryDeckHeaderColumn":null,"DeckSummaryColumn":null,"DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":null,"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},

	{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Field Visits_Detail

View name	Field Visits_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Field Visits_Form

View name	Field Visits_Form
Created by	System
View type	form
Position	ref
	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterSt

View configuration	yle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Field Visits_Inline

View name	Field Visits_Inline
Created by	System
View type	deck
ActionType	Square Image
Position	ref
View configuration	{"MainDeckImageColumn":null,"ImageShape":"Square Image","PrimaryDeckHeaderColumn":null,"SecondaryDeckHeaderColumn":null,"DeckSummaryColumn":null,"DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":null,"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Leave Requests_Detail

View name	Leave Requests_Detail
Created by	System

View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Leave Requests_Form

View name	Leave Requests_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Leave Requests_Inline

View name	Leave Requests_Inline

Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Messages_Detail

View name	Messages_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Messages_Form

View name	Messages_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Messages_Inline

View name	Messages_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name My Customers_Detail

View name	My Customers_Detail
Created by	System

View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Customer Name","Customer Type","Phone","Balance","Microl Balance","Alliance Balance","Year Sales","Year Payments","Last Payment Date","Microl Aqua Bal","Microl Remedies Bal","Alliance Aqua Bal","Alliance Bal","Cash Bal","MRP Sales (Total)","MRP Returns (Total)","Net MRP (Total)","MRP Sales (Year)","MRP Sales (Month)","Related Farmers","Related Field Visits","Related Transactions"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name My Farmers_Detail

View name	My Farmers_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"Slid

	eshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name My Farmers_Form

View name	My Farmers_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":true,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name My Leave_Detail

View name	My Leave_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":fals

View configuration	e,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name My Leave_Form

View name	My Leave_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name My Messages_Detail

View name	My Messages_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":

View configuration	[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name My Visits_Detail

View name	My Visits_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name My Visits_Form

View name	My Visits_Form
Created by	System

View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Pending Leave_Detail

View name	Pending Leave_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Pending Leave_Form

View name	Pending Leave_Form

Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Settings_Detail

View name	Settings_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Settings_Form

View name	Settings_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Staff_Detail

View name	Staff_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Staff_Form

View name	Staff_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Staff_Inline

View name	Staff_Inline
Created by	System
View type	deck
ActionType	Square Image
Position	ref
View configuration	{"MainDeckImageColumn":null,"ImageShape":"Square Image","PrimaryDeckHeaderColumn":null,"SecondaryDeckHeaderColumn":null,"DeckSummaryColumn":null,"DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":null,"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}

Visible?	ALWAYS
Icon	
Menu order	1

View name Team_Detail

View name	Team_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Today Visits_Detail

View name	Today Visits_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"Slid

View configuration	eshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Transactions_Detail

View name	Transactions_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Invoice No","Txn ID","Date","Customer ID","Company","Brand","Txn Type","MRP Value","Discount %","Amount","Notes","Entered By","Entered At","Debit","Credit"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Transactions_Form

View name	Transactions_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Transactions_Inline

View name	Transactions_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

Format Rules

Rule name No visit today

Rule name	No visit today
Format these columns and actions	Area
For this data	Staff
If this condition is true	=AND([Show In Reports], [Visits Today] = 0)
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Behavior

Actions

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Areas
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
	{"DesktopBehavior":"Open a

With these properties	form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Areas
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Brands
Does this action apply to the whole table?	No

Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Brands
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"Confirm

With these properties	ationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Companies
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Companies
Does this action apply to the whole table?	No

Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Company Pay
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConf

	irmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Company Pay
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Customers
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Customers
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}

Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Farmers
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Farmers
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Field Visits
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
	=OR(LOOKUP(USEREMAIL(), "Staff", "Email",

Only if this condition is true	"Role") = "Admin", AND([Staff Email] = USEREMAIL(), [Visit Date] = TODAY()))
Disable automatic updates?	No
Action icon	
For a record of this table	Field Visits
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Leave Requests
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Only if this condition is true	=OR(IN(LOOKUP(USEREMAIL(), "Staff", "Email", "Role"), {"Manager", "Admin"}), AND([Staff Email] = USEREMAIL(), [Status] = "Pending"))
Disable automatic updates?	No
Action icon	
For a record of this table	Leave Requests
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"Confirm

	ationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Messages
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Messages
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Settings
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}

Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Settings
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Staff
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Staff
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD

Disable automatic updates?	No
Action icon	
For a record of this table	Transactions
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Transactions
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (Phone)

Action name	Call Phone (Phone)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[Phone]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	Phone
Set this column	Phone
Only if this condition is true	NOT(ISBLANK([Phone]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	Customers
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Phone)

Action name	Send SMS (Phone)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
	{"Number":"

With these properties	[Phone]","Message":"","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	Phone
Set this column	Phone
Only if this condition is true	NOT(ISBLANK([Phone]))
Disable automatic updates?	No
Display name	Text message
Action icon	💬
For a record of this table	Customers
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Area)

Action name	View Ref (Area)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Areas&row=\", ENCODEURL([Area]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Area
Set this column	Area

Only if this condition is true	NOT(ISBLANK([Area]))
Disable automatic updates?	No
Action icon	
For a record of this table	Customers
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Address)

Action name	View Map (Address)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=map&table=Customers&mapcolumn=Address&row=\",ENCODEURL([_THISROW]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Address
Set this column	Address
Only if this condition is true	NOT(ISBLANK([Address]))
Disable automatic updates?	No
Action icon	
For a record of this table	Customers

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (Phone)

Action name	Call Phone (Phone)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[Phone]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	Phone
Set this column	Phone
Only if this condition is true	NOT(ISBLANK([Phone]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	Farmers
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Phone)

Action name	Send SMS (Phone)

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[Phone]","Message":"","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	Phone
Set this column	Phone
Only if this condition is true	NOT(ISBLANK([Phone]))
Disable automatic updates?	No
Display name	Text message
Action icon	💬
For a record of this table	Farmers
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Area)

Action name	View Ref (Area)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Areas&row=\", ENCODEURL([Area]))","Prominence":"Display_Inline","NeedsConfirmati

	on":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Area
Set this column	Area
Only if this condition is true	NOT(ISBLANK([Area]))
Disable automatic updates?	No
Action icon	
For a record of this table	Farmers
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Location)

Action name	View Map (Location)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=map&table=Farmers&mapcolumn=Location&row=\",ENCODEURL([_THISROW]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Location
Set this column	Location
Only if this condition is true	NOT(ISBLANK([Location]))

Disable automatic updates?	No
Action icon	
For a record of this table	Farmers
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (Contact Phone)

Action name	Call Phone (Contact Phone)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[Contact Phone]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	Contact Phone
Set this column	Contact Phone
Only if this condition is true	NOT(ISBLANK([Contact Phone]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	Field Visits
Does this action apply to the whole table?	No

Visible?	ALWAYS

Action name Send SMS (Contact Phone)

Action name	Send SMS (Contact Phone)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Number":"[Contact Phone]","Message":"","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	Contact Phone
Set this column	Contact Phone
Only if this condition is true	NOT(ISBLANK([Contact Phone]))
Disable automatic updates?	No
Display name	Text message
Action icon	💬
For a record of this table	Field Visits
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Location)

Action name	View Map (Location)
Bulk action?	No

Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=map&table=Field%20Visits&mapcolumn=Location&row=\", ENCODEURL([_THISROW]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Location
Set this column	Location
Only if this condition is true	NOT(ISBLANK([Location]))
Disable automatic updates?	No
Action icon	
For a record of this table	Field Visits
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (Finance Email)

Action name	Compose Email (Finance Email)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
	{"EmailTo":"[Finance Email]","EmailCc":null,"EmailBcc":null,"Subject":null,

With these properties	"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	Finance Email
Set this column	Finance Email
Only if this condition is true	NOT(ISBLANK([Finance Email]))
Disable automatic updates?	No
Action icon	
For a record of this table	Settings
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (Email)

Action name	Compose Email (Email)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"EmailTo":"[Email]","EmailCc":null,"EmailBcc":null,"Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	Email
Set this column	Email
Only if this condition is true	

	NOT(ISBLANK([Email]))
Disable automatic updates?	No
Action icon	
For a record of this table	Staff
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (Phone)

Action name	Call Phone (Phone)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[Phone]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	Phone
Set this column	Phone
Only if this condition is true	NOT(ISBLANK([Phone]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	Staff

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Phone)

Action name	Send SMS (Phone)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[Phone]","Message":"","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	Phone
Set this column	Phone
Only if this condition is true	NOT(ISBLANK([Phone]))
Disable automatic updates?	No
Display name	Text message
Action icon	💬
For a record of this table	Staff
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Area)

Action name	View Ref (Area)

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Areas&row=\", ENCODEURL([Area]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Area
Set this column	Area
Only if this condition is true	NOT(ISBLANK([Area]))
Disable automatic updates?	No
Action icon	
For a record of this table	Staff
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Brand)

Action name	View Ref (Brand)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Brands&row=\", ENCODEURL([Brand]))","Prominence":"Display_Inline","NeedsConfirmati

	on":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Brand
Set this column	Brand
Only if this condition is true	NOT(ISBLANK([Brand]))
Disable automatic updates?	No
Action icon	
For a record of this table	Transactions
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Areas

Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✚
For a record of this table	Brands
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
	{"Prominence":"Display_Overlay","NeedsConfirmati

With these properties	on":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✚
For a record of this table	Companies
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✚
For a record of this table	Company Pay
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✚
For a record of this table	Customers
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✚

For a record of this table	Farmers
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✚
For a record of this table	Field Visits
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay

Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✚
For a record of this table	Leave Requests
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✚
For a record of this table	Messages
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✚
For a record of this table	Settings
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD

Disable automatic updates?	No
Action icon	✚
For a record of this table	Staff
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✚
For a record of this table	Transactions
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Company)

Action name	View Ref (Company)
Bulk action?	No

Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Companies&row=\", ENCODEURL([Company]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Company
Set this column	Company
Only if this condition is true	NOT(ISBLANK([Company]))
Disable automatic updates?	No
Action icon	
For a record of this table	Brands
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Manager Email)

Action name	View Ref (Manager Email)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Staff&row=\", ENCODEURL([Manager Email])

With these properties	)","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Manager Email
Set this column	Manager Email
Only if this condition is true	NOT(ISBLANK([Manager Email]))
Disable automatic updates?	No
Action icon	
For a record of this table	Staff
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Dealer ID)

Action name	View Ref (Dealer ID)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Customers&row=\", ENCODEURL([Dealer ID]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Dealer ID
Set this column	Dealer ID

Only if this condition is true	NOT(ISBLANK([Dealer ID]))
Disable automatic updates?	No
Action icon	
For a record of this table	Farmers
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Added By)

Action name	View Ref (Added By)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Staff&row=\", ENCODEURL([Added By]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Added By
Set this column	Added By
Only if this condition is true	NOT(ISBLANK([Added By]))
Disable automatic updates?	No
Action icon	
For a record of this table	Farmers

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Customer ID)

Action name	View Ref (Customer ID)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Customers&row=\", ENCODEURL([Customer ID]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Customer ID
Set this column	Customer ID
Only if this condition is true	NOT(ISBLANK([Customer ID]))
Disable automatic updates?	No
Action icon	
For a record of this table	Transactions
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Company)

Action name	View Ref (Company)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Companies&row=\", ENCODEURL([Company]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Company
Set this column	Company
Only if this condition is true	NOT(ISBLANK([Company]))
Disable automatic updates?	No
Action icon	
For a record of this table	Transactions
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Entered By)

Action name	View Ref (Entered By)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
	{"NavigateTarget":"CONCATENATE(\"#page=detail

With these properties	&table=Staff&row=\", ENCODEURL([Entered By]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Entered By
Set this column	Entered By
Only if this condition is true	NOT(ISBLANK([Entered By]))
Disable automatic updates?	No
Action icon	
For a record of this table	Transactions
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Staff Email)

Action name	View Ref (Staff Email)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Staff&row=\", ENCODEURL([Staff Email]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Staff Email
Set this column	Staff Email

Only if this condition is true	NOT(ISBLANK([Staff Email]))
Disable automatic updates?	No
Action icon	
For a record of this table	Field Visits
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Customer ID)

Action name	View Ref (Customer ID)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Customers&row=\", ENCODEURL([Customer ID]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Customer ID
Set this column	Customer ID
Only if this condition is true	NOT(ISBLANK([Customer ID]))
Disable automatic updates?	No
Action icon	
For a record of this table	Field Visits

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Farmer ID)

Action name	View Ref (Farmer ID)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Farmers&row=\", ENCODEURL([Farmer ID]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Farmer ID
Set this column	Farmer ID
Only if this condition is true	NOT(ISBLANK([Farmer ID]))
Disable automatic updates?	No
Action icon	
For a record of this table	Field Visits
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Staff Email)

Action name	View Ref (Staff Email)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Staff&row=\", ENCODEURL([Staff Email]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Staff Email
Set this column	Staff Email
Only if this condition is true	NOT(ISBLANK([Staff Email]))
Disable automatic updates?	No
Action icon	
For a record of this table	Leave Requests
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Decided By)

Action name	View Ref (Decided By)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Staff&row=\", ENCODEURL([Decided By])

With these properties	)","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Decided By
Set this column	Decided By
Only if this condition is true	NOT(ISBLANK([Decided By]))
Disable automatic updates?	No
Action icon	
For a record of this table	Leave Requests
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Audience Area)

Action name	View Ref (Audience Area)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Areas&row=\", ENCODEURL([Audience Area]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Audience Area
Set this column	Audience Area

Only if this condition is true	NOT(ISBLANK([Audience Area]))
Disable automatic updates?	No
Action icon	
For a record of this table	Messages
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Sent By)

Action name	View Ref (Sent By)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Staff&row=\", ENCODEURL([Sent By]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Sent By
Set this column	Sent By
Only if this condition is true	NOT(ISBLANK([Sent By]))
Disable automatic updates?	No
Action icon	
For a record of this table	Messages

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Entered By)

Action name	View Ref (Entered By)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Staff&row=\", ENCODEURL([Entered By]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Entered By
Set this column	Entered By
Only if this condition is true	NOT(ISBLANK([Entered By]))
Disable automatic updates?	No
Action icon	
For a record of this table	Company Pay
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Approve Leave

Action name	Approve Leave

Bulk action?	Yes
Confirmation Message	Approve this leave request?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"Status","NewColumnValue":"=\"Approved\""},{"ColumnToEdit":"Decided By","NewColumnValue":"=USEREMAIL()"},{"ColumnToEdit":"Decided At","NewColumnValue":"=NOW()"}],"ColumnToEdit":"Status","NewColumnValue":"=\"Approved\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"Approve this leave request?","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Leave Type
Set this column	Status
Only if this condition is true	=AND([Status] = "Pending", [Staff Email] <> USEREMAIL(), OR(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", LOOKUP([Staff Email], "Staff", "Email", "Manager Email") = USEREMAIL()))
Disable automatic updates?	No
Action icon	
For a record of this table	Leave Requests
Does this action apply to the whole table?	No
To this value	="Approved"
Visible?	ALWAYS

Action name Reject Leave

Action name	Reject Leave
Bulk action?	Yes
Confirmation Message	Reject this leave request?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"Status","NewColumnValue":"=\"Rejected\""},{"ColumnToEdit":"Decided By","NewColumnValue":"=USEREMAIL()"},{"ColumnToEdit":"Decided At","NewColumnValue":"=NOW()"}],"ColumnToEdit":"Status","NewColumnValue":"=\"Rejected\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"Reject this leave request?","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Leave Type
Set this column	Status
Only if this condition is true	=AND([Status] = "Pending", [Staff Email] <> USEREMAIL(), OR(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", LOOKUP([Staff Email], "Staff", "Email", "Manager Email") = USEREMAIL()))
Disable automatic updates?	No
Action icon	
For a record of this table	Leave Requests

Does this action apply to the whole table?	No
To this value	="Rejected"
Visible?	ALWAYS

Action name Cancel Leave

Action name	Cancel Leave
Bulk action?	Yes
Confirmation Message	Cancel this leave request?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"Status","NewColumnValue":"=\"cancelled\""},{"ColumnToEdit":"Decided By","NewColumnValue":"=USEREMAIL()"},{"ColumnToEdit":"Decided At","NewColumnValue":"=NOW()"}],"ColumnToEdit":"Status","NewColumnValue":"=\"cancelled\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"Cancel this leave request?","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Leave Type
Set this column	Status
Only if this condition is true	=AND([Status] = "Pending", [Staff Email] = USEREMAIL())
Disable automatic updates?	No

Action icon	
For a record of this table	Leave Requests
Does this action apply to the whole table?	No
To this value	="cancelled"
Visible?	ALWAYS

Action name Mark Sent

Action name	Mark Sent
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"Status","NewColumnValue":"=\"Sent\""}],"ColumnToEdit":"Status","NewColumnValue":"=\"Sent\"","InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Status
Set this column	Status
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Messages

No

Does this action apply to the whole table?	
To this value	="Sent"
Visible?	ALWAYS

Action name Open File (Statement File)

Action name	Open File (Statement File)
Bulk action?	No
Modifies data?	No
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"FileTarget":"[Statement File]","Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	Statement File
Set this column	Statement File
Only if this condition is true	NOT(ISBLANK([Statement File]))
Disable automatic updates?	No
Action icon	
For a record of this table	Customers
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Make Statement

Action name	Make Statement

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"Statement At","NewColumnValue":"=NOW()"}],"ColumnToEdit":"Statement At","NewColumnValue":"=NOW()","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Statement At
Set this column	Statement At
Only if this condition is true	=LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin"
Disable automatic updates?	No
Action icon	
For a record of this table	Customers
Does this action apply to the whole table?	No
To this value	=NOW()
Visible?	ALWAYS

Action name Open Statement

Action name	Open Statement
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1

With these properties	{"FileTarget":"=[Statement File]","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Only if this condition is true	=AND(LOOKUP(USEREMAIL(), "Staff", "Email", "Role") = "Admin", ISNOTBLANK([Statement At]))
Disable automatic updates?	No
Action icon	
For a record of this table	Customers
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Mark Unreported

Action name	Mark Unreported
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"ReferencedTable":"Leave Requests","Assignments":[{"ColumnToEdit":"Staff Email","NewColumnValue":"=[Email]"},{"ColumnToEdit":"Leave Type","NewColumnValue":"=\"Unreported\""},{"ColumnToEdit":"Start Date","NewColumnValue":"=TODAY()"},{"ColumnToEdit":"End Date","NewColumnValue":"=TODAY()"},{"ColumnToEdit":"Reason","NewColumnValue":"=\"No field visit reported\""},{"ColumnToEdit":"Status","NewColumnValue":"=\"A

	pproved\""},{"ColumnToEdit":"Decision Note","NewColumnValue":"=\"Auto-marked by system\""}],"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD_TO
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Staff
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name New step Action - 1

Action name	New step Action - 1
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Actions":[{"ActionName":"Mark Unreported"}],"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	COMPOSITE
Only if this condition is true	true
Disable automatic updates?	No

Action icon	
For a record of this table	Staff
Does this action apply to the whole table?	No
Visible?	ALWAYS