

Bengal2026-511810178

Documentation

Generated at:
1/10/2026, 7:49:50 PM



MICROL REMEDIES

Bengal 2026

Data Summary	26 Tables
	324 Columns
	12 Slices
UX Summary	84 Views
	33 Format Rules
Behavior Summary	75 Actions
	0 Workflow Rules

Short Name	Bengal 2026
Version	1.000221
Default app folder	/appsheet/data/Bengal2026-511810178
Function	Field Service
Runnable?	Yes
Deployable?	Yes
Personal use only?	No

Data

Tables

Table name Customer

Table name	Customer
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Customer_Schema
Are updates allowed?	READ_ONLY
Source Path	/appsheet/data/Bengal2026-511810178/Customer.gsheet
Worksheet Name/Qualifier	Customer
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name _Per User Settings

Table name	_Per User Settings
Visible?	NEVER
Shared?	No
Data locale	en-US
Schema	_Per User Settings_Schema

Are updates allowed?	UPDATES_ONLY
Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Statements

Table name	Statements
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Statements_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Bengal2026-511810178/Customr.gsheet
Worksheet Name/Qualifier	Statements
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Entries

Table name	Entries
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Entries_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Bengal2026-511810178/Customer.gsheet
Worksheet Name/Qualifier	Entries
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Admins

Table name	Admins
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Admins_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Bengal2026-511810178/Customer.gsheet

Worksheet Name/Qualifier	Admins
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Field Reports

Table name	Field Reports
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Field Reports_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Bengal2026-511810178/Customr.gsheet
Worksheet Name/Qualifier	Field Reports
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Leave Applications

Table name	Leave Applications
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Leave Applications_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Bengal2026-511810178/Customr.gsheet
Worksheet Name/Qualifier	Leave Applications
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Manager

Table name	Manager
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Manager_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Bengal2026-511810178/Customr.gsheet

Worksheet Name/Qualifier	Manager
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Admin Tools

Table name	Admin Tools
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Admin Tools_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Bengal2026-511810178/Customr.gsheet
Worksheet Name/Qualifier	Admin Tools
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Broadcast Notification.

Table name	Broadcast Notification.
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Broadcast Notification.Schema
Are updates allowed?	ALL_CHANGES
Security filter	=OR(ISBLANK([To]), [To] = USEREMAIL())
Source Path	/appsheet/data/Bengal2026-511810178/Customr.gsheet
Worksheet Name/Qualifier	Broadcast Notification.
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Target

Table name	Target
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Target_Schema
Are updates allowed?	ALL_CHANGES
	/appsheet/data/Bengal2026-

Source Path 511810178/Customer.gsheet

Worksheet Name/Qualifier	Target
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Staff

Table name	Staff
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Staff_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Bengal2026-511810178/Staff.gsheet
Worksheet Name/Qualifier	Staff
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name FESTIVE Message

Table name	FESTIVE Message
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	FESTIVE Message_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Bengal2026-511810178/Customr.gsheet
Worksheet Name/Qualifier	FESTIVE Message
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name PRODUCT LIST

Table name	PRODUCT LIST
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	PRODUCT LIST_Schema
Are updates allowed?	READ_ONLY
Source Path	/appsheet/data/Bengal2026-

Worksheet Name/Qualifier	PRODUCT LIST
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Stock Reports

Table name	Stock Reports
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Stock Reports_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Bengal2026-511810178/Customer.gsheet
Worksheet Name/Qualifier	Stock Reports
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name New Farmer

Table name	New Farmer
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	New Farmer_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Bengal2026-511810178/Customr.gsheet
Worksheet Name/Qualifier	New Farmer
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Company Pay

Table name	Company Pay
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Company Pay_Schema
Are updates allowed?	ALL_CHANGES

Source Path	Customer
Worksheet Name/Qualifier	Company Pay
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Month_Year_Summary

Table name	Month_Year_Summary
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Month_Year_Summary_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Customer
Worksheet Name/Qualifier	Month_Year_Summary
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Months

Table name	Months
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Months_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Customer
Worksheet Name/Qualifier	Months
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Record_New_Transaction - 1 Process Table

Table name	Process for Record_New_Transaction - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Record_New_Transaction - 1 Process Table_Schema
Are updates allowed?	READ_ONLY

Source Path	/ProcessStateTables/2f93652d-4d92-451c-9f65-5fd7fd24ddea/5dca6c4c-89fc-4c50-96f2-f91f9762ba80/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Add a new row to another table using values from this row Output

Table name	Add a new row to another table using values from this row Output
Visible?	NEVER
Shared?	Yes
Schema	Add a new row to another table using values from this row Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/2f93652d-4d92-451c-9f65-5fd7fd24ddea/5dca6c4c-89fc-4c50-96f2-f91f9762ba80/StepOutput_Add a new row to another table using values from this row
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across No
many worksheets?

Table name Process for Leave Process Table

Table name	Process for Leave Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Leave Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/2f93652d-4d92-451c-9f65-5fd7fd24ddea/eff3ca85-1efb-45e0-b0f7-992c0ca23401/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Field Report - 1 Process Table

Table name	Process for Field Report - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Field Report - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
	/ProcessStateTables/2f93652d-4d92-451c-9f65-5fd7fd24ddea/5af24ae4-9ebb-4712-8466-

Source Path	b8b5c3a3f9c1/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Broadcast Notification - 1 Process Table

Table name	Process for Broadcast Notification - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Broadcast Notification - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/2f93652d-4d92-451c-9f65-5fd7fd24ddea/7295f783-6877-4490-9b3b-629198915647/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Statement bot Process Table

Table name	Process for Statement bot Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Statement bot Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/2f93652d-4d92-451c-9f65-5fd7fd24ddea/1eaa8e23-102c-4d7f-b23e-08eae3e3fefe/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for New Bot 2 - 1 Process Table

Table name	Process for New Bot 2 - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for New Bot 2 - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/2f93652d-4d92-451c-9f65-5fd7fd24ddea/6bf8ce8d-a70f-43d7-ab00-630a303be561/State Table

Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Columns

Schema Name _Per User Settings_Schema

Schema Name	_Per User Settings_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: _EMAIL

Column name	_EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USEREMAIL()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: _NAME

Column name	_NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USERNAME()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: LOCATION

Column name	<u>LOCATION</u>
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Options Heading

Column name	Options Heading
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Text", "Content": "\"These options control the content and behavior of the app\"", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Option 1

Column name	Option 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Option 2

Column name	Option 2
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Country Option

Column name	Country Option
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Australia","Brazil","Canada"], "AllowOtherValues":false, "AutoCompleteOtherValues":true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }, "EnumInputMode": "Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Language Option

Column name	Language Option
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["English","French","Tamil"], "AllowOtherValues":false, "AutoCompleteOtherValues":true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength\":"null, "MinLength\":"null, "LongTextFormatting\":"Plain Text\", "IsMulticolumnKey\":"false, "Valid_If\":"null, "Error_Message_If_Invalid\":"null, "Show_If\":"null, "Required_If\":"null, "Editable_If\":"null, "Reset_If\":"null, "Suggested_Values\":"null" }, "EnumInputMode": "Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	Yes
Label	No
	0

Formula version	
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Option 5

Column name	Option 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Option 6

Column name	Option 6
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Option 7

Column name	Option 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
	No

System Defined?	
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Option 8

Column name	Option 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Option 9

Column name	Option 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 15: _THISUSER

Column name	_THISUSER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	onlyvalue
System Defined?	No
Key	Yes

Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Customer_Schema

Schema Name	Customer_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Customer ID

Column name	Customer ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Customer Name

Column name	Customer Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Staff ID (Email)

Column name	Staff ID (Email)
Visible?	ALWAYS
Type	EnumList
Type Qualifier	{ "ItemSeparator":null,"EnumValues": [], "AllowOtherValues":true,"AutoCompleteOtherValues":false,"BaseType":"Ref","BaseTypeQualifier":{ "\ReferencedTableName\":"Staff\","ReferencedRootTableName\":"Staff\","ReferencedType\":"Email\","ReferencedTypeQualifier\":" {\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null} }, "\ReferencedKeyColumn\":"Staff ID (Email)\","IsAPartOf":false,"RelationshipName\":"null","InputMode\":"Auto\","Valid_If\":"null","Error_Message_If_Invalid\":"null","Show_If\":"null","Required_If\":"null","Editable_If\":"null","Reset_If\":"n }

	ull,\"Suggested_Values\":null}},{\"EnumInputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 5: Generate_PDF

Column name	Generate_PDF
Visible?	ALWAYS
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Require

	d_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Related Statements

Column name	Related Statements
Visible?	ALWAYS
Description	Statements entries that reference this entry in the Customer ID column
Type	List
	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName", "ReferencedRootTableName": "Statements", "ReferencedType": "Text", "ReferencedTypeQualifier": "ReferencedTypeQualifier"</pre>

":\"

{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"PlainText\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\\\",\\\"ReferencedKeyColumn\\\":\\\"StatementID\\\",\\\"IsAPartOf\\\":false,\\\"RelationshipName\\\":null,\\\"InputMode\\\":\\\"Auto\\\",\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\\\",\\\"ItemSeparator\\\":\\\"\\\",\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}

App formula	=REF_ROWS("Statements", "Customer ID")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US

Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 7: Related Entries

Column name	Related Entries
Visible?	ALWAYS
Description	Entries entries that reference this entry in the Customer ID column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName\\\\"Entries\\", "ReferencedRootTableName\\\\"Entries\\", "ReferencedType\\\\"Text\\", "ReferencedTypeQualifier\\\\"\\", "\\\"MaxLength\\\"": null, "\\\"MinLength\\\"": null, "\\\"LongTextFormatting\\\"": "\\\"PlainText\\\"", "\\\"IsMulticolumnKey\\\"": false, "\\\"ValidIf\\\"": null, "\\\"Error_Message_If_Invalid\\\"": null, "\\\"Show_If\\\"": null, "\\\"Required_If\\\"": null, "\\\"Editable_If\\\"": null, "\\\"Reset_If\\\"": null, "\\\"Suggested_Values\\\"": null }, { "ReferencedKeyColumn\\\\"EntryID\\", "IsAPartOf\\": false, "RelationshipName\\": null, "InputMode\\\\"Auto\\", "Valid_If\\": null, "Error_Message_If_Invalid\\": null, "Show_If\\": null, "Required_If\\": null, "Editable_If\\": null, "Reset_If\\": null, "Suggested_Values\\": null }, { "ItemSeparator\\": " ,", "Valid_If\\": null, "Error_Message_If_Invalid\\": null, "Show_If\\": null, "Required_If\\": null, "Editable_If\\": null, "Reset_If\\": null, "Suggested_Values\\": null }</pre>
App formula	REF_ROWS("Entries", "Customer ID")
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 8: 2026 Sales

Column name	2026 Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	<pre>{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
App formula	=SUM(SELECT(Statements[Sales], [Customer ID]

	= [_THISROW].[Customer ID]))-[Opening Balance]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 9: 2026 Payments

Column name	2026 Payments
Visible?	ALWAYS
Type	Decimal
Type Qualifier	<pre>{ "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
	=SUM(SELECT(Statements[Payment], [Customer

App formula	ID] = [_THISROW].[Customer ID]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Total Balance

Column name	Total Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=([Opening Balance]+[2026 Sales])-[2026 Payments]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Related Microl Statements

Column name	Related Microl Statements
Visible?	ALWAYS
Type	List
	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"Statements\", \"ReferencedRootTableName\": \"Statements\", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \" } { \"MaxLength\": null, \"MinLength\": null, } }</pre>

Type Qualifier	"LongTextFormatting\\":\\"Plain Text\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}\\",\\"ReferencedKeyColumn\\":\\"Statement ID\\",\\"IsAPartOf\\":false,\\"RelationshipName\\":null,\\"InputMode\\":\\"Auto\\",\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}\\",\\"ItemSeparator\\":\\" , \\",\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}
App formula	=FILTER("Statements", AND([Customer ID] = [_THISROW].[Customer ID], [Company] = "Microl"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US

Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Related Alliance Statements

Column name	Related Alliance Statements
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": { "ReferencedTableName": "Statements", "ReferencedRootTableName": "Statements", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "ValidIf": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null } }, "ReferencedKeyColumn": "StatementID", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	=FILTER("Statements", AND([Customer ID] = [THISROW].[Customer ID], [Company] = "Alliance"))

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Microl Sales

Column name	Microl Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	<pre>{ "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	=SUM(SELECT(Statements[Sales], AND([Customer ID] = [_THISROW].[Customer ID],

	[Company] = "Microl")))-[Microl Opening Balance]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Microl Payments

Column name	Microl Payments
Visible?	ALWAYS
Type	Decimal
Type Qualifier	<pre>{ "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "ValidIf": null, "Error_Message_If_Invalid": null, "ShowIf": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre> =SUM(SELECT(Statements[Payment],

App formula	AND([Customer ID] = [_THISROW].[Customer ID], [Company] = "Microl"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Microl Balance

Column name	Microl Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=SUM([Related Microl Statements][Sales]) - SUM([Related Microl Statements][Payment])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Alliance Sales

Column name	Alliance Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=SUM(SELECT(Statements[Sales], AND([Customer ID] = [_THISROW].[Customer ID], [Company] = "Alliance")))-[Alliance Opening Balance]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Alliance Payments

Column name	Alliance Payments
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null," DecimalDigits":2,"NumericDigits":null,"ShowThou sandsSeparator":true,"NumberDisplayMode":"Aut o","Valid_If":null,"Error_Message_If_Invalid":null,"S

	how_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Payment], AND([Customer ID] = [_THISROW].[Customer ID], [Company] = "Alliance"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Alliance Balance

Column name	Alliance Balance
Visible?	ALWAYS
Type	Decimal
	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThou

Type Qualifier	sandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM([Related Alliance Statements][Sales]) - SUM([Related Alliance Statements][Payment])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Related Field Reports

Column name	Related Field Reports
Visible?	ALWAYS
Description	Field Reports entries that reference this entry in the UNDER WHICH DEALER column
Type	List

Type Qualifier

```
{
  "ElementType": "Ref",
  "ElementTypeQualifier": "Field Reports",
  "ReferencedTableName": "Field Reports",
  "ReferencedRootTableName": "Field Reports",
  "ReferencedType": "Text",
  "ReferencedTypeQualifier": "Plain Text",
  "IsMulticolumnKey": false,
  "ValidIf": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null,
  "ReferencedKeyColumn": "_ComputedKey",
  "IsAPartOf": false,
  "RelationshipName": null,
  "InputMode": "Auto",
  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null,
  "ItemSeparator": " ,",
  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null
}
```

App formula	REF_ROWS("Field Reports", "UNDER WHICH DEALER")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	

No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 20: Weekly Sales

Column name	Weekly Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND([_THISROW].[Customer ID] = [Customer ID], [Date] >= (TODAY() - WEEKDAY(TODAY()) + 1))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Weekly Payment

Column name	Weekly Payment
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Payment], AND([_THISROW].[Customer ID] = [Customer ID], [Date] >= (TODAY() - WEEKDAY(TODAY()) + 1))))
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Statement PDF

Column name	Statement PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	="/NewApp-511810178/Statements/" & [Customer Name] & ".pdf"
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: 2026 Collection %

Column name	2026 Collection %
Visible?	ALWAYS
Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([2026 Sales] > 0, IF([2026 Payments] > [Opening Balance], ([2026 Payments] - [Opening Balance]) / [2026 Sales], 0), 0)
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Opening Balance

Column name	Opening Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND([Customer ID] = [_THISROW].[Customer ID], [Transaction Type] = "Opening Balance")))
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 25: 2026 Balance

Column name	2026 Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=([Opening Balance] + [2026 Sales])- [2026 Payments]
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Microl Opening Balance

Column name	Microl Opening Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND([Customer ID] = [_THISROW].[Customer ID], [Transaction Type] = "Opening Balance",

[Company] = "Microl", [Date] >= DATE("2025-01-01"))))

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Alliance Opening Balance

Column name	Alliance Opening Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=SUM(SELECT(Statements[Sales], AND([Customer ID] = [_THISROW].[Customer ID], [Transaction Type] = "Opening Balance", [Company] = "Alliance", [Date] >= DATE("2025-01-01"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 28: Related Stock Reports

Column name	Related Stock Reports
Visible?	ALWAYS
Description	Stock Reports entries that reference this entry in the Dealer column
Type	List {"ElementType": "Ref", "ElementTypeQualifier": "

Type Qualifier

```
{\"ReferencedTableName\": \"Stock
Reports\", \"ReferencedRootTableName\": \"Stock
Reports\", \"ReferencedType\": \"Text\", \"Referenc
edTypeQualifier\": \"
{\\\"MaxLength\\\": null, \\\"MinLength\\\": null, \\\"
LongTextFormatting\\\": \\\"Plain
Text\\\", \\\"IsMulticolumnKey\\\": false, \\\"Valid_
If\\\": null, \\\"Error_Message_If_Invalid\\\": null, \\
\\Show_If\\\": null, \\\"Required_If\\\": null, \\\"Edit
able_If\\\": null, \\\"Reset_If\\\": null, \\\"Suggested
_Values\\\": null} \", \"ReferencedKeyColumn\": \"R
eport
ID\", \"IsAPartOf\": false, \"RelationshipName\": nul
l, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_M
essage_If_Invalid\": null, \"Show_If\": null, \"Require
d_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Su
ggested_Values\": null} \", \"ItemSeparator\": \" ,
\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Sh
ow_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Res
et_If\": null, \"Suggested_Values\": null}
```

App formula	REF_ROWS("Stock Reports", "Dealer")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Statements_Schema

Schema Name	Statements_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Statement ID

Column name	Statement ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()

System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Customer ID

Column name	Customer ID
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "Customer", "ReferenceRootTableName": "Customer", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "ValidIf": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ReferencedKeyColumn": "Customer ID", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Customer Name

Column name	Customer Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Date

Column name	Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Billed/Paid

Column name	Billed/Paid
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
	0

Formula version	
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Transaction Type

Column name	Transaction Type
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Invoice No

Column name	Invoice No
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: MRP Value

Column name	MRP Value
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	

	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Sales

Column name	Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Payment

Column name	Payment
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Balance

Column name	Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND([Customer ID] = [_THISROW].[Customer ID], [Company] = [_THISROW].[Company], [Date] <= [_THISROW].[Date]))) - SUM(SELECT(Statements[Payment], AND([Customer ID] = [_THISROW].[Customer ID], [Company] = [_THISROW].[Company], [Date] <= [_THISROW].[Date])))

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Company

Column name	Company
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Microl","Alliance"], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier":" { \"MaxLength\":null, \"MinLength\":null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null,</pre>

	\ "Required_If\ ":null,\ "Editable_If\ ":null,\ "Reset_If\ ":null,\ "Suggested_Values\ ":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Generate_PDF

Column name	Generate_PDF
Visible?	ALWAYS
Type	Text
	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Erro

Type Qualifier	r_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Running Balance

Column name	Running Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"S

	how_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND([Customer ID] = [_THISROW].[Customer ID], [Company] = [_THISROW].[Company], [Date] <= [_THISROW].[Date]))) - SUM(SELECT(Statements[Payment], AND([Customer ID] = [_THISROW].[Customer ID], [Company] = [_THISROW].[Company], [Date] <= [_THISROW].[Date])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Microl Sales

Column name	Microl Sales

Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND([Customer ID] = [_THISROW].[Customer ID], [Company] = "Microl")))-[Microl Opening Balance]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Microl Payments

Column name	Microl Payments
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Payment], AND([Customer ID] = [_THISROW].[Customer ID], [Company] = "Microl")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Microl Outstanding

Column name	Microl Outstanding
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Microl Sales]-[Microl Payments]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Alliance Sales

Column name	Alliance Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND([Customer ID] = [_THISROW].[Customer ID], [Company] = "Alliance")))-[Alliance Opening Balance]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 20: Alliance Payments

Column name	Alliance Payments
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Payment], AND([Customer ID] = [_THISROW].[Customer ID], [Company] = "Alliance")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Alliance Outstanding

Column name	Alliance Outstanding
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Alliance Sales]-[Alliance Payments]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Opening Balance

Column name	Opening Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND([Customer ID] = [_THISROW].[Customer ID], [Transaction Type] = "Opening Balance")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Microl Opening Balance

Column name	Microl Opening Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=SUM(SELECT(Statements[Sales], AND([Customer ID] = [_THISROW].[Customer ID], [Transaction Type] = "Opening Balance", [Company] = "Microl", [Date] >= DATE("2025-01-01"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US

Searchable	No
Scannable	No
Sensitive data	No

Column 24: Alliance Opening Balance

Column name	Alliance Opening Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=SUM(SELECT(Statements[Sales], AND([Customer ID] = [_THISROW].[Customer ID], [Transaction Type] = "Opening Balance", [Company] = "Alliance", [Date] >= DATE("2025-01-01"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value? Yes

Virtual? Yes

LocaleName en-US

Searchable No

Scannable No

Sensitive data No

Schema Name Entries_Schema

Schema Name Entries_Schema

Visible? ALWAYS

Column 1: _RowNumber

Column name _RowNumber

Visible? ALWAYS

Description Number of this row

Type Number

Type Qualifier {"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only Yes

Hidden Yes

Label No

Formula version 0

Reset on edit? No

System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Entry ID

Column name	Entry ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()

System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Customer ID

Column name	Customer ID
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "Customer", "ReferenceRootTableName": "Customer", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "ValidIf": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ReferencedKeyColumn": "Customer ID", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Dropdown", "ValidIf": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Customer Name

Column name	Customer Name
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Customer ID].[Customer Name]
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Entry time

Column name	Entry time
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=NOW()
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
Initial value	TIMENOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Date

Column name	Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Billed/Paid

Column name	Billed/Paid
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Microl Remedies", "Microl Aqua", "Alliance", "Alliance Aqua"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "ValidIf": null, "Error_Message_If_Invalid": null, "ShowIf": null, "RequiredIf": null, "EditableIf": null, "ResetIf": null, "Suggested_Values": null }, "EnumInputMo</pre>

	de":"Buttons","Valid_If": "=IF([Company] = \"MicroI\", \n LIST(\"MicroI Aqua\", \"MicroI Remedies\"), \n IF([Company] = \"Alliance\", \n LIST(\"Alliance aqua\", \"Alliance\"), \n LIST())\n)\n)","Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Transaction Type

Column name	Transaction Type
Visible?	ALWAYS
Type	Enum
	{ "EnumValues": ["Sale", "Payment", "Stock

Type Qualifier	Return","JV","Opening Balance"],"AllowOtherValues":false,"AutoComple eOtherValues":true,"BaseType":"Text","BaseTypeQ ualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTex tFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null, \"Error_Message_If_Invalid\":null,\"Show_If\":null, \"Required_If\":null,\"Editable_If\":null,\"Reset_If\ \":null,\"Suggested_Values\":null}","EnumInputMo de":"Auto","Valid_If":null,"Error_Message_If_Invali d":null,"Show_If":null,"Required_If":null,"Editable_If ":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Invoice No

Column name	Invoice No
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":"=OR([Transaction Type] = \"Sale\", [Transaction Type] = \"Stock Return\")","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: MRP Value

Column name	MRP Value
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR([Transaction Type] = \"Sale\", [Transaction Type] = \"Stock Return\", [Transaction Type] = \"Opening Balance\",AND(\n \n IN(\n USEREMAIL(), \n SELECT(Admins[Admin Email], TRUE) \n),\n \n \n [Customer ID].[Customer Name] = \"CASH Sales\"\n))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Sales

Column name	Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR([Transaction Type] = \"Sale\", [Transaction Type] = \"Stock Return\", [Transaction Type] = \"Opening Balance\")","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	= [MRP Value]*0.6
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Payment

Column name	Payment
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR(\n \n [Transaction Type] = \"Payment\", \n [Transaction Type] = \"JV\", \n [Transaction Type] = \"Opening Balance\", \n \n \n AND(\n \n IN(\n USEREMAIL(), \n SELECT(Admins[Admin Email], TRUE) \n), \n \n \n [Customer ID].[Customer Name] = \"CASH Sales\" \n) \n)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Company

Column name	Company
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Microl", "Alliance"], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "Base Type": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"EnumInputMode\": \"Buttons\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Comments

Column name	Comments
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Generate_PDF

Column name	Generate_PDF
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFor matting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Admins_Schema

Schema Name	Admins_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Admin Email

Column name	Admin Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes

Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	Yes

Schema Name Field Reports_Schema

Schema Name	Field Reports_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number {"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Er

Type Qualifier ror_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: UNIQUE ID

Column name	UNIQUE ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFor matting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Require

	d_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=UNIQUEID()
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Timestamp

Column name	Timestamp
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested

	_Values":null}
App formula	=NOW()
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Time

Column name	Time
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TIMENOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Staff ID (Email)

Column name	Staff ID (Email)
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=USEREMAIL()
Read-Only	No
Hidden	No

Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Staff Name

Column name	Staff Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(USEREMAIL(), "Staff", "Staff ID (Email)", "Staff Name")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: AREA

Column name	AREA
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["Narghat", "Contai", "24 Paraganas", "Balasore", "Mecheda"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "Base Type": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\"

	":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR([Visit Type] = \"Dealer Visit\", [Visit Type] = \"Farmer Visit\")","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP(USEREMAIL(), "Staff", "Staff ID (Email)", "Area")
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: VISIT TYPE

Column name	VISIT TYPE
Visible?	ALWAYS
Type	Enum

Type Qualifier	{ "EnumValues": ["Office Visit", "Dealer Visit", "Farmer Visit"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: FARMER NAME

Column name	FARMER NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":="[Visit Type] = \"Farmer Visit\"", "Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: UNDER WHICH DEALER

Column name	UNDER WHICH DEALER
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "My Customers", "ReferencedRootTableName": "Customer", "ReferencedType": "Text", "ReferencedTypeQualifier": "" } { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ReferencedKeyColumn": "Customer ID", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=OR(\n [Visit Type] = \"Dealer Visit\", \n [Visit Type] = \"Farmer Visit\" \n)", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Dealer Name

Column name	Dealer Name
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[UNDER WHICH DEALER].[Customer Name]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Shop / Farmer Mobile Number

Column name	Shop / Farmer Mobile Number
Visible?	ALWAYS
Type	Phone
Type Qualifier	{ "Callable":true,"Textable":true,"Valid_If": "=AND(LEN(TEXT([_THIS])) = 10, ISNOTBLANK(NUMBER([_THIS])))", "Error_Message_If_Invalid": "Please enter exactly 10 digits. No 🚫 letters or symbols are allowed.", "Show_If": "OR(\n [Visit Type] = \"Dealer Visit\", \n [Visit Type] = \"Farmer Visit\" \n)", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": "SELECT(\n Field Reports[Shop / Farmer Mobile Number], \n OR(\n [Farmer Name] = [_THISROW].[Farmer Name], \n [Dealer Name] = [_THISROW].[Dealer Name] \n) \n)" }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Photo (Farm/Shop)

Column name	Photo (Farm/Shop)
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Remarks

Column name	Remarks
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=COUNT(SPLIT([_THIS],\" \")) >= 20","Error_Message_If_Invalid":"=Please write at least 20 words for the remarks.", "Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=SWITCH([Visit Type], "Farmer Visit", "No of Ponds: Area: DOC: Average body weight: Problem: Medication: Next Visit:", "Dealer Visit",

	"Order: Collection: Farmer Discussion: ", "")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Location

Column name	Location
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{ "RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":"=AND(\\n OR(\\n AND(LAT([Location]) <> 0, LONG([Location]) <> 0), \\n ISBLANK([Location])\\n),\\n ISBLANK(\\n FILTER(\\n \"Field Reports\\",\\n AND(\\n [_THISROW].[Timestamp] <> [Timestamp],\\n [Staff ID (Email)] = USEREMAIL(),\\n DISTANCE([Location], [_THISROW].[Location]) < 0.003,\\n TOTALMINUTES([_THISROW].[Timestamp] - [Timestamp]) < 5\\n)\\n)\\n)\\n)\\n)","Error_Message_If_Invalid":"Please enable location services on your phone and try again after 5 mins.", "Show_If":null,"Required_If":null,"Editable_If

	":null,"Reset_If":null,"Suggested_Values":null}
App formula	=HERE()
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Visit Date

Column name	Visit Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TODAY()

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: _ComputedKey

Column name	_ComputedKey
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE([UNIQUE ID],":",[UNIQUE ID])
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Total Days

Column name	Total Days
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=NUMBER(TODAY() - DATE("01/03/2025")) + 1
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Leave Applications_Schema

Schema Name	Leave Applications_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":t

Type Qualifier	<pre>rue,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Leave ID

Column name	Leave ID
Visible?	ALWAYS
Type	Text
	<pre>{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error</pre>

Type Qualifier	r_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Timestamp

Column name	Timestamp
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Requ

	ired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=NOW()
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Staff Email

Column name	Staff Email
Visible?	ALWAYS
Type	Ref
	<pre> {"ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier": {"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If </pre>

Type Qualifier	":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Staff ID (Email)","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=Staff[Staff ID (Email)]","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=USEREMAIL()
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Start Date

Column name	Start Date
Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: End Date

Column name	End Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Number of Days

Column name	Number of Days
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No

Label	No
Spreadsheet formula	RC[-1]-RC[-2]
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Leave Type

Column name	Leave Type
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Sick Leave", "Personal Leave"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null,</pre>

	\ "Required_If\ ":null,\ "Editable_If\ ":null,\ "Reset_If\ ":null,\ "Suggested_Values\ ":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Reason

Column name	Reason
Visible?	ALWAYS
Type	LongText
	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=COUN

Type Qualifier	T(SPLIT([_THIS], \" \")) >= 10","Error_Message_If_Invalid": "Please write at least 10 words for the remarks.", "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Manager_Schema

Schema Name	Manager_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Manager Email

Column name	Manager Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	Yes

Schema Name Admin Tools_Schema

Schema Name	Admin Tools_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID

Column name	ID
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Total Sales

Column name	Total Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(Statements[Sales])-[Opening Balance]+[Stock Return]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Total Payments

Column name	Total Payments
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(Statements[Payment])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Total Balance

Column name	Total Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Total Sales] - [Total Payments]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Microl Sales

Column name	Microl Sales
-------------	--------------

Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], [Company] = "Microl"))-[Microl Opening Balance]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Microl Payments

Column name	Microl Payments
-------------	-----------------

Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Payment], [Company] = "Microl"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Microl Balance

Column name	Microl Balance
-------------	----------------

Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Microl Sales]-[Microl Payments]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Alliance Sales

Column name	Alliance Sales
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], [Company] = "Alliance"))-[Alliance Opening Balance]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Alliance Payments

Column name	Alliance Payments
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Payment], [Company] = "Alliance"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Alliance Balance

Column name	Alliance Balance
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Alliance Sales]-[Alliance Payments]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Total Collection %

Column name	Total Collection %
Visible?	ALWAYS

Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total Sales] > 0, ([Total Payments] / [Total Sales]), 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Microl Collection %

Column name	Microl Collection %
Visible?	ALWAYS

Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Microl Sales] > 0, ([Microl Payments] / [Microl Sales]), 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Alliance Collection %

Column name	Alliance Collection %
Visible?	ALWAYS

Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Alliance Sales] > 0, ([Alliance Payments] / [Alliance Sales]), 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Opening Balance

Column name	Opening Balance
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND([Transaction Type] = "Opening Balance", [Date] >= DATE("2025-01-01")))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Microl Opening Balance

Column name	Microl Opening Balance
-------------	------------------------

Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND([Transaction Type] = "Opening Balance", [Company] = "Microl", [Date] >= DATE("2025-01-01")))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Alliance Opening Balance

Column name	Alliance Opening Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND([Transaction Type] = "Opening Balance", [Company] = "Alliance", [Date] >= DATE("2025-01-01"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Stock Return

Column name Stock Return

Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND([Transaction Type] = "Stock Return", [Date] >= DATE("2025-08-01"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No

Sensitive data	No
----------------	----

Schema Name Broadcast Notification.Schema

Schema Name	Broadcast Notification.Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Timestamp

Column name	Timestamp
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: To

Column name	To
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName":"Staff","ReferencedRootTableName":"Staff","ReferencedType":"Email","ReferencedTypeQualifier": {"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} ,"ReferencedKeyColumn":"Staff ID (Email)","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Message

Column name	Message
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Image

Column name	Image
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Sent By

Column name	Sent By
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=- Team Microl
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: _KEY

Column name	_KEY
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Target_Schema

Schema Name	Target_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: _KEY

Column name	_KEY
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	

	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Staff ID (Email)

Column name	Staff ID (Email)
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "Staff", "ReferencedRootTableName": "Staff", "ReferencedType": "Email", "ReferencedTypeQualifier": " { \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } ", "ReferencedKeyColumn": "Staff ID (Email)", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Target

Column name	Target
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Payment

Column name	Payment
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Payment], AND(IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)]), [Date] >= DATE("2025-08-01"))))
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=SUM(SELECT(Statements[Payment], AND(IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)]), [Date] >= DATE("2025-08-01"))))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Balance

Column name	Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Rese

	t_If":null,"Suggested_Values":null}
App formula	=[Target]-[Payments]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Start Date

Column name	Start Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=1 August 2025
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: End Date

Column name	End Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
Initial value	=31 October 2025
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Count Down Days

Column name	Count Down Days
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No

Spreadsheet formula	RC[-1]-TODAY()
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Target Completed (%)

Column name	Target Completed (%)
Visible?	ALWAYS
Type	Percent
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Targets] > 0, ([Payments] / [Targets]), 0)
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Payments

Column name	Payments
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Payment], AND(IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)]), [Date] >= DATE("2025-08-01")))-[JV]

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Balances

Column name	Balances
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Targets]-[Payments]

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Targets

Column name	Targets
Visible?	ALWAYS
Type	Decimal
Type Qualifier	<pre>{ "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre> =(SUM(SELECT(Statements[Sales], AND(IN([_THISROW].[Staff ID (Email)], [Customer ID].

App formula

[Staff ID (Email)], [Date] <= DATE("2025-01-01")))) - (SUM(SELECT(Statements[Payment], AND(IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)]), [Date] <= DATE("2025-01-01"))))) +[Stock Return]-[Opening Balance]

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Stock Return

Column name	Stock Return
Visible?	ALWAYS
Type	Decimal
	{"MaxValue":null,"MinValue":null,"StepValue":null,"

Type Qualifier	DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND(IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)]), [Transaction Type] = "Stock Return", [Date] >= DATE("2025-08-01"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Opening Balance

Column name	Opening Balance
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND(IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)]), [Transaction Type] = "Opening Balance", [Date] >= DATE("2025-01-01"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 16: JV

Column name	JV
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Payment], AND(IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)]), [Transaction Type] = "JV", [Date] >= DATE("2025-08-01"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Staff_Schema

Schema Name	Staff_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Staff ID (Email)

Column name	Staff ID (Email)
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 3: Staff Name

Column name	Staff Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Area

Column name	Area
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Related Targets

Column name	Related Targets
Visible?	ALWAYS
Description	Target entries that reference this entry in the Staff ID (Email) column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName": "Target", "ReferencedRootTableName": "Target", "ReferencedType": "Text", "ReferencedTypeQualifier": "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "_KEY", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": " , ", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	REF_ROWS("Target", "Staff ID (Email)")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 6: 2026 Sales

Column name	2026 Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)])))-[Opening Balance]+[Stock Return]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 7: 2026 Payments

Column name	2026 Payments
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Payment], IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)])))
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Total Balance

Column name	Total Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)]))) - SUM(SELECT(Statements[Payment], IN([_THISROW].[Staff ID (Email)], [Customer ID].

	[Staff ID (Email)))]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Daily Average

Column name	Daily Average
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":1,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Farm Visits]/[Total Days]

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Office Visits

Column name	Office Visits
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Field Reports[VISIT TYPE], AND([Staff ID (Email)] = [_THISROW].[Staff ID

(Email)], [VISIT TYPE] = "Office Visit"))))

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Dealer Visits

Column name	Dealer Visits
Visible?	ALWAYS
Type	Number
Type Qualifier	<pre>{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre> <code>=COUNT(SELECT(Field Reports[VISIT TYPE],</code>

App formula	AND([Staff ID (Email)] = [_THISROW].[Staff ID (Email)], [VISIT TYPE] = "Dealer Visit"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Farm Visits

Column name	Farm Visits
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=COUNT(SELECT(Field Reports[VISIT TYPE], AND([Staff ID (Email)] = [_THISROW].[Staff ID (Email)], [VISIT TYPE] = "Farmer Visit")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Assigned Customers

Column name	Assigned Customers
Visible?	ALWAYS
Type	List
	{ "ElementType": "Ref", "ElementTypeQualifier": { "ReferencedTableName": "Customer", "ReferencedRootTableName": "Customer", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null,

Type Qualifier	"LongTextFormatting\\":\\"Plain Text\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}\\",\\"ReferencedKeyColumn\\":\\"Customer ID\\",\\"IsAPartOf\\":false,\\"RelationshipName\\":null,\\"InputMode\\":\\"Auto\\",\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}\\",\\"ItemSeparator\\":\\" , \\",\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}
App formula	=SELECT(Customer[Customer ID], IN([_THISROW].[Staff ID (Email)], [Staff ID (Email)]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US

Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Total Leave Days

Column name	Total Leave Days
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Leave Applications[Number of Days], [Staff Email] = [_THISROW].[Staff ID (Email)]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Total Days

Column name	Total Days
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TOTALHOURS(TODAY() - "01/01/2026") / 24
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US

Searchable	No
Scannable	No
Sensitive data	No

Column 16: Related Broadcast Notification.s

Column name	Related Broadcast Notification.s
Visible?	ALWAYS
Description	Broadcast Notification. entries that reference this entry in the To column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName", "ReferencedTableName": "Broadcast Notification.", "ReferencedRootTableName": "Broadcast Notification.", "ReferencedType": "Text", "ReferencedTypeQualifier": "MaxLength", "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "ValidIf": null, "ErrorMessageIfInvalid": null, "ShowIf": null, "RequiredIf": null, "EditableIf": null, "ResetIf": null, "SuggestedValues": null }</pre>
App formula	REF_ROWS("Broadcast Notification.", "To")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 17: Weekly Sales

Column name	Weekly Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	<pre>{ "MaxValue":null, "MinValue":null, "StepValue":null, "DecimalDigits":2, "NumericDigits":null, "ShowThousandsSeparator":true, "NumberDisplayMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre> =SUM(SELECT([Assigned Customers][Weekly

App formula	Sales], TRUE))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Weekly Payment

Column name	Weekly Payment
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=SUM(SELECT([Assigned Customers][Weekly Payment], TRUE))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Related Leave Applications

Column name	Related Leave Applications
Visible?	ALWAYS
Description	Leave Applications entries that reference this entry in the Staff Email column
Type	List {"ElementType": "Ref", "ElementTypeQualifier": " {"ReferencedTableName": "Leave Applications", "ReferencedRootTableName": " Leave

Type Qualifier

Applications\","ReferencedType\":"Text\","ReferencedTypeQualifier\":"
 {\\"MaxLength\\":null,\\\"MinLength\\":null,\\\"LongTextFormatting\\":\\\"Plain
 Text\\\",\\\"IsMulticolumnKey\\":false,\\\"Valid_If\\":null,\\\"Error_Message_If_Invalid\\":null,\\\"Show_If\\":null,\\\"Required_If\\":null,\\\"Editable_If\\":null,\\\"Reset_If\\":null,\\\"Suggested_Values\\":null}\\","ReferencedKeyColumn\":"Leave
 ID\","IsAPartOf":false,"RelationshipName":null,"InputMode\":"Auto\","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ItemSeparator":",",
 "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	REF_ROWS("Leave Applications", "Staff Email")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 20: Target Collection

Column name	Target Collection
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Payment], AND(IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)]), [Date] >= DATE("2025-08-01"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Collection %

Column name	Collection %
Visible?	ALWAYS
Type	Percent
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([2026 Sales] > 0, IF([2026 Payments] > [Opening Balance], ([2026 Payments] - [Opening Balance]) / [2026 Sales], 0), 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Opening Balance

Column name	Opening Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND(IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)]), [Transaction Type] = "Opening Balance", [Date] >= DATE("2025-01-01"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 23: 2026 Balance

Column name	2026 Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[2026 Sales]-[2026 Payments]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Stock Return

Column name	Stock Return
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Statements[Sales], AND(IN([_THISROW].[Staff ID (Email)], [Customer ID].[Staff ID (Email)]), [Transaction Type] = "Stock Return", [Date] >= DATE("2025-08-01"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Schema Name FESTIVE Message_Schema

Schema Name	FESTIVE Message_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Date

Column name	Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Notification Title

Column name	Notification Title
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0

Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Custom Message Body

Column name	Custom Message Body
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Notification Sent

Column name	Notification Sent
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Is Today the Festival?

Column name	Is Today the Festival?
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Date]=TODAY()
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name PRODUCT LIST_Schema

Schema Name	PRODUCT LIST_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Product Ref

Column name	Product Ref
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No

System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Stock Reports_Schema

Schema Name	Stock Reports_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Report ID

Column name	Report ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No

Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Report Date

Column name	Report Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TODAY()
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Reporting Staff

Column name	Reporting Staff
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=USEREMAIL()
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Dealer

Column name	Dealer
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "My Customers", "ReferencedRootTableName": "Customer", "ReferencedType": "Text", "ReferencedTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "ReferencedKeyColumn": "Customer ID", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Edita</pre>

	ble_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Stock List

Column name	Stock List
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null, "Editable_If":null,"Reset_If":null,"Suggested_Value s":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Comments

Column name	Comments
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name New Farmer_Schema

Schema Name	New Farmer_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number {"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Er

Type Qualifier rror_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Timestamp

Column name	Timestamp
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugge

	sted_Values":null}
App formula	=NOW()
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	NOW()
System Defined?	No
Key	No
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Time

Column name	Time
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TIMENOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Staff ID (Email)

Column name	Staff ID (Email)
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=USEREMAIL()
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Staff Name

Column name	Staff Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes

Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(USEREMAIL(), "Staff", "Staff ID (Email)", "Staff Name")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: AREA

Column name	AREA
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["Narghat", "Contai", "24 Pharganas", "Mechada", "Balasore"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "Base Type": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\"

	":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR([Visit Type] = \"Dealer\", [Visit Type] = \"Farmer\")","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP(USEREMAIL(), "Staff", "Staff ID (Email)", "Area")
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: VISIT TYPE

Column name	VISIT TYPE
Visible?	ALWAYS
Type	Enum

Type Qualifier	<pre>{ "EnumValues": ["Farmer", "Dealer"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } \"EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Farmer Name

Column name	Farmer Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If": "[Visit Type] = \"Farmer\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Dealer Name

Column name	Dealer Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If": "[Visit Type] = \"Dealer\"", "Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Shop / Farmer Mobile Number

Column name	Shop / Farmer Mobile Number
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Photo (Farm/Shop)

Column name	Photo (Farm/Shop)
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Remarks

Column name	Remarks
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Location

Column name	Location
Visible?	ALWAYS
Type	LatLng
	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":"=OR(AND(LAT([Location]) <>

Type Qualifier	0, LONG([Location]) <> 0), ISBLANK([Location]))","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=HERE()
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Visit Date

Column name	Visit Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested

	_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Computed Key

Column name	Computed Key
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=CONCATENATE([Timestamp],":",[Location])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Company Pay_Schema

Schema Name	Company Pay_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row

Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: UNIQUEID

Column name	UNIQUEID
Visible?	ALWAYS
Type	Text
	{ "MaxLength":null,"MinLength":null,"LongTextFor

Type Qualifier	matting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Date

Column name	Date
Visible?	ALWAYS
Type	Date
	{"UseLongDateFormat": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Reset_If": null, "Suggested_Values": null}

Type Qualifier	If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: DETAIL

Column name	DETAIL
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Require

	d_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: AMOUNT

Column name	AMOUNT
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Recived In

Column name	Recived In
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Microl Bank", "Cash"], "AllowOtherValues": false, "AutoCompleteOtherValues": false, "BaseType": "Text", "BaseTypeQualifier": "\\", "MaxLength": null, "MinLength": null, "LongTextFormatting": "\Plain Text", "IsMulticolumnKey": false, "ValidIf": null, "Error_Message_If_Invalid": null, "ShowIf": null, }</pre>

	\ "Required_If\ ":null,\ "Editable_If\ ":null,\ "Reset_If\ ":null,\ "Suggested_Values\ ":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Old/New

Column name	Old/New
Visible?	ALWAYS
Type	Enum
	{"EnumValues":["2025","2026"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","Bas

Type Qualifier	eTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\": null, \"Suggested_Values\":null}, \"EnumInputMo de\":\"Auto\", \"Valid_If\":null, \"Error_Message_If_Invali d\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If \":null, \"Reset_If\":null, \"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 8: MonthYearRef

Column name	MonthYearRef

Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: MonthNo

Column name	MonthNo
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=MONTH([Date])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Year

Column name	Year
Visible?	ALWAYS
Type	Number
	{"MaxValue":null,"MinValue":null,"StepValue":null,"

Type Qualifier	NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=YEAR([Date])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: MonthName

Column name	MonthName
Visible?	ALWAYS
Type	Text
	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TEXT([Date], "MMM")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Month_Year_Summary_Schema

Schema Name	Month_Year_Summary_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: MonthNo

Column name	MonthNo
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Year

Column name	Year
Visible?	ALWAYS

Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: MonthRef

Column name	MonthRef
Visible?	ALWAYS
Type	Ref
	{"ReferencedTableName":"Months","ReferencedR

Type Qualifier	ootTableName":"Months","ReferencedType":"Number","ReferencedTypeQualifier":{"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":"Auto\", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},"ReferencedKeyColumn":"MonthNo","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[MonthNo]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: _ComputedKey

Column name	_ComputedKey
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE([MonthNo], "-", [Year])
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: TotalAmount

Column name	TotalAmount
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Company Pay[AMOUNT], AND(MONTH([Date]) = [MonthNo], YEAR([Date]) = [Year])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No

Sensitive data	No
----------------	----

Schema Name Months_Schema

Schema Name	Months_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: MonthNo

Column name	MonthNo
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: MonthName

Column name	MonthName
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Related Month_Year_Summarys

Column name	Related Month_Year_Summarys
Visible?	ALWAYS
Description	Month_Year_Summary entries that reference this entry in the MonthRef column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": { "ReferencedTableName": "Month_Year_Summary", "ReferencedRootTableName": "Month_Year_Summary", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": true, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ReferencedKeyColumn": "ComputedKey", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ItemSeparator": ", ", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>

	et_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Month_Year_Summary", "MonthRef")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Process for Record_New_Transaction - 1 Process Table_Schema

Schema Name	Process for Record_New_Transaction - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Entry ID

Column name	Entry ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Customer ID

Column name	Customer ID
Visible?	ALWAYS

Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "Customer", "ReferenceRootTableName": "Customer", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "ValidIf": null, "Error_Message_If_Invalid": null, "ShowIf": null, "RequiredIf": null, "EditableIf": null, "ResetIf": null, "Suggested_Values": null }, "ReferencedKeyColumn": "CustomerID", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Dropdown", "ValidIf": null, "Error_Message_If_Invalid": null, "ShowIf": null, "RequiredIf": null, "EditableIf": null, "ResetIf": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Customer Name

Column name	Customer Name
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Entry time

Column name Entry time

Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Date

Column name Date

Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Billed/Paid

Column name	Billed/Paid
Visible?	ALWAYS
Type	Enum
	{"EnumValues":["Microl Remedies","Microl Aqua","Alliance","Alliance Aqua"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQua

Type Qualifier	lifier": {"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null, \"Error_Message_If_Invalid\":null,\"Show_If\":null, \"Required_If\":null,\"Editable_If\":null,\"Reset_If\": null,\"Suggested_Values\":null},\"EnumInputMode\":\"Buttons\", \"Valid_If\":\"=IF([Company] = \"Microl\", \n LIST(\"Microl Aqua\", \"Microl Remedies\"), \n IF([Company] = \"Alliance\", \n LIST(\"Alliance aqua\", \"Alliance\"), \n LIST() \n) \n)\", \"Error_Message_If_Invalid\":null,\"Show_If\":null, \"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null, \"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Transaction Type

Column name	Transaction Type
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Sale", "Payment", "Stock Return", "JV", "Opening Balance"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "", "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "ValidIf": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Invoice No

Column name	Invoice No
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":"=OR([Transaction Type] = \"Sale\", [Transaction Type] = \"Stock Return\")","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: MRP Value

Column name	MRP Value
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR([Transaction Type] = \"Sale\", [Transaction Type] = \"Stock Return\", [Transaction Type] = \"Opening Balance\",AND(\n \n IN(\n USEREMAIL(), \n SELECT(Admins[Admin Email], TRUE) \n),\n \n \n [Customer ID].[Customer Name] = \"CASH Sales\" \n))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Sales

Column name	Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=OR([Transaction Type] = \"Sale\", [Transaction Type] = \"Stock Return\", [Transaction Type] = \"Opening Balance\")", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Payment

Column name	Payment
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR(\n \n [Transaction Type] = \"Payment\", \n [Transaction Type] = \"JV\", \n [Transaction Type] = \"Opening Balance\", \n \n \n AND(\n \n IN(\n USEREMAIL(), \n SELECT(Admins[Admin Email], TRUE) \n), \n \n \n [Customer ID].[Customer Name] = \"CASH Sales\" \n) \n)", "Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
	0

Formula version	
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Company

Column name	Company
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Microl", "Alliance"], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"EnumInputMode\": \"Buttons\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"EnumInputMode\": \"Buttons\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } }</pre>

	_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Comments

Column name	Comments
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFor matting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Generate_PDF

Column name	Generate_PDF
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Add a new row to another table using values from this row

Column name	Add a new row to another table using values from this row
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "Add a new row to another table using values from this row Output", "ReferencedRootTableName": null, "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, </pre>

	<pre> {"Required_If":"","Editable_If":"","Reset_If":"","Suggested_Values":"","ReferencedKeyColumn":"InstanceId","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"","Required_If":"","Editable_If":"","Reset_If":"","Suggested_Values":null} </pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Add a new row to another table using values from this row Output_Schema

Schema Name Add a new row to another table using values from this row Output_Schema

--	--

Visible?	NEVER
----------	-------

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Entry ID

Column name	Entry ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Customer ID

Column name	Customer ID
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName":"Customer","Reference dRootTableName":"Customer","ReferencedType": "Text","ReferencedTypeQualifier": {"MaxLength\":"null","MinLength\":"null","LongTex tFormatting\":"Plain Text\","IsMulticolumnKey\":"false","Valid_If\":"null, "Error_Message_If_Invalid\":"null","Show_If\":"null, "Required_If\":"null","Editable_If\":"null","Reset_If\ ":"null","Suggested_Values\":"null"},"ReferencedKey Column":"Customer ID","IsAPartOf\":"false","RelationshipName":null,"Inp utMode":"Dropdown","Valid_If":null,"Error_Messag e_If_Invalid":null,"Show_If":null,"Required_If":null," Editable_If":null,"Reset_If":null,"Suggested_Values ":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 4: Customer Name

Column name	Customer Name
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Entry time

Column name	Entry time
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Date

Column name	Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Billed/Paid

Column name	Billed/Paid
Visible?	ALWAYS
Type	Enum
	{"EnumValues":["Microl Remedies","Microl

Type Qualifier	Aqua","Alliance","Alliance Aqua"],["AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": "{ \"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null, \"Error_Message_If_Invalid\":null,\"Show_If\":null, \"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":"=IF([Company] = \"Micro\",\n LIST(\"Micro Aqua\", \"Micro Remedies\"),\n IF([Company] = \"Alliance\", \n LIST(\"Alliance aqua\", \"Alliance\"),\n LIST())\n)\n)","Error_Message_If_Invalid":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null, \"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 8: Transaction Type

Column name	Transaction Type
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Sale", "Payment", "Stock Return", "JV", "Opening Balance"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "", "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Invoice No

Column name	Invoice No
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":"=OR([Transaction Type] = \"Sale\", [Transaction Type] = \"Stock Return\")","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: MRP Value

Column name	MRP Value
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR([Transaction Type] = \"Sale\", [Transaction Type] = \"Stock Return\", [Transaction Type] = \"Opening Balance\",AND(\n \n IN(\n USEREMAIL(), \n SELECT(Admins[Admin Email], TRUE) \n),\n \n \n [Customer ID].[Customer Name] = \"CASH Sales\" \n))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Sales

Column name	Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR([Transaction Type] = \"Sale\", [Transaction Type] = \"Stock Return\", [Transaction Type] = \"Opening Balance\")","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Payment

Column name	Payment
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR(\n \n [Transaction Type] = \"Payment\", \n [Transaction Type] = \"JV\", \n [Transaction Type] = \"Opening Balance\", \n \n \n AND(\n \n IN(\n USEREMAIL(), \n SELECT(Admins[Admin Email], TRUE) \n), \n \n \n [Customer ID].[Customer Name] = \"CASH Sales\" \n) \n)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Company

Column name	Company
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Microl", "Alliance"], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Comments

Column name	Comments
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Generate_PDF

Column name	Generate_PDF
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for Leave Process Table_Schema

Schema Name	Process for Leave Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Leave ID

Column name	Leave ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Timestamp

Column name	Timestamp
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Staff Email

Column name	Staff Email
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "Staff", "ReferencedRootTableName": "Staff", "ReferencedType": "Email", "ReferencedTypeQualifier": "" }</pre> <pre>{ "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre> <pre>, "ReferencedKeyColumn": "Staff ID (Email)", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=Staff[Staff ID (Email)]", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Start Date

Column name	Start Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: End Date

Column name	End Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Number of Days

Column name	Number of Days
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Leave Type

Column name	Leave Type
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Sick Leave", "Personal Leave"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Reason

Column name	Reason
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=COUNT(SPLIT([_THIS], \" \")) >= 10","Error_Message_If_Invalid":"=Please write at least 10 words for the remarks.", "Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for Field Report - 1 Process Table_Schema

Schema Name	Process for Field Report - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: UNIQUE ID

Column name	UNIQUE ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Timestamp

Column name	Timestamp
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Time

Column name	Time
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Staff ID (Email)

Column name	Staff ID (Email)
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Staff Name

Column name	Staff Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: AREA

Column name	AREA
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues":["Narghat","Contai","24 Paraganas","Balasore","Mecheda"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"Base Type":"Text","BaseTypeQualifier":{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR([Visit Type] = \"Dealer Visit\", [Visit Type] = \"Farmer Visit\")","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable No

Sensitive data No

Column 8: VISIT TYPE

Column name VISIT TYPE

Visible? ALWAYS

Type Enum

Type Qualifier {"EnumValues":["Office Visit","Dealer Visit","Farmer Visit"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"ValidIf":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only No

Hidden No

Label No

Formula version 0

Reset on edit? No

System Defined? No

Key No

Part of Key? No

Yes

Fixed definition?	
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: FARMER NAME

Column name	FARMER NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "[Visit Type] = \"Farmer Visit\"", "Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: UNDER WHICH DEALER

Column name	UNDER WHICH DEALER
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName":"My Customers", "ReferencedRootTableName":"Customer", "ReferencedType":"Text", "ReferencedTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }, "ReferencedKeyColumn":"Customer ID", "IsAPartOf":false, "RelationshipName":null, "InputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":"=OR(\n [Visit Type] = \"Dealer Visit\", \n [Visit Type] = \"Farmer Visit\" \n)", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Dealer Name

Column name	Dealer Name
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Shop / Farmer Mobile Number

Column name	Shop / Farmer Mobile Number
Visible?	ALWAYS
Type	Phone
Type Qualifier	<pre>{ "Callable":true, "Textable":true, "Valid_If":"=AND(LEN(TEXT([_THIS])) = 10, ISNOTBLANK(NUMBER([_THIS])))", "Error_Message_If_Invalid":"=Please enter exactly 10 digits. No 🛑 letters or symbols are allowed.", "Show_If":"=OR(\n [Visit Type] = \"Dealer Visit\", \n [Visit Type] = \"Farmer Visit\" \n)", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":"=SELECT(\n Field Reports[Shop / Farmer Mobile Number], \n OR(\n [Farmer Name] = [_THISROW].[Farmer Name], \n [Dealer Name] = [_THISROW].[Dealer Name] \n) \n)" }</pre>
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Photo (Farm/Shop)

Column name	Photo (Farm/Shop)
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Remarks

Column name	Remarks
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=COUNT(SPLIT([_THIS], \" \")) >= 20","Error_Message_If_Invalid":"=Please write at least 20 words for the remarks.", "Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Location

Column name	Location
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{ "RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":"=AND(\n OR(\n AND(LAT([Location]) <> 0, LONG([Location]) <> 0), \n ISBLANK([Location])\n),\n ISBLANK(\n FILTER(\n \"Field Reports\", \n AND(\n [_THISROW].[Timestamp] <> [Timestamp], \n [Staff ID (Email)] = USEREMAIL(), \n DISTANCE([Location], [_THISROW].[Location]) < 0.003, \n TOTALMINUTES([_THISROW].[Timestamp] - [Timestamp]) < 5\n)\n)\n)\n)\n)","Error_Message_If_Invalid":"Please enable location services on your phone and try again after 5 mins.", "Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Visit Date

Column name	Visit Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: _ComputedKey

Column name	_ComputedKey
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	

	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Total Days

Column name	Total Days
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Broadcast Notification - 1 Process Table_Schema

Schema Name	Process for Broadcast Notification - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Timestamp

Column name	Timestamp
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: To

Column name	To
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "Staff", "ReferencedRootTableName": "Staff", "ReferencedType": "Email", "ReferencedTypeQualifier": " { \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } ", "ReferencedKeyColumn": "Staff ID (Email)", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Message

Column name	Message
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Image

Column name	Image
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Sent By

Column name	Sent By
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: _KEY

Column name	_KEY
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for Statement bot Process Table_Schema

Schema Name	Process for Statement bot Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Statement ID

Column name	Statement ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Customer ID

Column name	Customer ID
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "Customer", "ReferenceRootTableName": "Customer", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ReferencedKeyColumn": "Customer ID", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
	0

Formula version	
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Customer Name

Column name	Customer Name
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Date

Column name	Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Billed/Paid

Column name	Billed/Paid
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Transaction Type

Column name	Transaction Type
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Invoice No

Column name	Invoice No
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 9: MRP Value

Column name	MRP Value
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No
----------------	----

Column 10: Sales

Column name	Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Payment

Column name	Payment
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Balance

Column name	Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Company

Column name	Company
Visible?	ALWAYS
Type	Enum

Type Qualifier	<pre> {"EnumValues": ["Microl","Alliance"],"AllowOtherValues":true,"Auto CompleteOtherValues":true,"BaseType":"Text","Ba seTypeQualifier": {"MaxLength\":"null","\MinLength\":"null","\LongTex tFormatting\":"Plain Text","\IsMulticolumnKey\":"false","\Valid_If\":"null, "\Error_Message_If_Invalid\":"null","\Show_If\":"null, "\Required_If\":"null","\Editable_If\":"null","\Reset_If\ ":null","\Suggested_Values\":"null"},"EnumInputMo de":"Auto","\Valid_If\":"null","\Error_Message_If_Invali d\":"null","\Show_If\":"null","\Required_If\":"null","\Editable_If ":null","\Reset_If\":"null","\Suggested_Values\":"null} </pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Generate_PDF

Column name	Generate_PDF
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Running Balance

Column name	Running Balance
Visible?	ALWAYS
Type	Decimal

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Microl Sales

Column name	Microl Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	o","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Microl Payments

Column name	Microl Payments
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Microl Outstanding

Column name	Microl Outstanding
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Alliance Sales

Column name	Alliance Sales
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 20: Alliance Payments

Column name	Alliance Payments
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Alliance Outstanding

Column name	Alliance Outstanding
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	

Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Opening Balance

Column name	Opening Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Microl Opening Balance

Column name	Microl Opening Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	No
Scannable	No
Sensitive data	No

Column 24: Alliance Opening Balance

Column name	Alliance Opening Balance
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for New Bot 2 - 1 Process Table_Schema

Schema Name	Process for New Bot 2 - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Date

Column name	Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 3: Notification Title

Column name	Notification Title
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Custom Message Body

Column name	Custom Message Body
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Notification Sent

Column name	Notification Sent
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Is Today the Festival?

Column name	Is Today the Festival?
Visible?	ALWAYS
Type	Yes/No

Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Slices

Slice Name My Customers

Slice Name	My Customers
	_RowNumber Customer ID Customer Name Staff ID (Email) Related Statements

Slice Columns	Related Entries
	2026 Sales
	2026 Payments
	Total Balance
	Related Microl Statements
	Related Alliance Statements
	Microl Sales
	Microl Payments
	Microl Balance
	Alliance Sales
	Alliance Payments
	Alliance Balance
	Related Field Reports
	Weekly Sales
	Weekly Payment
	Generate_PDF
	Statement PDF
	2026 Collection %
	Opening Balance
	2026 Balance
	Microl Opening Balance
	Alliance Opening Balance
	Related Stock Reports
Row filter condition	=IN(USEREMAIL(), [Staff ID (Email)])
Update mode	READ_ONLY
Source Table	Customer
Visible?	ALWAYS
Slice Actions	Open File (Statement PDF)

Slice Name Visible Staff admin

Slice Name	Visible Staff admin
	_RowNumber
	Staff ID (Email)

Slice Columns	Staff Name
	Area
	Related Targets
	2026 Sales
	2026 Payments
	Total Balance
	Daily Average
	Office Visits
	Dealer Visits
	Assigned Customers
	Total Leave Days
	Farm Visits
	Total Days
	Related Broadcast Notification.s
	Weekly Sales
	Weekly Payment
	Related Leave Applications
	Target Collection
	Collection %
	Opening Balance
	2026 Balance
	Stock Return
Row filter condition	=NOT(IN([Staff ID (Email)], {"alokmicrol@gmail.com", "aquamicrolremedies@gmail.com", "subratadhara.204@gmail.com", "sales@microlremedies.com", "monirulmicrol@gmail.com"})))
Update mode	ALL_CHANGES
Source Table	Staff
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name My Profile admin

Slice Name	My Profile admin

Slice Columns	_RowNumber
	Staff ID (Email)
	Staff Name
	Area
	Related Targets
	2026 Sales
	2026 Payments
	Total Balance
	Daily Average
	Office Visits
	Dealer Visits
	Assigned Customers
	Total Leave Days
	Related Broadcast Notification.s
	Related Leave Applications
Row filter condition	=[Staff ID (Email)] = USEREMAIL()
Update mode	ALL_CHANGES
Source Table	Staff
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Microl Statements

Slice Name	Microl Statements
Slice Columns	_RowNumber
	Statement ID
	Customer Name
	Date
	Billed/Paid
	Transaction Type
	Invoice No
	Sales
	Payment
	Balance

	Company Running Balance Generate_PDF Microl Opening Balance Alliance Opening Balance Opening Balance
Row filter condition	=[Company]="Microl"
Update mode	READ_ONLY
Source Table	Statements
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Alliance Statements

Slice Name	Alliance Statements
Slice Columns	_RowNumber Statement ID Customer ID Customer Name Date Billed/Paid Transaction Type Invoice No MRP Value Sales Payment Balance Company Running Balance Generate_PDF Microl Sales Microl Payments Microl Outstanding Alliance Sales

	Alliance Payments Alliance Outstanding Opening Balance Microl Opening Balance Alliance Opening Balance
Row filter condition	=[Company]="Alliance"
Update mode	READ_ONLY
Source Table	Statements
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name New Slice

Slice Name	New Slice
Slice Columns	_RowNumber _KEY Staff ID (Email) Target Payment Balance Start Date End Date Count Down Days Target Completed (%) Payments Balances Targets Stock Return Opening Balance JV
Row filter condition	=USEREMAIL()=[Staff ID (Email)]
Update mode	ALL_CHANGES
Source Table	Target

Visible?	ALWAYS
Slice Actions	**auto**

Slice Name My Profile

Slice Name	My Profile
Slice Columns	_RowNumber Staff ID (Email) Staff Name Area Related Targets 2026 Sales 2026 Payments Total Balance Daily Average Office Visits Dealer Visits Assigned Customers Total Leave Days Related Broadcast Notification.s Related Leave Applications
Row filter condition	=[Staff ID (Email)] = USEREMAIL()
Update mode	ALL_CHANGES
Source Table	Staff
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Visible Staff

Slice Name	Visible Staff
	_RowNumber Staff ID (Email) Staff Name

Slice Columns	Area Related Targets 2026 Sales 2026 Payments Total Balance Daily Average Farm Visits Office Visits Dealer Visits Assigned Customers Total Leave Days Related Broadcast Notification.s Weekly Sales Weekly Payment Related Leave Applications
Row filter condition	=NOT(IN([Staff ID (Email)], {"alokmicrol@gmail.com", "aquamicrolremedies@gmail.com", "subratadhara.204@gmail.com", "sales@microlremedies.com", "monirulmicrol@gmail.com"})))
Update mode	ALL_CHANGES
Source Table	Staff
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Field Reports Staff ID Email is the app users email

Slice Name	Field Reports Staff ID Email is the app users email
	_RowNumber Timestamp Time Staff ID (Email) AREA VISIT TYPE

Slice Columns	FARMER NAME UNDER WHICH DEALER Dealer Name Shop / Farmer Mobile Number Photo (Farm/Shop) Remarks Location Visit Date _ComputedKey Total Days Staff Name UNIQUE ID
Row filter condition	=[Staff ID (Email)] = USEREMAIL()
Update mode	ALL_CHANGES
Source Table	Field Reports
Visible?	ALWAYS
Slice Actions	Delete Edit Call Phone (Shop / Farmer Mobile Number) Send SMS (Shop / Farmer Mobile Number) Add View Map (Location) Compose Email (Staff ID (Email)) View Ref (UNDER WHICH DEALER)

Slice Name New Farmer Staff ID Email is the app users email

Slice Name	New Farmer Staff ID Email is the app users email
	_RowNumber Timestamp Time Staff ID (Email) Staff Name

Slice Columns	AREA VISIT TYPE Farmer Name Dealer Name Shop / Farmer Mobile Number Photo (Farm/Shop) Remarks Location Visit Date Computed Key
Row filter condition	[Staff ID (Email)] = USEREMAIL()
Update mode	ALL_CHANGES
Source Table	New Farmer
Visible?	ALWAYS
Slice Actions	Delete Edit Compose Email (Staff ID (Email)) Call Phone (Shop / Farmer Mobile Number) Send SMS (Shop / Farmer Mobile Number) Add View Map (Location)

Slice Name Transactions_2025

Slice Name	Transactions_2025
Slice Columns	_RowNumber Date DETAIL AMOUNT Recived In Old/New UNIQUEID MonthNo Year

	MonthName MonthYearRef
Row filter condition	=YEAR([Date]) = 2025
Update mode	ALL_CHANGES
Source Table	Company Pay
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Transactions_2026

Slice Name	Transactions_2026
Slice Columns	_RowNumber Date DETAIL AMOUNT Recived In Old/New UNIQUEID MonthNo Year MonthName MonthYearRef
Row filter condition	=YEAR([Date]) = 2026
Update mode	ALL_CHANGES
Source Table	Company Pay
Visible?	ALWAYS
Slice Actions	**auto**

UX

Views

View name Stock Reports

View name	Stock Reports
Created by	App owner
View type	deck
ActionType	Square Image
Position	center
View configuration	<pre>{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"Dealer","SecondaryDeckHeaderColumn":"Report Date","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[{"Column":"Reporting Staff","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":[{"Column":"Report Date","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-boxes-alt","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USEREMAIL(), (Admins[Admin Email] + Manager[Manager Email]))

View name Customer

View name	Customer
Created by	App owner
View type	deck
ActionType	Full Image
Position	left
View configuration	<pre>{"MainDeckImageColumn":"**auto**","ImageShape":"Full Image","PrimaryDeckHeaderColumn":"2026 Sales","SecondaryDeckHeaderColumn":"2026 Payments","DeckSummaryColumn":"2026 Collection %","DeckNestedTableColumn":"**none**","ShowActionBar":false,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[{"Column":"Customer Name","Order":"Descending"}],"GroupAggregate":"SUM :: Total Balance","SortBy":[{"Column":"2026 Sales","Order":"Descending"}, {"Column":"Customer Name","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-address-book","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	<code>=OR(USEREMAIL() = "mondal.pm99@gmail.com", IN(USEREMAIL(), Staff[Staff ID (Email)]))</code>

View name Entries

View name	Entries
Created by	App owner
View type	table
Position	left
View configuration	<pre>{ "ColumnWidth": "Narrow", "EnableQuickEdit": false, "ColumnOrder": ["Customer Name", "Date", "Billed/Paid", "Transaction Type", "Invoice No", "MRP Value", "Sales", "Payment", "Company", "Comments"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [{ "Column": "Entry time", "Order": "Descending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fas fa-pen", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	<pre>=AND(IN(USEREMAIL(), Admins[Admin Email]), IN(USEREMAIL(), Admins[Admin Email]) , NOT(IN(USEREMAIL(), {"alokmicrol@gmail.com"}))))</pre>

View name Your Field Visit

View name	Your Field Visit
Created by	App owner
View type	deck
ActionType	Square Image
Position	left
	<pre>{ "MainDeckImageColumn": "**auto**", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "Staff Name", "SecondaryDeckHeaderColumn": "VISIT TYPE", "DeckSummaryColumn": "Time", "DeckNestedT</pre>

View configuration	ableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":["View Map (Location)"],"GroupBy":[{"Column":"Timestamp","Order":"Descending"}, {"Column":"_RowNumber","Order":"Ascending"}],"GroupAggregate":"COUNT","SortBy":[{"Column":"Timestamp","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-map-marker-check","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=AND(IN(USEREMAIL(), Staff[Staff ID (Email)]), IN(USEREMAIL(), Staff[Staff ID (Email)]) , NOT(IN(USEREMAIL(), {"alokmicrol@gmail.com", "monirulmicrol@gmail.com"}))))

View name All Message

View name	All Message
Created by	App owner
View type	deck
ActionType	Round Image
Position	left
	{"MainDeckImageColumn":"**none**","ImageShape":"Round Image","PrimaryDeckHeaderColumn":"Message","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"Sent"

View configuration	By","DeckNestedTableColumn":null,"ShowActionBar":false,"ActionColumns":[],"ActionBarEntries":["GroupBy":["GroupAggregate":"NONE","SortBy":[{"Column":"Timestamp","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-comment-alt-lines","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=AND(IN(USEREMAIL(), Staff[Staff ID (Email)]), IN(USEREMAIL(), Staff[Staff ID (Email)]) , NOT(IN(USEREMAIL(), {"alokmicrol@gmail.com", "monirulmicrol@gmail.com"}))))

View name Company Pay

View name	Company Pay
Created by	App owner
View type	deck
ActionType	Square Image
Position	left
	{"MainDeckImageColumn":"**none**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"DETAIL","SecondaryDeckHeaderColumn":"AMOUNT","DeckSummaryColumn":"Old/New","DeckNestedTableColumn":"**none**","ShowActionBar":true,"ActionColumns":["GroupBy":[{"Column":"MonthNo","Order":"Ascending"}],

View configuration	{ "Column": "Date", "Order": "Descending" }, "GroupAggregate": "SUM :: AMOUNT", "SortBy": [{ "Column": "MonthNo", "Order": "Ascending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "EventType": "Row Swiped Left", "EventAction": "**auto**" }, { "EventType": "Row Swiped Right", "EventAction": "**auto**" }], "Icon": "fas fa-star", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	★
Menu order	1
Show if	=USEREMAIL()="SALES@MICROLREMEDIES.COM"

View name Staff

View name	Staff
Created by	App owner
View type	deck
ActionType	Square Image
Position	left most
View configuration	{ "MainDeckImageColumn": "**none**", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "Staff Name", "SecondaryDeckHeaderColumn": "2026 Payments", "DeckSummaryColumn": "Collection %", "DeckNestedTableColumn": "**none**", "ShowActionBar": false, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [{ "Column": "Staff Name", "Order": "Ascending" }, { "Column": "2026 Sales", "Order": "Ascending" }], "GroupAggregate": "SUM :: Total Balance", "SortBy": [{ "Column": "2026 Sales", "Order": "Descending" }, { "Column": "Staff Name", "Order": "Ascending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events":

	[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}], "Icon":"fas fa-clipboard-user", "IconRunnerUps":null, "MenuOrder":2}
Visible?	ALWAYS
Icon	
Menu order	2
Show if	=IN(USEREMAIL(), Admins[Admin Email])

View name Stock Report

View name	Stock Report
Created by	App owner
View type	form
Position	right
View configuration	{ "ColumnOrder":["Report ID","Report Date","Reporting Staff","Dealer","Stock List","Comments"], "AutoSave":false, "AutoReopen":false, "FinishView":"**Automatic**", "RowKey":"","FormStyle":"Automatic", "PageStyle":"Automatic", "FormFooterStyle":"Bottom", "MaxNestedRows":5, "AudioInput":false, "Events":[{"EventType":"Form Saved","EventAction":"**auto**"}], "Icon":"fas fa-boxes", "IconRunnerUps":null, "MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=AND(IN(USEREMAIL(), Staff[Staff ID (Email)]), IN(USEREMAIL(), Staff[Staff ID (Email)]) , NOT(IN(USEREMAIL(), {"alokmicrol@gmail.com", "monirulmicrol@gmail.com"}))))

View name Field Visits

View name	Field Visits
Created by	App owner
View type	deck
ActionType	Round Image
Position	right most
View configuration	<pre>{ "MainDeckImageColumn": "Photo (Farm/Shop)", "ImageShape": "Round Image", "PrimaryDeckHeaderColumn": "VISIT TYPE", "SecondaryDeckHeaderColumn": "Dealer Name", "DeckSummaryColumn": "Time", "DeckNestedTableColumn": "**none**", "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": ["View Ref (UNDER WHICH DEALER)"], "GroupBy": [{ "Column": "Timestamp", "Order": "Descending" }, { "Column": "Staff Name", "Order": "Ascending" }, { "Column": "Visit Date", "Order": "Descending" }], "GroupAggregate": "COUNT", "SortBy": [{ "Column": "Visit Date", "Order": "Descending" }, { "Column": "Time", "Order": "Descending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "EventType": "Row Swiped Left", "EventAction": "**auto**" }, { "EventType": "Row Swiped Right", "EventAction": "**auto**" }], "Icon": "fas fa-file-chart-line", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USEREMAIL(), (Admins[Admin Email] + Manager[Manager Email]))

View name Apply for Leave

View name	Apply for Leave
Created by	App owner
View type	deck
ActionType	Square Image
Position	right most
View configuration	<pre>{ "MainDeckImageColumn": "**auto**", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "**auto**", "SecondaryDeckHeaderColumn": "Leave Type", "DeckSummaryColumn": "Number of Days", "DeckNestedTableColumn": null, "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": ["Delete", { "Column": "Staff Email", "Order": "Descending" }], "GroupAggregate": "COUNT", "SortBy": [{ "Column": "Timestamp", "Order": "Descending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "EventType": "Row Swiped Left", "EventAction": "**auto**" }, { "EventType": "Row Swiped Right", "EventAction": "**auto**" }], "Icon": "fas fa-sign-out-alt", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	<pre>=AND(IN(USEREMAIL(), Staff[Staff ID (Email)]), IN(USEREMAIL(), Staff[Staff ID (Email)]) , NOT(IN(USEREMAIL(), {"alokmicrol@gmail.com", "monirulmicrol@gmail.com"}))))</pre>

View name Broadcast

View name	Broadcast
Created by	App owner
View type	form
Position	menu
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fas fa-bullhorn", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USEREMAIL(), Admins[Admin Email])

View name Business Summary

View name	Business Summary
Created by	App owner
View type	detail
ActionType	Side-by-side
Position	menu
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Opening Balance", "Total Sales", "Total Payments", "Total Balance", "Total Collection %", "Microl Opening Balance", "Microl Sales", "Microl Payments", "Microl Balance", "Microl Collection %", "Alliance Opening Balance", "Alliance Sales", "Alliance Payments", "Alliance Balance", "Alliance Collection %"], "ImageStyle": "Fit", "Layout": null, "UseCardLayout": false }</pre>

	lse,"DisplayMode":"Side-by-side","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fas fa-university","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USEREMAIL(), Admins[Admin Email])

View name Daily Visit Report

View name	Daily Visit Report
Created by	App owner
View type	table
Position	menu
View configuration	{ "ColumnWidth":"Narrow", "EnableQuickEdit":false, "ColumnOrder":["Staff Name","Daily Average","Farm Visits","Office Visits","Dealer Visits","Total Leave Days"], "GroupBy": [], "GroupAggregate":"NONE", "SortBy": [{"Column":"Daily Average","Order":"Descending"}], "PrimarySortColumn":null, "IsPrimarySortDescending":false, "Events": [{"EventType":"Row Selected","EventAction":"**auto**"}], "Icon":"fas fa-map-marker-check", "IconRunnerUps":null, "MenuOrder":1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Month_2025

View name	Month_2025
Created by	App owner
View type	table
Position	menu
View configuration	<pre>{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[{"Column":"MonthName","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=USEREMAIL()="SALES@MICROLREMEDIES.COM"

View name Month_2026

View name	Month_2026
Created by	App owner
View type	table
Position	menu
View configuration	<pre>{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[{"Column":"MonthName","Order":"Ascending"}],"GroupAggregate":"NONE","SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS

Icon	☰
Menu order	1
Show if	=USEREMAIL()="SALES@MICROLREMEDIES.COM"

View name Staff Target

View name	Staff Target
Created by	App owner
View type	table
Position	menu
View configuration	<pre>{ "ColumnWidth": "Narrow", "EnableQuickEdit": false, "ColumnOrder": ["Staff ID (Email)", "Target Completed (%)", "Targets", "Payments", "Balances", "Count Down Days", "Stock Return", "Opening Balance", "JV"], "GroupBy": ["GroupAggregate": "NONE", "SortBy": [{ "Column": "Target Completed (%)", "Order": "Descending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fas fa-bullseye-arrow", "IconRunnerUps": null, "MenuOrder": 1 } }</pre>
Visible?	ALWAYS
Icon	🔗
Menu order	1
Show if	=IN(USEREMAIL(), Admins[Admin Email])

View name Statements

View name	Statements
Created by	App owner
View type	table
Position	menu

View configuration	{ "ColumnWidth": "Narrow", "EnableQuickEdit": false, "ColumnOrder": ["Customer Name", "Opening Balance", "2026 Sales", "2026 Payments", "2026 Balance", "2026 Collection %", "Total Balance"], "GroupBy": { "Column": "Staff ID (Email)", "Order": "Ascending" }, "GroupAggregate": "SUM :: 2026 Balance", "SortBy": { "Column": "2026 Sales", "Order": "Descending" }, "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "Icon": "fas fa-briefcase", "IconRunnerUps": null, "MenuOrder": 1 }] }
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USEREMAIL(), Admins[Admin Email])

View name Summary

View name	Summary
Created by	App owner
View type	table
Position	menu
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["Customer Name", "2026 Collection %", "2026 Balance", "2026 Sales", "2026 Payments", "Total Balance", "Microl Sales", "Microl Payments", "Microl Balance", "Alliance Sales", "Alliance Payments", "Alliance Balance", "Opening Balance", "Microl Opening Balance", "Alliance Opening Balance", "Staff ID (Email)", "Statement PDF"], "GroupBy": [], "GroupAggregate": "SUM :: 2026 Balance", "SortBy": { "Column": "2026 Balance", "Order": "Descending" }, "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [] }

	[{"EventType":"Row Selected","EventAction":"**auto**"}],Icon":"fas fa- briefcase","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USEREMAIL(), Admins[Admin Email])

View name Staff Weekly Reports

View name	Staff Weekly Reports
Created by	App owner
View type	table
Position	menu
View configuration	{ "ColumnWidth":"Narrow","EnableQuickEdit":false,"Co lumnOrder":["Staff Name","Weekly Sales","Weekly Payment","Total Balance"],"GroupBy": [], "GroupAggregate":"NONE","SortBy": [{"Column":"Total Balance","Order":"Ascending"}], "PrimarySortColumn": null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}], Icon":"fas fa- clipboard-user","IconRunnerUps":null,"MenuOrder":2}
Visible?	ALWAYS
Icon	
Menu order	2
Show if	=IN(USEREMAIL(), Admins[Admin Email])

View name All Leave Requests

View name	All Leave Requests
Created by	App owner
View type	table

Position	menu
View configuration	{ "ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["Staff Email","Start Date","End Date","Number of Days","Leave Type","Reason","Timestamp"],"GroupBy": [],"GroupAggregate":"NONE","SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fas fa-sign-out-alt","IconRunnerUps":null,"MenuOrder":3}
Visible?	ALWAYS
Icon	
Menu order	3
Show if	=IN(USEREMAIL(), Admins[Admin Email])

View name Admin Tools_Detail

View name	Admin Tools_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns": [],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	

View name Admin Tools_Form

View name	Admin Tools_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Admins_Detail

View name	Admins_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns": [],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescendin

	g":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Admins_Form

View name	Admins_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Broadcast Notification._Detail

View name	Broadcast Notification._Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
	{"MainSlideshowImageColumn":"Image","DetailContentColumn":"**none**","HeaderColumns":["QuickEditColumns":[],"ColumnOrder":["Timestamp","To","Message","Image","Sent

View configuration	By"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":false,"DesktopSplitMode":"Full screen","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Broadcast Notification._Form

View name	Broadcast Notification._Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Broadcast Notification._Inline

View name	Broadcast Notification._Inline
Created by	System
View type	table
Position	ref

View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["Timestamp", "To", "Message", "Sent By", "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [{ "Column": "Timestamp", "Order": "Descending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-table", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Company Pay_Detail

View name	Company Pay_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Date", "DETAIL", "AMOUNT", "Recived In", "Old/New"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Company Pay_Form

View name	Company Pay_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder": ["_ComputedKey","Date","DETAIL","AMOUNT","Recived In","Old/New"],"AutoSave":false,"AutoReopen":false,"Fi nishView":"**Automatic**","RowKey":"","FormStyle":"A utomatic","PageStyle":"Automatic","FormFooterStyle": "Bottom","MaxNestedRows":5,"AudioInput":false,"Eve nts":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Customer_Detail

View name	Customer_Detail
Created by	System
View type	detail
ActionType	Side-by-side
Position	ref
	<pre>{"MainSlideshowImageColumn":"**auto**","DetailCon tentColumn":"**none**","HeaderColumns": [],"QuickEditColumns":[],"ColumnOrder":["Customer Name","Opening Balance","2026 Sales","2026 Payments","Total Balance","2026 Collection %","Microl Opening Balance","Microl Sales","Microl Payments","Microl Balance","Alliance Opening Balance","Alliance Sales","Alliance</pre>

View configuration	Payments","Alliance Balance","Related Microl Statements","Related Alliance Statements","Related Entries"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Side-by-side","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Full screen","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Entries_Detail

View name	Entries_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":["QuickEditColumns":[],"ColumnOrder":["Entry ID","Customer ID","Customer Name","Date","Billed/Paid","Transaction Type","Invoice No","MRP Value","Sales","Payment","Company","Comments"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}

Visible?	ALWAYS
Icon	
Menu order	1

View name Entries_Form

View name	Entries_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["Entry ID", "Entry time", "Date", "Company", "Customer ID", "Customer Name", "Billed/Paid", "Transaction Type", "Invoice No", "MRP Value", "Sales", "Payment", "Comments"], "AutoSave": false, "AutoReopen": false, "FinishView": "Entries", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Entries_Inline

View name	Entries_Inline
Created by	System
View type	table
Position	ref
	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["Customer Name", "Date", "Billed/Paid", "Transaction</pre>

View configuration	Type","Invoice No","Sales","Payment","Company","Comments"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"Date","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name FESTIVE Message_Detail

View name	FESTIVE Message_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name FESTIVE Message_Form

View name	FESTIVE Message_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Field Reports Staff ID Email is the app users email_Detail

View name	Field Reports Staff ID Email is the app users email_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "Photo (Farm/Shop)", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Staff Name", "Timestamp", "Time", "AREA", "VISIT TYPE", "FARMER NAME", "UNDER WHICH DEALER", "Dealer Name", "Shop / Farmer Mobile Number", "Photo (Farm/Shop)", "Remarks", "Location"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": "tr" }</pre>

	ue,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Field Reports Staff ID Email is the app users email_Form

View name	Field Reports Staff ID Email is the app users email_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["Timestamp", "Time", "Staff ID (Email)", "AREA", "VISIT TYPE", "FARMER NAME", "UNDER WHICH DEALER", "Dealer Name", "Shop / Farmer Mobile Number", "Photo (Farm/Shop)", "Remarks", "Location"], "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "Row Key": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Field Reports_Detail

View name	Field Reports_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Staff Name", "Staff ID (Email)", "Timestamp", "Time", "AREA", "VISIT TYPE", "FARMER NAME", "Dealer Name", "Shop / Farmer Mobile Number", "Photo (Farm/Shop)", "Remarks", "Location"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Field Reports_Form

View name	Field Reports_Form
Created by	System
View type	form
Position	ref
	{ "ColumnOrder": ["Timestamp", "Staff ID (Email)", "VISIT TYPE", "AREA", "VILLAGE NAME", "FARMER NAME", "FARMER UNDER WHICH DEALER", "UNDER WHICH DEALER", "Shop / Farmer] }

View configuration	Mobile Number","Remarks","Photo (Farm/Shop)","Location"],["AutoSave":false,"AutoReopen":false,"FinishView":"Daily Visit Report","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Field Reports_Inline

View name	Field Reports_Inline
Created by	System
View type	deck
ActionType	Square Image
Position	ref
View configuration	{ "MainDeckImageColumn":null,"ImageShape":"Square Image","PrimaryDeckHeaderColumn":null,"SecondaryDeckHeaderColumn":null,"DeckSummaryColumn":null,"DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":null,"ActionBarEntries":[], "GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}], "Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	
Menu order	1

View name Leave Applications_Detail

View name	Leave Applications_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Timestamp", "Staff Email", "Start Date", "End Date", "Number of Days", "Leave Type", "Reason"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Leave Applications_Form

View name	Leave Applications_Form
Created by	System
View type	form
Position	ref

View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Leave Applications_Inline

View name	Leave Applications_Inline
Created by	System
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-table", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Manager_Detail

View name	Manager_Detail
Created by	System
View type	detail
ActionType	Automatic

Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Manager_Form

View name	Manager_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Month_Year_Summary_Detail

View name	Month_Year_Summary_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Month_Year_Summary_Form

View name	Month_Year_Summary_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	

Menu order	1
------------	---

View name Month_Year_Summary_Inline

View name	Month_Year_Summary_Inline
Created by	System
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-table", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Months_Detail

View name	Months_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": }</pre>

	<pre>[{"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Months_Form

View name	Months_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name My Customers_Detail

View name	My Customers_Detail
Created by	System
View type	detail
ActionType	Side-by-side
Position	ref
	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":["Customer Name"],"QuickEditColumns":</pre>

View configuration	[{"ColumnOrder":["Opening Balance","2026 Sales","2026 Payments","Total Balance","2026 Collection %","Microl Opening Balance","Microl Sales","Microl Payments","Microl Balance","Alliance Opening Balance","Alliance Sales","Alliance Payments","Alliance Balance","Related Microl Statements","Related Alliance Statements"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Side-by-side","MaxNestedRows":15,"SlideshowMode":false,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[{"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name New Farmer

View name	New Farmer
Created by	App owner
View type	deck
ActionType	Square Image
Position	ref
View configuration	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}

	g":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}], "Icon":"fas fa-check-circle","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USEREMAIL(), Staff[Staff ID (Email)])

View name New Farmer Details

View name	New Farmer Details
Created by	App owner
View type	deck
ActionType	Square Image
Position	ref
View configuration	{ "MainDeckImageColumn":"**auto**", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "Staff Name", "SecondaryDeckHeaderColumn": "Remarks", "DeckSummaryColumn": "VISIT TYPE", "DeckNestedTableColumn": null, "ShowActionBar": false, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [{"Column": "Timestamp", "Order": "Descending"}], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}, {"EventType": "Row Swiped Left", "EventAction": "**auto**"}, {"EventType": "Row Swiped Right", "EventAction": "**auto**"}], "Icon": "fas fa-check-circle", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS

Icon	✓
Menu order	1
Show if	=AND(IN(USEREMAIL(), (Admins[Admin Email] + Manager[Manager Email])) , NOT(IN(USEREMAIL(), {"alokmicrol@gmail.com"}))))

View name New Farmer Staff ID Email is the app users email_Detail

View name	New Farmer Staff ID Email is the app users email_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "***auto**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Staff Name", "Timestamp", "Time", "Staff ID (Email)", "AREA", "VISIT TYPE", "Farmer Name", "Dealer Name", "Shop / Farmer Mobile Number", "Remarks", "Location", "Computed Key"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	☰
Menu order	1

View name New Farmer Staff ID Email is the app

users_email_Form

View name	New Farmer Staff ID Email is the app users_email_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name New Farmer_Detail

View name	New Farmer_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":["QuickEditColumns":[],"ColumnOrder":["ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[]],"Icon":"fa-</pre>

	indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name New Farmer_Form

View name	New Farmer_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name New Slice_Detail

View name	New Slice_Detail
Created by	System
View type	detail
ActionType	Side-by-side
Position	ref
	{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[], "QuickEditColumns":[], "ColumnOrder":["Staff ID (Email)","Count Down Days","Target Completed (%)","Targets","Payments","Balances","Start Date","End

View configuration	Date"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Side-by-side","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name New Slice_Form

View name	New Slice_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name PRODUCT LIST_Detail

View name	PRODUCT LIST_Detail
Created by	System
View type	detail

ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "***auto**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Report

View name	Report
Created by	App owner
View type	calendar
ActionType	Month
Position	ref
View configuration	{ "StartDateColumn": "***none**", "StartTimeColumn": "***none**", "EndDateColumn": "***none**", "EndTimeColumn": "***none**", "LabelColumn": "Staff ID (Email)", "CategoryColumn": "***auto**", "DefaultCalendarView": "Month", "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fas fa-map-marker-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	

Menu order	1
Show if	=IN(USEREMAIL(), Staff[Staff ID (Email)])

View name Staff 2_Detail

View name	Staff 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "***auto**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Staff Name", "Opening Balance", "2026 Sales", "2026 Payments", "Total Balance", "Collection %", "Assigned Customers", "Weekly Sales", "Weekly Payment"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Staff 2_Form

View name	Staff 2_Form
Created by	System
View type	form
Position	ref
	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false }

View configuration	lse,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Staff_Detail2

View name	Staff_Detail2
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Staff_Form2

View name	Staff_Form2

Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Statements_Detail

View name	Statements_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": ["QuickEditColumns"], "ColumnOrder": ["Customer ID", "Customer Name", "Date", "Billed/Paid", "Transaction Type", "Invoice No", "Payment", "Sales"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": ["PrimarySortColumn"], "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-" }</pre>

	indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Statements_Form

View name	Statements_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder":null, "AutoSave":false, "AutoReopen":false, "FinishView":"**Automatic**", "RowKey":"","FormStyle":"Automatic", "PageStyle":"Automatic", "FormFooterStyle":"Bottom", "MaxNestedRows":5, "AudioInput":false, "Events":[{ "EventType":"Form Saved", "EventAction":"**auto**" }], "Icon":"fa-edit", "IconRunnerUps":null, "MenuOrder":1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Statements_Inline

View name	Statements_Inline
Created by	System
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth":"Narrow", "EnableQuickEdit":false, "ColumnOrder":["Customer Name", "Date", "Billed/Paid", "Transaction Type", "Invoice No", "Sales", "Payment"], "GroupBy":[], "GroupAggregate":"NONE", "SortBy": [{"Column":"Date", "Order":"Ascending"}], "PrimarySortC"</pre>

```
column":null,"IsPrimarySortDescending":false,"Events":
:{"EventType":"Row
Selected","EventAction":"**auto**"},"Icon":"fa-
table","IconRunnerUps":null,"MenuOrder":1}
```

Visible?	ALWAYS
Icon	
Menu order	1

View name Stock Reports_Detail

View name	Stock Reports_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns": [],"QuickEditColumns":[],"ColumnOrder":["Report Date","Reporting Staff","Dealer","Stock List","Comments"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","Max NestedRows":5,"SlideshowMode":true,"DesktopSplit Mode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa- indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Stock Reports_Form

View name	Stock Reports_Form

Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["Report ID", "Report Date", "Reporting Staff", "Dealer", "Stock List", "Comments", "Related Stock Report Details"], "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Stock Reports_Inline

View name	Stock Reports_Inline
Created by	System
View type	deck
ActionType	Square Image
Position	ref
View configuration	<pre>{ "MainDeckImageColumn": null, "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": null, "SecondaryDeckHeaderColumn": null, "DeckSummaryColumn": null, "DeckNestedTableColumn": null, "ShowActionBar": true, "ActionColumns": null, "ActionBarEntries": [{ "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false }], "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], </pre>

	{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}], "Icon":"fa-list-ul", "IconRunnerUps":null, "MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Target_Detail

View name	Target_Detail
Created by	System
View type	detail
ActionType	Side-by-side
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**", "DetailContentColumn":"**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder":["Staff ID (Email)", "Count Down Days", "Target Completed (%)", "Start Date", "End Date", "Targets", "Payments", "Balances", "Stock Return"], "ImageStyle":"Fill", "Layout":null, "UseCardLayout":false, "DisplayMode":"Side-by-side", "MaxNestedRows":5, "SlideshowMode":true, "DesktopSplitMode":"Split view", "UseDesktopMultiColumn":true, "SortBy": [], "PrimarySortColumn":null, "IsPrimarySortDescending":false, "Events": [], "Icon":"fa-indent", "IconRunnerUps":null, "MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Target_Form

View name	Target_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Target_Inline

View name	Target_Inline
Created by	System
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-table", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Transactions_2025_Detail

View name	Transactions_2025_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "***auto**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Transactions_2025_Form

View name	Transactions_2025_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "***Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "***auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	

Menu order	1
------------	---

View name Transactions_2026_Detail

View name	Transactions_2026_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "***auto**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Transactions_2026_Form

View name	Transactions_2026_Form
Created by	System
View type	form
Position	ref
	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "***Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false }

View configuration	e,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
--------------------	---

Visible?	ALWAYS
Icon	
Menu order	1

View name Visible Staff admin_Detail

View name	Visible Staff admin_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":["QuickEditColumns":[],"ColumnOrder":["Staff Name","Daily Average","Farm Visits","Office Visits","Dealer Visits","Total Leave Days"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[]],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Visible Staff admin_Form

View name	Visible Staff admin_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Visible Staff_Detail2

View name	Visible Staff_Detail2
Created by	System
View type	detail
ActionType	Side-by-side
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Staff Name","2026 Sales","2026 Payments","Total Balance","Daily Average","Dealer Visits","Office Visits","Weekly Sales","Weekly Payment"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Side-by-side","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false}

	g":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Visible Staff_Form2

View name	Visible Staff_Form2
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Your New Farmer/Dealer

View name	Your New Farmer/Dealer
Created by	App owner
View type	deck
ActionType	Square Image
Position	ref
	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"Farmer Name","SecondaryDeckHeaderColumn":"VISIT TYPE","DeckSummaryColumn":"Dealer

View configuration	Name","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries": [],"GroupBy":[],"GroupAggregate":"NONE","SortBy": [{"Column":"Timestamp","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-lightbulb","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=AND(IN(USEREMAIL(), Staff[Staff ID (Email)]), IN(USEREMAIL(), Staff[Staff ID (Email)]), NOT(IN(USEREMAIL(), {"alokmicrol@gmail.com", "monirulmicrol@gmail.com"}))))

View name Your Target

View name	Your Target
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["Staff ID (Email)", "Target Completed (%)", "Count Down Days", "Targets", "Payments", "Balances"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [{ "Column": "Target Completed (%)", "Order": "Descending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fas fa-

	bullseye-arrow","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USEREMAIL(), Admins[Admin Email])

Format Rules

Rule name New Format Rule 2

Rule name	New Format Rule 2
Format these columns and actions	2026 Sales Opening Balance Microl Opening Balance Alliance Opening Balance
For this data	Customer
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"green","highlightColor":"primaryText","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-rupee-sign","imageSize":null} }
Visible?	ALWAYS

Rule name New Format Rule 3

Rule name	New Format Rule 3
Format these columns and actions	Total Sales Microl Sales Alliance Sales
For this data	Admin Tools

If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "themeMainColor", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-rupee-sign", "imageSize": null }
Visible?	ALWAYS

Rule name New Format Rule 4

Rule name	New Format Rule 4
Format these columns and actions	Total Balance Microl Balance Alliance Balance
For this data	Admin Tools
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "red", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-rupee-sign", "imageSize": null }
Visible?	ALWAYS

Rule name Bold staff

Rule name	Bold staff
Format these columns and actions	Staff ID (Email)
For this data	Customer

If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "themeMainColor", "highlightColor": "blue", "textSize": 1.5, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-bolt", "imageSize": "" }</pre>
Visible?	ALWAYS

Rule name New Format Rule 6

Rule name	New Format Rule 6
Format these columns and actions	Customer Name
For this data	Customer
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "primaryText", "highlightColor": null, "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }</pre>
Visible?	ALWAYS

Rule name customer balance >0

Rule name	customer balance >0
Format these columns and actions	Total Balance Microl Balance Alliance Balance
For this data	Customer
If this condition is true	=[Total Balance]>=0
Rule order	1

Is this format rule disabled?	No
Like this	<pre>{"textColor":"green","highlightColor":"primaryText","textSize":1.2,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-rupee-sign","imageSize":null}</pre>
Visible?	ALWAYS

Rule name New Format Rule 9

Rule name	New Format Rule 9
Format these columns and actions	2026 Payments Microl Sales Microl Payments
For this data	Customer
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"blue","highlightColor":"primaryText","textSize":1.2,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-rupee-sign","imageSize":null}</pre>
Visible?	ALWAYS

Rule name New Format Rule 10

Rule name	New Format Rule 10
Format these columns and actions	Alliance Sales Alliance Payments
For this data	Customer
Rule order	1
Is this format rule disabled?	No
	<pre>{"textColor":"orange","highlightColor":"","textSi</pre>

Like this	ze":1.2,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon": "far fa-rupee-sign","imageSize":null}
Visible?	ALWAYS

Rule name Progress

Rule name	Progress
Format these columns and actions	Target Completed (%)
For this data	Target
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": null, "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name Target at Risk - Red

Rule name	Target at Risk - Red
Format these columns and actions	Target Completed (%)
For this data	Target
If this condition is true	=[Target Completed (%)] < 0.5
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "red", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": null, "imageSize": null }

	ull,"imageSize":null}
Visible?	ALWAYS

Rule name Target Met - Green

Rule name	Target Met - Green
Format these columns and actions	Target Completed (%)
For this data	Target
If this condition is true	=[Target Completed (%)] >= 0.8
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "green", "highlightColor": null, "textSi ze": 1.0, "underline": false, "strikethrough": false, " bold": false, "italic": false, "uppercase": false, "icon ": null, "imageSize": null }
Visible?	ALWAYS

Rule name Target Met - 50%

Rule name	Target Met - 50%
Format these columns and actions	Target Completed (%)
For this data	Target
If this condition is true	=[Target Completed (%)] >= 0.5
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "purple", "highlightColor": null, "text Size": 1.0, "underline": false, "strikethrough": false , "bold": false, "italic": false, "uppercase": false, "ico n": null, "imageSize": null }
Visible?	ALWAYS

Rule name staff name

Rule name	staff name
Format these columns and actions	Staff Name
For this data	Staff
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"primaryText","highlightColor":"","textSize":1.3,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</pre>
Visible?	ALWAYS

Rule name Total balance

Rule name	Total balance
Format these columns and actions	2026 Balance
For this data	Staff
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"red","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</pre>
Visible?	ALWAYS

Rule name Daily Avg 8+

Rule name	Daily Avg 8+

Format these columns and actions	Daily Average
For this data	Staff
If this condition is true	=[_THISROW].[Daily Average] > 8
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "green", "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-check-circle", "imageSize": null }
Visible?	ALWAYS

Rule name Daily Avg 5-8

Rule name	Daily Avg 5-8
Format these columns and actions	Daily Average
For this data	Staff
If this condition is true	=AND([_THISROW].[Daily Average] >= 5, [_THISROW].[Daily Average] <= 8)
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": null, "highlightColor": "themeMainColor", "textSize": 1.2, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": "fas fa-exclamation-triangle", "imageSize": null }
Visible?	ALWAYS

Rule name Daily Avg 5-

Rule name	Daily Avg 5-
Format these columns and actions	Daily Average
For this data	Staff
If this condition is true	=[_THISROW].[Daily Average] < 5
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":null,"highlightColor":"red","textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fa-exclamation-triangle","imageSize":null}
Visible?	ALWAYS

Rule name PDF Symbol

Rule name	PDF Symbol
Format these columns and actions	__action__Open File (Statement PDF)
For this data	Customer
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"red","highlightColor":null,"textSize":2.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name customer balance <0

Rule name	customer balance <0
	Total Balance

Format these columns and actions	Microl Balance Alliance Balance Opening Balance
For this data	Customer
If this condition is true	=[Total Balance]<0
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"red","highlightColor":"primaryText", "textSize":1.2,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-rupee-sign","imageSize":null}
Visible?	ALWAYS

Rule name collection > 75

Rule name	collection > 75
Format these columns and actions	Collection %
For this data	Staff
If this condition is true	=AND([_THISROW].[Collection %] >=0.7, [_THISROW].[Collection %] <= 0.9)
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"blue","highlightColor":"","textSize":1.2,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name collection > 50

Rule name	collection > 50
-----------	-----------------

Format these columns and actions	Collection %
For this data	Staff
If this condition is true	=AND([_THISROW].[Collection %] >=0.5, [_THISROW].[Collection %] <= 0.70)
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "orange", "highlightColor": "", "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name collection <50

Rule name	collection <50
Format these columns and actions	Collection %
For this data	Staff
If this condition is true	=[_THISROW].[Collection %] < 0.5
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "red", "highlightColor": "", "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name collection <50%

Rule name	collection <50%

Format these columns and actions	2026 Collection %
For this data	Customer
If this condition is true	=[_THISROW].[2026 Collection %] < 0.5
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "red", "highlightColor": "", "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name collection >50-70%

Rule name	collection >50-70%
Format these columns and actions	2026 Collection %
For this data	Customer
If this condition is true	=AND([_THISROW].[2026 Collection %] >=0.5, [_THISROW].[2026 Collection %] <= 0.75)
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "orange", "highlightColor": "", "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name collection >70%-90%

Rule name	collection >70%-90%

Format these columns and actions	2026 Collection %
For this data	Customer
If this condition is true	=AND([_THISROW].[2026 Collection %] >=0.7, [_THISROW].[2026 Collection %] <= 0.9)
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "blue", "highlightColor": "", "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name T collection <50%

Rule name	T collection <50%
Format these columns and actions	Total Collection %
For this data	Admin Tools
If this condition is true	=[_THISROW].[Total Collection %] < 0.5
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "red", "highlightColor": "", "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name T collection >50-70% 2

Rule name	T collection >50-70% 2

Format these columns and actions	Total Collection %
For this data	Admin Tools
If this condition is true	=AND([_THISROW].[Total Collection %] >=0.5, [_THISROW].[Total Collection %] <= 0.75)
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "orange", "highlightColor": "", "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name T collection >70% 2

Rule name	T collection >70% 2
Format these columns and actions	Total Collection %
For this data	Admin Tools
If this condition is true	=[_THISROW].[Total Collection %]> 0.75
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "green", "highlightColor": "", "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name collection >90%

Rule name	collection >90%

Format these columns and actions	2026 Collection %
For this data	Customer
If this condition is true	=[_THISROW].[2026 Collection %] > 0.90
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "green", "highlightColor": "", "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name collection > 90

Rule name	collection > 90
Format these columns and actions	Collection %
For this data	Staff
If this condition is true	=[_THISROW].[Collection %] > 0.9
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "green", "highlightColor": "", "textSize": 1.2, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name Total balance 2

Rule name	Total balance 2
Format these columns and actions	2026 Sales Total Balance

For this data	Staff
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"green","highlightColor":"green","textSize":1.2,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-rupee-sign","imageSize":null}</pre>
Visible?	ALWAYS

Rule name New Format Rule 11

Rule name	New Format Rule 11
Format these columns and actions	Total Balance 2026 Balance
For this data	Customer
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"red","highlightColor":null,"textSize":1.2,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</pre>
Visible?	ALWAYS

Rule name New Format Rule

Rule name	New Format Rule
Format these columns and actions	Dealer Visits Farm Visits
For this data	Staff
If this condition is true	=TRUE
Rule order	1

Is this format rule disabled?	No
Like this	<code>{"textColor":null,"highlightColor":null,"textSize":1.5,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</code>
Visible?	ALWAYS

Behavior

Actions

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Only if this condition is true	=IN(USEREMAIL(), Admins[Admin Email])
Disable automatic updates?	No
Action icon	
For a record of this table	Statements
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes

Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Only if this condition is true	=IN(USEREMAIL(), Admins[Admin Email])
Disable automatic updates?	No
Action icon	
For a record of this table	Statements
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD

Only if this condition is true =IN(USEREMAIL(), Admins[Admin Email])

Disable automatic updates?	No
Action icon	+
For a record of this table	Statements
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Customer ID)

Action name	View Ref (Customer ID)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Customer&row=\", ENCODEURL([Customer ID]))\",\"Prominence\":\"Do_Not_Display\",\"NeedsConfirmation\":false,\"ConfirmationMessage\":\"\",\"ModifiesData\":false,\"BulkApplicable\":false}
Do this	NAVIGATE_APP
Attach to column	Customer ID
Set this column	Customer ID
Only if this condition is true	NOT(ISBLANK([Customer ID]))
Disable automatic updates?	No

Action icon	
For a record of this table	Statements
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Only if this condition is true	<code>=IN(USEREMAIL(), Admins[Admin Email])</code>
Disable automatic updates?	No
Action icon	
For a record of this table	Entries
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD
Only if this condition is true	=USEREMAIL() = SALES@MICROLREMEDIES.COM
Disable automatic updates?	No
Action icon	
For a record of this table	Entries
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay

Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Only if this condition is true	=IN(USEREMAIL(), Admins[Admin Email])
Disable automatic updates?	No
Action icon	
For a record of this table	Entries
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Customer ID)

Action name	View Ref (Customer ID)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Customer&row=\", ENCODEURL([Customer ID]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Customer ID

Set this column	Customer ID
Only if this condition is true	NOT(ISBLANK([Customer ID]))
Disable automatic updates?	No
Action icon	
For a record of this table	Entries
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add a new row to another table using values from this row Action - 1

Action name	Add a new row to another table using values from this row Action - 1
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1

```
{
  "ReferencedTable": "Statements",
  "Assignments": [
    {
      "ColumnToEdit": "Statement ID",
      "NewColumnValue": "=UNIQUEID()"
    },
    {
      "ColumnToEdit": "Customer ID",
      "NewColumnValue": "[_THISROW].[Customer ID]"
    },
    {
      "ColumnToEdit": "Customer Name",
      "NewColumnValue": "[_THISROW].[Customer ID].[Customer Name]"
    },
    {
      "ColumnToEdit": "Date",
      "NewColumnValue": "[_THISROW].[Date]"
    },
    {
      "ColumnToEdit": "Billed/Paid",
      "NewColumnValue": "[_THISROW].[Billed/Paid]"
    }
  ]
}
```

With these
properties

```
:="[_THISROW].[Billed/Paid]"},
{"ColumnToEdit":"Transaction
Type","NewColumnValue":="[_THISROW].
[Transaction Type]"},{"ColumnToEdit":"Invoice
No","NewColumnValue":="[_THISROW].[Invoice
No]"},{"ColumnToEdit":"MRP
Value","NewColumnValue":="[_THISROW].[MRP
Value]"},
{"ColumnToEdit":"Sales","NewColumnValue": "=IF(
\n OR([Transaction Type] = \"Sale\", [Transaction
Type] = \"Opening Balance\"),\n [_THISROW].
[Sales],\n 0\n)"}},
{"ColumnToEdit":"Payment","NewColumnValue": "
=IF(\n OR([Transaction Type] = \"Payment\",
[Transaction Type] = \"Opening Balance\",
[Transaction Type] = \"JV\"),\n [_THISROW].
[Payment],\n 0\n)"}},
{"ColumnToEdit":"Company","NewColumnValue": "
=[_THISROW].
[Company]"}}, {"InputParametersUsed":null,"Promin
ence":"Display_Prominently","NeedsConfirmation"
:false,"ConfirmationMessage":"","ModifiesData":tr
ue,"BulkApplicable":true}
```

Do this	ADD_RECORD_TO
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Entries
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Admins
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in

With these properties	place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Admins
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (Admin Email)

Action name	Compose Email (Admin Email)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"EmailTo":"[Admin Email]","Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	Admin Email
Set this column	Admin Email
Only if this condition is true	NOT(ISBLANK([Admin Email]))

Disable automatic updates?	No
Action icon	✉
For a record of this table	Admins
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Admins
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Field Reports
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","Modifi

	esData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Field Reports
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (Shop / Farmer Mobile Number)

Action name	Call Phone (Shop / Farmer Mobile Number)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Number":"[Shop / Farmer Mobile Number]","Prominence":"Do_Not_Display","Needs Confirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	Shop / Farmer Mobile Number
Set this column	Shop / Farmer Mobile Number
Only if this condition is true	NOT(ISBLANK([Shop / Farmer Mobile Number]))
Disable automatic updates?	No
Display name	Phone call

Action icon	
For a record of this table	Field Reports
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Shop / Farmer Mobile Number)

Action name	Send SMS (Shop / Farmer Mobile Number)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{"Number":"[Shop / Farmer Mobile Number]","Message":"","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</pre>
Do this	SMS
Attach to column	Shop / Farmer Mobile Number
Set this column	Shop / Farmer Mobile Number
Only if this condition is true	NOT(ISBLANK([Shop / Farmer Mobile Number]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	

Field Reports

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Field Reports
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Map (Location)

Action name	View Map (Location)
Bulk action?	No

Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=map&table=Field%20Reports&mapcolumn=Location&row=\", ENCODEURL([_THISROW]))", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	Location
Set this column	Location
Only if this condition is true	NOT(ISBLANK([Location]))
Disable automatic updates?	No
Action icon	
For a record of this table	Field Reports
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display

Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Leave Applications
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	

For a record of this table

Leave Applications

Does this action apply to the whole table?	No
--	----

Visible? ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Manager
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No

Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Manager
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (Manager Email)

Action name	Compose Email (Manager Email)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<code>{"EmailTo":"[Manager Email]","Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>

Do this	EMAIL
Attach to column	Manager Email
Set this column	Manager Email
Only if this condition is true	NOT(ISBLANK([Manager Email]))
Disable automatic updates?	No
Action icon	
For a record of this table	Manager
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Leave Applications

Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Manager
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes

Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Only if this condition is true	=IN(USEREMAIL(), Admins[Admin Email])
Disable automatic updates?	No
Action icon	
For a record of this table	Admin Tools
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD

Disable automatic updates?	No
Action icon	
For a record of this table	Admin Tools
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Admin Tools
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Compose Email (Staff ID (Email))

Action name	Compose Email (Staff ID (Email))
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"EmailTo":"[Staff ID (Email)]","Subject":null,"Body":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	Staff ID (Email)
Set this column	Staff ID (Email)
Only if this condition is true	NOT(ISBLANK([Staff ID (Email)]))
Disable automatic updates?	No
Action icon	
For a record of this table	Field Reports
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display

Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Broadcast Notification.
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	

For a record of this table Broadcast Notification.

Does this action apply to the whole table?	No
--	----

Visible?	ALWAYS
----------	--------

Action name Add

Action name	Add
-------------	-----

Bulk action?	Yes
--------------	-----

Modifies data?	Yes
----------------	-----

Needs confirmation?	No
---------------------	----

Prominence	Do_Not_Display
------------	----------------

Action order	1
--------------	---

With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
-----------------------	--

Do this	ADD_RECORD
---------	------------

Disable automatic updates?	No
----------------------------	----

Action icon	+
-------------	---

For a record of this table Broadcast Notification.

Does this action apply to the whole table?	Yes
--	-----

Visible?	ALWAYS
----------	--------

Action name Delete

Action name	Delete
-------------	--------

Bulk action?	Yes
--------------	-----

Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Target
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD

Disable automatic updates?	No
Action icon	
For a record of this table	Target
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Target
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Staff ID (Email))

Action name	View Ref (Staff ID (Email))
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=Staff&row=\", ENCODEURL([Staff ID (Email)]))", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	Staff ID (Email)
Set this column	Staff ID (Email)
Only if this condition is true	NOT(ISBLANK([Staff ID (Email)]))
Disable automatic updates?	No
Action icon	
For a record of this table	Target
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (UNDER WHICH DEALER)

Action name	View Ref (UNDER WHICH DEALER)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No

Prominence	Do_Not_Display
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=My%20Customers&row=\", ENCODEURL([UNDER WHICH DEALER]))", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	UNDER WHICH DEALER
Set this column	UNDER WHICH DEALER
Only if this condition is true	NOT(ISBLANK([UNDER WHICH DEALER]))
Disable automatic updates?	No
Action icon	
For a record of this table	Field Reports
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
	{ "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": true, "Confirmati

With these properties	<code>onMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Staff
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Staff

Does this action apply to the whole table?	No
--	----

Visible? ALWAYS

Action name Compose Email (Staff ID (Email))

Action name	Compose Email (Staff ID (Email))
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "EmailTo": "[Staff ID (Email)]", "Subject": null, "Body": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkAppliable": false }</pre>
Do this	EMAIL
Attach to column	Staff ID (Email)
Set this column	Staff ID (Email)
Only if this condition is true	NOT(ISBLANK([Staff ID (Email)]))
Disable automatic updates?	No
Action icon	
For a record of this table	Staff
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Staff
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}

	e":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Staff
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false }
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Staff

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (Staff ID (Email))

Action name	Compose Email (Staff ID (Email))
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "EmailTo": "[Staff ID (Email)]", "Subject": null, "Body": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	EMAIL
Attach to column	Staff ID (Email)
Set this column	Staff ID (Email)
Only if this condition is true	NOT(ISBLANK([Staff ID (Email)]))
Disable automatic updates?	No
Action icon	
For a record of this table	Staff
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Staff
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (To)

Action name	View Ref (To)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Staff&row=\", ENCODEURL([To]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

With these properties	ation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
-----------------------	--

Do this	NAVIGATE_APP
Attach to column	To
Set this column	To
Only if this condition is true	NOT(ISBLANK([To]))
Disable automatic updates?	No
Action icon	➤
For a record of this table	Broadcast Notification.
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Staff Email)

Action name	View Ref (Staff Email)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "NavigateTarget":"CONCATENATE(\"#page=detail&table=Staff&row=\", ENCODEURL([Staff Email])) "},"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP

Attach to column	Staff Email
Set this column	Staff Email
Only if this condition is true	NOT(ISBLANK([Staff Email]))
Disable automatic updates?	No
Action icon	➤
For a record of this table	Leave Applications
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Generate Statement PDF

Action name	Generate Statement PDF
Bulk action?	Yes
Confirmation Message	Statement Updated please check statements
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Generate_PDF", "NewColumnValue": "=NOW()", "ColumnToEdit": "Generate_PDF", "NewColumnValue": "=NOW()", "InputParametersUsed": null, "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "Statement Updated please check statements", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE

Attach to column	Generate_PDF
Set this column	Generate_PDF
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Statements
Does this action apply to the whole table?	No
To this value	=NOW()
Visible?	ALWAYS

Action name Open File (Statement PDF)

Action name	Open File (Statement PDF)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"FileTarget":["Statement PDF"],"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	Statement PDF
Set this column	Statement PDF
Only if this condition is true	=NOT(ISBLANK([Statement PDF]))

Disable automatic updates?	No
Action icon	
For a record of this table	Customer
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	FESTIVE Message
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	FESTIVE Message
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
	<pre>{"Prominence":"Display_Overlay","NeedsConfirma</pre>

With these properties	tion":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	FESTIVE Message
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Stock Reports

Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Stock Reports
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes

Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Only if this condition is true	=true
Disable automatic updates?	No
Action icon	+
For a record of this table	Stock Reports
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Compose Email (Reporting Staff)

Action name	Compose Email (Reporting Staff)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"EmailTo":"[Reporting Staff]","Subject":null,"Body":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

Do this	EMAIL
Attach to column	Reporting Staff
Set this column	Reporting Staff
Only if this condition is true	NOT(ISBLANK([Reporting Staff]))
Disable automatic updates?	No
Action icon	
For a record of this table	Stock Reports
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</pre>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	New Farmer

Does this action apply to the whole table?	No
--	----

Visible? ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1

With these properties

```
{
  "DesktopBehavior": "Open a form",
  "DesktopEditBehavior": "Edit in place",
  "Prominence": "Do_Not_Display",
  "NeedsConfirmation": false,
  "ConfirmationMessage": "",
  "ModifiesData": true,
  "BulkApplicable": false
}
```

Do this	EDIT_RECORD
---------	-------------

Disable automatic updates? No

Action icon	
-------------	---

For a record of this table New Farmer

Does this action apply to the whole table?	No
--	----

Visible? ALWAYS

Action name Compose Email (Staff ID (Email))

Action name	Compose Email (Staff ID (Email))
Bulk action?	No
Modifies data?	No

Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "EmailTo": "[Staff ID (Email)]", "Subject": null, "Body": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	EMAIL
Attach to column	Staff ID (Email)
Set this column	Staff ID (Email)
Only if this condition is true	NOT(ISBLANK([Staff ID (Email)]))
Disable automatic updates?	No
Action icon	
For a record of this table	New Farmer
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (Shop / Farmer Mobile Number)

Action name	Call Phone (Shop / Farmer Mobile Number)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
	<pre>{ "Number": "[Shop / Farmer Mobile" }</pre>

With these properties	Number"],"Prominence":"Do_Not_Display","Needs Confirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	Shop / Farmer Mobile Number
Set this column	Shop / Farmer Mobile Number
Only if this condition is true	NOT(ISBLANK([Shop / Farmer Mobile Number]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	New Farmer
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Shop / Farmer Mobile Number)

Action name	Send SMS (Shop / Farmer Mobile Number)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Number":"[Shop / Farmer Mobile Number]","Message":"","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

Do this	SMS
Attach to column	Shop / Farmer Mobile Number
Set this column	Shop / Farmer Mobile Number
Only if this condition is true	NOT(ISBLANK([Shop / Farmer Mobile Number]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	New Farmer
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	New Farmer

Does this action apply to the whole table?	Yes
--	-----

Visible? ALWAYS

Action name View Map (Location)

Action name	View Map (Location)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1

With these properties

```
{
  "NavigateTarget": "CONCATENATE(\"#page=map&table=New%20Farmer&mapcolumn=Location&row=\",
  ENCODEURL([_THISROW]))",
  "Prominence": "Display_Inline",
  "NeedsConfirmation": false,
  "ConfirmationMessage": "",
  "ModifiesData": false,
  "BulkApplicable": false
}
```

Do this	NAVIGATE_APP
Attach to column	Location
Set this column	Location
Only if this condition is true	NOT(ISBLANK([Location]))
Disable automatic updates?	No
Action icon	
For a record of this table	New Farmer
Does this action apply to the whole table?	No

Visible?	ALWAYS
----------	--------

Action name View Ref (Dealer)

Action name	View Ref (Dealer)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=My%20Customers&row=\", ENCODEURL([Dealer]))", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	Dealer
Set this column	Dealer
Only if this condition is true	NOT(ISBLANK([Dealer]))
Disable automatic updates?	No
Action icon	
For a record of this table	Stock Reports
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
-------------	--------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Company Pay
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>

Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Company Pay
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Company Pay
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Month_Year_Summary
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in

With these properties	place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Month_Year_Summary
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Months

Does this action apply to the whole table?	No
--	----

Visible? ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1

With these properties

```
{
  "DesktopBehavior": "Open a form",
  "DesktopEditBehavior": "Edit in place",
  "Prominence": "Display_Overlay",
  "NeedsConfirmation": false,
  "ConfirmationMessage": "",
  "ModifiesData": true,
  "BulkApplicable": false
}
```

Do this	EDIT_RECORD
---------	-------------

Disable automatic updates? No

Action icon	
-------------	---

For a record of this table Months

Does this action apply to the whole table?	No
--	----

Visible? ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes

Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Month_Year_Summary
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+

For a record of this table

Months

Does this action apply to the whole table?

Yes

Visible?

ALWAYS

Action name View Ref (MonthRef)

Action name

View Ref (MonthRef)

Bulk action?

No

Modifies data?

No

Needs confirmation?

No

Prominence

Display_Inline

Action order

1

With these properties

```
{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Months&row=\",  
  ENCODEURL([MonthRef])  
),\"Prominence\":\"Display_Inline\",\"NeedsConfirmation\":false,\"ConfirmationMessage\":\"\",\"ModifiesData\":false,\"BulkApplicable\":false}
```

Do this

NAVIGATE_APP

Attach to column

MonthRef

Set this column

MonthRef

Only if this condition is true

NOT(ISBLANK([MonthRef]))

Disable automatic updates?

No

Action icon



For a record of this table

Month_Year_Summary

Does this action
apply to the whole
table?

Visible?	ALWAYS
----------	--------
