PLM Publishing Worker Log Audit

User guide

by Phani Vanga · Version 1.1 · November 2026

PLM Publishing Worker Log Audit reads the publishing logs from Windchill visualization workers and shows how many documents were published, which failed, why they failed, and where the time goes. It runs only on your own computer. It needs no internet connection, sends nothing anywhere, and uses no AI service.

PLM Publishing Worker Log Audit is free to use. If you need help, want a change, or find a problem, see **Support and feedback** at the end of this guide.


1. What you need

Item	Details
Computer	Windows 10 or Windows 11. No installation rights or Python are needed.
Logs	Worker logs exported to a folder you can open, on your PC or a shared drive. Helper and monitor logs are optional but add a cross-check.
Browser	Edge, Chrome or Firefox. PLM Publishing Worker Log Audit opens in your browser but stays on your PC.

2. Install PLM Publishing Worker Log Audit

1. Download **PLM-Publishing-Worker-Log-Audit-1.1-Windows.zip** from the Releases section of the PLM Publishing Worker Log Audit GitHub page.
2. Right-click the ZIP and choose **Properties**. If you see **Unblock**, tick it and click **OK**.
3. Right-click the ZIP and choose **Extract All**. Extract it to a local folder such as `C:\PLM-Log-Audit`, not to a shared drive.
4. Open the folder and double-click **PLM-Publishing-Worker-Log-Audit.exe**.
5. Windows may show **Windows protected your PC**, because PLM Publishing Worker Log Audit is not signed by a publisher. If your company policy allows it, click **More info**, then **Run anyway**. Ask your IT team if you are unsure.
6. A black window opens, and then PLM Publishing Worker Log Audit opens in your browser. **Keep the black window open** while you use PLM Publishing Worker Log Audit. Close it to stop PLM Publishing Worker Log Audit.

To try PLM Publishing Worker Log Audit before using your own logs, click **Try with demo logs**. Demo results show an orange **DEMO LOGS** banner and are made-up test data.



The start page. Enter or add your log folders, then click Analyse logs.

3. Prepare your logs

Export the logs to one folder, with one subfolder for each worker server. The subfolder name becomes the server name in the results.

```
Z:\publish-logs\officeworker01\
Z:\publish-logs\officeworker02\
Z:\publish-logs\cadworker01\
```

Log	File names	What it adds
Worker log	worker_1.log, worker_2.log ...	Each conversion, its document, result and time. Required.
Helper log	helper_1.log, helper_2.log ...	A second count of jobs sent and finished, used as a cross-check.
Monitor log	monitor_1.log ...	When workers were started and stopped.


Log	File names	What it adds
Method server logs	MethodServer and BackgroundMethodServer logs	Time spent waiting in the publish queue. Optional.

PLM Publishing Worker Log Audit also reads subfolders, .gz files and .zip files. It only reads your logs and never changes, moves or deletes them.

4. Analyse your logs

1. Click **Add folder**. Choose a drive, open the folder that holds the logs, and click **Add this folder**. The window shows how many log files each folder holds.
2. Repeat for each server, or add the parent folder once to include all its subfolders. Then click **Done**.
3. You can also type or paste folders, one per line. Network paths such as `\\server\share\logs` work.
4. Click **Analyse logs**. A progress bar shows the files being read.
5. Check the banner. Your own results show a green **REAL DATA** banner with your folders, the number of files and lines, and the dates the logs cover.


5. Read the results



The top of the results, shown here with demo logs. Use the buttons above the numbers to show one product at a time.

Section	What it shows
Show results for	Choose dates and workers. Every section below follows your choice.
Summary numbers	Jobs found, published, failed and outcome unknown, with typical and slowest times.
Servers read	Each server's files, lines, documents and failures, plus the worker name found in the log. **Counts match** means the helper logs agree with the worker logs.
How these numbers were worked out	What PLM Publishing Worker Log Audit looked for at each step, with one real published job and one real failed job from your logs, including line numbers.
Documents by day	How many documents were published, failed or unknown on each day, and the full list for any day, with document number, name, type, worker, job and time.
What to fix first	The most important problems, each with a likely cause and a suggested next step.
Status by document type	Published and failed jobs for each file type, such as Word, Excel and PDF.

Section	What it shows
Jobs per day or hour	When jobs ran and when failures happened.
Why jobs failed	Failure reasons. Select one to see its failed jobs and the log lines for each job.
Workers and servers	Each worker's jobs, failures and times, so problem workers stand out.
Error messages, grouped	Similar messages are grouped together, with how often and where they appeared.
Log files read	Every file, whether it was read, skipped or could not be opened.



How these numbers were worked out

Every count below comes from lines in your log files. This covers all documents, whichever button is selected above.

Step	What PLM Publishing Worker Log Audit looked for	Result
Read the logs	Every log file in your folders and their subfolders, dated 2026-11-05 to 2026-11-05.	25 of 27 files, 19,702 lines
Find the jobs	A job ID, a start message, or a new document name in the log.	2,400 jobs
Published	The job has a success message.	2,124
Failed	The job has a failure message, or an error that fails a job.	276
Outcome unknown	Neither of the above, or the newest job on a server, which may still have been running.	0
Errors that did not fail a job	Messages such as a missing thumbnail or an Office program slow to close. They are listed under errors, not counted as failed jobs.	0 of 276 messages
Cross-check	No helper logs were found, so there is no second source to compare with.	Not checked

What to fix first

Critical **File newer than worker version: 119 of 276 failed jobs**
The worker runs an older CAD version than the files it receives. File types: Creo part (55), Creo drawing (36), Creo assembly (28). Most affected: cadwrk08 (47), cadwrk05 (42), cadwrk02 (30). Message reported on PTC Community.
Next step: Upgrade the affected workers, or send newer files only to workers with a matching version.


Critical **Licence unavailable: 79 of 276 failed jobs**
The worker session could not get a licence. File types: Creo part (36), Creo drawing (26), Creo assembly (17). Most affected: cadwrk01 (16), cadwrk04 (14), cadwrk07 (14). Starter rule, confirm with your admins.
Next step: Check licence server usage at those times, reserve publishing licences, or move batch publishing off-peak.

Critical **Worker timeout or hung process: 32 of 276 failed jobs**
The application stopped responding, often on a dialog box, and held the worker until timeout. File types: Word (16), PowerPoint (8), Excel (8). Most affected: ofcwrk03 (11), ofcwrk01 (11), ofcwrk02 (10). Starter rule, confirm with your admins.
Next step: Restart the affected workers, check for pop-up dialogs under the worker account, and review the timeout for large files.

Critical **Office jobs spend 79% of their time waiting in the queue**
Average wait 8m 40s across 648 jobs.
Next step: Clear any stuck or failing workers first, then review the worker count for peak hours.

Warning **Upload to vault failed: 19 of 276 failed jobs**

How these numbers were worked out, and What to fix first, shown with demo logs.




Why jobs failed. Select a reason, then a job, to see the log lines PLM Publishing Worker Log Audit used.

6. Choose dates and workers

Use **Show results for**, above the summary numbers, to look at part of the logs. All the counts, charts and lists below it change to match.

- **Dates:** choose a **From date** and a **To date**, or click **All dates**, **Latest day**, **Last 7 days** or **Last 30 days**. To see a single day, choose the same date in both boxes.
- **Workers:** click the **Workers** box. Workers are grouped by product, such as Office, Creo and SolidWorks. Tick the workers you want, or click **Only** next to a worker to see just that worker. **Select all** brings every worker back.
- The blue line under the choices says how many jobs are shown. The Servers read, error message, method and Log files read sections always cover every log that was read.



The Workers box, shown with demo logs. Click Only to see one worker, or tick several.


7. Documents by day

The **Documents by day** section lists each day, newest first, with the number of documents published, failed and unknown. Click a day to see every document from that day.

Column	What it shows
Date and Time	When the conversion started, from the log.
Document number	The number at the start of the file name, such as D0000123456 or 1234-567-000. It is empty when the file name has no number.
Document name	The file name the worker converted.
Type, Worker, Job	The document type, the worker that converted it, and the Windchill job ID.
Took and Status	How long the conversion took, and Published, Failed or Unknown.

- Change **Published** to **Failed**, **Outcome unknown** or **All documents** to list those instead. Click a failed document to see why it failed.
- Type a document number or part of a name in the search box to find it on every date shown.

- **Download this list (CSV)** saves the documents shown, for Excel. **Download days CSV** saves the count for each day.



Documents by day for one worker, shown with demo logs.

8. Live updates

When workers are still writing to the logs, PLM Publishing Worker Log Audit can keep reading them, so the results stay current.

1 Analyse the folders the workers write to, or the folder your logs are copied to.


2 Choose how often to read the logs: every 30 seconds, every minute, every 5 minutes or every 15 minutes.

3 Click **Live updates: off** so it shows **Live updates: on**. A green **LIVE** label shows when the logs will be read next and when they were last read.

4 Your dates and workers stay chosen. If you are looking at the newest day, the list moves to the next day when it starts.

5 Click **Live updates: on** to stop. Live updates also stop when you close the browser tab.

Live updates only read the logs, like a normal analysis. To keep the reports folder small, they do not save a new report each time. Click **Analyse logs** to save one. The newest job on each worker shows **Outcome unknown** while it is still running.



Live updates turned on, with Documents by day, shown with demo logs.

9. How PLM Publishing Worker Log Audit decides

PLM Publishing Worker Log Audit follows fixed rules written into the program. The same logs always give the same results. For Office workers that use doc2pv, it works like this:

Result	Rule
A job	Each `Recipe file:` line starts one conversion. The next `Source file:` line names the document.
Published	The job reached `Generating Output : COMPLETE`.
Failed	`Failed to publish document`, `Received signal`, or no end before the next job or the end of the log.
Outcome unknown	None of the above, or the newest job on a server, which may still have been running when the logs were copied.
Not a failure	Messages such as a missing thumbnail or an Office program slow to close are listed as errors, but they do not count as failed jobs.
Time	From the start of a conversion to Generating Output. Queue wait needs method server logs.

Each failure reason has a likely cause and a suggested fix. These are starting points for your Windchill administrator to confirm, not final answers.

10. Save and share results

- Every analysis is saved in the **reports** folder next to PLM-Publishing-Worker-Log-Audit.exe, as **report.html** and **failed_jobs.csv**.
- **Save report** downloads a single HTML file that opens in any browser without PLM Publishing Worker Log Audit.
- **Failed jobs CSV** and **All jobs CSV** open in Excel.
- **Log format check** saves a text file showing how your logs are worded, with document names and paths masked. Send it when your logs are not read correctly. Read it before sending, because masking cannot catch every name.

Reports contain real document names and log lines. Treat them as confidential and follow your company's rules before sharing them.

11. Privacy and safety

- PLM Publishing Worker Log Audit works only on your computer. Other computers cannot connect to it.
- It does not use the internet or any AI service, and it sends no data anywhere.
- It only reads your log folders. Results are saved in the PLM Publishing Worker Log Audit folder.

12. Limits of version 1.1

- Office worker logs from doc2pv have been checked against real logs.
- Creo and SolidWorks worker logs are supported with general rules, but have not yet been checked against real logs. Results for them may show Outcome unknown until their wording is added.
- Worker logs alone cannot show how long jobs waited in the queue.
- PLM Publishing Worker Log Audit shows what the logs say. Check important findings with your Windchill administrator.

13. Troubleshooting

Problem	What to do
Windows protected your PC	Click More info, then Run anyway, if your company allows it. Otherwise ask IT.

Problem	What to do
The browser does not open	Look in the black window for the address, such as http://127.0.0.1:8765/, and open it in your browser. If that port is busy, PLM Publishing Worker Log Audit uses the next one.
A folder shows no log files	Open the folder that holds the .log files. Add folder lists folders, and shows the number of log files in the folder that is open.
A server is missing in Servers read	Check the folder path and that you can open it in File Explorer.
Counts differ in Servers read	The worker and helper logs may cover different dates. Export both for the same period.
Many jobs show Outcome unknown	Your logs may use wording PLM Publishing Worker Log Audit does not know yet. Send a Log format check file.
Results still show DEMO LOGS	Add your folders and click Analyse logs.

14. Support and feedback

PLM Publishing Worker Log Audit is made by **Phani Vanga**. For help, requests or problems, email **phani.vanga@outlook.com**.

- **Comments:** open an Issue on the PLM Publishing Worker Log Audit GitHub page.
- **Requests:** describe what you need and, if possible, attach a Log format check file.
- **New versions:** changes are made by the author and released as a new installer.

Licence. PLM Publishing Worker Log Audit is free to use, and you may share the unchanged installer. You may not modify, decompile, reverse engineer or resell it. It is provided as it is, without warranty. PLM Publishing Worker Log Audit is not made by or connected with PTC. Windchill and Creo are trademarks of PTC Inc., SolidWorks of Dassault Systemes, and Microsoft Office of Microsoft.