

Ad closed by Google

Stop seeing this ad

Why this ad? ▷

home testing news twitter about Testing References about me contact

The History of Software Testing

Developed by Joris Meerts, with additional contributions from Dorothy Graham

The History of Software Testing was translated by Jovana Milutinovich into Serbo-Croatian

Click here to view the translation

1820's

查尔斯巴贝奇

1822 Difference engine (Babbage)

归纳法

Lovelace's notes on the Analytical

1878 System flaw termed as bug (Edison)

1906 Pareto Principle (80/20 rule)

差分机

1896 IBM founded

1939 Shewhart Cycle

1944 Harvard Mark I installed

1945 Von Neumann architecture

ISO founded

1950 Turing Test (Turing)

1952 IBM 701 released

1951

Juran's Quality Control Handbook

Total Quality Control (Feigenbaum)

First practical text on programming (Wilkes)

The English inventor Charles Babbage starts working on a prototype of his first difference engine. The difference engine is made to compute values of polynomial functions. Babbage's machines were among the first mechanical computers

In the A System of Logic the British philosopher John Stuart Mill publishes five methods of inductive reasoning; the reasoning from a specific case or cases to a general rule. The fundamental principle of induction is the proposition that the course of nature is uniform. Methods of inductive reasoning (Mill)

During a nine-month period in 1842–43, Lovelace translates Italian mathematician Luigi Menabrea's memoir on Charles Babbage's Analytical mannermatican Luigi Menaorea's memoir on charies babbage's Analytics Engine. With the article, she appends a set of notes. The notes include a method for calculating a sequence of Bernoulli numbers with the Engine. Based on this work, Lovelace is now widely credited with being the first computer programmer and her method is recognised as the world's first computer program.

1870's

According to the The Yale Book of Quotations the American inventor Thomas Alva Edison uses the term 'bug' in a letter to Theodore Puskas to describe a flaw in a system. According to other sources the term bug was commonly used to describe systems faults in Edison's time.

The company which becomes IBM is founded in 1896 as the Tabulating Machine Company by Herman Hollerith in Broome County, New York. It is incorporated as Computing Tabulating Recording Corporation on June 16, 1911. The company is named International Business Machines Corporation (IBM) in 1924.

In his book Manual of Political Economy the Italian economist Vilfredo Pareto publishes the mathematical formula to describe the unequal distribution of wealth in his country, observing that twenty percent of the people owned eighty percent of the wealth. The formula becomes known as the Pareto principle but also, through popularization by Joseph Juran, as the 80/20 rule.

1930's

In his second book Statistical Method from the Viewpoint of Quality In his second book Satistical Method from the Viewpoint of Quality Control Walter Andrew Shewhart publishes his Scientific Method of Improvement. Page 45 of this book displays the first version of the Shewhart Cycle; a three step cycle constituting a dynamic scientific process of acquiring knowledge. Walter Edwards Deming later popularizes the method as the Plan Do Check Act method (The Deming Cycle).

1940's

The Harvard Mark I, also known as the IBM Automatic Sequence Controlled Calculator (ASCC), is installed at Harvard and formally presented on August 7, 1944. The Mark I is a parallel synchronous calculator that can perform table lookup and the four fundamental arithmetic operations, in any specified sequence, on numbers up to 23 decimal digits in length. The machine was conceived by Howard H. Aiken in the 1930s.

In the paper First Draft of a Report on the EDVAC John von Neumann published the description of the logical design of a computer using the stored-program concept. This is the design on which most computers nowadays are based. The paper is distributed on June 30, 1945 by Herman Goldstine.

The International Organization for Standardization (ISO) is founded during a conference in London in 1946. ISO is born from the union of two organizations; the ISA (International Federation of the National Standardizing Associations), established in New York in 1926 and the UNSCC (United Nations Standards Coordinating Committee), established

1949 On Checking a Large Routine (Turing) In the conference paper On Checking a Large Routine Alan M. Turing proposes an answer to the question how one can check a routine in the sense of making sure that it is right.

In his 1950 paper Computing Machinery and Intelligence Alan M. Turing introduces the Turing Test; a test of a machine's ability to demonstrate intelligence.

In his book Juran's Quality Control Handbook Joseph M. Juran defines quality as 'fitness for use'. Juran, who is considered to be the founding father of quality management, defines three processes for the management of quality; quality planning, quality control and quality improvement.

In his famous book 'Total Quality Control' Armand Vallin Feigenbaum defines quality as a customer determination. Quality depends on the perspective of the customer. The product should satisfy the customer in both actual and expected needs. There is a company-wide responsibility

The book The Preparation of Programs for an Electronic Digital Computer by authors Maurice V. Wilkes, David J. Wheeler and Stanley Gill is the first practical text on computer programming. The authors draw on their experience from designing the EDSAC.

The IBM 701 Defense Calculator is IBM's first production computer. It is the first of the very popular IBM 700 series. The computer contains two electrostatic storage units and an electronic analytical and control unit. 19 units are created. A unit rented for about \$16,000 per month.

History and timeline

- · History of Software Testing
- Contributions to the History
 Translations of the History
- · Software testing timeline
- · History of context-driven testing

Books

- New books
- Essential reading for testers
- Classic testing literature
- Books on systems thinking

Weblogs and articles

- Weblogs about software testingArticles on software

- Other · Functional testing heuristics
- Competences in software testing
- Here Be Pyramids

About this page

This page contains the History of Software Testing; a comprehensive overview of the history of software testing. The events in the history of six categories. The categories the development of a field of study (in this case software testing) is based.

Google

Stop seeing this ad

software testing are divided into reflect the foundations on which

Ad closed by

Why this ad? ▷

Developed by Joris Meerts, with additional contributions from Dorothy Graham

esting was translated by Jovana Milutinovich into Serbo-Croatian Click here to view the translation The History of Software Te

1956 First Fortran manual

The first Fortran manual (an automatic coding system for the IBM 704) is published by IBM in October 1956. It describes the variables, functions, expressions and control statements of the language.

1957 Program testing vs debugging (Baker) Charles L. Baker (RAND Corporation) distinguishes program testing from debugging in his review of the book Digital Computer Programming by Dan McCracken. The review is published in the journal Mathematical Tables and Other Aids to Computation.

Digital Computer Programming (McCracken)

Daniel D. McCracken's book Digital Computer Programming is perhaps the first general textbook on programming. McCracken writes the book while working for General Electric. He discusses a number of programming techniques such as program checkouts. McCracken

1958 First software test team (Weinberg)

specifically advises using break points in a program at which the functioning of the program may be verified. The first test team is formed by Gerald M. Weinberg, working as manager of Operating Systems Development for the Project Mercury. Project Mercury is the first human spaceflight program of the United States.

1959 Work Breakdown Structure

In their classic paper Program Evaluation and Review Technique (PERT) D.G. Malcolm, J.H. Roseboom, C.E. Clark and W. Fazar introduce their method to analyze the involved tasks in completing a given project. Although not mentioned by that name in the paper they also introduce the Work Breakdown Structure.

Critical-Path Method (Kelley, Walker)

In their paper Critical-Path Planning and Scheduling James E. Kelley and Morgan R. Walker ofter a planning and scheduling methodology for complex projects. They introduce the Critical-Path Method in order to create optimal direct cost schedules. The authors use project diagrams of tasks and link these tasks (jobs) based on three questions; what immediately precedes this job, what immediately follows this job and what can be concurrent with this job?

Computer Programming Fundamentals (Leeds, Weinberg) 1961

The book Computer Programming Fundamentals by Gerald Weinberg and Herbert Leeds contains a chapter on software testing. Weinberg and Leeds argue that testing should prove the adaptability of a computer program instead of its ability to process information.

Decision table (Grad)

In the paper Tabular Form in Decision Logic, published in Datamation in July 1961, Burton Grad, working at IBM, introduces decision tables.

Flowchart symbols standardized

In his paper Report on proposed American standard flowchart symbols for information processing Robert J. Rossheim describes the standard symbols to be used for flowcharting. Rossheim publishes his work for the American Standards Association, later ANSI.

1964 First Basic program runs

Mathematicians John G. Kemeny and Thomas E. Kurtz run the first Basic program at Dartmouth College. Kemeny and Kurtz write the language to aid the teaching of computer programming. Basic is an acronym for Beginner's All-Purpose Symbolic Instruction Code.

1967 **Evaluation of the Functional Testing** of Control Progra

In the IBM white paper Evaluation of the Functional Testing of Control Programs William Elmendorf calls for a disciplined approach to softwa

Software engineering introduced

testing.

The term 'software engineering' is coined by a NATO study group that recommends a conference to discuss 'the problems of software'. The report from the ensuing 1988 conference, which was sponsored by the NATO Science Committee and took place in Garmish, Germany, is titled Software Engineering. Brian Randell and Peter Naur point out in the introduction to their edition of the proceedings, 'The phrase 'software engineering' was deliberately chosen as being provocative, in implying the need for software manufacture to be [based] on the types of theoretical foundations and practical disciplines[,] that are traditional in the established branches of engineering.

During the Software Engineering conference sponsored by the NATO.

NATO report mentions Software Quality Assurance

the established branches of engineering.

During the Software Engineering conference sponsored by the NATO

Science Committee (7th to 11th October 1968) among other things quality assurance for software production is one of the topics. The report of the conference includes the working paper Checklist for planning software system production by Robert W. Bemer. This paper contains a chapter on quality assurance. One of the questions in the checklist is 'ls the product tested to ensure that it is the most useful for the customer in addition to matching functional specifications?'.

Structured programming (Dijkstra)

In his letter Go To Statement Considered Harmful published in the March 1968 Communications of the ACM, Edsger Dijkstra criticizes the excessive use of the GOTO statement in programming languages. Dijkstra considers the usage harmful because it complicates the task of analyzing and verifying the correctness of programs. The letter is usually cited as the beginning of the structured programming debate

Intel founded

Intel is founded by Gordon E. Moore and Robert Noyce. In the beginning the company's primary products are static random access memory (SRAM) chips. Intel releases the first commercially available cessor (Intel 4004) in 1971.

Software crisis (Bauer)

The term 'software crisis' is coined by Friedrich Ludwig Bauer at the first NATO Software Engineering Conference in 1968 in Garmisch-Partenkirchen, Germany. It refers to the difficulty of writing correct, understandable, and verifiable computer programs.

Conway's Law

In his 1968 paper How Do Committees Invent? Melvin E. Conway publishes the thesis that "Any organization that designs a system (defined broadly) will produce a design whose structure is a copy of the organization's communication structure." The thesis later becomes known as Conway's Law.

Testing shows the presence, not the absence of bugs

Edsger Dijkstra's famous quote was reportedly first spoken on a conference by the NATO Science Committee, Rome, Italy, 27–31 October

Data structure diagrams (Bachman)

In the article Data Structure Diagrams Charles W. Bachman, working for General Electric, introduces Data Structure Diagrams. It is a graphic technique that is used to model entities and their relationships.

1970's

1970 Waterfall model published (Royce)

Winston Royce describes a waterfall model in the paper Managing the Development of Large Software Systems, presented to IEEE WESCON in 1970. The waterfall model is a sequential software development process. In his paper Royce also mentions the shortcomings of the waterfall and warns against using the method.

Relational model published (Codd)

In his paper A Relational Model of Data for Large Shared Data Banks Edgar F. Codd, working for IBM, publishes the relational model for data His theory paves the way for relational databases.

1971 Mutation testing (Lipton)

In a class term paper titled Fault Diagnosis of Computer Programs
Richard Lipton proposed the initial concepts of mutation. Mutation testing
is a methodology for unit testing in which small parts of the code are changed. This is done, for example, in order to test the quality of the unit

1972 Systems decomposition (Parnas)

In his famous paper On the Criteria to Be Used in Decomposing Systems into Modules David Lorge Parnas discusses the benefits of modular

Proof of correctness as guidance

Dijkstra states that "One should not first make the program and then prove its correctness, because then the requirement of providing the proof would only increase the poor programmer's burden." It is one of his arguments in support of the technical feasibility of the change required in software programming

Developed by Joris Meerts, with additional contributions from Dorothy Graham

The History of Software Testing was translated by Jovana Milutinovich into Serbo-Croatian

Click here to view the translation

1973 Program Test Methods (Hetzel)

The Chapel Hill Symposium, organized by the University of North Carolina and held on June 21-23 1972, leads to publication of the book Program Test Methods edited by William Hetzel. The book contains the edited papers of the symposium as well as a large annotated bibliography. The book focuses on the problems in testing and validation.

Cause-effect graph created (Elmendorf)

In the paper Cause-Effect Graphs in Functional Testing, published for IBM, William Elmendorf publishes the cause-effect graph.

Compuware Corporation is established in Detroit by Peter Karmanos, Jr., Thomas Thewes and Allen B. Cutting. The company focuses on the publication of testing tools and engineering aids.

In his paper Managing the computer resource: a stage hypothesis Richard L. Nolan introduces his Stages of growth model. The model describes the stages a company goes through when introducing information technology (computers) into its business process. Initially there are four stages. Two additional stages are added in 1979.

Triangle problem (Gruenberger)

Stages of growth model (Nolan)

In his paper Program Testing: the Historical Perspective - based on the talk held during the Chapel Hill Symposium - Fred Gruenberger introduces the classic triangle problem as a testing idea. Gruenberger takes the problem from the book Computers and Society by Richard Hamming (1972).

Nassi-Shneiderman diagram

In their paper Flowchart Techniques for Structured Programming Isaac Nassi and Ben Shneiderman publish their flowchart for the top-down decomposition of programs.

1974 Data flow diagram (Constantine)

In their paper Structured Design, Larry Constantine, Glenford Myers and Wayne Stevens introduce the Data flow diagram.

Walk through (Waldstein)

In a technical report to IBM, entitled The Walk-Thru--A Method of Specification, N.S. Waldstein introduces the concept of walk throughs Microsoft is founded by Bill Gates and Paul Allen on April 4, 1975 in

1975 Microsoft founded

Albuquerque. It is to become one of the largest software companies in the world. The company employed over 10,000 testers in 2009. Tom Gilb publishes his Laws of Unreliability in the computer magazine Datamation (March issue, 1975). Gilb is one of the first to define system

Laws of Unreliability (Gilb)

and software reliability and the relationship between human error and

Toward a Theory of Test Data Selection (Goodenough, Gerhart)

The paper by John B. Goodenough and Susan L. Gerhart discusses formal proof methods and the limitations of structure-based testing. It also outlines the use of decision tables.

Brooks' law

In the book The Mythical Man-Month: Essays on Software Engineering Fred Brooks presents the central theme that "adding manpower to a late software project makes it later". This idea is known as Brooks' law, and is presented along with the second-system effect and advocacy of prototyping. Brooks draws from his experience as a manager of the development of IBM OS/360.

Introduction to General Systems Thinking (Weinberg)

In his book An Introduction to General Systems Thinking Gerald M. Weinberg offers a clear view on systems theory. According to Weinberg it is an attempt "to teach an approach to thinking when the labels are missing, or misleading." Understanding the limitations of our tools is a recurring theme in the book.

Altair 8800 introduced

The Altair 8800 is introduced by Micro Instrumentation and Telemetry Systems (MITS) in 1975. It is a microcomputer based on the Intel 8080 processor. The computer sells for \$439 in kit form and \$621 assembled is sold by mail order through advertisements in Popular Electronics, Radio-Electronics and other hobbyist magazines. It runs Altair Basic.

In his paper for IBM Michael Fagan proposes the use of code inspections in order to reduce the cost of rework.

1976 Design and Code inspections (Fagan) Apple founded

Apple is established in Cupertino, California by Steve Jobs, Steve Wozniak, and Ronald Wayne.

Cyclomatic Complexity (McCabe)

Thomas J. McCabe introduces cyclomatic complexity as a software metric for the complexity of a program in his IEEE paper A Complexity Measure. McCabe also introduces basic path testing as a white box test technique

Software Reliability: Principles and Practices (Myers)

In his book Software Reliability: Principles and Practices Glenford Myers discusses software testing among other things. He mentions, for example, that 'The goal of the testers is to make the program fail'

Cost-of-change curve (Boehm)

In his paper Software Engineering, published in the December 1976 issue of IEEE Transactions, Barry Boehm publishes his cost-of-change curve. The curve essentially shows that the cost of changing the software (fixing a software defect) rises exponentially in time. Boehm uses data from his work at TRW and other sources such as GTE, IBM and Bell Laboratories.

1977 Factors in Software Quality (McCall

In this paper for the US Air Force Jim McCall, Paul Richards and Gene Walters (General Electric) present a list of 55 quality factors.

Software Metrics (Gilb)

The book Software Metrics by Tom Gilb is considered a source book for a large number of software metrics.

Elements of Software Science (Halstead)

Maurice Halstead publishes his methods for the measurement of code complexitity in the book Elements of Software Science.

Program Testing Techniques (Miller)

Edward F. Miller introduces the decision-to-decision path as a structural testing technique in the tutorial Program Testing Techniques, held during the first Computer Software and Applications Conference (COMPSAC).

Design pattern (Alexander)

In their book A Pattern Language: Towns, Buildings, Construction Christopher authors Alexander, Sara Ishikawa and Murray Silverstein introduce the term 'design pattern'. They apply it to architecture and urban development. In software engineering, a design pattern is a general reusable solution to a commonly occurring problem in software design.

1978 Functional Program Testing (Howden) In this paper for IEEE William Howden describes an approach to functional testing in which the design of a program is viewed as an integrated collection of functions.

Laws of program evolution (Lehman)

In the paper Laws of Program Evolution - Rules and Tools for Programming Management Meir Lehman publishes the laws of program evolution. They are the law of Continuing Change, Increasing Complexity, Statistically Regular Growth, Invariant Work Rate and Incremental Growth Limit. Based on the laws Lehman suggests rules and tools for software development and maintenance. Lehman's work is based on a study done is collaboration with Lord Relody. in collaboration with Laszlo Belady.

State transition testing (Chow)

In his paper Testing Software Design Modeled by Finite-State Machines, Tsun S. Chow introduces testing techniques for state transition testing. Chow specifies measures for testing coverage.

1979 The Art of Software Testing (Myers)

The book The Art of Software Testing by Glenford Myers is lauded as the first book that is about software testing only. It sets the stage for 'modern' software testing. Among other things Myers introduces black box testing. He also poses the 'Triangle Program' as a testing self-assessment challenge

Quality is Free (Crosby)

In his book Philip B. Crosby describes his famous 14-step program for quality improvement. Crosby defines quality as conformance to requirements. He defines the 'Quality Maturity Grid' and classifies management attitudes toward quality into five categories. Crosby suggests that improvement happens as management 'matures' from one category to another

QA standard BS 5750 published

The British quality assurance standard BS 5750 is published by the British Standards Institution. Initially, it was used only in manufacturing industries. BS 5750 was later merged into ISO 9000.

FMEA applied to software (Reifer)

In his paper "Software Failure Mode and Effects Analysis" Donald J. ... по рары зольчате напите моde and Effects Analysis" Donald J. Reifer applies Failure Mode and Effects Analysis (FMEA) to software for the first time.

Developed by Joris Meerts, with additional contributions from Dorothy Graham

The History of Software Testing was translated by Jovana Milutinovich into Serbo-Croatian

Click here to view the translation

Structured Analysis and System Specification (DeMarco)

The book Structured Analysis and System Specification by Tom DeMarco The book Structured Analysis and System Specification by from DeMarco is a classic on structured analysis. DeMarco covers functional decomposition, data dictionary, process specification, system modeling and structured analysis for a future system. He suggests an approach that emphasizes a top-down, partitioned, graphic model of the system-to-be. He also stresses the important role of a data dictionary and the role of

scaled-down specifications, or minispecs, to be written in a rigorous subset of the English language known as Structured English.

In his paper Measuring Application Development Productivity Allan Albrecht, working for IBM, introduces the function point in order to measure programmer productivity. Albrecht concludes from his study of productivity that a discplined process is "an essential ingredient to meaningful productivity measurement". Function points (Albrecht)

1980's

Software Engineering Economics (Boehm)

IBM Personal Computer goes mass

Rational Software founded

What is Total Quality Control? (Ishikawa)

CRUD analysis (Martin)

Rethinking Systems Analysis and Design (Weinberg) 1982

First PNSQC conference

SQS founded in Germany Out of the Crisis (Deming)

Life Cycle Concept Considered Harmful (McCracken)

1983 IEEE 829 published

US federal V&V standard published

Psychology of Human-Computer Interaction

An Information Systems Manifesto (Martin)

First testing industry conference

SEI founded

(USPDI)

Theory of Constraints (Goldratt)

1985 Microsoft releases Excel

AutoTester released (Hayes)

DOD-STD-2167 standard published

Reverse engineering (Rekoff)

1986 V-model published (Rook)

SQE founded

NCC publishes STARTS handbook

IEEE standard for V&V plans No Silver Bullet (Brooks)

In the landmark book Software Engineering Economics Barry W. Boehm introduces the notion that the cost of fixing a bug rises exponentially in time. He also introduces the constructive cost model (COCOMO). IBM releases the personal computer (the IBM-PC or IBM 5150) that set the standard for mass market computer products.

Rational Software is founded by Mike Devlin and Paul Levy, Until its acquisition by IBM in 2003 Rational produces tools to aid software engineers, among which quality management tools such as ClearQuest. In his book What is Total Quality Control? The Japanese Way (first published in Japanese in 1981) Kaoru Ishikawa states that that quality is a dynamic concept as the needs, the requirements and the expectations of a customer continuously change.

In their report entitled Information Engineering, for the Savant Institute, James Martin and Clive Finkelstein introduce the term CRUD (Create Retrieve, Update, Delete) analysis, as a method for analyzing design. In this book Gerald Weinberg describes iterative development and

The first Pacific Northwest Software Quality Conference (PNSQC) is held

in Portland, Oregon. The goal of the non-profit Oregon corporation is to enable knowledge exchange to produce higher quality software.

The German company Software Quality Systems (SQS) is founded Heinz Bons and Rudolf van Megen. It is one of the leading software testing organisations in Europe.

In his book Out of the crisis: Quality, Productivity and Competitive Position William Edwards Deming proposes that quality must be defined in terms of customer satisfaction. Deming lists fourteen key principles for management that should aid the implementation of his view of quality.

management that should allo the implementation or his view or quality. In their paper Life Cycle Concept Considered Harmful Daniel McCracken and Michael A. Jackson criticize the waterfall way of software development. Among other things they state that "System requirements can never be stated fully in advance, not even in principle, because the user doesn't know them in advance - not even in principle". The first version of the IEEE 829 Standard for Software Test

Documentation is published in 1983. The standard specifies the form of a set of documents for use in eight defined stages of software testing.

The Guideline for Lifecycle Validation, Verification, and Testing of Computer Software (a Federal Information Processing Standard (101)) is published by the United States federal government.

The book The Psychology of Human-Computer Interaction by Stuart K. Card, Thomas P. Moran, Allen Newell is considered a classic in the field of usability. It discusses, among other things, psychologically-based design methods and tools such as GOMS (Goals, Operators, Methods, and Selection rules).

In the book An Information Systems Manifesto James Martin publishes his Distribution of Defects, showing that over half of the defects have their root cause in poorly defined requirements.

The US Professional Development Institute (USPDI) organizes the International Conference and Exposition on Testing Computer Software; the first conference for the testing industry. The conference is held in Washington DC. Dave Gelprin and Bill Hetzel are joint programme chair for the first six years. Ginger Houston-Ludlam is programme chair for the next ten years. Denis Meredith is programme chair for the remaining years. The last of these conferences is held in 2002.

The Carnegie Mellon Software Engineering Institute (SEI) is established by the U.S. Department of Defense. In its own words "the SEI advances software engineering and related disciplines to ensure the development and operation of systems with predictable and improved cost, schedule and quality."

In his book The Goal Eliyahu M. Goldratt publishes his Theory of Constraints. It is a management philosophy that is focused on eliminating constraints, bottlenecks from a production process. Theory of Constraints is based on the premise that the rate of goal achievement is limited by at least one constraining process

Microsoft releases the first version of Excel on 30 September 1985. The version is written for the Apple Macintosh. The Windows version of Exce is released in 1987. The spreadsheet program (the first with a graphical user interface) quickly outsells Lotus 1-2-3 and becomes Microsoft's flagship product. Today Excel is still often used as a testing tool. Autotester, the frst commercial test tool for the PC (on MS-DOS) is

released by Linda Hayes's company AutoTester. The company is based in Dallas, Texas. On 4 June 1985 the American Department of Defense publishes DOD-

STD-2167; the standard that establishes 'the requirements to be applied during the development and acquisition of Mission-Critical Computer System software'. It includes formal testing.

In his paper On Reverse Engineering M. G. Rekoff introduces the term reverse engineering. Rekoff defines it as "the process of developing a set of specifications for a complex hardware system by an orderly examination of specimens of that system." Today the concept is also applied to software. It is a key part of software maintenance.

In the article Controlling Software Projects, published in the IEEE Software Engineering Journal, Paul E. Rook introduces the V-model. Rook works for GEC Software Ltd. in London at that time. The model demonstrates the relationships between each phase of the development life cycle and its associated phase of testing.

David Gelperin and William Hetzel found Software Quality Engineering (SQE). The company is instrumental in setting the stage for the software industry to view testing as a distinct discipline. The British National Computer Centre publishes the the STARTS

Purchasers' Handbook as a standard in order to "accelerate the uptake of best software engineering practice and methods". The IEEE Standard for Software Verification and Validation Plans (IEEE Std 1012-1986) is published.

In his paper "No Silver Bullet — Essence and Accidents of Software Engineering" Fred Brooks argues that "there is no single development, either technology or management technique, which by itself promises even one order of magnitude [tenfold] improvement within a decade in productivity, in reliability, in simplicity."

Developed by Joris Meerts, with additional contributions from Dorothy Graham

The History of Software Testing was translated by Jovana Milutinovich into Serbo-Croatian

Click here to view the translation

1987 Test, then code

Motto on the lapel pin of SQE as worn during the Fourth International Conference on Software Testing, Washington DC.

The seminal work Software Reliability: Measurement, Prediction, Application is published by John D. Musa, Anthony lannino, and Kazuhira Okumoto. Software reliability has become a key part in software quality. Software reliability (Musa)

The Cost of Poor Quality (COPQ) is identified by H. James Harrington in his book Poor Quality Costs, published by the American Society for Quality Control (ASQC). The book documents IBM's approach to reporting the costs that result from poor quality. Cost of Poor Quality (Harrington)

Use cases (Jacobson)

In his paper Object Oriented Development in an Industrial Environment, published in the OOPSLA '87 Proceedings, Ivar Jacobson introduces the concept of use cases and use case modeling from the customer requirements. Jacobson defines a use case as a special sequence of transactions, performed by a user and a system in a dialogue

Software design patterns (Beck,

In their presentation Using Pattern Languages for Object-Oriented Programs - to the OOPSLA-87 conference - Kent Beck and Ward Cunningham adapt the concept of the pattern language (Christopher Alexander) to object-oriented programming. The pattern language should guide the designer by providing a workable, reusable solution to solve recurring problems.

Exploratory testing introduced (Kaner)

Testing Computer Software (Kaner)

The first edition of the book by Cem Kaner sets a new standard in software testing. The book is famous for its pragmatic and real-world oriented approach. The second edition of the book is co-authored by Jack

In the book Testing Computer Software Cem Kaner uses the term 'exploratory testing' for the first time.

Falk and Hung Q. Nguyen. CMM published (Humphrey)

Watts Humphrey - founder of the Software Engineering Institute's Software Process Program - publishes the Capability Maturity Model in the IEEE paper Characterizing the software process: a maturity formware.

The Growth of Software Testing erin. Hetzel)

First defect tracking tool (DDTS)

In their ACM article The Growth of Software Testing David Gelperin and William Hetzel discuss four testing models and the evolution of testing. Qualtrak (acquired by Pure Software in 1995) develops DDTS (Distributed default tracking system); a defect tracking system for the

Spiral model (Boehm)

In his paper A Spiral Model of Software Development and Enhancement - published in the IEEE magazine Computer - Barry Boehm introduces the spiral model as a substitute for the waterfall model

Segue Software founded

Segue Software is founded in Lexington, Massachusett by Laurence Kepple. It launches test automation tools such as SilkTest. The company is acquired by Borland in 2006.

Fuzz testing introduced

The term 'fuzz' is coined by Barton Miller (Operating System Utility Program Reliability) to describe the use of random, unstructured data to investigate security flaws in a system.

Gilb's risk principle

SIGIST founded

In the book Principles of Software Engineering Management authors Tom Gilb and Susannah Finzi introduce risk management in the principle that "If you don't actively attack the risks, they will actively attack you".

"It you don't actively attack the risks, they will actively attack you". The British Specialist Interest Group in Software Testing (SIGIST) is founded in 1989 by Geoff Quentin. Its first meeting is held at Imperial College in London. The meeting, during which four presentations (on risks, standards and reliability) are given, is attended by 29 people. The aim of the group is to share problems, successes and failures in testing, share techniques and share ideas of tools to support testing.

Mercury Interactive founded

Mercury Interactive is founded in California by Amnon Landan and Arye Finegold. The company releases many test automation products until its acquisiton by HP in 2006.

First version of LoadRunner ASQ Software Division founded

The performance testing tool LoadRunner is released by Mercury. The Software Division of the American Society for Quality is founded. Taz Daughtrey is the first chairman of the division.

1990's

1990 Bug taxonomy (Beizer)

Pesticide paradox (Beizer)

Boris Beizer provides his taxonomy (classification of bugs) in the second edition of the book Software Testing Techniques.

In the second edition of Software Testing Techniques Boris Beizer coins the term pesticide paradox to describe the phenomenon that the more you test software, the more immune it becomes to your tests.

The Fifth Discipline (Senge)

In his book The Fifth Discipline Peter Senge discusses the five disciplines of the learning organization, focusing on group problem solving using the systems thinking method.

The Machine That Changed the World (Womack)

In the book The Machine That Changed the World the authors James P. Womack, Daniel Roos, and Daniel T. Jones describe the lean manufacturing philiosophy. They base their work on a study of the automotive industry by MIT.

1991 ISO 9126 published

ISO/IEC 9126 Software engineering — Product quality is an international standard for the evaluation of software quality. Its quality model splits up quality into six characteristics.

Start of the newsgroup comp.software.testing

The newsgroup is established to provide a forum for discussion about testing tools, techniques, and experiences among NASA, industry, and

First CAST report (Graham)

Unicom Seminars publishes the first CAST Report on Computer Aided Software Testing. The report is written by Dorothy Graham. It lists all tools available at that time, described in a standard way.

Pure Software founded

Pure Software is founded by Reed Hastings, who later founded Netflix. Until its acquisition by Rational Software in 1997 it launches debugging and defect tracking software.

RAD introduced (Martin)

In his book Rapid Application Development James Martin introduces rapid application development (RAD) as a development lifecycle designed to give much faster development and higher-quality results than those achieved with the traditional lifecycle. Martin extends on the methodology called Rapid Iterative Production Prototyping (RIPP) that was used at DuPont.

Software Testing, Verification and Reliability (Wiley)

First issue of the journal Software Testing, Verification and Reliability is published by John Wiley & Sons. It is a quarterly international journal that publishes papers on theoretical and practical issues of software testing, verification and reliability.

1992 First STAR conference

The first STAR (Software Testing Analysis & Review) conference is held in Las Vegas. It is organised by Gelperin's and Hetzel's SQE.

Rational Unified Process published

Ivar Jacobson, Grady Booch, and James Rumbaugh describe the gei process behind the Rational Unified Process (RUP) in the book The Unified Software Development Process. RUP is an iterative software development process framework created by Rational Software.

First version of TTCN

The first version of the Testing and Test Control Notation (TTCN) - originally meaning Tree and Tabular Combined Notation - is published by the ETSI Centre for Testing and Interoperability. The language is launched as a specification of abstract test suites for conformance testing of International Telecommunications Union protocols. It is now promoted as a general purpose test language for distributed communicating systems.

Orthogonal Defect Classification

In the paper Orthogonal Defect Classification - A Concept for In-Process Measurements Ram Chillarege (IBM) publishes the concept of Orthogonal Defect Classification; the definition and capture of defect attributes that make mathematical analysis and modeling possible

Developed by Joris Meerts, with additional contributions from Dorothy Graham

The History of Software Testing was translated by Jovana Milutinovich into Serbo-Croatian

Click here to view the translation

Technical debt (Cunningham)

Howard G. Cunningham introduces the debt metaphor in the experience report for the 92 OOPSLA conference. Cunnigham reasons that failure to consolidate code will make a program unmasterable, leading to extreme specialization of programmers and finally an inflexible product. His argument is that introducing unconsolidated code in a release (in order, for example to release early without referencing the code after the code of for example, to release early) without refactoring the code after the release will result in debt that has to be repaid.

The origin of Europe's premier software testing event. EuroSTAR is a sister conference of STAR. The conference is underwritten by SQE who runs it in conjunction with the British Computer Society. Dorothy Graham is programme chair for the first EuroSTAR.

Jeff Sutherland, John Scumniotales, and Jeff McKenna develop software

in scrum teams at Easel Corporation and for the first time call it Scrum.

Daniel J. Mosley illustrates his Decision Tableau method in The Handbook of MIS Application Software Testing

In his presentation The Politics of Testing Paul Herzlich introduces the W-model. The model attempts to address shortcomings in the V-Model. Herzlich holds the presentation during the first EuroSTAR conference in London. W-model introduced (Herzlich)

First publication of the SUMI (Software Usability Measurement Inventory) questionnaire at the University College Cork. SUMI questionnaire published

In their paper Classification Trees for Partition Testing Matthia Grochtmann and Klaus Grimm publish the Classification Tree

The book Usability Inspection Methods, edited by Jakob Nielsen and Robert L. Mack, is the first comprehensive work on usability. It is a practical guide containing strategies, tools, and techniques for the evaluation of usability. Usability Inspection Methods (Nielsen

MoSCoW principle introduced (Clegg)

Dai Clegg (Oracle UK Consulting) publishes this popular prioritisation technique in the book CASE Method Fast-Track: A RAD Approach.

Victor R. Basili, Gianluigi Caldiera and H. Dieter Rombach publish the Goal Question Metric (GQM) approach in their paper The Goal Question Metric Approach. The aim is to provide a top-down definition of measurements for feedback and evaluation, starting with the goals of the

Shyam R Chidamber and Chris F Kemerer publish their paper A Metrics Suite for Object Oriented Design. It contains a new set of software metrics for object oriented design with metrics such as Weighted Methods Per Class and Depth of Inheritance Tree.

The Standish Group starts the Chaos report, a continuing study to identify the scope of software project successes and failures, the major factors that cause software projects to fail, and the key ingredients that can reduce software project failures.

Martin Pol, Ruud Teunissen and Erik van Veenendaal publish their test management approach for structured testing. The first publication of the book is in Dutch.

The DSDM Consortium publishes the Dynamic Systems Development Method: an iterative and incremental approach to software development First release of Winrunner

The record & playback tool Winrunner is released by Mercury. The Swedish Association for Software Testing (SAST) is formed by Anna Eriksson and Sigrid Eldh as a platform to exchange experiences and SAST formed

knowledge related to testing. The term 'anti-pattern' is coined by Andrew Koenig in his paper Patterns and Antipatterns published in the Journal of Object-Oriented

The Testing Maturity Model is developed at the Illinois Institute of

Programming. An anti-pattern is a design pattern that appears obvious but is ineffective or far from optimal in practice. A pattern in software design is a general reusable solution or a best practice. Larry Page and Sergey Brin launch Google; the internet service provider that rapidly becomes the most visited website in the world.

The first Extreme Programming project (Chrysler Comprehensive Compensation System) is started March 6, 1996 by Kent Beck, Ron Jeffries and Howard G. Cunningham. First Extreme Programming project

The first Software & Systems Quality conference (SQC) is organized by the German company SQS. The conference is now known as ignite and is held in many countries.

In his paper Cornering the Chimera R. Geoff Dromey proposes a quality model that solves the intangeability of the ISO 9126 Quality characteristics. Dromey links components properties to higher level Cornering the Chimera (Dromey)

quality characteristics. James Bach introduces guideword heuristics to software testing in his exploratory testing class. For this purpose Bach uses the Tripos Model which is expanded later and renamed Heuristic Test Strategy Model.

During the class Bach also introduces the famous mnemonic and heuristic SFDPO. Pairwise testing (Cohen)

In their paper The Combinatorial Design Approach to Automatic Test Generation, authors David Cohen, Siddhartha Dalal, Jesse Parelius and Gardner Patton introduce pairwise testing. They base their combinatorial design the

The Dutch TestNet society is founded on the 9th of June 1997 as a platform for the exchange of knowledge about software testing. The initiative for the foundation of TestNet is taken by Martin Pol, Ingrid Ottevanger, Erik van Veenendaal and Jos Trienekens during the first EuroSTAR conference in the Netherlands (Amsterdam, 1996).

UML (Unified Modeling Language) is created by James Rumbaugh, Grady Booch and Ivar Jacobson at Rational Software. The UML 1.1 specification is adopted by the Object Management Group in 1997. The language becomes the basis for model-based testing. First version of UML

First Los Altos Workshop on Software The first Los Altos Workshop is held, hosted by Cem Kaner and Brian Testing Lawrence. It is a periodic gathering of senior test practitioners. In his essay The Cathedral and the Bazaar author Eric S. Raymond

In his essay The Cathedral and the Bazaar author Eric S. Raymond discussed the software development method that was used by Linus Torvalds in creating Linux. Raymond describes it as 'release early and often, delegate everything you can, be open to the point of promiscuity. He mentions 19 guidelines for creating good open source software. Raymond also introduces Linus's Law which states that "given enough eyeballs, all bugs are shallow". It means that "Given a large enough betatester and co-developer base, almost every problem will be characterized quickly and the fix will be obvious to someone."

In his book Death March: The Complete Software Developer's Guide to Surviving "Mission Impossible" Projects Edward Yourdon investigates extensively why 'death march' projects exist and offer some guidance to surviving this type of project. The death march project is a common situation in software development in which work is continued on a project the first development to fail. Death march projects (Yourdon)

that is doomed to fail. The first European certification for software testers is created by the

British Information Systems Examinations Board. The first course is taught by Dorothy Graham and Mark Fewster.

The Standard for Software component testing (BS 7925-2) is published by the Testing Standards Working Party (sponsored by the BCS SIGiST).

1993 First EuroSTAR (London)

Scrum (Sutherland)

Decision tableau method (Mosley)

Classification Tree Method (Grimm)

Goal Question Metric approach

A Metrics Suite for Object Oriented

First Chaos report (Standish Group)

1995 TMap published (Pol a.o.)

DSDM published

Anti-pattern (Koenig)

1996 Google online

TMM developed

First SQC conference

Heuristic Test Strategy Model (Bach)

1997 TestNet founded

The Cathedral and the Bazaar

ISEB Software Testing Certification

BCS standard for Software component testing

Developed by Joris Meerts, with additional contributions from Dorothy Graham

The History of Software Testing was translated by Jovana Milutinovich into Serbo-Croatian

Click here to view the translation

Apache iMeter released

Version 1.0 of Apache jMeter is published on December 15 1998. The tool is authored by Stefano Mazzocchi. JMeter is an open source application designed to load test functional behavior and measure performance.

Bugzilla released

The first version of the popular defect tracking tool Bugzilla is releas Bugzilla was originally developed by Terry Weissman in 1998 for the nascent Mozilla.org project, as an open source application.

In his book The Inmates Are Running the Asylum Alan Cooper introduces the use of personas as a practical interaction design tool. He recommends that software be designed for single archetypal users. Personas (Cooper)

Cem Kaner, James Bach, Brian Marick and Bret Pettichord start the

Context-Driven school of testing based on the principle that 'The value of any practice depends on its context'.

Software Test Automation (Fewster & Graham) The book by Mark Fewster and Dorothy Graham is a standard work in the field of automation. It comprehensively treats software test automation

issues, strategies and tactics. Tim Koomen and Martin Pol publish their approach to assessing and Test Process Improvement (Koomen, improving test processes

Early 1999 Mercury interactive releases QuickTest as an easier approach to creating and maintaining SAP automated tests. It later becomes QuickTest Professional. First version of QuickTest

Launched in January 1999 as Software Testing and Quality Engineering, Better Software magazine is a magazine 'for software professionals who care about quality'. The magazine is published by SQE.

The Certified Software Test Professional (CSTP) certification by International Institute for Software Testing. CSTP certification

In the paper Software Metrics: Ten Traps To Avoid Karl E. Wiegers examines 'ten traps that can sabotage the unsuspecting metrics Software Metrics: Ten Traps To Avoid

TestFrame published

The test methodology TestFrame is published by Hans Buwalda, Dennis Jansen and Iris Pinkster, working for the British/Dutch IT company LogicaCMG. Buwalda worked on the method since 1994 when it originated as CMG:CAST. TestFrame focuses on the use of test automation.

In the paper Session-Based Test Management (published in Software 2000 Session-based testing (Bach) Testing and Quality Engineering magazine) Jonathan Bach publishes the session-based testing method. The method combines accountability with

exploratory testing.

First publication of Professional Tester magazine. It is published by the London based publishing house Test Publishing Limited. The magazine was 'relaunched' in 2010. Professional Tester magazine

In his article Continuous Integration Martin Fowler discusses a software development practice where members of a team integrate their work frequently leading to multiple integrations per day.

The YAPC (Yet Another Perl Conference) 19100 Conference, at Carnegie-Mellon University in Pittsburgh, introduces the 'lightning talk' concept to the conference program. The term is coined by Mark Jason Dominus in June 2000. During the YAPC conference in 2000 lightning talks of five minutes were held, the end of the alotted time being marked

A conference in Utah by 17 representatives from different development methodologies leads to the Agile Manifesto in which the Twelve Principles of Agile Software are published.

James Bach, Cem Kaner and Bret Pettichord publish their experiences with context-driven testing in Lessons Learned in Software Testing. Lessons Learned in Software Testing

The popular community website for software testing and software quality is launched by SQE

The acronym SaaS for Software as a Service is first used in the article Software as a Service: Strategic Backgrounder. The article is published by Software & Information Industry's (SIIA) eBusiness Division. The Software as a Service model defines the distribution of application through the internet.

The first conference on Practical Software Quality and Testing (PSQT) is held in Orlando, Florida. It is organized by Software Dimensions and the International Institute for Software Testing.

The first version of the open source web load and performance testing tool OpenSTA is released. It is originally released by the French Cyrano SA group.

James Bach expands his exploratory software testing class into the Rapid Software Testing (RST) class based on the ideas of the context-driven school of software testing, Michael Bolton expands the Rapid Software Testing class adding his own material and starts teaching RST in 2003.

The International Software Testing Qualifications Board is founded in

In the book Test Driven Development: By Example Kent Beck publishes the software development technique in which a test is written before the functionality is coded.

Originally released as RobotJ, IBM Rational Functional Tester is IBM's key automated test script generator.

In his book How to Break Software: A Practical Guide to Testing James

Whittaker publishes a total of 23 attacks to expose software errors. The attacks are designed for the user interface and for the system.

The first version of the popular bug tracking tool JIRA is released by the Australian software company Atlassian Software.

Framework for Integrated Test (Fit), built by Ward Cunningham, is an open-source tool for automated customer tests. The tool integrates test development into specification and test execution into programming using fixtures. It gives customers and programmers a way to communicate precisely about their software.

Bret Pettichord publishes the paper in which he classifies soft ideas into five schools.

The first part (part 2) of ISO/IEC 15504 is published in October 2003 (the working draft was started in 1993). ISO/IEC 15504 is also known as SPICE (Software Process Improvement and Capability Determination). It is a framework for process assessment.

is a framework for process assessment.

In his book Domain-Driven Design: Tackling Complexity in the Heart of Software Eric Evans offers a set of design best practices, experience-based techniques, and fundamental principles that facilitate the development of software projects facing complex domains.

The Association for Software Testing is founded in 2003 and incorporated as a professional non-profit association in 2004. Its initial board of directors consists of Patrick J. Schroeder, James Patrick McGee, Cem Kaner, Andrew David Tinkham, Douglas Hoffman, Tim van Tongeren and Hung Quoc Nguyen. In 2006 the association organizes the first CAST conference. AST is focused on supporting the development of professionalism in software testing. professionalism in software testing.

On his weblog Brian Marick publishes the Agile Testing Quadrant in August 2003. The quadrant combines two distinctions in testing; the distiction between business facing or technology facing testing and the distinction between support programming or critique the product.

1999 Context-Driven Testing (Bach a.o.)

Better Software magazine launched

(Wiegers)

launched

Continuous integration (Fowler)

Lightning talk coined (Dominus)

2001 Agile Manifesto published

StickyMinds.com launched

SaaS model introduced

First PSQT conference OpenSTA released

First Rapid Testing class

2002 ISTQB founded

Test-Driven Development (Beck)

IBM Rational Functional Tester

Software Attacks (Whittaker)

JIRA 1.0 released

Framework for Integrated Test (Cunningham)

SPICE (ISO 15504) published

Domain-Driven Design (Evans)

Association for Software Testing

Agile Testing Quadrant (Marick)

http://www.testingreferences.com/testinghistory.php

Developed by Joris Meerts, with additional contributions from Dorothy Graham

The History of Software Testing was translated by Jovana Milutinovich into Serbo-Croatian

Click here to view the translation

Scenario test (Kaner)

"In the article Cem Kaner on Scenario Testing: The Power of "What If..." and Nine Ways to Fuel Your Imagination, published in the Software Testing & Quality Engineering magazine, Cem Kaner discusses the use of scenarios in testing. Kaner defines a scenario as a hypothetical story, used to help a person think through a complex problem or system. In the article he elucidates its uses and characteristics."

2004 Selenium developed

The popular web application test tool Selenium is developed at ThoughtWorks (Chicago) by Jason Huggins.

STP magazine launched

Software Test & Performance magazine is launched by BZ Media. It is now called Software Test & Quality Assurance magazine.

Soap opera test (Buwalda)

In the article Soap Opera Testing, published in the Better Software magazine, Hans Buwalda introduces the concept of the soap opera test. The test is a scenario that is based on real life, exaggerated and condensed into a limited number of events. The approach takes the business environment as a starting point for developing tests.

Confluence 1.0 released

The first version of the collaboration software Confluence, created by the

2005 TMMi published

Australian company Atlassian, is released on March 25, 2004. The application is a wiki that is generally used as an enterprise knowled management system. The Test Maturity Model Integration is published by the TMMi Foundation. The model serves as a standard for assessing and improving the testing

London Exploratory Workshop in Testing founded (Lyndsay)

The London Exploratory Workshop in Testing (LEWT) is founded by James Lyndsay. It is an exploratory peer workshop, structured as a series of short talks, each followed by a longer discussion.

SoapUl released

SoapUI is released to SourceForge in September 2005. It becomes a popular tool for the testing of web services.

Touring heuristic developed (Kelly)

The touring heuristic FCC CUTS VIDS is dveloped and published on his weblog in the article Touring Heuristic. The heuristics suggests touring features, complexity, claims and configuration among other things.

2006 First CAST conference

The first Conference of the Association for Software Testing is held in June 2006 in Indianapolis, Indiana, The keynote speakers are James Bach and Cem Kaner.

2007 ISO forms working group for ISO In May 2007 ISO forms a working group to develop a new standard on software testing (ISO 29119). The standard will replace a number of existing IEEE and BSI standards for software testing. Dr. Stuart Reid is chairman of the group.

Software Testing Club founded

The Software Testing Club is founded in 2007 by Rosie Sherry after a clear need for a community for software testers with a quality approach.

Tester Freedom Scale published

On his weblog, Jonathan Bach publishes the Tester Freedom Scale. It is a sliding scale to model the variation in the degree of freedom a tester has when testing. The scale ranges from 'pure scripted' to 'freestyle exploratory'. In Bach's words, the scale models "the extent to which we are allowed to think". The magazine Testing Experience is launched by the German company Díaz & Hilterscheid.

Testing Experience magazine

Software Testing as a Service (STaaS)

The term Software Testing as a Service (STaaS) is coined by Leo van der Aalst in a presentation to the Pacific Northwest Software Quality Conference. Software Testing as a Service (STaaS) is a model of

software testing used to test an application as a service provided to customers across the Internet.

The Romanian software testing company Altom is founded in 2008 in Cluj-Napoca, Romania, by senior test consultants Oana Casapu, Ru Cindrea and Alexandru Rotaru. One of its main goals is to help consolidate the testing community and contribute to changing the view on testing.

House of Test founded

Altom founded

House of Test Consulting AB is founded in 2008 by Henrik Andersson, Johan Jonasson and Georg Lysén in Lund, Sweden. The company offitesting services based on the principles of the context-driven school of

testing

The crowdsourced testing service uTest is launched by by Doron Reuveni and Roy Solomon. In 2014 it is renamed to Applause. The company provides software testing as a service, or 'in-the-wild testing', by offering uTest launched

2009 T.E.S.T magazine launched

the software to a large and diverse software testing community In March 2009 the first issue of the British online magazine T.E.S.T is published by 31Media

Testing vs. Checking (Bolton)

In his weblog article Testing vs. Checking Michael Bolton distinguishes testing from checking. Checking, according to Bolton, is confirmation, verification and validation while testing is the process of exploration, discovery, investigation, and learning.

Weekend Testers founded

Weekend Testers, formely known as Bangalore Weekend Testers is founded by Parimala Shankariah, Sharath Byregowda, Manoj Nair and Ajay Balamurugadas in August 2009. Its mission is to be "A platform for software testers to collaborate, test various kinds of software, foster hope, gain peer recognition, and be of value to the community." Weekend

Test Automation Pyramid (Cohn)

Testers has chapters in India, Europe, Australia and the United States In his book Succeeding with Aglie, Mike Cohn publishes the Test Automation Pyramid. With the model Cohn argues that an effective test automation strategy calls for automating tests at three different levels; unit, service and user interface.

First Belgium Testing Days

The first Belgium Testing Days is held in 2009. Mieke Gevers is the program chair. The first edition, a one-day conference, is organized by Diaz & Hilterscheid. In 2012 organization of the even is taken over by AQIS. The conference tries to take an innovative approach to testing.

First Agile Testing Days conference

The first First Agile Testing Days is held in Berlin from 12 - 14 October. The conference organized by Díaz & Hillerscheid. The program committee consists of Lisa Crispin, Elisabeth Hendrickson, Alessandro Collino, Tom Gilb and Stuart Reid.

First DevOpsDays conference

The first DevOpsDays conference is held in Ghent. The conference popularizes the software development method DevOps that stresses communication, collaboration and integration between software developers and information technology (IT) operations professionals.

Test Lab introduced at EuroSTAR

Bart Knaack and James Lyndsay start the Test Lab at the 2009 EuroSTAR conference in Stockholm. The lab gives testers at a conference the opportunity to actually test software and discuss the testing effort. The Test Lab becomes a focal point at EuroSTAR and other conferences.

2010's

2010 First edition of Testing Circus

The first edition of the magazine Testing Circus is published by Ajoy Kumar Singha. The magazine intends to function as a platform for knowledge transfer in the software testing profession.

This Week in Software Testing podcast

Matthew Heusser and Michael Larsen produce and create 131 podcasts for Software Test Professionals between June of 2010 and January of 2013. In this series Heusser interviews software test professionals from all over the world.

2011 Test is Dead (Savoia)

During his opening keynote address at the Google Test Automation Conference 2011, entitled Test is Dead', Alberto Savoia states that (traditional) software testing is dead or on the decline. He suggests that (startup) company are putting less emphasis on testing and more emphasis on releasing software quickly and continuously.

Specification by Example (Adzic)

In his book Specification by Example, Gojko Adzic proposes a set of process patterns that facilitate change in software products to ensure that the right product is delivered efficiently.

Developed by Joris Meerts, with additional contributions from Dorothy Graham

The History of Software Testing was translated by Jovana Milutinovich into Serbo-Croatian.

Click here to view the translation

2012 First Let's Test conference

The first Let's Test conference is held in Runö, Sweden. It is the first major context-driven conference in Europe. Its main goal is to exchange opinions and ideas in the field of testing. The conference is organized by Henrik Andersson, Johan Jonasson, Ola Hytlén, Tobbe Ryber and Henrik Emilsson. The opening keynote is delivered by Michael Bolton.



The History of Software Testing by Joris Meerts is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License.

Copyright © 2010 - 2015 Testing References. All rights reserved.