
LINUX SHELL(BASH/SH)

SHELL

- A shell is a program that acts as the interface between you and the Linux system, enabling you to enter commands for the operating system to execute.
- In that respect, it resembles the Windows command prompt.
- There are so many shells like sh, csh, bash and others. But most common shell is bash. It is the default shell in Ubuntu and most of the other linux distribution. You can switch from one shell to another by just typing shell name(that is sh/bash/ etc).

LINUX SHELL ARCHITECTURE




BASH

- Bash is generally found on most of the distribution which does not have size constraint problem.
- It is generally the default shell in most of the linux flavours and also on high end embedded linux platform.
- It is very easy to use and also very user friendly.
- Here you can run commands very easily.
- Here you have auto completion feature.

SH

- sh shell is generally found on lightweight embedded os.
- It is generally one of the feature of busybox, which consists of many small utilities for embedded platform.
- It is very simple and lightweight but it is not very user friendly.
- You cannot use tab auto completion and other features.


Terminal
qemu@qemu-VirtualBox: ~/rpi
qemu@qemu-VirtualBox: ~/rpi/rootfs
qemu@qemu-VirtualBox: ~/rpi
qemu@qemu-VirtualBox:~/rpi$ ls
cmd.txt notes qemu-rpi-kernel rootfs
qemu@qemu-VirtualBox:~/rpi$ cd
notes/ qemu-rpi-kernel/ rootfs/
qemu@qemu-VirtualBox:~/rpi$
qemu@qemu-VirtualBox:~/rpi$ pwd
/home/qemu/rpi
qemu@qemu-VirtualBox:~/rpi$ sh
$ ls
cmd.txt notes qemu-rpi-kernel rootfs
$ pwd
/home/qemu/rpi
$ bash
qemu@qemu-VirtualBox:~/rpi$ ls
cmd.txt notes qemu-rpi-kernel rootfs
qemu@qemu-VirtualBox:~/rpi$

THANKS