TEXT EDITOR (VI)

FEATURES

- It is quite common in embedded os and normal os.
- It comes preinstalled.
- It is basic editor with very small size, that's why quite common in embedded linux os.
- The vi command works by using an insert (or editing) mode, and a viewing (or command) mode.
- When you first start editor, you are in the viewing mode.

- You can use your arrow or other navigation keys to scroll through the text.
- To start editing, press the ‘i’ key to insert text or the ‘a’ key to append text.
- When you're finished, use the Esc key to toggle out of the insert or append modes and enter into the viewing (or command) mode.
- To enter a command, type a colon (:), followed by the command, such as w to write the file, and press Enter.


BASIC VI COMMANDS

- Cursor movement: h, j, k, l (left, down, up, and right)
- Mode toggle: Esc, Insert (or i)
- Delete character: x
- Delete line: dd
- Copy a line: yy
- Paste : p

- Undo : u
- Save file: w
- Quit: q
- Quit without saving: q!
- Text search: /

LIMITATIONS

- It does not have syntax highlight feature.
- Only one undo is allowed in it.
- While editing, you cannot use cursor movement.
- Plugin not supported.
- It is not very feature rich like VIM.
- Note: To solve all those limitation, you can use VIM.


qemu@qemu-VirtualBox: ~/rpi
qemu@qemu-VirtualBox: ~/rpi
#include <stdio.h>
int main()
{
printf ("Hello \n");
printf ("Hello \n");
return 0;
}

THANKS