

SQL Date Functions Exercise

Name :Phathutshedzo

Surname: Mpfumali

Student No:

QUESTION 01 Day Name from Order Date

New SQL editor: ON ☆ Last edit was 2 minutes ago

▶ Run selected (1000) ✓ Just now (6s) workspace default Edit

```
order_date,  
DAYNAME(order_date) AS day_name  
FROM orders;
```

----QUESTION 02-----

Add parameter

Results 4 of 4 Table + Q Y I □ ⌵ ×

	¹ ₃ order_id	¹ ₃ customer_id	¹ ₃ order_date	^A _C day_name
1	1001	101	2026-05-01	Fri
2	1002	102	2026-05-02	Sat
3	1003	103	2026-05-03	Sun
4	1004	104	2026-05-04	Mon
5	1005	105	2026-05-05	Tue

QUESTION 02 Month Name from Signup Date

▶ Run selected (1000) ✓ Just now (5s) workspace default Edit

```
customer_name,  
signup_date,  
MONTHNAME(signup_date) AS signup_month_name  
FROM customer_signups;
```

----QUESTION 03-----
----Creating sales Table----

Add parameter

Results 4 of 4 Table + Q Y I □ ⌵ ×

	¹ ₃ customer_id	^A _C customer_name	¹ ₃ signup_date	^A _C signup_month_name
1	201	John	2026-01-15	Jan
2	202	Mary	2026-02-20	Feb
3	203	Peter	2026-03-05	Mar
4	204	Sarah	2026-04-18	Apr
5	205	Thabo	2026-05-30	May

QUESTION 03 Month Number from Sale Date

▶ Run selected (1000) ✓ Just now (26s) workspace. default

```

... product_name,
... sale_date,
... MONTH(sale_date) AS sale_month
FROM sales;

----QUESTION 04 ----
----Creating transactions Table----
CREATE OR REPLACE TABLE Transactions (

```

Add parameter

← Results 4 of 4 → Table + 🔍 🗑️ 📄 📊

	^A _C sales_id	^A _C product_name	^A _C sale_date	¹ ₃ sale_month
1	S001	Laptop	2026-01-10	1
2	S002	Mouse	2026-02-15	2
3	S003	keyboard	2026-03-20	3
4	S004	Monitor	2026-04-25	4
5	S005	desk	2026-05-30	5

QUESTION 04 Year from Transaction Date

New SQL editor: ON ✨ Last edit was 20 minutes ago

▶ Run selected (1000) ✓ Just now (6s) workspace. default

```

----QUESTION 05 ----
----Creating deliverycTable----
CREATE OR REPLACE TABLE Delivery (
  delivery_id STRING,
  customer_id int,

```

Add parameter

← Results 4 of 4 → Table + 🔍 🗑️ 📄 📊

	^A _C transaction_id	^A _C customer_id	^A _C transaction_date	¹ ₃ transaction_year
1	T001	101	2024-12-15	2024
2	T002	102	2025-01-20	2025
3	T003	103	2025-06-10	2025
4	T004	104	2026-02-05	2026
5	T005	105	2026-05-25	2026

QUESTION 05 Day of Month from Delivery Date

New SQL editor: ON ★ Last edit was 21 minutes ago

▶ Run selected (1000) ✓ Just now (6s) workspace. default

```

... customer_id,
... delivery_date,
... DAY(delivery_date) AS day_of_month
FROM Delivery;

```

----QUESTION 06 -----

Add parameter

← Results 4 of 4 → Table + 🔍 🗑️ 📄 📊

	^A _C delivery_id	¹ ₂ customer_id	^A _C delivery_date	¹ ₂ day_of_month
1	D001	101	2026-05-01	1
2	D002	102	2026-05-08	8
3	D003	103	2026-05-15	15
4	D004	104	2026-05-22	22
5	D005	105	2026-05-29	29

QUESTION 06 Add Today's Date

New SQL editor: ON ★ Last edit was 22 minutes ago

▶ Run selected (1000) ✓ Just now (5s) workspace. default

```

... employee_name,
... department,
... CURRENT_DATE() AS today_date
FROM employees;

```

----QUESTION 07 -----

Add parameter

← Results 4 of 4 → Table + 🔍 🗑️ 📄 📊

	¹ ₂ employee_id	^A _C employee_name	^A _C department	^A _C today_date
1	301	Nandi	Sales	2026-06-13
2	302	Brian	IT	2026-06-13
3	303	Lerato	Finance	2026-06-13
4	304	Sipho	HR	2026-06-13
5	305	Aisha	Marketing	2026-06-13

QUESTION 07 Convert Text to Date

New SQL editor: ON ☆ Last edit was 22 minutes ago

▶ Run selected (1000) ✓ Just now (4s) workspace. default Edit

```

... TO_DATE(order_date_text) AS order_date
FROM online_orders;

----QUESTION 08 ----
----Creating payment_dates Table----
CREATE OR REPLACE TABLE payment_dates (
  payment_id STRING

```

Add parameter

← Results 4 of 4 → **Table** + 🔍 🗑️ 📄 📊 ⬆️ ✕

	¹ ₃ order_id	¹ ₃ customer_id	order_date_text	order_date
1	4001	101	2026-01-15	2026-01-15
2	4002	102	2026-02-20	2026-02-20
3	4003	103	2026-03-25	2026-03-25
4	4004	104	2026-04-10	2026-04-10
5	4005	105	2026-05-05	2026-05-05

QUESTION 08 Format Date as Text

New SQL editor: ON ☆ Last edit was 23 minutes ago

▶ Run selected (1000) ✓ Just now (5s) workspace. default Edit

```

... DATE_FORMAT(payment_date, 'yyyy-MM-dd') AS formatted_payment_date
FROM payment_dates;

----QUESTION 09 ----
----Creating customer_purchases Table----
CREATE OR REPLACE TABLE customer_purchases (

```

Add parameter

← Results 4 of 4 → **Table** + 🔍 🗑️ 📄 📊 ⬆️ ✕

	^A _C payment_id	¹ ₃ customer_id	payment_date	^A _C formatted_payment_date
1	P001	101	2026-01-05	2026-01-05
2	P002	102	2026-02-10	2026-02-10
3	P003	103	2026-03-15	2026-03-15
4	P004	104	2026-04-20	2026-04-20
5	P005	105	2026-05-25	2026-05-25

QUESTION 09 Days Since Last Purchase

New SQL editor: ON ▾ ☆ Last edit was 24 minutes ago

▶ Run all (1000) ▾ ✓ Just now (5s) workspace. default ▾ Edit

```

----QUESTION 09 -----
----Creating customer_purchases Table----
CREATE OR REPLACE TABLE customer_purchases (
  customer_id INT,
  customer_name STRING,
  last_purchase_date DATE

```

Add parameter

Results 4 of 4 → Table ▾ + 🔍 🔍 📄 📄 ⌵ ✕

	customer_id	customer_name	last_purchase_date	days_since_last_purchase
1	501	John	2026-05-01	43
2	502	Mary	2026-05-10	34
3	503	Peter	2026-05-15	29
4	504	Sarah	2026-05-20	24
5	505	Thabo	2026-05-25	19

QUESTION 10 Expected Delivery Date

New SQL editor: ON ▾ ☆ Last edit was 25 minutes ago

▶ Run selected (1000) ▾ ✓ Just now (5s) workspace. default ▾

```

....order_date,
....DATE_ADD(order_date, 7) AS expected_delivery_date
FROM shipping_orders;

----QUESTION 11 -----
----Creating bookings Table----

```

Add parameter

Results 4 of 4 → Table ▾ + 🔍 🔍 📄 📄 ⌵ ✕

	order_id	customer_id	order_date	expected_delivery_date
1	6001	101	2026-05-01	2026-05-08
2	6002	102	2026-05-03	2026-05-10
3	6003	103	2026-05-05	2026-05-12
4	6004	104	2026-05-07	2026-05-14
5	6005	105	2026-05-09	2026-05-16

QUESTION 11 Year, Month, Day Separately

New SQL editor: ON ☆ Last edit was 26 minutes ago

Run selected (1000) ✓ Just now (5s) workspace default Edit

```

... YEAR(booking_date) AS booking_year,
... MONTH(booking_date) AS booking_month,
... DAY(booking_date) AS booking_day
FROM bookings;

```

----QUESTION 12 -----

Add parameter

Results 4 of 4 Table + Q F I Q E ^ X

	ner_id	📅 booking_date	¹ ₃ booking_year	¹ ₃ booking_month	¹ ₃ booking_day
1	101	2026-01-12	2026	1	12
2	102	2026-02-18	2026	2	18
3	103	2026-03-22	2026	3	22
4	104	2026-04-09	2026	4	9
5	105	2026-05-27	2026	5	27

QUESTION 12 Filter Orders from 2026

SQL Joins Date functions Date functions exercise +

New SQL editor: ON ☆ Last edit was 27 minutes ago

Run selected (1000) ✓ Just now (5s) workspace default Edit

```

... YEAR(order_date) AS order_year,
... amount
FROM yearly_orders
WHERE YEAR(order_date) = 2026;

```

----QUESTION 13 -----

----Creating monthly orders Table----

Add parameter

Results 4 of 4 Table + Q F I Q E ^ X

	¹ ₃ order_id	¹ ₃ customer_id	📅 order_date	¹ ₃ order_year	¹ ₃ amount
1	7004	104	2026-02-05	2026	1500
2	7005	105	2026-05-25	2026	2000

QUESTION 13 Filter Orders from March

SQL Joins | Date functions | Date functions exercise x +

New SQL editor: ON v ☆ Last edit was 28 minutes ago

▶ Run selected (1000) v ✓ Just now (5s) workspace. default v Edit

```

order_date,
MONTH(order_date) AS order_month,
amount
FROM monthly_orders
WHERE MONTH(order_date) = 3;

```

----QUESTION 14 ----
----Creating subscriptions Table----

Add parameter

Results 4 of 4 Table +

	order_id	customer_id	order_date	order_month	amount
1	8003	103	2026-03-10	3	800
2	8004	104	2026-03-25	3	1500

QUESTION 14 Last Day of the Month

New SQL editor: ON v ☆ Last edit was 28 minutes ago

▶ Run selected (1000) v ✓ Just now (5s) workspace. default v

```

start_date,
LAST_DAY(start_date) AS month_end_date
FROM subscriptions;

```

----QUESTION 15 ----
----Creating campaign_sends Table----

Add parameter

Results 4 of 4 Table +

	subscription_id	customer_id	start_date	month_end_date
1	UB001	101	2026-01-10	2026-01-31
2	UB002	102	2026-02-15	2026-02-28
3	UB003	103	2026-03-20	2026-03-31
4	UB004	104	2026-04-25	2026-04-30
5	UB005	105	2026-05-30	2026-05-31

QUESTION 15 First Day of the Month

SQL Joins Date functions Date functions exercise x +

New SQL editor: ON v Last edit was 29 minutes ago

Run selected (1000) v Just now (5s) workspace default v

```

    .... send_date,
    .... DATE_TRUNC('MONTH', send_date) AS month_start_date
FROM campaign_sends;

----QUESTION 16 -----
----Creating invoice_dates Table----

```

Add parameter

Results 4 of 4 Table +

	send_id	customer_id	send_date	month_start_date
1	C001	101	2026-01-12	2026-01-01T00:00:00.000+00:00
2	C002	102	2026-02-18	2026-02-01T00:00:00.000+00:00
3	C003	103	2026-03-22	2026-03-01T00:00:00.000+00:00
4	C004	104	2026-04-09	2026-04-01T00:00:00.000+00:00
5	C005	105	2026-05-27	2026-05-01T00:00:00.000+00:00

QUESTION 16 Format as Month and Year

New SQL editor: ON v Last edit was 30 minutes ago

Run selected (1000) v Just now (4s) workspace default v

```

    .... DATE_FORMAT(invoice_date, 'MMMM yyyy')
    .... AS invoice_month_year
FROM invoice_dates;

----QUESTION 17 -----
----Creating customer_birthdays Table----

```

Add parameter

Results 4 of 4 Table +

	invoice_id	customer_id	invoice_date	invoice_month_year
1	INV001	101	2026-01-05	January 2026
2	INV002	102	2026-02-10	February 2026
3	INV003	103	2026-03-15	March 2026
4	INV004	104	2026-04-20	April 2026
5	INV005	105	2026-05-25	May 2026

QUESTION 17 Customer Age from Date of Birth

New SQL editor: ON ☆ [Last edit was 31 minutes ago](#)

▶ Run selected (1000) ✓ Just now (4s) workspace. default Ed

```

----Creating customer_birthdays Table----
CREATE OR REPLACE TABLE customer_birthdays (
  ... customer_id INT,
  ... customer_name STRING,
  ... date_of_birth DATE

```

Add parameter

← Results 4 of 4 → **Table** + 🔍 🗑️ 📄 📊 ⬆️ ⬆️

	¹ ₃ customer_id	^A _C customer_name	[📅] date_of_birth	^{.00} customer_age
1	901	John	1998-05-10	28
2	902	Mary	1990-08-20	35
3	903	Peter	2002-03-15	24
4	904	Sarah	1985-12-01	40
5	905	Thabo	2000-07-30	25

QUESTION 18 Classify Weekend vs Weekday

SQL Joins Date functions Date functions exercise × +

New SQL editor: ON ☆ [Last edit was 32 minutes ago](#)

▶ Run selected (1000) ✓ Just now (5s) workspace. default Edit

```

...ELSE 'Weekday'
...END AS day_type
FROM weekend_orders;

----QUESTION 19 -----
----Creating quarterly_transactions Table----

```

Add parameter

← Results 4 of 4 → **Table** + 🔍 🗑️ 📄 📊 ⬆️ ⬆️

	¹ ₃ order_id	¹ ₃ customer_id	[📅] order_date	^A _C day_name	^A _C day_type
1	9001	101	2026-05-01	Fri	Weekday
2	9002	102	2026-05-02	Sat	Weekday
3	9003	103	2026-05-03	Sun	Weekday
4	9004	104	2026-05-04	Mon	Weekday
5	9005	105	2026-05-05	Tue	Weekday

QUESTION 19 Transactions by Quarter

SQL editor interface showing a query and its results.

Query:

```

transaction_date,
QUARTER(transaction_date) AS transaction_quarter,
amount
FROM quarterly_transactions;
----QUESTION 20 -----
----Creating recent_orders Table----

```

Results (4 of 4):

	on_id	customer_id	transaction_date	transaction_quarter	amount
1		101	2026-01-15	1	500
2		102	2026-03-20	1	1200
3		103	2026-04-10	2	800
4		104	2026-07-05	3	1500
5		105	2026-10-25	4	2000

QUESTION 20 Orders Older Than 30 Days

SQL editor interface showing a query and its results.

Query:

```

... amount
FROM recent_orders
WHERE DATEDIFF(CURRENT_DATE(), order_date) > 30;
----Bonus Challenge -----
----Creating customer_recency Table----

```

Results (4 of 4):

	order_id	customer_id	order_date	days_since_order	amount
1	R001	101	2026-04-01	73	500
2	R002	102	2026-04-15	59	1200
3	R003	103	2026-05-01	43	800
4	R004	104	2026-05-10	34	1500

Bonus Challenge

Run selected (1000)Just now (6s)workspace: defaultEdit

```
.....THEN 'Active Customer'
.....WHEN DATEDIFF(CURRENT_DATE(), last_purchase_date) <= 90
.....THEN 'At Risk Customer'
.....ELSE 'Inactive Customer'
...END AS customer_status
FROM customer_recency;
```

Add parameter

Results 4 of 4Table+

customer_name

last_purchase_date

days_since_last_purchase

customer_stat

1	01	John	2026-05-25	19	Active Customer
2	02	Mary	2026-05-10	34	At Risk Customer
3	03	Peter	2026-04-01	73	At Risk Customer
4	04	Sarah	2026-02-15	118	Inactive Customer
5	05	Thabo	2025-12-20	175	Inactive Customer