

```

-- phpMyAdmin SQL Dump
-- version 4.8.5
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Apr 03, 2020 at 12:44 PM
-- Server version: 10.1.38-MariaDB
-- PHP Version: 7.3.3

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `final`
--

--
-- Table structure for table `customers`
--

CREATE TABLE `customers` (
  `CustomerID` int(11) NOT NULL,
  `CustomerName` varchar(100) COLLATE utf8_unicode_ci NOT NULL,
  `Gender` enum('M','F') COLLATE utf8_unicode_ci NOT NULL,
  `CustomerType` enum('Member','VIP','Other') COLLATE utf8_unicode_ci NOT NULL,
  `CustomerTelNo` varchar(100) COLLATE utf8_unicode_ci NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

--
-- Table structure for table `products`
--

CREATE TABLE `products` (
  `ProductID` int(11) NOT NULL,
  `ProductName` varchar(100) COLLATE utf8_unicode_ci NOT NULL,
  `Price` float NOT NULL,
  `ProductDetail` text COLLATE utf8_unicode_ci NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

--
-- Table structure for table `sales`

```

```

--

CREATE TABLE `sales` (
  `SaleID` int(11) NOT NULL,
  `SaleDateTime` datetime NOT NULL,
  `CustomerID` int(11) NOT NULL,
  `StaffID` int(11) NOT NULL,
  `GrandTotal` float NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- -----

--
-- Table structure for table `sale_details`
--

CREATE TABLE `sale_details` (
  `SaleDetailID` int(11) NOT NULL,
  `SaleID` int(11) NOT NULL,
  `ProductID` int(11) NOT NULL,
  `Price` float NOT NULL,
  `Quantity` int(11) NOT NULL,
  `Amount` float NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- -----

--
-- Table structure for table `staffs`
--

CREATE TABLE `staffs` (
  `StaffID` int(11) NOT NULL,
  `StaffCode` varchar(20) COLLATE utf8_unicode_ci NOT NULL,
  `StaffName` varchar(100) COLLATE utf8_unicode_ci NOT NULL,
  `Gender` enum('M','F') COLLATE utf8_unicode_ci NOT NULL,
  `StaffPassword` varchar(100) COLLATE utf8_unicode_ci NOT NULL,
  `StaffLevel` enum('Staff','Manager','Admin') COLLATE utf8_unicode_ci
NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

--

-- Indexes for dumped tables
--

--
-- Indexes for table `customers`
--
ALTER TABLE `customers`
  ADD PRIMARY KEY (`CustomerID`);

--
-- Indexes for table `products`
--
ALTER TABLE `products`
  ADD PRIMARY KEY (`ProductID`);

```

```

--
-- Indexes for table `sales`
--
ALTER TABLE `sales`
  ADD PRIMARY KEY (`SaleID`);

--
-- Indexes for table `sale_details`
--
ALTER TABLE `sale_details`
  ADD PRIMARY KEY (`SaleDetailID`);

--
-- Indexes for table `staffs`
--
ALTER TABLE `staffs`
  ADD PRIMARY KEY (`StaffID`),
  ADD UNIQUE KEY `StaffCode` (`StaffCode`);

--
-- AUTO_INCREMENT for dumped tables
--

--
-- AUTO_INCREMENT for table `customers`
--
ALTER TABLE `customers`
  MODIFY `CustomerID` int(11) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `products`
--
ALTER TABLE `products`
  MODIFY `ProductID` int(11) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `sales`
--
ALTER TABLE `sales`
  MODIFY `SaleID` int(11) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `sale_details`
--
ALTER TABLE `sale_details`
  MODIFY `SaleDetailID` int(11) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `staffs`
--
ALTER TABLE `staffs`
  MODIFY `StaffID` int(11) NOT NULL AUTO_INCREMENT;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;

```

