



SAFETY DATA SHEET LANOLIN REVISION 4, DATE 15 JUL 2022

1. IDENTIFICATION

Product Name	Lanolin
Other Names	Wool fat
Uses	Emollient; Cosmetic applications; Soap; Lubricants; Tannery and anti-rust.
Chemical Family	No Data Available
Chemical Formula	Unspecified
Chemical Name	Anhydrous lanolin
Product Description	Fat-like substance derived from sheep wool.

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Suite 13A.03, Menara Summit Persiaran Kewajipan USJ1 47600 UEP Subang Jaya Selangor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Australia – Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
National Poison Centre	Malaysia	+60-4-6536-999
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled



Globally Harmonised System

Hazard Classification	NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
Signal Word	None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------

Safe Work Australia

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

Hazard Classification	NOT hazardous according to the criteria of Safe Work Australia under Model WHS Regulations
------------------------------	--------------------------------------------------------------------------------------------

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Lanolin	Unspecified	8006-54-0	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth, then drink plenty of water. Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.
Skin	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. If respiratory symptoms persist, get medical advice/attention.
Advice to Doctor	Treat symptomatically.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
Flammability Conditions	Combustible solid. May burn but does not ignite readily.

Extinguishing Media	Use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction. Do not use water jet as an extinguisher, as this will spread the fire.
Fire and Explosion Hazard	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous Products of Combustion	Fire may produce irritating and/or toxic gases, including Carbon oxides.
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may cause pollution.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.
Flash Point	>209 °C
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. ELIMINATE all ignition sources (no smoking, flares, sparks or flame). Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers for disposal (see SECTION 13).
Containment	Stop leak if you can do it without risk. Prevent dust cloud.
Decontamination	Wash down spill area with hot water containing detergent.
Environmental Precautionary Measures	Prevent entry into drains and waterways. If contamination of sewers or waterways has occurred, advise local emergency services.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
Personal Precautionary Measures	Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). WARNING: May form combustible dust concentrations in air. Keep away from heat and sources of ignition - No smoking. Take precautionary measures against static discharges.
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep containers closed when not in use - check regularly for leaks or spills. Keep away from heat and sources of ignition - No smoking. Keep away from incompatible materials (see SECTION 10).
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	<p>No specific exposure standards are available for this product. For dusts from solid substances without specific occupational exposure standards:</p> <ul style="list-style-type: none"> - Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m³ (measured as inhalable dust). - New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m³ (total); TWA = 3 mg/m³ (respirable). - OSHA PEL (Particulates not otherwise regulated): TWA = 15 mg/m³ (total); TWA = 5 mg/m³ (respirable).
----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	<ul style="list-style-type: none"> - Respiratory protection: Wear respiratory protection in case of inadequate ventilation or for protection from nuisance dusts. Recommended: Dust mask/respirator (refer to AS/NZS 1715 & 1716). Use respirators and components tested and approved under appropriate government standards. - Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses. Use equipment for eye protection tested and approved under appropriate government standards. - Hand protection: Handle with gloves. Recommended: Impervious gloves, e.g. Nitrile rubber. - Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes. The type of protective equipment must be selected according to the concentration and amount of the hazardous substance(s) at the specific workplace.
Special Hazards Precautions	No information available.
Work Hygienic Practices	Do not eat, drink or smoke when using this material. Wash thoroughly after handling. Take off contaminated clothing and wash it before reuse. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Semi-solid, wax
Odour	Characteristic
Colour	Yellow
pH	No Data Available
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	38 - 44 °C
Freezing Point	No Data Available
Solubility	Practically insoluble in water
Specific Gravity	No Data Available
Flash Point	>209 °C
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available

VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Combustible solid. May burn but does not ignite readily.
Reactions That Release Gases or Vapours	Thermal decomposition or combustion may produce irritating and/or toxic gases, including Carbon oxides.
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	Product can oxidise at elevated temperatures.
Chemical Stability	Stable under normal conditions.
Conditions to Avoid	Avoid generating dust. Keep away from heat and sources of ignition.
Materials to Avoid	Incompatible/reactive with strong oxidising agents.
Hazardous Decomposition Products	Thermal decomposition or combustion may produce irritating and/or toxic gases, including Carbon oxides.
Hazardous Polymerisation	Hazardous polymerisation will not occur.

11. TOXICOLOGICAL INFORMATION

General Information	Information on possible routes of exposure: - Ingestion: May cause discomfort if swallowed; large amounts may cause nausea and vomiting. - Eye contact: May be slightly irritating to eyes. - Skin contact: Prolonged contact may cause dryness of the skin and may lead to irritation. - Inhalation: Breathing in vapour may produce temporary irritation. Chronic effects: No information available.
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	Not regarded as dangerous for the environment; However, large or frequent spills may have hazardous effects on the environment.
Persistence/Degradability	No information available.
Mobility	No information available.
Environmental Fate	Prevent entry into drain and waterways.
Bioaccumulation Potential	No information available.

Environmental Impact

No Data Available

13. DISPOSAL CONSIDERATIONS**General Information**

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor and in accordance with local/regional/national regulations.

Special Precautions for Land Fill

This material and its container must be disposed of in a safe way. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.

14. TRANSPORT INFORMATION**Land Transport (Australia)**

ADG Code

Proper Shipping Name	Lanolin
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	Lanolin
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	Lanolin
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available

Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name	Lanolin
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name	Lanolin
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name	Lanolin
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------

15. REGULATORY INFORMATION

General Information No Data Available

Poisons Schedule (Aust) Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Not Hazardous

National/Regional Inventories

Australia (AIIIC)	Listed
Canada (DSL)	Listed
Canada (NDSL)	Not Listed
China (IECSC)	Listed
Europe (EINECS)	232-348-6
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Listed
Malaysia (List of Classified Substances)	Not Listed
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Listed
Taiwan (TCSI)	Listed
USA (TSCA)	Listed
Mexico (INSQ)	Listed

16. OTHER INFORMATION

Related Product Codes LANOLI1000, LANOLI1001, LANOLI1002, LANOLI1003, LANOLI2000, LANOLI2001, LANOLI2100, LANOLI2200, LANOLI3000, LANOLI3001, LANOLI3002, LANOLI3500, LANOLI4000, LANOLI4001, LANOLI5000, LANOLI5001, LANOLI6000, LANOLI6001, LANOLI6002, LANOLI6003, LANOLI6004, LANOLI6005, LANOLI6100, LANOLI6200, LANOLI6500, LANOLI6600, LANOLI6800, LANOLI6900, LANOLI6901, LANOLI7000, LANOLI7100, LANOLI7101, LANOLI7102, LANOLI7200, LANOLI8000, LANOLI8500, LANOLI9000, LANOLI9010, LANOLI9100, LANOLI9500, LANOLI9600, LANOLI9601, LANOLI9602, LANOLI9700, LANOLI9710, LANOLI9711, LANOLI9712, LANOLI9720, LANOLI9730, LANOLI9731, LANOLI9732

Revision 4**Revision Date** 15 Jul 2022**Key/Legend** < Less Than

> Greater Than

AICS Australian Inventory of Chemical Substances

atm Atmosphere
CAS Chemical Abstracts Service (Registry Number)
cm² Square Centimetres
CO₂ Carbon Dioxide
COD Chemical Oxygen Demand
deg C (°C) Degrees Celcius
EPA (New Zealand) Environmental Protection Authority of New Zealand
deg F (°F) Degrees Farenheit
g Grams
g/cm³ Grams per Cubic Centimetre
g/l Grams per Litre
HSNO Hazardous Substance and New Organism
IDLH Immediately Dangerous to Life and Health
immiscible Liquids are insoluable in each other.
inHg Inch of Mercury
inH₂O Inch of Water
K Kelvin
kg Kilogram
kg/m³ Kilograms per Cubic Metre
lb Pound
LC₅₀ LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.
LD₅₀ LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.
ltr or L Litre
m³ Cubic Metre
mbar Millibar
mg Milligram
mg/24H Milligrams per 24 Hours
mg/kg Milligrams per Kilogram
mg/m³ Milligrams per Cubic Metre
Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.
mm Millimetre
mmH₂O Millimetres of Water
mPa.s Millipascals per Second
N/A Not Applicable
NIOSH National Institute for Occupational Safety and Health
NOHSC National Occupational Heath and Safety Commission
OECD Organisation for Economic Co-operation and Development
Oz Ounce
PEL Permissible Exposure Limit
Pa Pascal
ppb Parts per Billion
ppm Parts per Million
ppm/2h Parts per Million per 2 Hours
ppm/6h Parts per Million per 6 Hours
psi Pounds per Square Inch
R Rankine
RCP Reciprocal Calculation Procedure
STEL Short Term Exposure Limit
TLV Threshold Limit Value
tne Tonne
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight