

# Safety data sheet Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard

article number: **9722**

Version: **6.0 en**

Replaces version of: 2024-10-09

Version: (5)

date of compilation: 2015-08-28

Revision: 2025-06-12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance

**Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard**

Article number

9722

Index No (GB CLP)

607-705-00-8

EC number

200-618-2

CAS number

65-85-0

Alternative name(s)

Phenylformic acid

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical  
Laboratory and analytical use

Uses advised against:

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):**

**[sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)**

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification acc. to GHS**

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard

article number: 9722

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

## 2.2 Label elements

### Labelling

#### Signal word

**Danger**

#### Pictograms

GHS05, GHS08



### Hazard statements

H315 Causes skin irritation  
H318 Causes serious eye damage  
H372 Causes damage to organs (lung) through prolonged or repeated exposure (if inhaled)

### Precautionary statements

#### Precautionary statements - prevention

P260 Do not breathe dust  
P280 Wear protective gloves/eye protection

#### Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 Immediately call a POISON CENTER/doctor

## 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	Benzoic acid
Molecular formula	C <sub>7</sub> H <sub>6</sub> O <sub>2</sub>
Molar mass	122,1 g/mol

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard**

article number: **9722**

CAS No	65-85-0
EC No	200-618-2
Index No (GB CLP)	607-705-00-8

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Headache, Gastrointestinal complaints, Nausea, Vomiting, Diarrhoea, Dyspnoea, Risk of serious damage to eyes, Risk of blindness

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!  
water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Deposited combustible dust has considerable explosion potential. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### **For non-emergency personnel**

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### **Advice on how to contain a spill**

Covering of drains. Take up mechanically.

#### **Advice on how to clean up a spill**

Take up mechanically. Control of dust.

#### **Other information relating to spills and releases**

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

#### **Measures to prevent fire as well as aerosol and dust generation**

Removal of dust deposits.

#### **Specific notes/details**

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### **Advice on general occupational hygiene**

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### **Incompatible substances or mixtures**

Observe hints for combined storage. Incompatible materials: see section 10.

#### **Consideration of other advice:**

#### **Ventilation requirements**

Use local and general ventilation.

#### **Specific designs for storage rooms or vessels**

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [mg/m <sup>3</sup> ]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

#### Notation

Ceiling-C	Ceiling value is a limit value above which exposure should not occur
i	Inhalable fraction
r	Respirable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0,1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	62,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

#### Environmental values

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0,331 mg/l	aquatic organisms	water	intermittent release
PNEC	0,34 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,034 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	1,75 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0,175 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0,151 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard

article number: 9722

Use safety goggle with side protection.

### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm


#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder, crystalline
Colour	white
Odour	characteristic
Melting point/freezing point	122,4 °C (ECHA)
Boiling point or initial boiling point and boiling range	249 °C at 1.013 hPa (ECHA)
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not relevant (solid)
Flash point	121 °C (c.c.)

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard

article number: 9722

Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	2,5 – 3,5 (20 °C) (aqueous solution of the substance)
Kinematic viscosity	not relevant

### Solubility(ies)

Water solubility	3,5 g/l at 25 °C (ECHA)
------------------	-------------------------

### Partition coefficient

Partition coefficient n-octanol/water (log value):	1,88 (ECHA)
Soil organic carbon/water (log KOC)	1,191 (ECHA)

Vapour pressure	0,001 hPa at 20 °C
-----------------	--------------------

### Density and/or relative density

Density	1,321 g/cm <sup>3</sup> at 20 °C (ECHA)
Relative vapour density	Information on this property is not available.
Bulk density	~500 kg/m <sup>3</sup>

Particle characteristics	No data available.
--------------------------	--------------------

### Other safety parameters

Oxidising properties	none
----------------------	------

## 9.2 Other information

Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
---	---

Other safety characteristics:

Surface tension	67,5 mN/m (20 °C), (ECHA)
-----------------	---------------------------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Fluorine, Nitrites, Reducing agents, Oxygen, Strong alkali

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard**

article number: **9722**

## 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

**Classification acc. to GHS**

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed, in contact with skin or if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	2.360 mg/kg	rat		ECHA
inhalation: dust/mist	LC50	>12.200 mg/m <sup>3</sup> /4h	rat		ECHA
dermal	LD50	>2.000 mg/kg	rabbit		ECHA

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Causes damage to organs (lung) through prolonged or repeated exposure (if inhaled).

Hazard category	Target organ	Exposure route
1	lung	if inhaled

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Endocrine disruptor for human health

Shall not be classified as an endocrine disruptor for human health.

#### Symptoms related to the physical, chemical and toxicological characteristics

##### • If swallowed

gastrointestinal complaints, nausea, vomiting, diarrhoea



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard

article number: 9722

- **If in eyes**

Causes serious eye damage, risk of blindness

- **If inhaled**

irritant effects, cough, headache, Dyspnoea, varying degrees of pulmonary injury

- **If on skin**

causes skin irritation

- **Other information**

none

### 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
EC50	252 mg/l	Tetrahymena pyriformis	ECOTOX Database	48 h
LC50	44,6 mg/l	bluegill	ECHA	96 h
ErC50	>33,1 mg/l	algae	ECHA	72 h

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
EC50	>120 mg/l	rainbow trout (Oncorhynchus mykiss)	ECHA	28 d
EC50	>25 mg/l	daphnia magna	ECHA	21 d
NOEC	>120 mg/l	rainbow trout (Oncorhynchus mykiss)	ECHA	28 d
NOEC	≥25 mg/l	daphnia magna	ECHA	21 d

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 1,965 mg/mg

Theoretical Carbon Dioxide: 2,523 mg/mg

Process of degradability		
Process	Degradation rate	Time
biotic/abiotic	>70 %	5 d
carbon dioxide generation	89,5 %	35 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1,88 (ECHA)
---------------------------	-------------

### 12.4 Mobility in soil

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard

article number: 9722

The Organic Carbon normalised adsorption coefficient
--

1,191 (ECHA)
--------------

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP 4** irritant - skin irritation and eye damage

**HP 5** specific target organ toxicity (STOT)/aspiration toxicity

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number or ID number

not subject to transport regulations

### 14.2 UN proper shipping name

not assigned

### 14.3 Transport hazard class(es)

none

### 14.4 Packing group

not assigned

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

There is no additional information.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard**

article number: **9722**

## International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

## International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

##### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

##### Deco-Paint Directive

VOC content	100 %
VOC content	1.321 g/l

##### Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

##### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

##### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

##### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Benzoic acid	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	

#### Legend

a) Indicative list of the main pollutants

##### Regulation on the marketing and use of explosives precursors

not listed

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard

article number: 9722

### Regulation on drug precursors

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

### Regulation on persistent organic pollutants (POP)

not listed

### National regulations(GB)

### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

### Restrictions according to GB REACH, Annex 17

not listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard**

article number: **9722**

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Benzoic acid ROTI®CALIPURE 121-123 °C Melting point standard

article number: 9722

Abbr.	Descriptions of used abbreviations
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H318	Causes serious eye damage.
H372	Causes damage to organs (lung) through prolonged or repeated exposure (if inhaled).

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.