	Errors ete	EMOIS AC RANSAC	Errors	Recall complete	Recall C	Recall	Precision Complete	Precision PreANSAC	Precision Precision	Number of Points	Mumber es	Normal Similarit	Descriptor Descriptor Descriptor
Errors _ Complete	1.000	0.405	0.080	-1.000	-0.409	-0.091	-0.938	-0.424	-0.062	0.126	0.125	-0.086	-0.011
Errors _ RANSAC	0.405	1.000	0.283	-0.405	-0.986	-0.298	-0.382	-0.677	0.026	-0.129	-0.210	0.086	-0.047
Errors _ Local	0.080	0.283	1.000	-0.080	-0.353	-0.938	-0.002	0.078	-0.234	0.184	0.236	-0.229	0.030
Recall _ Complete	-1.000	-0.405	-0.080	1.000	0.410	0.092	0.938	0.424	0.062	-0.126	-0.125	0.086	0.010
Recall _ RANSAC	-0.409	-0.986	-0.353	0.410	1.000	0.370	0.386	0.636	-0.029	0.136	0.191	-0.071	0.048
Recall _ LOCAL	-0.091	-0.298	-0.938	0.092	0.370	1.000	0.021	-0.114	0.160	-0.095	-0.195	0.143	-0.030
Precision _ Complete	-0.938	-0.382	-0.002	0.938	0.386	0.021	1.000	0.442	0.038	-0.027	-0.008	0.003	0.021
Precision _ RANSAC	-0.424	-0.677	0.078	0.424	0.636	-0.114	0.442	1.000	0.008	0.179	0.294	-0.145	0.012
Precision _ LOCAL	-0.062	0.026	-0.234	0.062	-0.029	0.160	0.038	0.008	1.000	-0.254	-0.278	0.243	0.021
Number _ of Points	0.126	-0.129	0.184	-0.126	0.136	-0.095	-0.027	0.179	-0.254	1.000	0.875	-0.765	-0.171
Number _ of Planes	0.125	-0.210	0.236	-0.125	0.191	-0.195	-0.008	0.294	-0.278	0.875	1.000	-0.756	-0.180
Normal _ Similarity	-0.086	0.086	-0.229	0.086	-0.071	0.143	0.003	-0.145	0.243	-0.765	-0.756	1.000	0.388
Descriptor _ Similarity	-0.011	-0.047	0.030	0.010	0.048	-0.030	0.021	0.012	0.021	-0.171	-0.180	0.388	1.000
ĺ					T	T							
•		-0.75 -0.50		0.50	-0.2	25	0.00	0	.25	0.50		0.75 1.00	