



الاختبار النصفى لمقرر التعلم العميق المتقدم (AI4204)

Midterm Exam – Advance Deep Learning (AI4203)

الفصل الدراسي	تاريخ الاختبار	مدة الاختبار
472	الأربعاء 1447/10/20 الموافق 2026/04/08	ساعة

تعليمات الاختبار:

- عدد أسئلة الاختبار ١٢ سؤالاً.
- درجة الاختبار ٣٠ درجة.
- تأكد من كتابة اسمك ورقمك الجامعي ورقم الشعبة في ورقة الإجابة.
- غير مسموح باستخدام أي مذكرات أو مراجع أثناء الاختبار (Closed book exam).
- في حال احتجت إلى مساعدة أو استفسار، ارفع يدك وانتظر المراقب للرد علي ك.
- احرص على متابعة وقت الاختبار لكي تتمكن من الإجابة على جميع الأسئلة
-

Exam Instructions

- The exam consists of 12 questions.
- The total exam score is 30 marks.
- Make sure to clearly write your name, university ID number, and section number on the answer sheet.
- No notes or reference materials are allowed during the exam (closed-book exam).
- At the end of the exam, submit both the question paper and the answer sheet to the invigilator.
- If you need assistance or have a question, raise your hand and wait for the invigilator to assist you.
- Please manage your time carefully to ensure you are able to answer all required questions.

الرقم الجامعي	اسم الطالب	رقم الشعبة
٤٤٩٥٥١٦٦٩	Muath mohammed Al-Sulami	



٤٤٤٠٠١٦٦٩

1. What are the three main parts that make up the Transformer architecture?

1- Encoder

2- decoder

3- Positional Encoding, Embedding

2. What is the primary function of "Positional Encoding" in Transformers?

The primary function of Positional Encoding ~~is~~ not like the (RNN) reading one by one
The Positional Encoding injects information about order transformers.

انت عليه ونشاهن

بجانب صفحة من الفقرة ، أشرت لصفحة من الفقرة بين RNN Transformers

3. In calculating self-attention, three variables taken from database terminology are used. What are they?

1-(Q) : Querys;

2-(K) : Key,

3-(V) : value

4. In the self-attention mechanism, what does the Query (Q) represent?

- A) The stored information retrieved as a result of the attention process
- ☒ B) The current word that is "asking" which other words are most relevant to it
- C) A label used to index and match words in the attention lookup table
- D) The scaling factor applied before the SoftMax to stabilize gradients

5. The SoftMax function in the self-attention equation converts similarity scores into probabilities that sum to 1, producing attention weights for each word.

☒ A) True

B) False



444001669

6. What is the key difference between Self-Attention and Masked Self-Attention regarding access to other words?

- A) Self-Attention can only look at previous words, while Masked Self-Attention can look at all words
- ☒ B) Self-Attention allows every word to attend to all other words, while Masked Self-Attention restricts each word to attend only to previous words
- C) Both allow full access to all words, but Masked Self-Attention applies dropout for regularization
- D) Masked Self-Attention attends to future words only, while Self-Attention attends to past words only

7. Why do we transpose the Key matrix (K) when multiplying it with the Query

- A) To normalize the values and prevent large numbers
- B) To make the matrix dimensions compatible for multiplication
- C) To reduce the size of the matrix for faster computation
- ☒ D) To apply positional encoding to the input

8. What is the title of the seminal 2017 paper that first introduced transformer architecture, and what specific task was the model originally designed to perform?

The title: "Attention is all you need"

Task Perform: machine translation.

9. In Encoder-Decoder Attention, where do Q, K, V come from?

Come from the input (Encoder) and move on to the decoder to generate an output.

صح لكن صافها مع Q, K, V

10. Mention two practical uses for the "Context Aware Embeddings" produced by Encoder-Only Transformers?

because Encoder the entire sentence once represent it all
and context-aware is analytical.

1- Ner 2- text classification 3- analysis.



444 001669

WE

PE

11. Explain what Word Embedding and Positional Encoding are, and how they are combined to form the input of a Transformer model.

word embedding normalize the input to help with fine relations
and frame work, inc, sense memory vector culture in inter semantic mapping.

لوجز في جزئي فقط لفكرة WE (2)

12. Compare Encoder-Only and Decoder-Only Transformers. Explain the type of attention used in each, their primary goals, and why ChatGPT is considered a Generative Model.

Aspect	Encoder-Only	Decoder-Only
Attention	the input values X	from the decoder & X
Goal	to find out a relation between the words /	to generate an output contain the tokens from decoder /
Example tasks	to tokenize the context X	generate X

Why ChatGPT is generative: ~~because~~ it's bidirectional can to understand both and generating new outcomes.

X GPT is ¹⁶⁰decoder-only autoregressive (1)

~ Good Luck ~



Questions Overview (Marks Distribution)

Q#	Question Type	Marks
Q1	Short Answer	2
Q2	Short Answer	2
Q3	Short Answer	2
Q4	MCQ	2
Q5	True/False	2
Q6	MCQ	2
Q7	MCQ	2
Q8	Short Answer	3
Q9	Short Answer	2
Q10	Short Answer	2
Q11	Essay	4
Q12	Essay	5
Total		30