LHCb-ANA-20XX-YYY
April 8, 2016

A template for writing LHCb documents

U. Egede[1].

[1]*Imperial College London, London, United Kingdom*

Abstract

Guidelines for the preparation of LHCb documents are given. This is a "living" document, that should reflect our current practice. It is expected that these guidelines are implemented for papers already before they go into the first collaboration wide review. Please contact the Editorial Board chair if you have suggestions for modifications.

Contents

1 Introduction

The weak phase γ is the least well known angle of the CKM unitary triangle. A key channel to measure γ is the time-dependent analysis of $B_s^0 \to D_s K$ decays [REF HERE]. The measurement of γ presented in this note uses $B_s^0 \to D_s K\pi\pi$ decays, where the $K\pi\pi$ is dominated by excited kaon states, such as $K_1(1270)$ and $K_1(1400)$. It is complementary to the above mentioned analysis of $B_s^0 D_s K$, making use of a fully charged final state, where every track is detected in the vertex locator. To account for the non-constant strong phase across the Dalitz plot, one can either bin the phase space and develop a Dalitz model for each bin, or introduce a coherence factor as additional hadronic parameter to the fit.
This analysis is based on the first observation of the $B_s^0 \to D_s K\pi\pi$ decay presented in [REF ANA NOTE HERE] and [REF PAPER HERE], where its branching ratio is measured relative to $B_s^0 \to D_s\pi\pi\pi$. The branching ratio measurement is updated and a measurement of γ using the WHAT EVER approach is presented, exploiting the full Run 1 data sample, corresponding to 3 fb^{-1} of integrated luminosity.

2 Data samples

We use the full Run 1 sample from Stripping 21, consisting of 3 fb^{-1} of data, collected in the years 2011 and 2012 at a center of mass energies of 7 TeV and 8 TeV, respectively. The selected B_s^0-candidates are required to pass the L0 XXX trigger. Events that pass the L0 stage are further required to pass the HLT1 XXX trigger. All remaining candidates have to pass either the 2, 3 or 4-body topological trigger (TOS).
For the presented analysis the B02DKPiPiD2HHHPIDBeauty2CharmLine is used to preselect signal $B_s^0 \to D_s K\pi\pi$ candidates. A summary of the cuts employed by this stripping line can be found in Table 1.

3 Simulated samples

Some bla bla on the MC samples ...

4 Selection

A twofold approach is used to isolate the $B_s^0 \to D_s K\pi\pi$ from data passing the stripping line. First, further one-dimensional cuts are applied to reduce the level of combinatorial background and to veto some specific physical background. After that, a multivariate analysis selection is performed, combining multiple variables to train a neural network and create a powerfull discriminator between signal and background.

Variable	Stripping Cut
Track χ^2/nDoF	< 3
Track p	> 1000 MeV/c
Track p_{T}	> 100 MeV/c
Track IP χ^2	> 4
D_s Daughter p_{T}	$\Sigma_{i=1}^{3} p_i > 1800\,\mathrm{MeV}/c$
D_s Daughter DOCA	0.5 mm
D_s mass m_{D_s}	within $\pm$ 50 MeV/c^2 of PDG value
D_s Vertex chi^2/nDoF	< 10
D_s min FD chi^2	> 36
X_s Daughter DOCA	0.4 mm
X_s Daughter p_{T}	$\Sigma_{i=1}^{3} p_{t,i} > 1250\,\mathrm{MeV}/c$
X_s Vertex chi^2/nDoF	< 8
X_s min FD chi^2/nDoF	> 16
X_s DIRA	> 0.98
X_s $\Delta\rho$	> 0.1 mm
X_s ΔZ	> 2.0 mm
B_s^0 DIRA	> 0.98
B_s^0 min IP χ^2	> 25
B_s^0 Vertex chi^2/nDoF	< 10
B_s^0 $\tau_{B_s^0}$	> 0.2 ps
K DLL$_{K\pi}$	$>$ -5
π DLL$_{K\pi}$	< 10

Table 1: Summary of the stripping selections for $B_s^0 \to D_s K\pi\pi$ decays.

4.1 Cut-based selection

In order to minimize the contribution of combinatorial background to our samples, we apply the following cuts to the b-hadron:

(i) DIRA > 0.99994

(ii) min IP $\chi^2 < 20$ to any PV

(iii) FD $\chi^2 > 100$ to any PV

(iv) Vertex χ^2/nDoF < 8

Additionaly, we veto various physical beackgrounds, which have either the same final state as our signal decay, or can contribute via a single miss-identification of $K \to \pi$ or $K \to p$:

- $B_s^0 \to D_s^+ D_s^-$: $|M(K\pi\pi) - m_{D_s}| > 20\,\mathrm{MeV}/c^2$

- $B_s^0 \to D_s K K \pi$: π^- $\mathrm{DLL}_{K\pi} < 5$

- $B^0 \to D^+(\to K^+\pi^-\pi^+)K\pi\pi$: possible with single miss-ID of $K^+ \to \pi^+$, vetoed by changing mass hypothesis and recompute $|M(K^+\pi^-\pi^+) - m_{Dp}| > 20$ MeV/c^2, or the K^+ has to fulfill $\mathrm{DLL}_{K\pi} > 10$

- $\Lambda_b^0 \to \Lambda_c^+(\to pK^-\pi^+)K\pi\pi$: possible with single miss-ID of $K^+ \to p$, vetoed by changing mass hypothesis and recompute $M(pK^-\pi^+) - m_{\Lambda_c^+} > 15$ MeV/c^2, or the K^+ has to fulfill $\mathrm{DLL}_{Kp} > 0$

All signal candidates for the branching ratio measurement are reconstructed via the $D_s \to K^+K^-\pi^+$ channel. This decay can either proceed via the narrow ϕ resonance, the broader K^{*0} resonance, or non-resonant. Depending on the process being resonant or not, we apply additional PID requirements:

1. resonant case, no additional PID requirements:
   (a) $D_s^+ \to \phi\pi^+$, with $|M(K^+K^-) - m_\phi| < 20$ MeV/c^2
   (b) $D_s^+ \to \overline{K}^{*0}K^+$, with $|M(K^-\pi^+) - m_{K^{*0}} < 75$ MeV/c^2
2. non-resonant case: $\mathrm{DLL}_{K\pi} > 5$ for kaons

4.2 Multivariate stage

We use TMVA [1] to train a multivariate descriminator, which is used to further improve the signal to background ratio. The 17 variables used for the training are:

- max(ghostProb) over all tracks
- cone(p_T) asymmetrie of every track
- min(IPχ^2) over the X_s daughters
- max(DOCA) over all pairs of X_s daughters
- min(IPχ^2) over the D_s daughters
- D_s DIRA
- D_s FD significance
- max(cos($D_s h_i$)), where cos($D_s h_i$) is the cosine of the angle between the D_s and another track i in the plane transverse to the beam
- B_s^0 IPχ^2, FDχ^2 and Vertex χ^2

Various classifiers were investigated in order to select the most efficient discriminator. As the result a boosted decision tree with gradient boost (BDTG) is chosen as nominal classifier. We use truth-matched Monte Carlo (MC), taken from the mass region $\pm 60\,\mathrm{MeV}/c^2$ around the nominal B_s^0 mass, as signal input. Those simulated signal candidates are required to pass the same trigger and stripping requirements, that were used to select the data samples. For the background we use events from the high mass sideband ($m_{B_s^0 candidate} > 5600\ \mathrm{MeV}/c^2$) of our data samples.
The distributions of the input variables for signal and background are shown in Fig. 1.

The relative importance of the input variables for the BDTG training is summarized in Table 2.

Variable	relative importance [%]
max_ghostProb	14.93
log_Bs_IPCHI2_OWNPV	10.91
log_DsDaughters_min_IPCHI2	10.67
K_plus_ptasy_1.00	9.60
Bs_ENDVERTEX_CHI2	9.38
K_minus_fromDs_ptasy_1.00	8.99
log_Ds_FDCHI2_ORIVX	8.78
log_XsDaughters_min_IPCHI2	7.23
K_plus_fromDs_ptasy_1.00	6.62
Xs_max_DOCA	4.13
log_Bs_DIRA	3.36
pi_minus_ptasy_1.00	1.63
pi_minus_fromDs_ptasy_1.00	1.46
cos(Ds h)	0.93
log_Bs_FDCHI2_OWNPV	0.69
pi_plus_ptasy_1.00	0.43
log_Ds_DIRA	0.27

Table 2: Summary of the relative importance of each variable in the training of the BDTG.

The BDTG output distribution for test and training samples is shown in Fig 2. No sign of overtraining is observed.

The efficiency curves as a function of the cut value are shown in Fig. 3.

Something about how we determine the optimal cut IS MISSING HERE.

5 Detector and simulation

The following paragraph can be used for the detector description. Modifications may be required in specific papers to fit within page limits, to enhance particular detector elements or to introduce acronyms used later in the text. Reference to the detector performance



Figure 1: Distributions of the input variables used in the BDTG training. The background is shown as red hatched, while the signal is depicted solid blue.

papers are marked with a $*$ and should only be included if the analysis described in the paper relies on numbers or methods described in the paper.

The LHCb detector [2, 3] is a single-arm forward spectrometer covering the



Figure 2: BDTG output classifier distribution for (blue) signal and (red) background. The response of an independent test sample is overlaid.

pseudorapidity range $2 < \eta < 5$, designed for the study of particles containing b or c quarks. The detector includes a high-precision tracking system consisting of a silicon-strip vertex detector surrounding the pp interaction region [4]∗, a large-area silicon-strip detector located upstream of a dipole magnet with a bending power of about 4 Tm, and three stations of silicon-strip detectors and straw drift tubes [5]∗ placed downstream of the magnet. The tracking system provides a measurement of momentum, p, of charged particles with a relative uncertainty that varies from 0.5% at low momentum to 1.0% at 200 GeV/c. The minimum distance of a track to a primary vertex, the impact parameter, is measured with a resolution of $(15 + 29/p_{\mathrm{T}})\,\mu\mathrm{m}$, where p_{T} is the component of the momentum transverse to the beam, in GeV/c. Different types of charged hadrons are distinguished using information from two ring-imaging Cherenkov detectors [6]∗. Photons, electrons and hadrons are identified by a calorimeter system consisting of scintillating-pad and preshower detectors, an electromagnetic calorimeter and a hadronic calorimeter. Muons are identified by a system composed of alternating layers of iron and multiwire proportional chambers [7]∗. The online event selection is performed by a trigger [8]∗, which consists of a hardware stage, based on information from the calorimeter and muon systems, followed by a software stage, which applies a full event reconstruction.

A more detailed description of the 'full event reconstruction' could be:

- The trigger [8]∗ consists of a hardware stage, based on information from the calorimeter and muon systems, followed by a software stage, in which all charged particles



Figure 3: Efficiency and purity curves for (blue) signal, (red) background and the (green) FoM curve, as a function of the chosen cut value.

with $p_{\mathrm{T}} > 500(300)\,\mathrm{MeV}$ are reconstructed for 2011 (2012) data. For triggers that require neutral particles, energy deposits in the electromagnetic calorimeter are analysed to reconstruct π^0 and γ candidates.

The trigger description has to be specific for the analysis in question. In general, you should not attempt to describe the full trigger system. Below are a few variations that inspiration can be taken from. First from a hadronic analysis, and second from an analysis with muons in the final state. A detailed description of the trigger conditions for Run 1 is available in Ref. [9].

- At the hardware trigger stage, events are required to have a muon with high p_{T} or a hadron, photon or electron with high transverse energy in the calorimeters. For hadrons, the transverse energy threshold is 3.5 GeV. The software trigger requires a two-, three- or four-track secondary vertex with a significant displacement from the primary pp interaction vertices (PVs). At least one charged particle must have a transverse momentum $p_{\mathrm{T}} > 1.7\,\mathrm{GeV}/c$ and be inconsistent with originating from a PV. A multivariate algorithm [10] is used for the identification of secondary vertices consistent with the decay of a b hadron.

- Candidate events are first required to pass the hardware trigger, which selects muons with a transverse momentum $p_{\mathrm{T}} > 1.48\,\mathrm{GeV}/c$ in the 7 TeV data or $p_{\mathrm{T}} > 1.76\,\mathrm{GeV}/c$ in the 8 TeV data. In the subsequent software trigger, at least one of the final-state particles is required to have both $p_{\mathrm{T}} > 0.8\,\mathrm{GeV}/c$ and impact parameter larger than $100\,\mu\mathrm{m}$ with respect to all of the primary pp interaction vertices (PVs) in the event. Finally, the tracks of two or more of the final-state particles are required to form a vertex that is significantly displaced from the PVs.

An example to describe the use of both TOS and TIS events:

- In the offline selection, trigger signals are associated with reconstructed particles. Selection requirements can therefore be made on the trigger selection itself and on whether the decision was due to the signal candidate, other particles produced in the pp collision, or a combination of both.

A good example of a description of long and downstream K^0_{S} is given in Ref. [11]:

- Decays of $K^0_{\mathrm{S}} \to \pi^+\pi^-$ are reconstructed in two different categories: the first involving K^0_{S} mesons that decay early enough for the daughter pions to be reconstructed in the vertex detector; and the second containing K^0_{S} that decay later such that track segments of the pions cannot be formed in the vertex detector. These categories are referred to as *long* and *downstream*, respectively. The long category has better mass, momentum and vertex resolution than the downstream category.

The description of our software stack for simulation is often causing trouble. The following paragraph can act as inspiration but with variations according to the level of detail required and if mentioning of *e.g.* PHOTOS is required.

- In the simulation, pp collisions are generated using PYTHIA [12] (In case only PYTHIA 6 is used, remove `*Sjostrand:2007gs` from this citation) with a specific LHCb configuration [13]. Decays of hadronic particles are described by EVTGEN [14], in which final-state radiation is generated using PHOTOS [15]. The interaction of the generated particles with the detector, and its response, are implemented using the GEANT4 toolkit [16] as described in Ref. [17].

Many analyses depend on boosted decision trees. It is inappropriate to use TMVA as the reference as that is merely an implementation of the BDT algorithm. Rather it is suggested to write

In this paper we use a boosted decision tree (BDT) [18, 19] to separate signal from background.

When describing the integrated luminosity of the data set, do not use expressions like "$1.0\,\mathrm{fb}^{-1}$ of data", but *e.g.* "data corresponding to an integrated luminosity of $1.0\,\mathrm{fb}^{-1}$", or "data obtained from $3\,\mathrm{fb}^{-1}$ of integrated luminosity".

For analyses where the periodical reversal of the magnetic field is crucial, *e.g.* in measurements of direct *CP* violation, the following description can be used as an example phrase: "The polarity of the dipole magnet is reversed periodically throughout data-taking. The configuration with the magnetic field vertically upwards, *MagUp* (downwards, *MagDown*), bends positively (negatively) charged particles in the horizontal plane towards the centre of the LHC." Only use the *MagUp*, *MagDown* symbols if they are used extensively in tables or figures.

6 Efficiency corrections

Several relative efficiency corrections are needed to measure the branching fraction of $B_s^0 \to D_s K\pi\pi$ with respect to $B_s^0 \to D_s\pi\pi\pi$. Precise knowledge of the efficiency related to the detector acceptance, PID requirements, used trigger lines and offline selections are crucial for both, the determination of γ and the branching ratio measurement.

6.1 Relative efficiency for BR measurement

For the branching ratio measurement, the relative efficiency is given by

$$\epsilon_{rel} = \epsilon_{rel}^{acc} \cdot \epsilon_{rel}^{sel} \cdot \epsilon_{rel}^{pid}, \tag{1}$$

where $\epsilon = \frac{\epsilon_{Norm}}{\epsilon_{Sig}}$ is the ratio of the efficiency for the signal and normalization mode. To evaluate these efficiencies, we rely on simulation. The three efficiencies given in Eq. 1 are:

- ϵ_{rel}^{acc}: This is the relative efficiency due to the geometrical acceptance of the LHCb detector. All tracks are required to have a polar angle between 10 and 400 mrad and a minimal momentum of $|p| > 1.6$ GeV/c in order to be recorded for further analysis. Since the particle species of one track differs between the signal and normalizaton mode, the efficiencies caused by the geometrical acceptance are expected to be different for the two channels.
- ϵ_{rel}^{sel}: The relative selection efficiency due to trigger and offline requirements.
- ϵ_{rel}^{pid}: The relative PID efficiency due to the identification likelihood requirements for tracks from both modes. This is evaluated using WHATEVER PIDCALIB MAGIC.

Using the definition given in Eq. 1, the branching ratio can be expressed as

$$\frac{\mathcal{B}(B_s^0 \to D_s K\pi\pi)}{\mathcal{B}(B_s^0 \to D_s\pi\pi\pi)} = \frac{\mathcal{Y}(B_s^0 \to D_s K\pi\pi)}{\mathcal{Y}(B_s^0 \to D_s\pi\pi\pi)}, \cdot \epsilon_{rel} \tag{2}$$

where $\mathcal{Y}(x)$ represents the yield of the respective channel.
Some further bla bla.

7 Figures

A standard LHCb style file for use in production of figures in ROOT is in the URANIA package `RootTools/LHCbStyle` or directly in SVN at `svn+ssh://svn.cern.ch/reps/lhcb/Urania/trunk/RootTools/LHCbStyle`. It is not mandatory to use this style, but it makes it easier to follow the recommendations below.

Figure 4 shows an example of how to include an eps or pdf figure with the `\includegraphics` command (eps figures will not work with `pdflatex`). Note that if the graphics sits in `figs/myfig.pdf`, you can just write `\includegraphics{myfig}`

Efficiency (%)	$B_s^0 \to D_s K \pi\pi$	$B_s^0 \to D_s \pi\pi\pi$
2011 ϵ^{acc}	xxx	yyy
2012 ϵ^{acc}	xxx	yyy
2011 ϵ^{sel}	0.893	yyy
2012 ϵ^{sel}	0.794	yyy
2011 ϵ^{pid}	74.88 ± 0.85	92.64 ± 0.47
2012 ϵ^{pid}	74.30 ± 0.85	-
2011 total ϵ	z	zz
2012 total ϵ	z	zz

Table 3: Efficiencies due to the detector accpetance, selection requirements and PID cuts for the signal and normalization mode. All values are obtained using simulated events.



Figure 4: Example plots for (a) data and (b) simulation using the LHCb style from the Urania package `RootTools/LHCbStyle`. The signal data is shown as points with the signal component as yellow (light shaded), background 1 as green (medium shaded) and background 2 as blue (dark shaded).

as the `figs` subdirectory is searched automatically and the extension `.pdf` (`.eps`) is automatically added for `pdflatex` (`latex`).

1. Figures should be legible at the size they will appear in the publication, with suitable line width. Their axes should be labelled, and have suitable units (e.g. avoid a mass plot with labels in MeV/c^2 if the region of interest covers a few GeV/c^2 and all the numbers then run together). Spurious background shading and boxes around text should be avoided.

2. For the y-axis, “Entries” or “Candidates” is approriate in case no background subtraction has been applied. Otherwise “Yield” or “Decays” may be more appropriate. If the unit on the y-axis corresponds to the yield per bin, indicate so, for example “Entries / (5 MeV/c^2)” or “Entries per 5 MeV/c^2”.

3. Fit curves should not obscure the data points, and data points are best (re)drawn

over the fit curves.

4. Colour may be used in figures, but the distinction between differently coloured areas or lines should be clear also when the document is printed in black and white, for example through differently dashed lines. The LHCb style mentioned above implements a colour scheme that works well but individual adjustments might be required.

5. Using different hatching styles helps to disinguished filled areas, also in black and white prints. Hatching styles 3001-3025 should be avoided since they behave unpredictably under zooming and scaling. Good styles for "falling hatched" and "rising hatched" are 3345 and 3354.

6. Figures with more than one part should have the parts labelled (a), (b) *etc.*, with a corresponding description in the caption; alternatively they should be clearly referred to by their position, e.g. Fig. 1 (left). In the caption, the labels (a), (b) *etc.* should precede their description. When referencing specific sub-figures, use "see Fig. 1(a)" or "see Figs. 2(b)-(e)".

7. All figures containing LHCb data should have LHCb written on them. For preliminary results, that should be replaced by "LHCb preliminary". Figures that only have simulated data should display "LHCb simulation". Figures that do not depend on LHCb-specific software (*e.g.* only on PYTHIA) should not have any label.

8 References

References should be made using BibTEX [20]. A special style `LHCb.bst` has been created to achieve a uniform style. Independent of the journal the paper is submitted to, the preprint should be created using this style. Where arXiv numbers exist, these should be added even for published articles. In the PDF file, hyperlinks will be created to both the arXiv and the published version.

1. Citations are marked using square brackets, and the corresponding references should be typeset using BibTEX and the official LHCb BibTEX style. An example is in Ref. [12].

2. For references with four or less authors all of the authors' names are listed [21], otherwise the first author is given, followed by *et al.*. The LHCb BibTEX style will take care of this.

3. The order of references should be sequential when reading the document. This is automatic when using BibTEX.

4. The titles of papers should in general be included. To remove them, change `\setboolean{articletitles}{false}` to `true` at the top of this template. Note

that the titles in `LHCb-PAPER.bib` are in plain LaTex, in order to correspond to the actual title on the arXiv record. Some differences in style can thus be noticed with respect to the main text, for example particle names that use capital Greek letters are not slanted in the reference titles (Λ vs $\mathit{\Lambda}$)

5. Whenever possible, use references from the supplied files `main.bib`, `LHCb-PAPER.bib`, `LHCb-CONF.bib`, and `LHCB-DP.bib`. These are kept up-to-date by the EB. If you see a mistake, do not edit these files, but let the EB know. This way, for every update of the paper, you save yourself the work of updating the references. Instead, you can just copy or check in the latest versions of the `.bib` files from the repository.

6. For those references not provided by the EB, the best is to copy the BibTeX entry directly from `Inspire`. Often these need to be edited to get the correct title, author names and formatting. For authors with multiple initials, add a space between them (change `R.G.C.` to `R. G. C.`), otherwise only the first initial will be taken. Also, make sure to eliminate unnecessary capitalisation. Apart from that, the title should be respected as much as possible (*e.g.* do not change particle names to PDG convention nor introduce/remove factors of c). Check that both the arXiv and the journal index are clickable and point to the right article.

7. The `mciteplus` [22] package is used to enable multiple references to show up as a single item in the reference list. As an example `\cite{Mohapatra:1979ia,*Pascoli:2007qh}` where the `*` indicates that the reference should be merged with the previous one. The result of this can be seen in Ref. [23]. Be aware that the `mciteplus` package should be included as the very last item before the `\begin{document}` to work correctly.

8. It should be avoided to make references to public notes and conference reports in public documents. Exceptions can be discussed on a case-by-case basis with the review committee for the analysis. In internal reports they are of course welcome and can be referenced as seen in Ref. [24] using the `lhcbreport` category. For conference reports, omit the author field completely in the BibTeX record.

9. To get the typesetting and hyperlinks correct for LHCb reports, the category `lhcbreport` should be used in the BibTeX file. See Refs. [25] for some examples. It can be used for LHCb documents in the series `CONF`, `PAPER`, `PROC`, `THESIS`, `LHCC`, `TDR` and internal LHCb reports. Papers sent for publication, but not published yet, should be referred with their `arXiv` number, so the `PAPER` category should only be used in the rare case of a forward reference to a paper.

10. Proceedings can be used for references to items such as the LHCb simulation [17], where we do not yet have a published paper.

There is a set of standard references to be used in LHCb that are listed in Appendix A.

9 Inclusion of supplementary material

Three types of supplementary material should be distinguised:

- A regular appendix: lengthy equations or long tables are sometimes better put in an appendix in order not to interrupt the main flow of a paper. Appendices will appear in the final paper, on arXiv and on the cds record and should be considered integral part of a paper, and are thus to be reviewed like the rest of the paper. An example of an LHCb paper with an appendix is Ref. [26].

- Supplementary material for cds: plots or tables that would make the paper exceed the page limit or are not appropriate to include in the paper itself, but are desireable to be shown in public should be added to the paper drafts in an appendix, and removed from the paper before submitting to arXiv or the journal. See Appendix D for further instructions. Examples are: comparison plots of the new result with older results, plots that illustrate cross-checks. An example of an LHCb paper with supplementary material for cds is Ref. [27]. Supplementary material for cds cannot be referenced to in the paper.

- Supplementary material for the paper. Most journals allow to submit files along with the paper that will not be part of the text of the article, but will be stored on the journal server. Examples are plain text files with numerical data corresponding to the plots in the paper. The supplementary material should be referenced to in the paper, by including a reference of the type "See supplementary material for [give brief description of material]." The journal will insert a specific link here. For the arXiv record, a specific link to the supplementary material on the arXiv server should be included when the paper gets updated, after it has been published. For the internal reviewing, an appendix should be provided illustrating the format of the file, its purpose and providing a link where the actual files can be found. An example of an LHCb paper with supplementary material is Ref. [28]

Appendices

A Standard References

Below is a list of common references, as well as a list of all LHCb publications. As they are already in prepared bib files, they can be used as simply as `\cite{Alves:2008zz}` to get the LHCb detector paper. The references are defined in the files `main.bib`, `LHCb-PAPER.bib`, `LHCb-CONF.bib`, `LHCb-DP.bib` `LHCb-TDR.bib` files, with obvious contents. Each of these have their `LHCb-ZZZ-20XX-0YY` number as their cite code. If you believe there is a problem with the formatting or content of one of the entries, then get in contact with the Editorial Board rather than just editing it in your local file, since you are likely to need the latest version just before submiting the article.

Description	`cite` code	Reference
LHCb detector	`Alves:2008zz`	[2]
LHCb simulation	`LHCb-PROC-2011-006`	[17]
PDG 2014	`PDG2014`	[29]
HFAG	`HFAG`	[30]
PYTHIA	`Sjostrand:2006za, *Sjostrand:2007gs`	[12]
LHCb PYTHIA tuning	`LHCb-PROC-2010-056`	[13]
GEANT4	`Allison:2006ve, *Agostinelli:2002hh`	[16]
EVTGEN	`Lange:2001uf`	[14]
PHOTOS	`Golonka:2005pn`	[15]
DIRAC	`Tsaregorodtsev:2010zz, *BelleDIRACAmazon`	[31]
Crystal Ball function[1]	`Skwarnicki:1986xj`	[32]
Wilks' theorem	`Wilks:1938dza`	[33]
BDT	`Breiman`	[18]
BDT training	`AdaBoost`	[19]
HLT2 topo	`BBDT`	[10]
DecayTreeFitter	`Hulsbergen:2005pu`	[34]
sPlot	`Pivk:2004ty`	[35]
Punzi's optimization	`Punzi:2003bu`	[36]
f_s/f_d	`fsfd`	[37]

[1] A valid alternative for most papers where the normalisation is not critical is to use the expression"Gaussian function with a low-mass power-law tail" or "Gaussian function with power-law tails". In that case, no citation is needed

LHCb-DP number	Title
LHCb-DP-2014-002 [3]	LHCb detector performance
LHCb-DP-2014-001 [4]	Performance of the LHCb Vertex Locator
LHCb-DP-2013-004 [38]	Performance of the LHCb calorimeters
LHCb-DP-2013-003 [5]	Performance of the LHCb Outer Tracker
LHCb-DP-2013-002 [39]	Measurement of the track reconstruction efficiency at LHCb
LHCb-DP-2013-001 [40]	Performance of the muon identification at LHCb
LHCb-DP-2012-005 [41]	Radiation damage in the LHCb Vertex Locator
LHCb-DP-2012-004 [8]	The LHCb trigger and its performance in 2011
LHCb-DP-2012-003 [6]	Performance of the LHCb RICH detector at the LHC
LHCb-DP-2012-002 [7]	Performance of the LHCb muon system
LHCb-DP-2012-001 [42]	Radiation hardness of the LHCb Outer Tracker
LHCb-DP-2011-002 [43]	Simulation of machine induced background ...
LHCb-DP-2011-001 [44]	Performance of the LHCb muon system with cosmic rays
LHCb-DP-2010-001 [45]	First spatial alignment of the LHCb VELO ...

LHCb-TDR number	Title
LHCb-TDR-016 [46]	Trigger and online upgrade
LHCb-TDR-015 [47]	Tracker upgrade
LHCb-TDR-014 [48]	PID upgrade
LHCb-TDR-013 [49]	VELO upgrade
LHCb-TDR-012 [50]	Framework TDR for the upgrade
LHCb-TDR-011 [51]	Computing
LHCb-TDR-010 [52]	Trigger
LHCb-TDR-009 [53]	Reoptimized detector
LHCb-TDR-008 [54]	Inner Tracker
LHCb-TDR-007 [55]	Online, DAQ, ECS
LHCb-TDR-006 [56]	Outer Tracker
LHCb-TDR-005 [57]	VELO
LHCb-TDR-004 [58]	Muon system
LHCb-TDR-003 [59]	RICH
LHCb-TDR-002 [60]	Calorimeters
LHCb-TDR-001 [61]	Magnet

Table 5: LHCb-PAPERs (which have their identifier as their cite code). Note that LHCb-PAPER-2011-039 does not exist.

LHCb-PAPER-2015-055 [62]	
LHCb-PAPER-2015-054 [63]	LHCb-PAPER-2015-053 [64]
LHCb-PAPER-2015-052 [65]	LHCb-PAPER-2015-051 [66]
LHCb-PAPER-2015-050 [67]	LHCb-PAPER-2015-049 [68]
LHCb-PAPER-2015-048 [69]	LHCb-PAPER-2015-047 [70]
LHCb-PAPER-2015-046 [71]	LHCb-PAPER-2015-045 [72]

– continued from previous page.

LHCb-PAPER-2015-044 [73]	LHCb-PAPER-2015-043 [74]
LHCb-PAPER-2015-042 [75]	LHCb-PAPER-2015-041 [76]
LHCb-PAPER-2015-040 [77]	LHCb-PAPER-2015-039 [78]
LHCb-PAPER-2015-038 [79]	LHCb-PAPER-2015-037 [80]
LHCb-PAPER-2015-036 [81]	LHCb-PAPER-2015-035 [82]
LHCb-PAPER-2015-034 [83]	LHCb-PAPER-2015-033 [84]
LHCb-PAPER-2015-032 [85]	LHCb-PAPER-2015-031 [86]
LHCb-PAPER-2015-030 [87]	LHCb-PAPER-2015-029 [88]
LHCb-PAPER-2015-028 [89]	LHCb-PAPER-2015-027 [90]
LHCb-PAPER-2015-026 [91]	LHCb-PAPER-2015-025 [92]
LHCb-PAPER-2015-024 [93]	LHCb-PAPER-2015-023 [94]
LHCb-PAPER-2015-022 [95]	LHCb-PAPER-2015-021 [96]
LHCb-PAPER-2015-020 [97]	LHCb-PAPER-2015-019 [98]
LHCb-PAPER-2015-018 [99]	LHCb-PAPER-2015-017 [100]
LHCb-PAPER-2015-016 [101]	LHCb-PAPER-2015-015 [102]
LHCb-PAPER-2015-014 [103]	LHCb-PAPER-2015-013 [104]
LHCb-PAPER-2015-012 [105]	LHCb-PAPER-2015-011 [106]
LHCb-PAPER-2015-010 [107]	LHCb-PAPER-2015-009 [108]
LHCb-PAPER-2015-008 [109]	LHCb-PAPER-2015-007 [110]
LHCb-PAPER-2015-006 [111]	LHCb-PAPER-2015-005 [112]
LHCb-PAPER-2015-004 [113]	LHCb-PAPER-2015-003 [114]
LHCb-PAPER-2015-002 [115]	LHCb-PAPER-2015-001 [116]
LHCb-PAPER-2014-070 [117]	LHCb-PAPER-2014-069 [118]
LHCb-PAPER-2014-068 [119]	LHCb-PAPER-2014-067 [120]
LHCb-PAPER-2014-066 [121]	LHCb-PAPER-2014-065 [122]
LHCb-PAPER-2014-064 [123]	LHCb-PAPER-2014-063 [124]
LHCb-PAPER-2014-062 [125]	LHCb-PAPER-2014-061 [126]
LHCb-PAPER-2014-060 [127]	LHCb-PAPER-2014-059 [128]
LHCb-PAPER-2014-058 [129]	LHCb-PAPER-2014-057 [130]
LHCb-PAPER-2014-056 [131]	LHCb-PAPER-2014-055 [132]
LHCb-PAPER-2014-054 [133]	LHCb-PAPER-2014-053 [134]
LHCb-PAPER-2014-052 [135]	LHCb-PAPER-2014-051 [136]
LHCb-PAPER-2014-050 [137]	LHCb-PAPER-2014-049 [138]
LHCb-PAPER-2014-048 [139]	LHCb-PAPER-2014-047 [140]
LHCb-PAPER-2014-046 [141]	LHCb-PAPER-2014-045 [142]
LHCb-PAPER-2014-044 [143]	LHCb-PAPER-2014-043 [144]
LHCb-PAPER-2014-042 [145]	LHCb-PAPER-2014-041 [146]
LHCb-PAPER-2014-040 [147]	LHCb-PAPER-2014-039 [148]
LHCb-PAPER-2014-038 [149]	LHCb-PAPER-2014-037 [150]
LHCb-PAPER-2014-036 [151]	LHCb-PAPER-2014-035 [152]
LHCb-PAPER-2014-034 [153]	LHCb-PAPER-2014-033 [154]
LHCb-PAPER-2014-032 [155]	LHCb-PAPER-2014-031 [156]

– continued from previous page.

LHCb-PAPER-2014-030 [157]	LHCb-PAPER-2014-029 [158]
LHCb-PAPER-2014-028 [159]	LHCb-PAPER-2014-027 [160]
LHCb-PAPER-2014-026 [161]	LHCb-PAPER-2014-025 [162]
LHCb-PAPER-2014-024 [163]	LHCb-PAPER-2014-023 [164]
LHCb-PAPER-2014-022 [165]	LHCb-PAPER-2014-021 [166]
LHCb-PAPER-2014-020 [167]	LHCb-PAPER-2014-019 [168]
LHCb-PAPER-2014-018 [169]	LHCb-PAPER-2014-017 [170]
LHCb-PAPER-2014-016 [171]	LHCb-PAPER-2014-015 [172]
LHCb-PAPER-2014-014 [173]	LHCb-PAPER-2014-013 [174]
LHCb-PAPER-2014-012 [175]	LHCb-PAPER-2014-011 [176]
LHCb-PAPER-2014-010 [177]	LHCb-PAPER-2014-009 [178]
LHCb-PAPER-2014-008 [179]	LHCb-PAPER-2014-007 [180]
LHCb-PAPER-2014-006 [11]	LHCb-PAPER-2014-005 [181]
LHCb-PAPER-2014-004 [182]	LHCb-PAPER-2014-003 [183]
LHCb-PAPER-2014-002 [184]	LHCb-PAPER-2014-001 [185]
LHCb-PAPER-2013-070 [26]	LHCb-PAPER-2013-069 [186]
LHCb-PAPER-2013-068 [187]	LHCb-PAPER-2013-067 [188]
LHCb-PAPER-2013-066 [189]	LHCb-PAPER-2013-065 [190]
LHCb-PAPER-2013-064 [191]	LHCb-PAPER-2013-063 [192]
LHCb-PAPER-2013-062 [193]	LHCb-PAPER-2013-061 [194]
LHCb-PAPER-2013-060 [195]	LHCb-PAPER-2013-059 [196]
LHCb-PAPER-2013-058 [197]	LHCb-PAPER-2013-057 [198]
LHCb-PAPER-2013-056 [199]	LHCb-PAPER-2013-055 [200]
LHCb-PAPER-2013-054 [201]	LHCb-PAPER-2013-053 [202]
LHCb-PAPER-2013-052 [203]	LHCb-PAPER-2013-051 [204]
LHCb-PAPER-2013-050 [205]	LHCb-PAPER-2013-049 [206]
LHCb-PAPER-2013-048 [207]	LHCb-PAPER-2013-047 [208]
LHCb-PAPER-2013-046 [209]	LHCb-PAPER-2013-045 [210]
LHCb-PAPER-2013-044 [211]	LHCb-PAPER-2013-043 [212]
LHCb-PAPER-2013-042 [213]	LHCb-PAPER-2013-041 [214]
LHCb-PAPER-2013-040 [215]	LHCb-PAPER-2013-039 [216]
LHCb-PAPER-2013-038 [217]	LHCb-PAPER-2013-037 [218]
LHCb-PAPER-2013-036 [219]	LHCb-PAPER-2013-035 [27]
LHCb-PAPER-2013-034 [220]	LHCb-PAPER-2013-033 [221]
LHCb-PAPER-2013-032 [222]	LHCb-PAPER-2013-031 [223]
LHCb-PAPER-2013-030 [224]	LHCb-PAPER-2013-029 [225]
LHCb-PAPER-2013-028 [226]	LHCb-PAPER-2013-027 [227]
LHCb-PAPER-2013-026 [228]	LHCb-PAPER-2013-025 [229]
LHCb-PAPER-2013-024 [230]	LHCb-PAPER-2013-023 [231]
LHCb-PAPER-2013-022 [232]	LHCb-PAPER-2013-021 [233]
LHCb-PAPER-2013-020 [234]	LHCb-PAPER-2013-019 [235]
LHCb-PAPER-2013-018 [236]	LHCb-PAPER-2013-017 [237]

– continued from previous page.

LHCb-PAPER-2013-016 [238]	LHCb-PAPER-2013-015 [239]
LHCb-PAPER-2013-014 [240]	LHCb-PAPER-2013-013 [241]
LHCb-PAPER-2013-012 [242]	LHCb-PAPER-2013-011 [243]
LHCb-PAPER-2013-010 [244]	LHCb-PAPER-2013-009 [245]
LHCb-PAPER-2013-008 [246]	LHCb-PAPER-2013-007 [247]
LHCb-PAPER-2013-006 [248]	LHCb-PAPER-2013-005 [249]
LHCb-PAPER-2013-004 [250]	LHCb-PAPER-2013-003 [251]
LHCb-PAPER-2013-002 [252]	LHCb-PAPER-2013-001 [253]
LHCb-PAPER-2012-057 [254]	
LHCb-PAPER-2012-056 [255]	LHCb-PAPER-2012-055 [256]
LHCb-PAPER-2012-054 [257]	LHCb-PAPER-2012-053 [258]
LHCb-PAPER-2012-052 [259]	LHCb-PAPER-2012-051 [260]
LHCb-PAPER-2012-050 [261]	LHCb-PAPER-2012-049 [262]
LHCb-PAPER-2012-048 [263]	LHCb-PAPER-2012-047 [264]
LHCb-PAPER-2012-046 [265]	LHCb-PAPER-2012-045 [266]
LHCb-PAPER-2012-044 [267]	LHCb-PAPER-2012-043 [268]
LHCb-PAPER-2012-042 [269]	LHCb-PAPER-2012-041 [270]
LHCb-PAPER-2012-040 [271]	LHCb-PAPER-2012-039 [272]
LHCb-PAPER-2012-038 [273]	LHCb-PAPER-2012-037 [274]
LHCb-PAPER-2012-036 [275]	LHCb-PAPER-2012-035 [276]
LHCb-PAPER-2012-034 [277]	LHCb-PAPER-2012-033 [278]
LHCb-PAPER-2012-032 [279]	LHCb-PAPER-2012-031 [280]
LHCb-PAPER-2012-030 [281]	LHCb-PAPER-2012-029 [282]
LHCb-PAPER-2012-028 [283]	LHCb-PAPER-2012-027 [284]
LHCb-PAPER-2012-026 [285]	LHCb-PAPER-2012-025 [286]
LHCb-PAPER-2012-024 [287]	LHCb-PAPER-2012-023 [288]
LHCb-PAPER-2012-022 [289]	LHCb-PAPER-2012-021 [290]
LHCb-PAPER-2012-020 [291]	LHCb-PAPER-2012-019 [292]
LHCb-PAPER-2012-018 [293]	LHCb-PAPER-2012-017 [294]
LHCb-PAPER-2012-016 [295]	LHCb-PAPER-2012-015 [296]
LHCb-PAPER-2012-014 [297]	LHCb-PAPER-2012-013 [298]
LHCb-PAPER-2012-012 [299]	LHCb-PAPER-2012-011 [300]
LHCb-PAPER-2012-010 [301]	LHCb-PAPER-2012-009 [302]
LHCb-PAPER-2012-008 [303]	LHCb-PAPER-2012-007 [304]
LHCb-PAPER-2012-006 [305]	LHCb-PAPER-2012-005 [306]
LHCb-PAPER-2012-004 [307]	LHCb-PAPER-2012-003 [308]
LHCb-PAPER-2012-002 [309]	LHCb-PAPER-2012-001 [310]
LHCb-PAPER-2011-045 [311]	LHCb-PAPER-2011-044 [312]
LHCb-PAPER-2011-043 [313]	LHCb-PAPER-2011-042 [314]
LHCb-PAPER-2011-041 [315]	LHCb-PAPER-2011-040 [316]
LHCb-PAPER-2011-038 [317]	LHCb-PAPER-2011-037 [318]
LHCb-PAPER-2011-036 [319]	LHCb-PAPER-2011-035 [320]

– continued from previous page.

LHCb-PAPER-2011-034 [321]	LHCb-PAPER-2011-033 [322]
LHCb-PAPER-2011-032 [323]	LHCb-PAPER-2011-031 [324]
LHCb-PAPER-2011-031 [325]	LHCb-PAPER-2011-029 [326]
LHCb-PAPER-2011-028 [327]	LHCb-PAPER-2011-027 [328]
LHCb-PAPER-2011-026 [329]	LHCb-PAPER-2011-025 [330]
LHCb-PAPER-2011-024 [331]	LHCb-PAPER-2011-023 [332]
LHCb-PAPER-2011-023 [333]	LHCb-PAPER-2011-021 [334]
LHCb-PAPER-2011-020 [28]	LHCb-PAPER-2011-019 [335]
LHCb-PAPER-2011-018 [336]	LHCb-PAPER-2011-017 [337]
LHCb-PAPER-2011-016 [338]	LHCb-PAPER-2011-015 [339]
LHCb-PAPER-2011-014 [340]	LHCb-PAPER-2011-013 [341]
LHCb-PAPER-2011-012 [342]	LHCb-PAPER-2011-011 [343]
LHCb-PAPER-2011-010 [344]	LHCb-PAPER-2011-009 [345]
LHCb-PAPER-2011-008 [346]	LHCb-PAPER-2011-007 [347]
LHCb-PAPER-2011-006 [348]	LHCb-PAPER-2011-005 [349]
LHCb-PAPER-2011-004 [350]	LHCb-PAPER-2011-003 [351]
LHCb-PAPER-2011-002 [352]	LHCb-PAPER-2011-001 [353]
LHCb-PAPER-2010-002 [354]	LHCb-PAPER-2010-001 [355]

Table 6: LHCb-CONFs (which have their identifier as their cite code). Note that LHCb-CONF-2011-032 does not exist.

LHCb-CONF-2015-005 [356]	
LHCb-CONF-2015-004 [357]	LHCb-CONF-2015-003 [358]
LHCb-CONF-2015-002 [359]	LHCb-CONF-2015-001 [360]
LHCb-CONF-2014-004 [361][2]	LHCb-CONF-2014-003 [362]
LHCb-CONF-2014-002 [363]	LHCb-CONF-2014-001 [364]
LHCb-CONF-2013-013 [365]	
LHCb-CONF-2013-012 [366]	LHCb-CONF-2013-011 [367]
LHCb-CONF-2013-010 [368]	LHCb-CONF-2013-009 [369]
LHCb-CONF-2013-008 [370]	LHCb-CONF-2013-007 [371]
LHCb-CONF-2013-006 [372]	LHCb-CONF-2013-005 [373]
LHCb-CONF-2013-004 [374]	LHCb-CONF-2013-003 [375]
LHCb-CONF-2013-002 [376]	LHCb-CONF-2013-001 [377]
LHCb-CONF-2012-034 [378]	LHCb-CONF-2012-033 [379]
LHCb-CONF-2012-032 [380]	LHCb-CONF-2012-031 [381]
LHCb-CONF-2012-030 [382]	LHCb-CONF-2012-029 [383]

[2] If you cite the gamma combination, always also cite the latest gamma paper as `\cite{LHCb-PAPER-2013-020,*LHCb-CONF-2014-004}` (unless you cite LHCb-PAPER-2013-020 separately too).

– continued from previous page.

LHCb-CONF-2012-028 [384]	LHCb-CONF-2012-027 [385]
LHCb-CONF-2012-026 [386]	LHCb-CONF-2012-025 [387]
LHCb-CONF-2012-024 [388]	LHCb-CONF-2012-023 [389]
LHCb-CONF-2012-022 [390]	LHCb-CONF-2012-021 [391]
LHCb-CONF-2012-020 [392]	LHCb-CONF-2012-019 [393]
LHCb-CONF-2012-018 [394]	LHCb-CONF-2012-017 [395]
LHCb-CONF-2012-016 [396]	LHCb-CONF-2012-015 [397]
LHCb-CONF-2012-014 [398]	LHCb-CONF-2012-013 [399]
LHCb-CONF-2012-012 [400]	LHCb-CONF-2012-011 [401]
LHCb-CONF-2012-010 [402]	LHCb-CONF-2012-009 [403]
LHCb-CONF-2012-008 [404]	LHCb-CONF-2012-007 [405]
LHCb-CONF-2012-006 [406]	LHCb-CONF-2012-005 [407]
LHCb-CONF-2012-004 [408]	LHCb-CONF-2012-003 [409]
LHCb-CONF-2012-002 [410]	LHCb-CONF-2012-001 [411]
LHCb-CONF-2011-062 [412]	LHCb-CONF-2011-061 [413]
LHCb-CONF-2011-060 [414]	LHCb-CONF-2011-059 [415]
LHCb-CONF-2011-058 [416]	LHCb-CONF-2011-057 [417]
LHCb-CONF-2011-056 [418]	LHCb-CONF-2011-055 [419]
LHCb-CONF-2011-054 [420]	LHCb-CONF-2011-053 [421]
LHCb-CONF-2011-052 [422]	LHCb-CONF-2011-051 [423]
LHCb-CONF-2011-050 [424]	LHCb-CONF-2011-049 [425]
LHCb-CONF-2011-048 [426]	LHCb-CONF-2011-047 [427]
LHCb-CONF-2011-046 [428]	LHCb-CONF-2011-045 [429]
LHCb-CONF-2011-044 [430]	LHCb-CONF-2011-043 [431]
LHCb-CONF-2011-042 [432]	LHCb-CONF-2011-041 [433]
LHCb-CONF-2011-040 [434]	LHCb-CONF-2011-039 [435]
LHCb-CONF-2011-038 [436]	LHCb-CONF-2011-037 [437]
LHCb-CONF-2011-036 [438]	LHCb-CONF-2011-035 [439]
LHCb-CONF-2011-034 [440]	LHCb-CONF-2011-033 [441]
LHCb-CONF-2011-031 [442]	
LHCb-CONF-2011-030 [443]	LHCb-CONF-2011-029 [444]
LHCb-CONF-2011-028 [445]	LHCb-CONF-2011-027 [446]
LHCb-CONF-2011-026 [447]	LHCb-CONF-2011-025 [448]
LHCb-CONF-2011-024 [449]	LHCb-CONF-2011-023 [450]
LHCb-CONF-2011-023 [451]	LHCb-CONF-2011-021 [452]
LHCb-CONF-2011-020 [453]	LHCb-CONF-2011-019 [454]
LHCb-CONF-2011-018 [455]	LHCb-CONF-2011-017 [456]
LHCb-CONF-2011-016 [457]	LHCb-CONF-2011-015 [458]
LHCb-CONF-2011-014 [459]	LHCb-CONF-2011-013 [460]
LHCb-CONF-2011-012 [461]	LHCb-CONF-2011-011 [462]
LHCb-CONF-2011-010 [463]	LHCb-CONF-2011-009 [464]
LHCb-CONF-2011-008 [465]	LHCb-CONF-2011-007 [466]

– continued from previous page.

LHCb-CONF-2011-006 [467]	LHCb-CONF-2011-005 [468]
LHCb-CONF-2011-004 [469]	LHCb-CONF-2011-003 [24]
LHCb-CONF-2011-002 [470]	LHCb-CONF-2011-001 [471]
LHCb-CONF-2010-014 [472]	LHCb-CONF-2010-013 [473]
LHCb-CONF-2010-012 [474]	LHCb-CONF-2010-011 [475]
LHCb-CONF-2010-010 [476]	LHCb-CONF-2010-009 [477]
LHCb-CONF-2010-008 [478]	

Some LHCb papers quoted together will look like [347–351]. The combination of CMS and LHCb results on $B^0_{(s)} \to \mu^+\mu^-$ should be cited like [366].

B Standard symbols

As explained in Sect. **??** this appendix contains standard typesetting of symbols, particle names, units etc. in LHCb documents.

In the file `lhcb-symbols-def.tex`, which is included, a large number of symbols is defined. While they can lead to quicker typing, the main reason is to ensure a uniform notation within a document and between different LHCb documents. If a symbol like `\CP` to typeset *CP* violation is available for a unit, particle name, process or whatever, it should be used. If you do not agree with the notation you should ask to get the definition in `lhcb-symbols-def.tex` changed rather than just ignoring it.

All the main particles have been given symbols. The B mesons are thus named B^+, B^0, B^0_s, and B^+_c. There is no need to go into math mode to use particle names, thus saving the typing of many $ signs. By default particle names are typeset in italic type to agree with the PDG preference. To get roman particle names you can just change `\setboolean{uprightparticles}{false}` to `true` at the top of this template.

There is a large number of units typeset that ensures the correct use of fonts, capitals and spacing. As an example we have $m_{B^0_s} = 5366.3 \pm 0.6\,\mathrm{MeV}/c^2$. Note that μm is typeset with an upright μ, even if the particle names have slanted greek letters.

A set of useful symbols are defined for working groups. More of these symbols can be included later. As an example in the Rare Decay group we have several different analyses looking for a measurement of $\mathcal{C}_7^{\prime(\mathrm{eff})}$ and $\mathcal{O}_{7.}^{\prime}$

C List of all symbols

C.1 Experiments

`\lhcb`	LHCb	`\atlas`	ATLAS	`\cms`	CMS
`\alice`	ALICE	`\babar`	BaBar	`\belle`	Belle
`\cleo`	CLEO	`\cdf`	CDF	`\dzero`	D0
`\aleph`	ALEPH	`\delphi`	DELPHI	`\opal`	OPAL
`\lthree`	L3	`\sld`	SLD	`\cern`	CERN
`\lhc`	LHC	`\lep`	LEP	`\tevatron`	Tevatron

C.1.1 LHCb sub-detectors and sub-systems

`\velo`	VELO	`\rich`	RICH	`\richone`	RICH1
`\richtwo`	RICH2	`\ttracker`	TT	`\intr`	IT
`\st`	ST	`\ot`	OT	`\spd`	SPD
`\presh`	PS	`\ecal`	ECAL	`\hcal`	HCAL
`\MagUp`	*MagUp*	`\MagDown`	*MagDown*	`\ode`	ODE
`\daq`	DAQ	`\tfc`	TFC	`\ecs`	ECS
`\lone`	L0	`\hlt`	HLT	`\hltone`	HLT1
`\hlttwo`	HLT2				

C.2 Particles

C.2.1 Leptons

`\electron`	e	`\en`	e^-	`\ep`	e^+
`\epm`	$e^\pm$	`\epem`	e^+e^-	`\muon`	μ
`\mup`	μ^+	`\mun`	μ^-	`\mumu`	$\mu^+\mu^-$
`\tauon`	τ	`\taup`	τ^+	`\taum`	τ^-
`\tautau`	$\tau^+\tau^-$	`\lepton`	ℓ	`\ellm`	ℓ^-
`\ellp`	ℓ^+	`\neu`	ν	`\neub`	$\overline{\nu}$
`\neue`	ν_e	`\neueb`	$\overline{\nu}_e$	`\neum`	ν_μ
`\neumb`	$\overline{\nu}_\mu$	`\neut`	ν_τ	`\neutb`	$\overline{\nu}_\tau$
`\neul`	ν_ℓ	`\neulb`	$\overline{\nu}_\ell$		

C.2.2 Gauge bosons and scalars

`\g`	γ	`\H`	H^0	`\Hp`	H^+
`\Hm`	H^-	`\Hpm`	$H^\pm$	`\W`	W
`\Wp`	W^+	`\Wm`	W^-	`\Wpm`	$W^\pm$
`\Z`	Z				

357 ### C.2.3 Quarks

	`\quark`	q	`\quarkbar`	$\overline{q}$	`\qqbar`	$q\overline{q}$
	`\uquark`	u	`\uquarkbar`	$\overline{u}$	`\uubar`	$u\overline{u}$
	`\dquark`	d	`\dquarkbar`	$\overline{d}$	`\ddbar`	$d\overline{d}$
358	`\squark`	s	`\squarkbar`	$\overline{s}$	`\ssbar`	$s\overline{s}$
	`\cquark`	c	`\cquarkbar`	$\overline{c}$	`\ccbar`	$c\overline{c}$
	`\bquark`	b	`\bquarkbar`	$\overline{b}$	`\bbbar`	$b\overline{b}$
	`\tquark`	t	`\tquarkbar`	$\overline{t}$	`\ttbar`	$t\overline{t}$

359 ### C.2.4 Light mesons

	`\hadron`	h	`\pion`	π	`\piz`	π^0
	`\pizs`	π^0s	`\pip`	π^+	`\pim`	π^-
	`\pipm`	$\pi^\pm$	`\pimp`	$\pi^\mp$	`\rhomeson`	ρ
	`\rhoz`	ρ^0	`\rhop`	ρ^+	`\rhom`	ρ^-
	`\rhopm`	$\rho^\pm$	`\rhomp`	$\rho^\mp$	`\kaon`	K
	`\Kb`	$\overline{K}$	`\KorKbar`	$\overset{(-)}{K}$	`\Kz`	K^0
360	`\Kzb`	$\overline{K}^0$	`\Kp`	K^+	`\Km`	K^-
	`\Kpm`	$K^\pm$	`\Kmp`	$K^\mp$	`\KS`	K^0_{S}
	`\KL`	K^0_{L}	`\Kstarz`	K^{*0}	`\Kstarzb`	$\overline{K}^{*0}$
	`\Kstar`	K^*	`\Kstarb`	$\overline{K}^*$	`\Kstarp`	K^{*+}
	`\Kstarm`	K^{*-}	`\Kstarpm`	$K^{*\pm}$	`\Kstarmp`	$K^{*\mp}$
	`\etaz`	η	`\etapr`	η'	`\phiz`	ϕ
	`\omegaz`	ω				

361 ### C.2.5 Heavy mesons

	`\D`	D	`\Db`	$\overline{D}$	`\DorDbar`	$\overset{(-)}{D}$
	`\Dz`	D^0	`\Dzb`	$\overline{D}^0$	`\Dp`	D^+
	`\Dm`	D^-	`\Dpm`	$D^\pm$	`\Dmp`	$D^\mp$
	`\Dstar`	D^*	`\Dstarb`	$\overline{D}^*$	`\Dstarz`	D^{*0}
	`\Dstarzb`	$\overline{D}^{*0}$	`\Dstarp`	D^{*+}	`\Dstarm`	D^{*-}
	`\Dstarpm`	$D^{*\pm}$	`\Dstarmp`	$D^{*\mp}$	`\Ds`	D_s
	`\Dsp`	D^+_s	`\Dsm`	D^-_s	`\Dspm`	$D^\pm_s$
	`\Dsmp`	$D^\mp_s$	`\Dss`	D^{*+}_s	`\Dssp`	D^{*+}_s
362	`\Dssm`	D^{*-}_s	`\Dsspm`	$D^{*\pm}_s$	`\Dssmp`	$D^{*\mp}_s$
	`\B`	B	`\Bbar`	$\overline{B}$	`\Bb`	$\overline{B}$
	`\BorBbar`	$\overset{(-)}{B}$	`\Bz`	B^0	`\Bzb`	$\overline{B}^0$
	`\Bu`	B^+	`\Bub`	B^-	`\Bp`	B^+
	`\Bm`	B^-	`\Bpm`	$B^\pm$	`\Bmp`	$B^\mp$
	`\Bd`	B^0	`\Bs`	B^0_s	`\Bsb`	$\overline{B}^0_s$
	`\Bdb`	$\overline{B}^0$	`\Bc`	B^+_c	`\Bcp`	B^+_c
	`\Bcm`	B^-_c	`\Bcpm`	$B^\pm_c$		

C.2.6 Onia

`\jpsi`	J/ψ	`\psitwos`	$\psi(2S)$	`\psiprpr`	$\psi(3770)$
`\etac`	η_c	`\chiczero`	χ_{c0}	`\chicone`	χ_{c1}
`\chictwo`	χ_{c2}	`\OneS`	$\varUpsilon(1S)$	`\TwoS`	$\varUpsilon(2S)$
`\ThreeS`	$\varUpsilon(3S)$	`\FourS`	$\varUpsilon(4S)$	`\FiveS`	$\varUpsilon(5S)$
`\chic`	χ_c				

C.2.7 Baryons

`\proton`	p	`\antiproton`	$\overline{p}$	`\neutron`	n
`\antineutron`	$\overline{n}$	`\Deltares`	$\varDelta$	`\Deltaresbar`	$\overline{\varDelta}$
`\Xires`	$\varXi$	`\Xiresbar`	$\overline{\varXi}$	`\Lz`	$\varLambda$
`\Lbar`	$\overline{\varLambda}$	`\LorLbar`	$\overset{(-)}{\varLambda}$	`\Lambdares`	$\varLambda$
`\Lambdaresbar`	$\overline{\varLambda}$	`\Sigmares`	$\varSigma$	`\Sigmaresbar`	$\overline{\varSigma}$
`\Omegares`	$\varOmega$	`\Omegaresbar`	$\overline{\varOmega}$	`\Lb`	$\varLambda_b^0$
`\Lbbar`	$\overline{\varLambda}_b^0$	`\Lc`	$\varLambda_c^+$	`\Lcbar`	$\overline{\varLambda}_c^-$
`\Xib`	$\varXi_b$	`\Xibz`	$\varXi_b^0$	`\Xibm`	$\varXi_b^-$
`\Xibbar`	$\overline{\varXi}_b$	`\Xibbarz`	$\overline{\varXi}_b^0$	`\Xibbarp`	$\overline{\varXi}_b^+$
`\Xic`	$\varXi_c$	`\Xicz`	$\varXi_c^0$	`\Xicp`	$\varXi_c^+$
`\Xicbar`	$\overline{\varXi}_c$	`\Xicbarz`	$\overline{\varXi}_c^0$	`\Xicbarm`	$\overline{\varXi}_c^-$
`\Omegac`	$\varOmega_c^0$	`\Omegacbar`	$\overline{\varOmega}_c^0$	`\Omegab`	$\varOmega_b^-$
`\Omegabbar`	$\overline{\varOmega}_b^+$				

C.3 Physics symbols

C.3.1 Decays

`\BF`	$\mathcal{B}$	`\BRvis`	$\mathcal{B}_{\rm vis}$	`\BR`	$\mathcal{B}$
`\decay[2] \decay{`a `}{`b c `}`	$a\to bc$	`\ra`	$\rightarrow$	`\to`	$\rightarrow$

C.3.2 Lifetimes

`\tauBs`	$\tau_{B_s^0}$	`\tauBd`	τ_{B^0}	`\tauBz`	τ_{B^0}
`\tauBu`	τ_{B^+}	`\tauDp`	τ_{D^+}	`\tauDz`	τ_{D^0}
`\tauL`	$\tau_{\rm L}$	`\tauH`	$\tau_{\rm H}$		

C.3.3 Masses

`\mBd`	m_{B^0}	`\mBp`	m_{B^+}	`\mBs`	$m_{B_s^0}$
`\mBc`	$m_{B_c^+}$	`\mLb`	$m_{\varLambda_b^0}$		

374 ### C.3.4 EW theory, groups

	`\grpsuthree`	SU(3)	`\grpsutw`	SU(2)	`\grpuone`	U(1)
	`\ssqtw`	$\sin^2\theta_{\mathrm{W}}$	`\csqtw`	$\cos^2\theta_{\mathrm{W}}$	`\stw`	$\sin\theta_{\mathrm{W}}$
	`\ctw`	$\cos\theta_{\mathrm{W}}$	`\ssqtwef`	$\sin^2\theta_{\mathrm{W}}^{\mathrm{eff}}$	`\csqtwef`	$\cos^2\theta_{\mathrm{W}}^{\mathrm{eff}}$
375	`\stwef`	$\sin\theta_{\mathrm{W}}^{\mathrm{eff}}$	`\ctwef`	$\cos\theta_{\mathrm{W}}^{\mathrm{eff}}$	`\gv`	g_{V}
	`\ga`	g_{A}	`\order`	$\mathcal{O}$	`\ordalph`	$\mathcal{O}(\alpha)$
	`\ordalsq`	$\mathcal{O}(\alpha^2)$	`\ordalcb`	$\mathcal{O}(\alpha^3)$		

376 ### C.3.5 QCD parameters

377	`\as`	α_s	`\MSb`	$\overline{\mathrm{MS}}$	`\lqcd`	Λ_{QCD}
	`\qsq`	q^2				

378 ### C.3.6 CKM, CP violation

	`\eps`	ε	`\epsK`	ε_K	`\epsB`	ε_B
	`\epsp`	ε'_K	`\CP`	CP	`\CPT`	CPT
	`\rhobar`	$\overline{\rho}$	`\etabar`	$\overline{\eta}$	`\Vud`	V_{ud}
	`\Vcd`	V_{cd}	`\Vtd`	V_{td}	`\Vus`	V_{us}
379	`\Vcs`	V_{cs}	`\Vts`	V_{ts}	`\Vub`	V_{ub}
	`\Vcb`	V_{cb}	`\Vtb`	V_{tb}	`\Vuds`	V_{ud}^*
	`\Vcds`	V_{cd}^*	`\Vtds`	V_{td}^*	`\Vuss`	V_{us}^*
	`\Vcss`	V_{cs}^*	`\Vtss`	V_{ts}^*	`\Vubs`	V_{ub}^*
	`\Vcbs`	V_{cb}^*	`\Vtbs`	V_{tb}^*		

380 ### C.3.7 Oscillations

	`\dm`	Δm	`\dms`	Δm_s	`\dmd`	Δm_d
	`\DG`	$\Delta\Gamma$	`\DGs`	$\Delta\Gamma_s$	`\DGd`	$\Delta\Gamma_d$
	`\Gs`	Γ_s	`\Gd`	Γ_d	`\MBq`	M_{B_q}
	`\DGq`	$\Delta\Gamma_q$	`\Gq`	Γ_q	`\dmq`	Δm_q
	`\GL`	Γ_{L}	`\GH`	Γ_{H}	`\DGsGs`	$\Delta\Gamma_s/\Gamma_s$
381	`\Delm`	Δm	`\ACP`	$\mathcal{A}^{CP}$	`\Adir`	$\mathcal{A}^{\mathrm{dir}}$
	`\Amix`	$\mathcal{A}^{\mathrm{mix}}$	`\ADelta`	$\mathcal{A}^{\Delta}$	`\phid`	ϕ_d
	`\sinphid`	$\sin\!\phi_d$	`\phis`	ϕ_s	`\betas`	β_s
	`\sbetas`	$\sigma(\beta_s)$	`\stbetas`	$\sigma(2\beta_s)$	`\stphis`	$\sigma(\phi_s)$
	`\sinphis`	$\sin\!\phi_s$				

382 ### C.3.8 Tagging

	`\edet`	$\varepsilon_{\mathrm{det}}$	`\erec`	$\varepsilon_{\mathrm{rec/det}}$	`\esel`	$\varepsilon_{\mathrm{sel/rec}}$
	`\etrg`	$\varepsilon_{\mathrm{trg/sel}}$	`\etot`	$\varepsilon_{\mathrm{tot}}$	`\mistag`	ω
383	`\wcomb`	ω^{comb}	`\etag`	$\varepsilon_{\mathrm{tag}}$	`\etagcomb`	$\varepsilon_{\mathrm{tag}}^{\mathrm{comb}}$
	`\effeff`	$\varepsilon_{\mathrm{eff}}$	`\effeffcomb`	$\varepsilon_{\mathrm{eff}}^{\mathrm{comb}}$	`\efftag`	$\varepsilon_{\mathrm{tag}}(1-2\omega)^2$
	`\effD`	$\varepsilon_{\mathrm{tag}}D^2$	`\etagprompt`	$\varepsilon_{\mathrm{tag}}^{\mathrm{Pr}}$	`\etagLL`	$\varepsilon_{\mathrm{tag}}^{\mathrm{LL}}$

C.3.9 Key decay channels

`\BdToKstmm`	$B^0 \to K^{*0}\mu^+\mu^-$	`\BdbToKstmm`	$\overline{B}^0 \to \overline{K}^{*0}\mu^+\mu^-$	`\BsToJPsiPhi`	$B^0_s \to J/\psi\,\phi$
`\BdToJPsiKst`	$B^0 \to J/\psi\,K^{*0}$	`\BdbToJPsiKst`	$\overline{B}^0 \to J/\psi\,\overline{K}^{*0}$	`\BsPhiGam`	$B^0_s \to \phi\gamma$
`\BdKstGam`	$B^0 \to K^{*0}\gamma$	`\BTohh`	$B \to h^+h'^-$	`\BdTopipi`	$B^0 \to \pi^+\pi^-$
`\BdToKpi`	$B^0 \to K^+\pi^-$	`\BsToKK`	$B^0_s \to K^+K^-$	`\BsTopiK`	$B^0_s \to \pi^+K^-$

C.3.10 Rare decays

`\BdKstee`	$B^0 \to K^{*0}e^+e^-$	`\BdbKstee`	$\overline{B}^0 \to \overline{K}^{*0}e^+e^-$	`\bsll`	$b \to s\ell^+\ell^-$
`\AFB`	A_{FB}	`\FL`	F_{L}	`\AT#1 \AT2`	A_{T}^2
`\btosgam`	$b \to s\gamma$	`\btodgam`	$b \to d\gamma$	`\Bsmm`	$B^0_s \to \mu^+\mu^-$
`\Bdmm`	$B^0 \to \mu^+\mu^-$	`\ctl`	$\cos\theta_\ell$	`\ctk`	$\cos\theta_K$

C.3.11 Wilson coefficients and operators

`\C#1 \C9`	$\mathcal{C}_9$	`\Cp#1 \Cp7`	$\mathcal{C}_7'$	`\Ceff#1 \Ceff9`	$\mathcal{C}_9^{(\mathrm{eff})}$
`\Cpeff#1 \Cpeff7`	$\mathcal{C}_7^{\prime(\mathrm{eff})}$	`\Ope#1 \Ope2`	$\mathcal{O}_2$	`\Opep#1 \Opep7`	$\mathcal{O}_7'$

C.3.12 Charm

`\xprime`	x'	`\yprime`	y'	`\ycp`	y_{CP}
`\agamma`	A_Γ	`\dkpicf`	$D^0 \to K^-\pi^+$		

C.3.13 QM

`\bra[1] \bra{a}` $\langle a|$ `\ket[1] \ket{b}` $|b\rangle$ `\braket[2] \braket{a}{b}` $\langle a|b\rangle$

C.4 Units

`\unit[1] \unit{kg}` kg

C.4.1 Energy and momentum

`\tev`	TeV	`\gev`	GeV	`\mev`	MeV
`\kev`	keV	`\ev`	eV	`\gevc`	GeV/c
`\mevc`	MeV/c	`\gevcc`	GeV/c^2	`\gevgevcccc`	GeV^2/c^4
`\mevcc`	MeV/c^2				

398 ### C.4.2 Distance and area

	\km	km	\m	m	\ma	m^2
	\cm	cm	\cma	cm^2	\mm	mm
	\mma	mm^2	\mum	μm	\muma	$\mu\mathrm{m}^2$
	\nm	nm	\fm	fm	\barn	b
399	\mbarn	mb	\mub	μb	\nb	nb
	\invnb	nb^{-1}	\pb	pb	\invpb	pb^{-1}
	\fb	fb	\invfb	fb^{-1}	\ab	ab
	\invab	ab^{-1}				

400 ### C.4.3 Time

	\sec	s	\ms	ms	\mus	μs
	\ns	ns	\ps	ps	\fs	fs
401	\mhz	MHz	\khz	kHz	\hz	Hz
	\invps	ps^{-1}	\invns	ns^{-1}	\yr	yr
	\hr	hr				

402 ### C.4.4 Temperature

403	\degc	°C	\degk	K

404 ### C.4.5 Material lengths, radiation

	\Xrad	X_0	\NIL	λ_{int}	\mip	MIP
405	\neutroneq	$\mathrm{n_{eq}}$	\neqcmcm	$\mathrm{n_{eq}/cm^2}$	\kRad	kRad
	\MRad	MRad	\ci	Ci	\mci	mCi

406 ### C.4.6 Uncertainties

	\sx	σ_x	\sy	σ_y	\sz	σ_z
407	\stat	(stat)	\syst	(syst)		

408 ### C.4.7 Maths

	\order	$\mathcal{O}$	\chisq	χ^2	\chisqndf	χ^2/ndf
	\chisqip	χ^2_{IP}	\chisqvs	χ^2_{VS}	\chisqvtx	χ^2_{vtx}
	\chisqvtxndf	$\chi^2_{\mathrm{vtx}}/\mathrm{ndf}$	\deriv	d	\gsim	$\gtrsim$
409	\lsim	$\lesssim$	\mean[1] \mean{x}	$\langle x \rangle$	\abs[1] \abs{x}	$\lVert x \rVert$
	\Real	$\mathcal{R}e$	\Imag	$\mathcal{I}m$	\PDF	PDF
	\sPlot	*sPlot*				

C.5 Kinematics

C.5.1 Energy, Momenta

`\Ebeam`	E_{BEAM}	`\sqs`	$\sqrt{s}$	`\ptot`	p
`\pt`	p_{T}	`\et`	E_{T}	`\mt`	M_{T}
`\dpp`	$\Delta p/p$	`\msq`	m^2	`\dedx`	$\mathrm{d}E/\mathrm{d}x$

C.5.2 PID

`\dllkpi`	$\mathrm{DLL}_{K\pi}$	`\dllppi`	$\mathrm{DLL}_{p\pi}$	`\dllepi`	$\mathrm{DLL}_{e\pi}$
`\dllmupi`	$\mathrm{DLL}_{\mu\pi}$				

C.5.3 Geometry

`\degrees`	$^{\circ}$	`\krad`	krad	`\mrad`	mrad
`\rad`	rad				

C.5.4 Accelerator

`\betastar`	β^*	`\lum`	$\mathcal{L}$	`\intlum[1]` `\intlum{2  fb`$^{-1}$ `}`	$\int\mathcal{L} = 2\ \mathrm{fb}^{-1}$

C.6 Software

C.6.1 Programs

`\bcvegpy`	BCVEGPY	`\boole`	BOOLE	`\brunel`	BRUNEL
`\davinci`	DAVINCI	`\dirac`	DIRAC	`\evtgen`	EVTGEN
`\fewz`	FEWZ	`\fluka`	FLUKA	`\ganga`	GANGA
`\gaudi`	GAUDI	`\gauss`	GAUSS	`\geant`	GEANT4
`\hepmc`	HEPMC	`\herwig`	HERWIG	`\moore`	MOORE
`\neurobayes`	NEUROBAYES	`\photos`	PHOTOS	`\powheg`	POWHEG
`\pythia`	PYTHIA	`\resbos`	RESBOS	`\roofit`	ROOFIT
`\root`	ROOT	`\spice`	SPICE	`\urania`	URANIA

C.6.2 Languages

`\cpp`	C++	`\ruby`	RUBY	`\fortran`	FORTRAN
`\svn`	SVN				

C.6.3 Data processing

`\kbytes`	kbytes	`\kbsps`	kbits/s	`\kbits`	kbits
`\kbsps`	kbits/s	`\mbsps`	Mbytes/s	`\mbytes`	Mbytes
`\mbps`	Mbyte/s	`\mbsps`	Mbytes/s	`\gbsps`	Gbytes/s
`\gbytes`	Gbytes	`\gbsps`	Gbytes/s	`\tbytes`	Tbytes
`\tbpy`	Tbytes/yr	`\dst`	DST		

426 ## C.7 Detector related

427 ### C.7.1 Detector technologies

428

\nonn	n^{+}-on-n	\ponn	p^{+}-on-n	\nonp	n^{+}-on-p
\cvd	CVD	\mwpc	MWPC	\gem	GEM

429 ### C.7.2 Detector components, electronics

430

\tell1	TELL1	\ukl1	UKL1	\beetle	Beetle
\otis	OTIS	\croc	CROC	\carioca	CARIOCA
\dialog	DIALOG	\sync	SYNC	\cardiac	CARDIAC
\gol	GOL	\vcsel	VCSEL	\ttc	TTC
\ttcrx	TTCrx	\hpd	HPD	\pmt	PMT
\specs	SPECS	\elmb	ELMB	\fpga	FPGA
\plc	PLC	\rasnik	RASNIK	\elmb	ELMB
\can	CAN	\lvds	LVDS	\ntc	NTC
\adc	ADC	\led	LED	\ccd	CCD
\hv	HV	\lv	LV	\pvss	PVSS
\cmos	CMOS	\fifo	FIFO	\ccpc	CCPC

431 ### C.7.3 Chemical symbols

432

\cfourften	C_4F_{10}	\cffour	CF_4	\cotwo	CO_2
\csixffouteen	C_6F_{14}	\mgftwo	MgF_2	\siotwo	SiO_2

433 ## C.8 Special Text

434

\eg	*e.g.*	\ie	*i.e.*	\etal	*et al.*
\etc	*etc.*	\cf	*cf.*	\ffp	*ff.*
\vs	*vs.*				

D Supplementary material for LHCb-PAPER-20XX-YYY

This appendix contains supplementary material that will posted on the public cds record but will not appear in the paper.

Please leave the above sentence in your draft for first and second circulation and replace what follows by your actual supplementary material. For more information about other types of supplementary material, see Section 9. Plots and tables that follow should be well described, either with captions or with additional explanatory text.



Figure 5: Comparison of our result to those from other experiments. Note that the style of this figure differs slightly from that of Figure 4

References

[1] A. Hoecker *et al.*, *TMVA: Toolkit for Multivariate Data Analysis*, PoS **ACAT** (2007) 040, `arXiv:physics/0703039`.

[2] LHCb collaboration, A. A. Alves Jr. *et al.*, *The LHCb detector at the LHC*, JINST **3** (2008) S08005.

[3] LHCb collaboration, R. Aaij *et al.*, *LHCb detector performance*, Int. J. Mod. Phys. **A30** (2015) 1530022, `arXiv:1412.6352`.

[4] R. Aaij *et al.*, *Performance of the LHCb Vertex Locator*, JINST **9** (2014) P09007, `arXiv:1405.7808`.

[5] R. Arink *et al.*, *Performance of the LHCb Outer Tracker*, JINST **9** (2014) P01002, `arXiv:1311.3893`.

[6] M. Adinolfi *et al.*, *Performance of the LHCb RICH detector at the LHC*, Eur. Phys. J. **C73** (2013) 2431, `arXiv:1211.6759`.

[7] A. A. Alves Jr. *et al.*, *Performance of the LHCb muon system*, JINST **8** (2013) P02022, `arXiv:1211.1346`.

[8] R. Aaij *et al.*, *The LHCb trigger and its performance in 2011*, JINST **8** (2013) P04022, `arXiv:1211.3055`.

[9] A. Puig, *The LHCb trigger in 2011 and 2012*, LHCb-PUB-2014-046.

[10] V. V. Gligorov and M. Williams, *Efficient, reliable and fast high-level triggering using a bonsai boosted decision tree*, JINST **8** (2013) P02013, `arXiv:1210.6861`.

[11] LHCb collaboration, R. Aaij *et al.*, *Differential branching fractions and isospin asymmetries of $B \to K^{(*)}\mu^+\mu^-$ decays*, JHEP **06** (2014) 133, `arXiv:1403.8044`.

[12] T. Sjöstrand, S. Mrenna, and P. Skands, *PYTHIA 6.4 physics and manual*, JHEP **05** (2006) 026, `arXiv:hep-ph/0603175`; T. Sjöstrand, S. Mrenna, and P. Skands, *A brief introduction to PYTHIA 8.1*, Comput. Phys. Commun. **178** (2008) 852, `arXiv:0710.3820`.

[13] I. Belyaev *et al.*, *Handling of the generation of primary events in Gauss, the LHCb simulation framework*, J. Phys. Conf. Ser. **331** (2011) 032047.

[14] D. J. Lange, *The EvtGen particle decay simulation package*, Nucl. Instrum. Meth. **A462** (2001) 152.

[15] P. Golonka and Z. Was, *PHOTOS Monte Carlo: A precision tool for QED corrections in Z and W decays*, Eur. Phys. J. **C45** (2006) 97, `arXiv:hep-ph/0506026`.

[16] Geant4 collaboration, J. Allison *et al.*, *Geant4 developments and applications*, IEEE Trans. Nucl. Sci. **53** (2006) 270; Geant4 collaboration, S. Agostinelli *et al.*, *Geant4: A simulation toolkit*, Nucl. Instrum. Meth. **A506** (2003) 250.

[17] M. Clemencic *et al.*, *The LHCb simulation application, Gauss: Design, evolution and experience*, J. Phys. Conf. Ser. **331** (2011) 032023.

[18] L. Breiman, J. H. Friedman, R. A. Olshen, and C. J. Stone, *Classification and regression trees*, Wadsworth international group, Belmont, California, USA, 1984.

[19] R. E. Schapire and Y. Freund, *A decision-theoretic generalization of on-line learning and an application to boosting*, Jour. Comp. and Syst. Sc. **55** (1997) 119.

[20] A. Feder, *Your BibTEX resource*, http://www.bibtex.org/.

[21] E. Majorana, *Teoria simmetrica dell'elettrone e del positrone*, Nuovo Cim. **14** (1937) 171.

[22] M. Shell, *Mciteplus: Enhanced multicitations*, http://www.michaelshell.org/tex/mciteplus/.

[23] R. N. Mohapatra and G. Senjanovic, *Neutrino Mass and Spontaneous Parity Violation*, Phys. Rev. Lett. **44** (1980) 912; S. Pascoli and S. T. Petcov, *Majorana neutrinos, neutrino mass spectrum and the $|\langle m\rangle| \sim 10^{-3}$ eV frontier in neutrinoless double beta decay*, Phys. Rev. **D77** (2008) 113003, `arXiv:0711.4993`.

[24] LHCb collaboration, *Optimization and calibration of the LHCb flavour tagging performance using 2010 data*, LHCb-CONF-2011-003.

[25] J. Dickens, *A measurement of the photon efficiency from the 2010 data*, LHCb-INT-2011-047; C. Adrover *et al.*, *Searches for $B_s^0 \to \mu^+\mu^-$ and $B^0 \to \mu^+\mu^-$ in $370\,pb^{-1}$ at LHCb*, LHCb-ANA-2011-078; P. Owen, *Measurement of branching fractions, isospin asymmetries and angular observables in exclusive electroweak penguin decays*, CERN-THESIS-2014-057; P. Perret, *First Years of Running for the LHCb Calorimeter system*, LHCb-PROC-2014-017; U. Egede, *Future of heavy flavour physics*, LHCb-TALK-2014-257.

[26] LHCb collaboration, R. Aaij *et al.*, *Measurement of charged particle multiplicities and densities in pp collisions at $\sqrt{s} = 7$ TeV in the forward region*, Eur. Phys. J. **C74** (2014) 2888, `arXiv:1402.4430`.

[27] LHCb collaboration, R. Aaij *et al.*, *Observation of the decay $B_s^0 \to \overline{D}^0 \phi$*, Phys. Lett. **B727** (2013) 403, `arXiv:1308.4583`.

[28] LHCb collaboration, R. Aaij *et al.*, *Differential branching fraction and angular analysis of the decay $B^0 \to K^{*0}\mu^+\mu^-$*, Phys. Rev. Lett. **108** (2012) 181806, `arXiv:1112.3515`.

[29] Particle Data Group, K. A. Olive *et al.*, *Review of particle physics*, Chin. Phys. **C38** (2014) 090001, and 2015 update.

[30] Heavy Flavor Averaging Group, Y. Amhis *et al.*, *Averages of b-hadron, c-hadron, and τ-lepton properties as of summer 2014*, `arXiv:1412.7515`, updated results and plots available at `http://www.slac.stanford.edu/xorg/hfag/`.

[31] A. Tsaregorodtsev *et al.*, *DIRAC3: The new generation of the LHCb grid software*, J. Phys. Conf. Ser. **219** (2010) 062029; R. Graciani Diaz *et al.*, *Belle-DIRAC setup for using Amazon Elastic Compute Cloud*, Journal of Grid Computing **9** (2011) 65.

[32] T. Skwarnicki, *A study of the radiative cascade transitions between the Upsilon-prime and Upsilon resonances*, PhD thesis, Institute of Nuclear Physics, Krakow, 1986, DESY-F31-86-02.

[33] S. S. Wilks, *The large-sample distribution of the likelihood ratio for testing composite hypotheses*, Annals Math. Statist. **9** (1938) 60.

[34] W. D. Hulsbergen, *Decay chain fitting with a Kalman filter*, Nucl. Instrum. Meth. **A552** (2005) 566, `arXiv:physics/0503191`.

[35] M. Pivk and F. R. Le Diberder, *sPlot: A statistical tool to unfold data distributions*, Nucl. Instrum. Meth. **A555** (2005) 356, `arXiv:physics/0402083`.

[36] G. Punzi, *Sensitivity of searches for new signals and its optimization*, in *Statistical Problems in Particle Physics, Astrophysics, and Cosmology* (L. Lyons, R. Mount, and R. Reitmeyer, eds.), p. 79, 2003. `arXiv:physics/0308063`.

[37] LHCb collaboration, R. Aaij *et al.*, *Measurement of the fragmentation fraction ratio f_s/f_d and its dependence on B meson kinematics*, JHEP **04** (2013) 001, `arXiv:1301.5286`, f_s/f_d value updated in LHCb-CONF-2013-011.

[38] R. Aaij *et al.*, *Performance of the LHCb calorimeters*, LHCb-DP-2013-004, in preparation.

[39] LHCb collaboration, R. Aaij *et al.*, *Measurement of the track reconstruction efficiency at LHCb*, JINST **10** (2015) P02007, `arXiv:1408.1251`.

[40] F. Archilli *et al.*, *Performance of the muon identification at LHCb*, JINST **8** (2013) P10020, `arXiv:1306.0249`.

[41] A. Affolder *et al.*, *Radiation damage in the LHCb vertex locator*, JINST **8** (2013) P08002, `arXiv:1302.5259`.

[42] D. van Eijk *et al.*, *Radiation hardness of the LHCb Outer Tracker*, Nucl. Instrum. Meth. **A685** (2012) 62.

[43] R. B. Appleby *et al.*, *Simulation of machine induced background in the LHCb experiment: methodology and implementation*, IEEE Trans. Nucl. Sci. **59** (2012) 1681.

[44] M. Anelli *et al.*, *Performance of the LHCb muon system with cosmic rays*, JINST **5** (2010) P10003, `arXiv:1009.1963`.

[45] S. Borghi *et al.*, *First spatial alignment of the LHCb VELO and analysis of beam absorber collision data*, Nucl. Instrum. Meth. **A618** (2010) 108.

[46] LHCb collaboration, *LHCb Trigger and Online Technical Design Report*, CERN-LHCC-2014-016. LHCb-TDR-016.

[47] LHCb collaboration, *LHCb Tracker Upgrade Technical Design Report*, CERN-LHCC-2014-001. LHCb-TDR-015.

[48] LHCb collaboration, *LHCb PID Upgrade Technical Design Report*, CERN-LHCC-2013-022. LHCb-TDR-014.

[49] LHCb collaboration, *LHCb VELO Upgrade Technical Design Report*, CERN-LHCC-2013-021. LHCb-TDR-013.

[50] LHCb collaboration, *Framework TDR for the LHCb Upgrade: Technical Design Report*, CERN-LHCC-2012-007. LHCb-TDR-012.

[51] LHCb collaboration, *LHCb computing: Technical Design Report*, CERN-LHCC-2005-019. LHCb-TDR-011.

[52] LHCb collaboration, *LHCb trigger system: Technical Design Report*, CERN-LHCC-2003-031. LHCb-TDR-010.

[53] LHCb collaboration, *LHCb reoptimized detector design and performance: Technical Design Report*, CERN-LHCC-2003-030. LHCb-TDR-009.

[54] LHCb collaboration, *LHCb inner tracker: Technical Design Report*, CERN-LHCC-2002-029. LHCb-TDR-008.

[55] LHCb collaboration, *LHCb online system, data acquisition and experiment control: Technical Design Report*, CERN-LHCC-2001-040. LHCb-TDR-007.

[56] LHCb collaboration, *LHCb outer tracker: Technical Design Report*, CERN-LHCC-2001-024. LHCb-TDR-006.

[57] LHCb collaboration, *LHCb VELO (VErtex LOcator): Technical Design Report*, CERN-LHCC-2001-011. LHCb-TDR-005.

[58] LHCb collaboration, *LHCb muon system: Technical Design Report*, CERN-LHCC-2001-010. LHCb-TDR-004.

[59] LHCb collaboration, *LHCb RICH: Technical Design Report*, CERN-LHCC-2000-037. LHCb-TDR-003.

[60] LHCb collaboration, *LHCb calorimeters: Technical Design Report*, CERN-LHCC-2000-036. LHCb-TDR-002.

[61] LHCb collaboration, *LHCb magnet: Technical Design Report*, CERN-LHCC-2000-007. LHCb-TDR-001.

[62] LHCb collaboration, R. Aaij *et al.*, *Measurements of time-integrated asymmetries in $D^0 \to K^-K^+$ and $D^0 \to \pi^-\pi^+$ decays*, LHCb-PAPER-2015-055, in preparation.

[63] LHCb collaboration, R. Aaij *et al.*, *First observation of the rare $B^+ \to D^+K^+\pi^-$ decay*, LHCb-PAPER-2015-054, in preparation.

[64] LHCb collaboration, R. Aaij *et al.*, *Measurement of the inclusive $B^0_s \to D_s^{(*)+}D_s^{(*)-}$ branching fraction*, LHCb-PAPER-2015-053, in preparation.

[65] LHCb collaboration, R. Aaij *et al.*, *Study of D_{sJ} meson decays to $D^{*+}K^0_S$ and $D^{*0}K^+$ final states in pp collisions*, LHCb-PAPER-2015-052, in preparation.

[66] LHCb collaboration, R. Aaij *et al.*, *Angular analysis of the $B^0_d \to K^{*0}\mu^+\mu^-$ decay*, LHCb-PAPER-2015-051, in preparation.

[67] LHCb collaboration, R. Aaij *et al.*, *Observation of $B^0_s \to \overline{D}^0K^0_S$*, LHCb-PAPER-2015-050, in preparation.

[68] LHCb collaboration, R. Aaij *et al.*, *Centre-of-mass energy evolution of forward W and Z boson production cross-sections*, LHCb-PAPER-2015-049, in preparation.

[69] LHCb collaboration, R. Aaij *et al.*, *Search for the lepton-flavour violating decay $D^0 \to e^\pm\mu^\mp$*, LHCb-PAPER-2015-048, in preparation.

[70] LHCb collaboration, R. Aaij *et al.*, *Evidence for the strangeness-changing weak decay $\Xi_b^- \to \Lambda_b^0\pi^-$*, `arXiv:1510.03829`, submitted to Phys.Rev.Lett.

[71] LHCb collaboration, R. Aaij *et al.*, *Production of associated Υ and open charm hadrons in pp collisions at $\sqrt{s}$ = 7 and 8 TeV via double parton scattering*, `arXiv:1510.05949`, submitted to JHEP.

[72] LHCb collaboration, R. Aaij *et al.*, *Forward production of Υ mesons in pp collisions at $\sqrt{s} = 7$ and 8 TeV*, JHEP **11** (2015) 103, `arXiv:1509.02372`.

[73] LHCb collaboration, R. Aaij *et al.*, *Search for the decays $B^0 \to J/\psi\gamma$ and $B^0_s \to J/\psi\gamma$*, `arXiv:1510.04866`, submitted to Phys.Rev.D.

[74] LHCb collaboration, R. Aaij *et al.*, *First observation of the decay $D^0 \to K^-\pi^+\mu^+\mu^-$ in the $\rho^0 - \omega$ region of the dimuon mass spectrum*, `arXiv:1510.08367`, submitted to Phys.Lett.B.

[75] LHCb collaboration, R. Aaij *et al.*, *Model-independent measurement of mixing parameters in $D^0 \to K^0_S\pi^+\pi^-$ decays*, arXiv:1510.01664, submitted to JHEP.

[76] LHCb collaboration, R. Aaij *et al.*, *Measurements of prompt charm production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV*, arXiv:1510.01707, submitted to JHEP.

[77] LHCb collaboration, R. Aaij *et al.*, *Measurement of two-particle correlations in proton-ion collisions at $\sqrt{s_{NN}} = 5.02$ TeV*, LHCb-PAPER-2015-040, in preparation.

[78] LHCb collaboration, R. Aaij *et al.*, *Measurement of the forward-backward asymmetry in $Z/\gamma^* \to \mu^+\mu^-$ decays and determination of the effective weak mixing angle*, arXiv:1509.07645, submitted to JHEP.

[79] LHCb collaboration, R. Aaij *et al.*, *A model-independent confirmation of the $Z(4430)^-$ state*, arXiv:1510.01951, submitted to Phys.Rev.D.

[80] LHCb collaboration, R. Aaij *et al.*, *Measurement of forward J/ψ production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV*, JHEP **10** (2015) 172, arXiv:1509.00771.

[81] LHCb collaboration, R. Aaij *et al.*, *Search for hidden-sector bosons in $B^0 \to K^{*0}\mu^+\mu^-$ decays*, Phys. Rev. Lett. **115** (2015) 161802, arXiv:1508.04094.

[82] LHCb collaboration, R. Aaij *et al.*, *First measurement of the differential branching fraction and CP asymmetry of the $B^+ \to \pi^+\mu^+\mu^-$ decay*, JHEP **10** (2015) 034, arXiv:1509.00414.

[83] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP violation parameters and polarisation fractions in $B^0_s \to J/\psi\overline{K}^{*0}$ decays*, JHEP **11** (2015) 082, arXiv:1509.00400.

[84] LHCb collaboration, R. Aaij *et al.*, *First observation of the $B^0_s \to J/\psi\phi\phi$ decay and measurement of $\mathcal{B}(B^0_s \to J/\psi\phi\phi)/\mathcal{B}(B^0_s \to J/\psi\phi)$*, LHCb-PAPER-2015-033, in preparation.

[85] LHCb collaboration, R. Aaij *et al.*, *Study of the productions of Λ^0_b and $\bar{B}^0$ hadrons in pp collisions and first measurement of the $\Lambda^0_b \to J/\psi pK^-$ branching fraction*, arXiv:1509.00292, submitted to Chin.Phys.C.

[86] LHCb collaboration, R. Aaij *et al.*, *Measurement of the B^0 oscillation frequency Δm_d with $B^0 \to D^{(*)-}\mu^+\nu_\mu$*, LHCb-PAPER-2015-031, in preparation.

[87] LHCb collaboration, R. Aaij *et al.*, *Measurement of the time-integrated CP asymmetry in $D^0 \to K^0_S K^0_S$ decays*, JHEP **10** (2015) 055, arXiv:1508.06087.

[88] LHCb collaboration, R. Aaij *et al.*, *Observation of $J/\psi p$ resonances consistent with pentaquark states in $\Lambda^0_b \to J/\psi pK^-$ decays*, Phys. Rev. Lett. **115** (2015) 072001, arXiv:1507.03414.

[89] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $B_s^0 \to \phi\phi$ branching fraction and search for the decay $B^0 \to \phi\phi$*, JHEP **10** (2015) 053, `arXiv:1508.00788`.

[90] LHCb collaboration, R. Aaij *et al.*, *B flavour tagging using charm decays at the LHCb experiment*, JINST **10** (2015) P10005, `arXiv:1507.07892`.

[91] LHCb collaboration, R. Aaij *et al.*, *Studies of the resonance structure in $D^0 \to K_S^0 K\pi$ decays*, `arXiv:1509.06628`, submitted to Phys.Rev.D.

[92] LHCb collaboration, R. Aaij *et al.*, *Measurement of the ratio of branching fractions $\mathcal{B}(\overline{\mathcal{B}}' \to \mathcal{D}^{*+}\tau^-\overline{\nu}_\tau)/\mathcal{B}(\overline{\mathcal{B}}' \to \mathcal{D}^{*+}\mu^-\overline{\nu}_\mu)$*, Phys. Rev. Lett. **115** (2015) 111803, `arXiv:1506.08614`.

[93] LHCb collaboration, R. Aaij *et al.*, *Measurement of the branching fraction ratio $\mathcal{B}(B_c^+ \to \psi(2S)\pi^+)/\mathcal{B}(B_c^+ \to J/\psi\pi^+)$*, Phys. Rev. **D92** (2015) 057007, `arXiv:1507.03516`.

[94] LHCb collaboration, R. Aaij *et al.*, *Angular analysis and differential branching fraction of the decay $B_s^0 \to \phi\mu^+\mu^-$*, JHEP **09** (2015) 179, `arXiv:1506.08777`.

[95] LHCb collaboration, R. Aaij *et al.*, *First observation of top quark production in the forward region*, Phys. Rev. Lett. **115** (2015) 112001, `arXiv:1506.00903`.

[96] LHCb collaboration, R. Aaij *et al.*, *Study of W boson production in association with beauty and charm*, Phys. Rev. **D92** (2015) 052012, `arXiv:1505.04051`.

[97] LHCb collaboration, R. Aaij *et al.*, *Study of $B^- \to DK^-\pi^+\pi^-$ and $B^- \to D\pi^-\pi^+\pi^-$ decays and determination of the CKM angle γ*, `arXiv:1505.07044`, submitted to Phys. Rev. D.

[98] LHCb collaboration, R. Aaij *et al.*, *Search for the $\Lambda_b^0 \to \Lambda\eta$ and $\Lambda_b^0 \to \Lambda\eta'$ decays with the LHCb detector*, JHEP **09** (2015) 006, `arXiv:1505.03295`.

[99] LHCb collaboration, R. Aaij *et al.*, *First observation of the decay $B_s^0 \to K_S^0 K^*(892)^0$*, `arXiv:1506.08634`, submitted to JHEP.

[100] LHCb collaboration, R. Aaij *et al.*, *Amplitude analysis of $B^0 \to \overline{D}^0 K^+\pi^-$ decays*, Phys. Rev. **D92** (2015) 012012, `arXiv:1505.01505`.

[101] LHCb collaboration, R. Aaij *et al.*, *Identification of beauty and charm quark jets at LHCb*, JINST **10** (2015) P06013, `arXiv:1504.07670`.

[102] LHCb collaboration, R. Aaij *et al.*, *Quantum numbers of the $X(3872)$ state and orbital angular momentum in its $\rho^0 J/\psi$ decays*, Phys. Rev. **D92** (2015) 011102(R), `arXiv:1504.06339`.

[103] LHCb collaboration, R. Aaij *et al.*, *A study of CP violation in $B^{\mp} \to Dh^{\mp}$ ($h = K, \pi$) with the modes $D \to K^{\mp}\pi^{\pm}\pi^{0}$, $D \to \pi^{+}\pi^{-}\pi^{0}$ and $D \to K^{+}K^{-}\pi^{0}$*, Phys. Rev. **D91** (2015) 112014, `arXiv:1504.05442`.

[104] LHCb collaboration, R. Aaij *et al.*, *Determination of the quark coupling strength $|V_{ub}|$ using baryonic decays*, Nature Physics **11** (2015) 743, `arXiv:1504.01568`.

[105] LHCb collaboration, R. Aaij *et al.*, *Search for the decay $B_s^0 \to \overline{D}^0 f_0(980)$*, JHEP **08** (2015) 005, `arXiv:1505.01654`.

[106] LHCb collaboration, R. Aaij *et al.*, *Measurement of the exclusive $\Upsilon(nS)$ production cross-section in pp collisions at $\sqrt{s} = 7$ TeV and 8 TeV*, JHEP **09** (2015) 084, `arXiv:1505.08139`.

[107] LHCb collaboration, R. Aaij *et al.*, *Observation of the decay $\overline{B}_s^0 \to \psi(2S)K^{+}\pi^{-}$*, Phys. Lett. **B747** (2015) 484, `arXiv:1503.07112`.

[108] LHCb collaboration, R. Aaij *et al.*, *Differential branching fraction and angular anaysis of $\Lambda_b^0 \to \Lambda\mu^{+}\mu^{-}$ decays*, JHEP **06** (2015) 115, `arXiv:1503.07138`.

[109] LHCb collaboration, R. Aaij *et al.*, *First observation and measurement of the branching fraction for the decay $B_s^0 \to D_s^{*\mp}K^{\pm}$*, JHEP **06** (2015) 130, `arXiv:1503.09086`.

[110] LHCb collaboration, R. Aaij *et al.*, *First observation and amplitude analysis of the $B^{-} \to D^{+}K^{-}\pi^{-}$ decay*, Phys. Rev. **D91** (2015) 092002, `arXiv:1503.02995`.

[111] LHCb collaboration, R. Aaij *et al.*, *Observation of the $B^0 \to \rho^0\rho^0$ decay from an amplitude analysis of $B^0 \to (\pi^{+}\pi^{-})(\pi^{+}\pi^{-})$ decays*, Phys. Lett. **B747** (2015) 468, `arXiv:1503.07770`.

[112] LHCb collaboration, R. Aaij *et al.*, *Measurement of the time-dependent CP asymmetries in $B_s^0 \to J/\psi K_S^0$*, JHEP **06** (2015) 131, `arXiv:1503.07055`.

[113] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP violation in $B^0 \to J/\psi K_S^0$ decays*, Phys. Rev. Lett. **115** (2015) 031601, `arXiv:1503.07089`.

[114] LHCb collaboration, R. Aaij *et al.*, *Measurement of $Z \to e^{+}e^{-}$ production at $\sqrt{s} = 8$ TeV*, JHEP **05** (2015) 109, `arXiv:1503.00963`.

[115] LHCb collaboration, R. Aaij *et al.*, *Search for long-lived heavy charged particles using a ring imaging Cherenkov technique at LHCb*, `arXiv:1506.09173`, submitted to JHEP.

[116] LHCb collaboration, R. Aaij *et al.*, *Measurement of the forward Z boson cross-section in pp collisions at $\sqrt{s} = 7$ TeV*, JHEP **08** (2015) 039, `arXiv:1505.07024`.

[117] LHCb collaboration, R. Aaij *et al.*, *Dalitz plot analysis of $B^0 \to \overline{D}^0\pi^{+}\pi^{-}$ decays*, Phys. Rev. **D92** (2015) 032002, `arXiv:1505.01710`.

[118] LHCb collaboration, R. Aaij *et al.*, *Measurement of indirect CP asymmetries in $D^0 \to K^-K^+$ and $D^0 \to \pi^-\pi^+$ decays*, JHEP **04** (2015) 043, arXiv:1501.06777.

[119] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP asymmetries and polarisation fractions in $B_s^0 \to K^{*0}\overline{K}^{*0}$ decays*, JHEP **07** (2015) 166, arXiv:1503.05362.

[120] LHCb collaboration, R. Aaij *et al.*, *Precise measurements of the properties of the $B_1(5721)^{0,+}$ and $B_2^*(5747)^{0,+}$ states and observation of structure at higher invariant mass in the $B^+\pi^-$ and $B^0\pi^+$ spectra*, JHEP **04** (2015) 024, arXiv:1502.02638.

[121] LHCb collaboration, R. Aaij *et al.*, *Angular analysis of the $B^0 \to K^{*0}e^+e^-$ decay in the low-q^2 region*, JHEP **04** (2015) 024, arXiv:1501.03038.

[122] LHCb collaboration, R. Aaij *et al.*, *Observation of the $B_s^0 \to \eta'\eta'$ decay*, Phys. Rev. Lett. **115** (2015) 051801, arXiv:1503.07483.

[123] LHCb collaboration, R. Aaij *et al.*, *Determination of the branching fractions of $B_s^0 \to D_s^\mp K^\pm$ and $B^0 \to D_s^- K^+$*, JHEP **02** (2015) 029, arXiv:1412.7654.

[124] LHCb collaboration, R. Aaij *et al.*, *Study of the rare B_s^0 and B^0 decays into the $\pi^+\pi^-\mu^+\mu^-$ final state*, Phys. Lett. **B743** (2015) 46, arXiv:1412.6433.

[125] LHCb collaboration, R. Aaij *et al.*, *Search for long-lived particles decaying to jet pairs*, Eur. Phys. J. **C75** (2014) 152, arXiv:1412.3021.

[126] LHCb collaboration, R. Aaij *et al.*, *Observation of two new Ξ_b^- baryon resonances*, Phys. Rev. Lett. **114** (2015) 062004, arXiv:1411.4849.

[127] LHCb collaboration, R. Aaij *et al.*, *Measurement of the lifetime of the B_c^+ meson using the $B_c^+ \to J/\psi\pi^+$ decay mode*, Phys. Lett. **B742** (2015) 29, arXiv:1411.6899.

[128] LHCb collaboration, R. Aaij *et al.*, *Precision measurement of CP violation in $B_s^0 \to J/\psi K^+K^-$ decays*, Phys. Rev. Lett. **114** (2015) 041801, arXiv:1411.3104.

[129] LHCb collaboration, R. Aaij *et al.*, *Measurement of the CP-violating phase β in $\overline{B}^0 \to J/\psi\pi^+\pi^-$ decays and limits on penguin effects*, Phys. Lett. **B742** (2015) 38, arXiv:1411.1634.

[130] LHCb collaboration, R. Aaij *et al.*, *Measurement of the inelastic pp cross-section at a centre-of-mass energy of $\sqrt{s} = 7$ TeV*, JHEP **02** (2014) 029, arXiv:1412.2500.

[131] LHCb collaboration, R. Aaij *et al.*, *Study of η–η' mixing from measurement of $B^0_{(s)} \to J/\psi\eta^{(\prime)}$ decay rates*, JHEP **01** (2015) 024, arXiv:1411.0943.

[132] LHCb collaboration, R. Aaij *et al.*, *Measurement of the Z+b-jet cross-section in pp collisions at $\sqrt{s} = 7$ TeV in the forward region*, JHEP **01** (2015) 064, arXiv:1411.1264.

[133] LHCb collaboration, R. Aaij *et al.*, *Search for CP violation in $D^0 \to \pi^-\pi^+\pi^0$ decays with the energy test*, Phys. Lett. **B740** (2015) 158, arXiv:1410.4170.

[134] LHCb collaboration, R. Aaij *et al.*, *Measurement of the semileptonic CP asymmetry in B^0–$\overline{B}^0$ mixing*, Phys. Rev. Lett. **114** (2015) 041601, arXiv:1409.8586.

[135] LHCb collaboration, R. Aaij *et al.*, *Search for the lepton flavour violating decay $\tau^- \to \mu^-\mu^+\mu^-$*, JHEP **02** (2015) 121, arXiv:1409.8548.

[136] LHCb collaboration, R. Aaij *et al.*, *Measurement of the CP-violating phase ϕ_s in $\overline{B}^0_s \to D_s^+ D_s^-$ decays*, Phys. Rev. Lett. **113** (2014) 211801, arXiv:1409.4619.

[137] LHCb collaboration, R. Aaij *et al.*, *Measurement of B_c^+ production at $\sqrt{s} = 8$ TeV*, Phys. Rev. Lett. **114** (2014) 132001, arXiv:1411.2943.

[138] CMS and LHCb collaborations, V. Khachatryan *et al.*, *Observation of the rare $B^0_s \to \mu^+\mu^-$ decay from the combined analysis of CMS and LHCb data*, Nature **522** (2015) 68, arXiv:1411.4413.

[139] LHCb collaboration, R. Aaij *et al.*, *Precision measurement of the mass and lifetime of the Ξ_b^- baryon*, Phys. Rev. Lett. **113** (2014) 242002, arXiv:1409.8568.

[140] LHCb collaboration, R. Aaij *et al.*, *Precision luminosity measurements at LHCb*, JINST **9** (2014) P12005, arXiv:1410.0149.

[141] LHCb collaboration, R. Aaij *et al.*, *Search for CP violation using T-odd correlations in $D^0 \to K^+K^-\pi^+\pi^-$ decays*, JHEP **10** (2014) 005, arXiv:1408.1299.

[142] LHCb collaboration, R. Aaij *et al.*, *Determination of γ and $-2\beta_s$ from charmless two-body decays of beauty mesons*, Phys. Lett. **B739** (2014) 1, arXiv:1408.4368.

[143] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP violation in the three-body phase space of charmless $B^\pm$ decays*, Phys. Rev. **D90** (2014) 112004, arXiv:1408.5373.

[144] LHCb collaboration, R. Aaij *et al.*, *Observation of $B^0_s \to K^{*\pm}K^\mp$ and evidence of $B^0_s \to K^{*-}\pi^+$ decays*, New J. Phys. **16** (2014) 123001, arXiv:1407.7704.

[145] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $\overline{B}^0$–B^0 and $\overline{B}^0_s$–B^0_s production asymmetries in pp collisions at $\sqrt{s} = 7$ TeV*, Phys. Lett. **B739** (2014) 218, arXiv:1408.0275.

[146] LHCb collaboration, R. Aaij *et al.*, *Measurement of the CKM angle γ using $B^\pm \to DK^\pm$ with $D \to K^0_S\pi^+\pi^-$, $K^0_S K^+K^-$ decays*, JHEP **10** (2014) 097, arXiv:1408.2748.

[147] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $\chi_b(3P)$ mass and of the relative rate of $\chi_{b1}(1P)$ and $\chi_{b2}(1P)$ production*, JHEP **10** (2014) 088, arXiv:1409.1408.

[148] LHCb collaboration, R. Aaij *et al.*, *First observation of a baryonic B_c^+ decay*, Phys. Rev. Lett. **113** (2014) 152003, `arXiv:1408.0971`.

[149] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP asymmetry in $B_s^0 \to D_s^\mp K^\pm$ decays*, JHEP **11** (2014) 060, `arXiv:1407.6127`.

[150] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $\overline{B}_s^0$ meson lifetime in $D_s^+\pi^-$ decays*, Phys. Rev. Lett. **113** (2014) 172001, `arXiv:1407.5873`.

[151] LHCb collaboration, R. Aaij *et al.*, *Dalitz plot analysis of $B_s^0 \to \overline{D}^0 K^-\pi^+$ decays*, Phys. Rev. **D90** (2014) 072003, `arXiv:1407.7712`.

[152] LHCb collaboration, R. Aaij *et al.*, *Observation of overlapping spin-1 and spin-3 $\overline{D}^0 K^-$ resonances at mass 2.86 GeV/c^2*, Phys. Rev. Lett. **113** (2014) 162001, `arXiv:1407.7574`.

[153] LHCb collaboration, R. Aaij *et al.*, *Evidence for CP violation in $B^+ \to p\overline{p}K^+$ decays*, Phys. Rev. Lett. **113** (2014) 141801, `arXiv:1407.5907`.

[154] LHCb collaboration, R. Aaij *et al.*, *Measurement of the forward W boson production cross-section in pp collisions at $\sqrt{s} = 7$ TeV*, JHEP **12** (2014) 079, `arXiv:1408.4354`.

[155] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP asymmetries in the decays $B^0 \to K^{*0}\mu^+\mu^-$ and $B^+ \to K^+\mu^+\mu^-$*, JHEP **09** (2014) 177, `arXiv:1408.0978`.

[156] LHCb collaboration, R. Aaij *et al.*, *Study of χ_b meson production in pp collisions at $\sqrt{s}$=7 and 8 TeV and observation of the decay $\chi_b \to \Upsilon(3S)\gamma$*, Eur. Phys. J. **C74** (2014) 3092, `arXiv:1407.7734`.

[157] LHCb collaboration, R. Aaij *et al.*, *First observations of the rare decays $B^+ \to K^+\pi^+\pi^-\mu^+\mu^-$ and $B^+ \to \phi K^+\mu^+\mu^-$*, JHEP **10** (2014) 064, `arXiv:1408.1137`.

[158] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $\eta_c(1S)$ production cross-section in proton-proton collisions via the decay $\eta_c(1S) \to p\overline{p}$*, Eur. Phys. J. **C75** (2015) 311, `arXiv:1409.3612`.

[159] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP violation parameters in $B^0 \to DK^{*0}$ decays*, Phys. Rev. **D90** (2014) 112002, `arXiv:1407.8136`.

[160] LHCb collaboration, R. Aaij *et al.*, *Observation of charmonium pairs produced exclusively in pp collisions*, J. Phys. **G41** (2014) 115002, `arXiv:1407.5973`.

[161] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP violation in $B_s^0 \to \phi\phi$ decays*, Phys. Rev. **D90** (2014) 052011, `arXiv:1407.2222`.

[162] LHCb collaboration, R. Aaij *et al.*, *Measurement of the ratio of B_c^+ branching fractions to $J/\psi\pi^+$ and $J/\psi\mu^+\nu_\mu$*, Phys. Rev. **D90** (2014) 032009, `arXiv:1407.2126`.

[163] LHCb collaboration, R. Aaij *et al.*, *Test of lepton universality using $B^+ \to K^+\ell^+\ell^-$ decays*, Phys. Rev. Lett. **113** (2014) 151601, `arXiv:1406.6482`.

[164] LHCb collaboration, R. Aaij *et al.*, *First measurement of the charge asymmetry in beauty-quark pair production*, Phys. Rev. Lett. **113** (2014) 082003, `arXiv:1406.4789`.

[165] LHCb collaboration, R. Aaij *et al.*, *Observation of Z production in proton-lead collisions at LHCb*, JHEP **09** (2014) 030, `arXiv:1406.2885`.

[166] LHCb collaboration, R. Aaij *et al.*, *Precision measurement of the mass and lifetime of the Ξ_b^0 baryon*, Phys. Rev. Lett. **113** (2014) 032001, `arXiv:1405.7223`.

[167] LHCb collaboration, R. Aaij *et al.*, *Observation of the $\Lambda_b^0 \to J/\psi p\pi^-$ decay*, JHEP **07** (2014) 103, `arXiv:1406.0755`.

[168] LHCb collaboration, R. Aaij *et al.*, *Measurement of the CP-violating phase ϕ_s in $\overline{B}_s^0 \to J/\psi\pi^+\pi^-$ decays*, Phys. Lett. **B736** (2014) 186, `arXiv:1405.4140`.

[169] LHCb collaboration, R. Aaij *et al.*, *Search for CP violation in $D^\pm \to K_S^0 K^\pm$ and $D_s^\pm \to K_S^0\pi^\pm$ decays*, JHEP **10** (2014) 025, `arXiv:1406.2624`.

[170] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP violation and constraints on the CKM angle γ in $B^\pm \to DK^\pm$ with $D \to K_S^0\pi^+\pi^-$ decays*, Nucl. Phys. **B888** (2014) 169, `arXiv:1407.6211`.

[171] LHCb collaboration, R. Aaij *et al.*, *Observation of the $B_s^0 \to J/\psi K_S^0 K^\pm\pi^\mp$ decay*, JHEP **07** (2014) 140, `arXiv:1405.3219`.

[172] LHCb collaboration, R. Aaij *et al.*, *Study of Υ production and cold nuclear effects in pPb collisions at $\sqrt{s_{NN}} = 5$ TeV*, JHEP **07** (2014) 094, `arXiv:1405.5152`.

[173] LHCb collaboration, R. Aaij *et al.*, *Observation of the resonant character of the $Z(4430)^-$ state*, Phys. Rev. Lett. **112** (2014) 222002, `arXiv:1404.1903`.

[174] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP asymmetry in $D^0 \to K^-K^+$ and $D^0 \to \pi^-\pi^+$ decays*, JHEP **07** (2014) 041, `arXiv:1405.2797`.

[175] LHCb collaboration, R. Aaij *et al.*, *Measurement of the resonant and CP components in $\overline{B}^0 \to J/\psi\pi^+\pi^-$ decays*, Phys. Rev. **D90** (2014) 012003, `arXiv:1404.5673`.

[176] LHCb collaboration, R. Aaij *et al.*, *Effective lifetime measurements in the $B_s^0 \to K^+K^-$, $B^0 \to K^+\pi^-$ and $B_s^0 \to \pi^+K^-$ decays*, Phys. Lett. **B736** (2014) 446, `arXiv:1406.7204`.

[177] LHCb collaboration, R. Aaij *et al.*, *Measurement of the Ξ_b^- and Ω_b^- baryon lifetimes*, Phys. Lett. **B736** (2014) 154, `arXiv:1405.1543`.

[178] LHCb collaboration, R. Aaij *et al.*, *Evidence for the decay $B_c^+ \to J/\psi 3\pi^+ 2\pi^-$*, JHEP **05** (2014) 148, `arXiv:1404.0287`.

[179] LHCb collaboration, R. Aaij *et al.*, *Evidence for the decay $X(3872) \to \psi(2S)\gamma$*, Nucl. Phys. **B886** (2014) 665, `arXiv:1404.0275`.

[180] LHCb collaboration, R. Aaij *et al.*, *Angular analysis of charged and neutral $B \to K\mu^+\mu^-$ decays*, JHEP **05** (2014) 082, `arXiv:1403.8045`.

[181] LHCb collaboration, R. Aaij *et al.*, *Measurement of polarization amplitudes and CP asymmetries in $B^0 \to \phi K^*(892)^0$*, JHEP **05** (2014) 069, `arXiv:1403.2888`.

[182] LHCb collaboration, R. Aaij *et al.*, *Study of the kinematic dependences of Λ_b^0 production in pp collisions and a measurement of the $\Lambda_b^0 \to \Lambda_c^+\pi^-$ branching fraction*, JHEP **08** (2014) 143, `arXiv:1405.6842`.

[183] LHCb collaboration, R. Aaij *et al.*, *Precision measurement of the ratio of the Λ_b^0 to $\overline{B}^0$ lifetimes*, Phys. Lett. **B734** (2014) 122, `arXiv:1402.6242`.

[184] LHCb collaboration, R. Aaij *et al.*, *Study of beauty hadron decays into pairs of charm hadrons*, Phys. Rev. Lett. **112** (2014) 202001, `arXiv:1403.3606`.

[185] LHCb collaboration, R. Aaij *et al.*, *Observation of photon polarization in the $b \to s\gamma$ transition*, Phys. Rev. Lett. **112** (2014) 161801, `arXiv:1402.6852`.

[186] LHCb collaboration, R. Aaij *et al.*, *Measurement of resonant and CP components in $\overline{B}_s^0 \to J/\psi\pi^+\pi^-$ decays*, Phys. Rev. **D89** (2014) 092006, `arXiv:1402.6248`.

[187] LHCb collaboration, R. Aaij *et al.*, *A study of CP violation in $B^\pm \to DK^\pm$ and $B^\pm \to D\pi^\pm$ decays with $D \to K_S^0 K^\pm \pi^\mp$ final states*, Phys. Lett. **B733** (2014) 36, `arXiv:1402.2982`.

[188] LHCb collaboration, R. Aaij *et al.*, *Measurement of $\psi(2S)$ polarisation in pp collisions at $\sqrt{s} = 7$ TeV*, Eur. Phys. J. **C74** (2014) 2872, `arXiv:1403.1339`.

[189] LHCb collaboration, R. Aaij *et al.*, *Measurement of Υ production in pp collisions at $\sqrt{s} = 2.76$ TeV*, Eur. Phys. J. **C74** (2014) 2835, `arXiv:1402.2539`.

[190] LHCb collaboration, R. Aaij *et al.*, *Measurements of the B^+, B^0, B_s^0 meson and Λ_b^0 baryon lifetimes*, JHEP **04** (2014) 114, `arXiv:1402.2554`.

[191] LHCb collaboration, R. Aaij *et al.*, *Search for Majorana neutrinos in $B^- \to \pi^+\mu^-\mu^-$ decays*, Phys. Rev. Lett. **112** (2014) 131802, `arXiv:1401.5361`.

[192] LHCb collaboration, R. Aaij *et al.*, *Measurement of the B_c^+ meson lifetime using $B_c^+ \to J/\psi\mu^+\nu_\mu X$ decays*, Eur. Phys. J. **C74** (2014) 2839, `arXiv:1401.6932`.

[193] LHCb collaboration, R. Aaij *et al.*, *Observation of associated production of a Z boson with a D meson in the forward region*, JHEP **04** (2014) 091, `arXiv:1401.3245`.

[194] LHCb collaboration, R. Aaij *et al.*, *Searches for Λ_b^0 and Ξ_b^0 decays to $K_S^0 p\pi^-$ and $K_S^0 pK^-$ final states with first observation of the $\Lambda_b^0 \to K_S^0 p\pi^-$ decay*, JHEP **04** (2014) 087, `arXiv:1402.0770`.

[195] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $\overline{B}{}_s^0 \to D_s^- D_s^+$ and $\overline{B}{}_s^0 \to D^- D_s^+$ effective lifetimes*, Phys. Rev. Lett. **112** (2014) 111802, `arXiv:1312.1217`.

[196] LHCb collaboration, R. Aaij *et al.*, *Updated measurements of exclusive J/ψ and $\psi(2S)$ production cross-sections in pp collisions at $\sqrt{s} = 7$ TeV*, J. Phys. **G41** (2014) 055002, `arXiv:1401.3288`.

[197] LHCb collaboration, R. Aaij *et al.*, *Study of forward Z+jet production in pp collisions at $\sqrt{s} = 7$ TeV*, JHEP **01** (2014) 033, `arXiv:1310.8197`.

[198] LHCb collaboration, R. Aaij *et al.*, *Search for CP violation in the decay $D^+ \to \pi^-\pi^+\pi^+$*, Phys. Lett. **B728** (2014) 585, `arXiv:1310.7953`.

[199] LHCb collaboration, R. Aaij *et al.*, *Study of beauty baryon decays to $D^0 ph^-$ and $\Lambda_c^+ h^-$ final states*, Phys. Rev. **D89** (2014) 032001, `arXiv:1311.4823`.

[200] LHCb collaboration, R. Aaij *et al.*, *Observation of $\overline{B}{}_{(s)}^0 \to J/\psi f_1(1285)$ decays and measurement of the $f_1(1285)$ mixing angle*, Phys. Rev. Lett. **112** (2014) 091802, `arXiv:1310.2145`.

[201] LHCb collaboration, R. Aaij *et al.*, *Measurements of indirect CP asymmetries in $D^0 \to K^-K^+$ and $D^0 \to \pi^-\pi^+$ decays*, Phys. Rev. Lett. **112** (2014) 041801, `arXiv:1310.7201`.

[202] LHCb collaboration, R. Aaij *et al.*, *Measurement of D^0–$\overline{D}{}^0$ mixing parameters and search for CP violation using $D^0 \to K^+\pi^-$ decays*, Phys. Rev. Lett. **111** (2013) 251801, `arXiv:1309.6534`.

[203] LHCb collaboration, R. Aaij *et al.*, *Study of J/ψ production and cold nuclear matter effects in pPb collisions at $\sqrt{s_{NN}} = 5$ TeV*, JHEP **02** (2014) 072, `arXiv:1308.6729`.

[204] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP violation in the phase space of $B^\pm \to K^+K^-\pi^\pm$ and $B^\pm \to \pi^+\pi^-\pi^\pm$ decays*, Phys. Rev. Lett. **112** (2014) 011801, `arXiv:1310.4740`.

[205] LHCb collaboration, R. Aaij *et al.*, *Search for the decay $D^0 \to \pi^+\pi^-\mu^+\mu^-$*, Phys. Lett. **B728** (2014) 234, `arXiv:1310.2535`.

[206] LHCb collaboration, R. Aaij *et al.*, *Search for the doubly charmed baryon Ξ_{cc}^+*, JHEP **12** (2013) 090, `arXiv:1310.2538`.

[207] LHCb collaboration, R. Aaij *et al.*, *Measurement of the charge asymmetry in $B^{\pm} \to \phi K^{\pm}$ and search for $B^{\pm} \to \phi \pi^{\pm}$ decays*, Phys. Lett. **B728** (2014) 85, arXiv:1309.3742.

[208] LHCb collaboration, R. Aaij *et al.*, *Observation of the decay $B_c^+ \to J/\psi K^+K^-\pi^+$*, JHEP **11** (2013) 094, arXiv:1309.0587.

[209] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $B_s^0 \to \mu^+\mu^-$ branching fraction and search for $B^0 \to \mu^+\mu^-$ decays at the LHCb experiment*, Phys. Rev. Lett. **111** (2013) 101805, arXiv:1307.5024.

[210] LHCb collaboration, R. Aaij *et al.*, *First observation of $\overline{B}^0 \to J/\psi K^+K^-$ and search for $\overline{B}^0 \to J/\psi\phi$ decays*, Phys. Rev. **D88** (2013) 072005, arXiv:1308.5916.

[211] LHCb collaboration, R. Aaij *et al.*, *Observation of the decay $B_c^+ \to B_s^0\pi^+$*, Phys. Rev. Lett. **111** (2013) 181801, arXiv:1308.4544.

[212] LHCb collaboration, R. Aaij *et al.*, *Measurement of the CP asymmetry in $B^+ \to K^+\mu^+\mu^-$ decays*, Phys. Rev. Lett. **111** (2013) 151801, arXiv:1308.1340.

[213] LHCb collaboration, R. Aaij *et al.*, *Study of $B^0_{(s)} \to K^0_S h^+ h'^-$ decays with first observation of $B_s^0 \to K^0_S K^{\pm}\pi^{\mp}$ and $B_s^0 \to K^0_S\pi^+\pi^-$*, JHEP **10** (2013) 143, arXiv:1307.7648.

[214] LHCb collaboration, R. Aaij *et al.*, *Model-independent search for CP violation in $D^0 \to K^-K^+\pi^+\pi^-$ and $D^0 \to \pi^-\pi^+\pi^-\pi^+$ decays* , Phys. Lett. **B726** (2013) 623, arXiv:1308.3189.

[215] LHCb collaboration, R. Aaij *et al.*, *First measurement of time-dependent CP violation in $B_s^0 \to K^+K^-$ decays*, JHEP **10** (2013) 183, arXiv:1308.1428.

[216] LHCb collaboration, R. Aaij *et al.*, *Observation of a resonance in $B^+ \to K^+\mu^+\mu^-$ decays at low recoil*, Phys. Rev. Lett. **111** (2013) 112003, arXiv:1307.7595.

[217] LHCb collaboration, R. Aaij *et al.*, *First evidence for the two-body charmless baryonic decay $B^0 \to p\overline{p}$*, JHEP **10** (2013) 005, arXiv:1308.0961.

[218] LHCb collaboration, R. Aaij *et al.*, *Measurement of form-factor-independent observables in the decay $B^0 \to K^{*0}\mu^+\mu^-$*, Phys. Rev. Lett. **111** (2013) 191801, arXiv:1308.1707.

[219] LHCb collaboration, R. Aaij *et al.*, *Observation of B_s^0–$\overline{B}_s^0$ mixing and measurement of mixing frequencies using semileptonic B decays*, Eur. Phys. J. **C73** (2013) 2655, arXiv:1308.1302.

[220] LHCb collaboration, R. Aaij *et al.*, *Branching fraction and CP asymmetry of the decays $B^+ \to K^0_S\pi^+$ and $B^+ \to K^0_S K^+$*, Phys. Lett. **B726** (2013) 646, arXiv:1308.1277.

[221] LHCb collaboration, R. Aaij *et al.*, *Measurement of the flavour-specific CP-violating asymmetry $a^s_{\rm sl}$ in B^0_s decays*, Phys. Lett. **B728** (2014) 607, arXiv:1308.1048.

[222] LHCb collaboration, R. Aaij *et al.*, *Precision measurement of the Λ^0_b baryon lifetime*, Phys. Rev. Lett. **111** (2013) 102003, arXiv:1307.2476.

[223] LHCb collaboration, R. Aaij *et al.*, *Studies of the decays $B^+ \to p\overline{p}h^+$ and observation of $B^+ \to \overline{\Lambda}(1520)p$*, Phys. Rev. **D88** (2013) 052015, arXiv:1307.6165.

[224] LHCb collaboration, R. Aaij *et al.*, *Search for the lepton-flavour-violating decays $B^0_s \to e^\pm\mu^\mp$ and $B^0 \to e^\pm\mu^\mp$*, Phys. Rev. Lett. **111** (2013) 141801, arXiv:1307.4889.

[225] LHCb collaboration, R. Aaij *et al.*, *Searches for $B^0_{(s)} \to J/\psi p\overline{p}$ and $B^+ \to J/\psi p\overline{p}\pi^+$ decays*, JHEP **09** (2013) 006, arXiv:1306.4489.

[226] LHCb collaboration, R. Aaij *et al.*, *Measurement of the relative rate of prompt χ_{c0}, χ_{c1} and χ_{c2} production at $\sqrt{s} = 7$ TeV*, JHEP **10** (2013) 115, arXiv:1307.4285.

[227] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP violation in the phase space of $B^\pm \to K^\pm\pi^+\pi^-$ and $B^\pm \to K^\pm K^+ K^-$ decays*, Phys. Rev. Lett. **111** (2013) 101801, arXiv:1306.1246.

[228] LHCb collaboration, R. Aaij *et al.*, *Study of D_J meson decays to $D^+\pi^-$, $D^0\pi^+$ and $D^{*+}\pi^-$ final states in pp collisions*, JHEP **09** (2013) 145, arXiv:1307.4556.

[229] LHCb collaboration, R. Aaij *et al.*, *Measurement of the differential branching fraction of the decay $\Lambda^0_b \to \Lambda\mu^+\mu^-$*, Phys. Lett. **B725** (2013) 25, arXiv:1306.2577.

[230] LHCb collaboration, R. Aaij *et al.*, *Observation of $B^0_s \to \chi_{c1}\phi$ decay and study of $B^0 \to \chi_{c1,2}K^{*0}$ decays*, Nucl. Phys. **B874** (2013) 663, arXiv:1305.6511.

[231] LHCb collaboration, R. Aaij *et al.*, *Measurement of the polarization amplitudes in $B^0 \to J/\psi K^*(892)^0$ decays*, Phys. Rev. **D88** (2013) 052002, arXiv:1307.2782.

[232] LHCb collaboration, R. Aaij *et al.*, *Measurements of the branching fractions of the decays $B^0_s \to \overline{D}^0 K^-\pi^+$ and $B^0 \to \overline{D}^0 K^+\pi^-$*, Phys. Rev. **D87** (2013) 112009, arXiv:1304.6317.

[233] LHCb collaboration, R. Aaij *et al.*, *First observation of the decay $B^+_c \to J/\psi K^+$*, JHEP **09** (2013) 075, arXiv:1306.6723.

[234] LHCb collaboration, R. Aaij *et al.*, *A measurement of the CKM angle γ from a combination of $B^\pm \to Dh^\pm$ analyses*, Phys. Lett. **B726** (2013) 151, arXiv:1305.2050.

[235] LHCb collaboration, R. Aaij *et al.*, *Differential branching fraction and angular analysis of the decay $B^0 \to K^{*0}\mu^+\mu^-$*, JHEP **08** (2013) 131, arXiv:1304.6325.

[236] LHCb collaboration, R. Aaij *et al.*, *First observation of CP violation in the decays of B_s^0 mesons*, Phys. Rev. Lett. **110** (2013) 221601, `arXiv:1304.6173`.

[237] LHCb collaboration, R. Aaij *et al.*, *Differential branching fraction and angular analysis of the decay $B_s^0 \to \phi\mu^+\mu^-$*, JHEP **07** (2013) 084, `arXiv:1305.2168`.

[238] LHCb collaboration, R. Aaij *et al.*, *Production of J/ψ and Υ mesons in pp collisions at $\sqrt{s} = 8$ TeV*, JHEP **06** (2013) 064, `arXiv:1304.6977`.

[239] LHCb collaboration, R. Aaij *et al.*, *Measurement of the effective $B_s^0 \to J/\psi K_S^0$ lifetime*, Nucl. Phys. **B873** (2013) 275, `arXiv:1304.4500`.

[240] LHCb collaboration, R. Aaij *et al.*, *Searches for violation of lepton flavour and baryon number in tau lepton decays at LHCb*, Phys. Lett. **B724** (2013) 36, `arXiv:1304.4518`.

[241] LHCb collaboration, R. Aaij *et al.*, *Search for the rare decay $D^0 \to \mu^+\mu^-$*, Phys. Lett. **B725** (2013) 15, `arXiv:1305.5059`.

[242] LHCb collaboration, R. Aaij *et al.*, *First observation of the decay $B_s^0 \to \phi\overline{K}^{*0}$*, JHEP **11** (2013) 092, `arXiv:1306.2239`.

[243] LHCb collaboration, R. Aaij *et al.*, *Precision measurement of D meson mass differences*, JHEP **06** (2013) 065, `arXiv:1304.6865`.

[244] LHCb collaboration, R. Aaij *et al.*, *Observation of $B_c^+ \to J/\psi D_s^+$ and $B_c^+ \to J/\psi D_s^{*+}$ decays*, Phys. Rev. **D87** (2013) 112012, `arXiv:1304.4530`.

[245] LHCb collaboration, R. Aaij *et al.*, *Limits on neutral Higgs boson production in the forward region in pp collisions at $\sqrt{s} = 7$ TeV*, JHEP **05** (2013) 132, `arXiv:1304.2591`.

[246] LHCb collaboration, R. Aaij *et al.*, *Measurement of J/ψ polarization in pp collisions at $\sqrt{s} = 7$ TeV*, Eur. Phys. J. **C73** (2013) 2631, `arXiv:1307.6379`.

[247] LHCb collaboration, R. Aaij *et al.*, *First measurement of the CP-violating phase in $B_s^0 \to \phi\phi$ decays*, Phys. Rev. Lett. **110** (2013) 241802, `arXiv:1303.7125`.

[248] LHCb collaboration, R. Aaij *et al.*, *Precision measurement of the B_s^0–$\overline{B}_s^0$ oscillation frequency in the decay $B_s^0 \to D_s^-\pi^+$*, New J. Phys. **15** (2013) 053021, `arXiv:1304.4741`.

[249] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $B^0 \to K^{*0}e^+e^-$ branching fraction at low dilepton mass*, JHEP **05** (2013) 159, `arXiv:1304.3035`.

[250] LHCb collaboration, R. Aaij *et al.*, *Measurement of B meson production cross-sections in proton-proton collisions at $\sqrt{s} = 7$ TeV*, JHEP **08** (2013) 117, `arXiv:1306.3663`.

[251] LHCb collaboration, R. Aaij *et al.*, *Search for direct CP violation in $D^0 \to h^- h^+$ modes using semileptonic B decays*, Phys. Lett. **B723** (2013) 33, `arXiv:1303.2614`.

[252] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP violation and the B_s^0 meson decay width difference with $B_s^0 \to J/\psi K^+ K^-$ and $B_s^0 \to J/\psi \pi^+ \pi^-$ decays*, Phys. Rev. **D87** (2013) 112010, `arXiv:1304.2600`.

[253] LHCb collaboration, R. Aaij *et al.*, *Determination of the $X(3872)$ meson quantum numbers*, Phys. Rev. Lett. **110** (2013) 222001, `arXiv:1302.6269`.

[254] LHCb collaboration, R. Aaij *et al.*, *Measurements of the $\Lambda_b^0 \to J/\psi \Lambda$ decay amplitudes and the Λ_b^0 polarisation in pp collisions at $\sqrt{s} = 7$ TeV*, Phys. Lett. **B724** (2013) 27, `arXiv:1302.5578`.

[255] LHCb collaboration, R. Aaij *et al.*, *Search for the decay $B_s^0 \to D^{*\mp} \pi^\pm$*, Phys. Rev. **D87** (2013) 071101(R), `arXiv:1302.6446`.

[256] LHCb collaboration, R. Aaij *et al.*, *Observation of the suppressed ADS modes $B^\pm \to [\pi^\pm K^\mp \pi^+ \pi^-]_D K^\pm$ and $B^\pm \to [\pi^\pm K^\mp \pi^+ \pi^-]_D \pi^\pm$*, Phys. Lett. **B723** (2013) 44, `arXiv:1303.4646`.

[257] LHCb collaboration, R. Aaij *et al.*, *Observation of the decay $B_c^+ \to \psi(2S) \pi^+$*, Phys. Rev. **D87** (2013) 071103(R), `arXiv:1303.1737`.

[258] LHCb collaboration, R. Aaij *et al.*, *Observations of $B_s^0 \to \psi(2S) \eta$ and $B_{(s)}^0 \to \psi(2S) \pi^+ \pi^-$ decays*, Nucl. Phys. **B871** (2013) 403 , `arXiv:1302.6354`.

[259] LHCb collaboration, R. Aaij *et al.*, *Search for CP violation in $D^+ \to \phi \pi^+$ and $D_s^+ \to K_S^0 \pi^+$ decays*, JHEP **06** (2013) 112, `arXiv:1303.4906`.

[260] LHCb collaboration, R. Aaij *et al.*, *Search for $D_{(s)}^+ \to \pi^+ \mu^+ \mu^-$ and $D_{(s)}^+ \to \pi^- \mu^+ \mu^+$ decays*, Phys. Lett. **B724** (2013) 203, `arXiv:1304.6365`.

[261] LHCb collaboration, R. Aaij *et al.*, *First observations of $\overline{B}_s^0 \to D^+ D^-$, $D_s^+ D^-$ and $D^0 \overline{D}^0$ decays*, Phys. Rev. **D87** (2013) 092007, `arXiv:1302.5854`.

[262] LHCb collaboration, R. Aaij *et al.*, *Search for rare $B_{(s)}^0 \to \mu^+ \mu^- \mu^+ \mu^-$ decays*, Phys. Rev. Lett. **110** (2013) 211801, `arXiv:1303.1092`.

[263] LHCb collaboration, R. Aaij *et al.*, *Measurements of the Λ_b^0, Ξ_b^-, and Ω_b^- baryon masses*, Phys. Rev. Lett. **110** (2013) 182001, `arXiv:1302.1072`.

[264] LHCb collaboration, R. Aaij *et al.*, *Measurements of the branching fractions of $B^+ \to p \overline{p} K^+$ decays*, Eur. Phys. J. **C73** (2013) 2462, `arXiv:1303.7133`.

[265] LHCb collaboration, R. Aaij *et al.*, *Study of $B^0 \to D^{*-} \pi^+ \pi^- \pi^+$ and $B^0 \to D^{*-} K^+ \pi^- \pi^+$ decays*, Phys. Rev. **D87** (2013) 092001, `arXiv:1303.6861`.

[266] LHCb collaboration, R. Aaij *et al.*, *Analysis of the resonant components in $\overline{B}^0 \to J/\psi\pi^+\pi^-$*, Phys. Rev. **D87** (2013) 052001, `arXiv:1301.5347`.

[267] LHCb collaboration, R. Aaij *et al.*, *Exclusive J/ψ and $\psi(2S)$ production in pp collisions at $\sqrt{s} = 7$ TeV*, J. Phys. **G40** (2013) 045001, `arXiv:1301.7084`.

[268] LHCb collaboration, R. Aaij *et al.*, *First evidence for the decay $B_s^0 \to \mu^+\mu^-$*, Phys. Rev. Lett. **110** (2013) 021801, `arXiv:1211.2674`.

[269] LHCb collaboration, R. Aaij *et al.*, *Measurement of CP observables in $B^0 \to DK^{*0}$ with $D \to K^+K^-$*, JHEP **03** (2013) 067, `arXiv:1212.5205`.

[270] LHCb collaboration, R. Aaij *et al.*, *Prompt charm production in pp collisions at $\sqrt{s} = 7$ TeV*, Nucl. Phys. **B871** (2013) 1, `arXiv:1302.2864`.

[271] LHCb collaboration, R. Aaij *et al.*, *Amplitude analysis and branching fraction measurement of $\overline{B}_s^0 \to J/\psi K^+K^-$*, Phys. Rev. **D87** (2013) 072004, `arXiv:1302.1213`.

[272] LHCb collaboration, R. Aaij *et al.*, *Measurement of J/ψ production in pp collisions at $\sqrt{s} = 2.76$ TeV*, JHEP **02** (2013) 041, `arXiv:1212.1045`.

[273] LHCb collaboration, R. Aaij *et al.*, *Observation of D^0–$\overline{D}^0$ oscillations*, Phys. Rev. Lett. **110** (2013) 101802, `arXiv:1211.1230`.

[274] LHCb collaboration, R. Aaij *et al.*, *Measurement of the fragmentation fraction ratio f_s/f_d and its dependence on B meson kinematics*, JHEP **04** (2013) 001, `arXiv:1301.5286`.

[275] LHCb collaboration, R. Aaij *et al.*, *Measurement of the cross-section for $Z \to e^+e^-$ production in pp collisions at $\sqrt{s} = 7$ TeV*, JHEP **02** (2013) 106, `arXiv:1212.4620`.

[276] LHCb collaboration, R. Aaij *et al.*, *Measurement of the time-dependent CP asymmetry in $B^0 \to J/\psi K_S^0$ decays*, Phys. Lett. **B721** (2013) 24, `arXiv:1211.6093`.

[277] LHCb collaboration, R. Aaij *et al.*, *Measurement of the forward energy flow in pp collisions at $\sqrt{s} = 7$ TeV*, Eur. Phys. J. **C73** (2013) 2421, `arXiv:1212.4755`.

[278] LHCb collaboration, R. Aaij *et al.*, *First observation of the decays $\overline{B}_{(s)}^0 \to D_s^+K^-\pi^+\pi^-$ and $\overline{B}_s^0 \to D_{s1}(2536)^+\pi^-$*, Phys. Rev. **D86** (2012) 112005, `arXiv:1211.1541`.

[279] LHCb collaboration, R. Aaij *et al.*, *Measurement of the B^0–$\overline{B}^0$ oscillation frequency Δm_d with the decays $B^0 \to D^-\pi^+$ and $B^0 \to J/\psi K^{*0}$*, Phys. Lett. **B719** (2013) 318, `arXiv:1210.6750`.

[280] LHCb collaboration, R. Aaij *et al.* , and A. Bharucha *et al.*, *Implications of LHCb measurements and future prospects*, Eur. Phys. J. **C73** (2013) 2373, `arXiv:1208.3355`.

[281] LHCb collaboration, R. Aaij *et al.*, *First observation of the decay $B_{s2}^*(5840)^0 \to B^{*+}K^-$ and studies of excited B_s mesons*, Phys. Rev. Lett. **110** (2013) 151803, arXiv:1211.5994.

[282] LHCb collaboration, R. Aaij *et al.*, *A study of the Z production cross-section in pp collisions at $\sqrt{s} = 7$ TeV using tau final states*, JHEP **01** (2013) 111, arXiv:1210.6289.

[283] LHCb collaboration, R. Aaij *et al.*, *Measurements of B_c^+ production and mass with the $B_c^+ \to J/\psi\pi^+$ decay*, Phys. Rev. Lett. **109** (2012) 232001, arXiv:1209.5634.

[284] LHCb collaboration, R. Aaij *et al.*, *A model-independent Dalitz plot analysis of $B^\pm \to DK^\pm$ with $D \to K_S^0 h^+h^-$ $(h = \pi, K)$ decays and constraints on the CKM angle γ*, Phys. Lett. **B718** (2012) 43, arXiv:1209.5869.

[285] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $D^\pm$ production asymmetry in 7 TeV pp collisions*, Phys. Lett. **B718** (2013) 902, arXiv:1210.4112.

[286] LHCb collaboration, R. Aaij *et al.*, *First evidence for the annihilation decay mode $B^+ \to D_s^+\phi$*, JHEP **02** (2013) 043, arXiv:1210.1089.

[287] LHCb collaboration, R. Aaij *et al.*, *Differential branching fraction and angular analysis of the $B^+ \to K^+\mu^+\mu^-$ decay*, JHEP **02** (2013) 105, arXiv:1209.4284.

[288] LHCb collaboration, R. Aaij *et al.*, *Search for the rare decay $K_S^0 \to \mu^+\mu^-$*, JHEP **01** (2013) 090, arXiv:1209.4029.

[289] LHCb collaboration, R. Aaij *et al.*, *Evidence for the decay $B^0 \to J/\psi\omega$ and measurement of the relative branching fractions of B_s^0 meson decays to $J/\psi\eta$ and $J/\psi\eta'$*, Nucl. Phys. **B867** (2013) 547, arXiv:1210.2631.

[290] LHCb collaboration, R. Aaij *et al.*, *Measurement of the CP asymmetry in $B^0 \to K^{*0}\mu^+\mu^-$ decays*, Phys. Rev. Lett. **110** (2013) 031801, arXiv:1210.4492.

[291] LHCb collaboration, R. Aaij *et al.*, *First observation of the decay $B^+ \to \pi^+\mu^+\mu^-$*, JHEP **12** (2012) 125, arXiv:1210.2645.

[292] LHCb collaboration, R. Aaij *et al.*, *Measurement of the ratio of branching fractions $\mathcal{B}(B^0 \to K^{*0}\gamma)/\mathcal{B}(B_s^0 \to \phi\gamma)$ and the direct CP asymmetry in $B^0 \to K^{*0}\gamma$*, Nucl. Phys. **B867** (2013) 1, arXiv:1209.0313.

[293] LHCb collaboration, R. Aaij *et al.*, *Observation of $B^0 \to \overline{D}^0 K^+K^-$ and evidence for $B_s^0 \to \overline{D}^0 K^+K^-$*, Phys. Rev. Lett. **109** (2012) 131801, arXiv:1207.5991.

[294] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $\overline{B}_s^0$ effective lifetime in the $J/\psi f_0(980)$ final state*, Phys. Rev. Lett. **109** (2012) 152002, arXiv:1207.0878.

[295] LHCb collaboration, R. Aaij *et al.*, *Study of D_{sJ} decays to $D^+K_S^0$ and D^0K^+ final states in pp collisions*, JHEP **10** (2012) 151, arXiv:1207.6016.

[296] LHCb collaboration, R. Aaij *et al.*, *Measurement of the fraction of $\Upsilon(1S)$ originating from $\chi_b(1P)$ decays in pp collisions at $\sqrt{s} = 7$ TeV*, JHEP **11** (2012) 031, arXiv:1209.0282.

[297] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $B_s^0 \to J/\psi \overline{K}^{*0}$ branching fraction and angular amplitudes*, Phys. Rev. **D86** (2012) 071102(R), arXiv:1208.0738.

[298] LHCb collaboration, R. Aaij *et al.*, *Measurement of the effective $B_s^0 \to K^+K^-$ lifetime*, Phys. Lett. **B716** (2012) 393, arXiv:1207.5993.

[299] LHCb collaboration, R. Aaij *et al.*, *Observation of excited Λ_b^0 baryons*, Phys. Rev. Lett. **109** (2012) 172003, arXiv:1205.3452.

[300] LHCb collaboration, R. Aaij *et al.*, *Measurement of the isospin asymmetry in $B \to K^{(*)}\mu^+\mu^-$ decays*, JHEP **07** (2012) 133, arXiv:1205.3422.

[301] LHCb collaboration, R. Aaij *et al.*, *Measurement of relative branching fractions of B decays to $\psi(2S)$ and J/ψ mesons*, Eur. Phys. J. **C72** (2012) 2118, arXiv:1205.0918.

[302] LHCb collaboration, R. Aaij *et al.*, *Measurement of the D_s^+–D_s^- production asymmetry in 7 TeV pp collisions*, Phys. Lett. **B713** (2012) 186, arXiv:1205.0897.

[303] LHCb collaboration, R. Aaij *et al.*, *Inclusive W and Z production in the forward region at $\sqrt{s} = 7$ TeV*, JHEP **06** (2012) 058, arXiv:1204.1620.

[304] LHCb collaboration, R. Aaij *et al.*, *Strong constraints on the rare decays $B_s^0 \to \mu^+\mu^-$ and $B^0 \to \mu^+\mu^-$*, Phys. Rev. Lett. **108** (2012) 231801, arXiv:1203.4493.

[305] LHCb collaboration, R. Aaij *et al.*, *Measurement of the CP-violating phase ϕ_s in $\overline{B}_s^0 \to J/\psi\pi^+\pi^-$ decays*, Phys. Lett. **B713** (2012) 378, arXiv:1204.5675.

[306] LHCb collaboration, R. Aaij *et al.*, *Analysis of the resonant components in $\overline{B}_s^0 \to J/\psi\pi^+\pi^-$*, Phys. Rev. **D86** (2012) 052006, arXiv:1204.5643.

[307] LHCb collaboration, R. Aaij *et al.*, *Measurement of the polarization amplitudes and triple product asymmetries in the $B_s^0 \to \phi\phi$ decay*, Phys. Lett. **B713** (2012) 369, arXiv:1204.2813.

[308] LHCb collaboration, R. Aaij *et al.*, *Observation of double charm production involving open charm in pp collisions at $\sqrt{s} = 7$ TeV*, JHEP **06** (2012) 141, Addendum ibid. **03** (2014) 108, arXiv:1205.0975.

[309] LHCb collaboration, R. Aaij *et al.*, *Measurement of b-hadron branching fractions for two-body decays into charmless charged hadrons*, JHEP **10** (2012) 037, arXiv:1206.2794.

[310] LHCb collaboration, R. Aaij *et al.*, *Observation of CP violation in $B^{\pm} \to DK^{\pm}$ decays*, Phys. Lett. **B712** (2012) 203, Erratum ibid. **B713** (2012) 351, `arXiv:1203.3662`.

[311] LHCb collaboration, R. Aaij *et al.*, *Measurement of $\psi(2S)$ meson production in pp collisions at $\sqrt{s} = 7$ TeV*, Eur. Phys. J. **C72** (2012) 2100, `arXiv:1204.1258`.

[312] LHCb collaboration, R. Aaij *et al.*, *First observation of the decay $B_c^+ \to J/\psi\pi^+\pi^-\pi^+$*, Phys. Rev. Lett. **108** (2012) 251802, `arXiv:1204.0079`.

[313] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $B^{\pm}$ production cross-section in pp collisions at $\sqrt{s} = 7$ TeV*, JHEP **04** (2012) 093, `arXiv:1202.4812`.

[314] LHCb collaboration, R. Aaij *et al.*, *Measurement of the ratio of branching fractions $\mathcal{B}(B^0 \to K^{*0}\gamma)/\mathcal{B}(B_s^0 \to \phi\gamma)$*, Phys. Rev. **D85** (2012) 112013, `arXiv:1202.6267`.

[315] LHCb collaboration, R. Aaij *et al.*, *Measurement of the $B_s^0 \to J/\psi K_S^0$ branching fraction*, Phys. Lett. **B713** (2012) 172, `arXiv:1205.0934`.

[316] LHCb collaboration, R. Aaij *et al.*, *First observation of the decays $\overline{B}^0 \to D^+K^-\pi^+\pi^-$ and $B^- \to D^0K^-\pi^+\pi^-$*, Phys. Rev. Lett. **108** (2012) 161801, `arXiv:1201.4402`.

[317] LHCb collaboration, R. Aaij *et al.*, *Searches for Majorana neutrinos in B^- decays*, Phys. Rev. **D85** (2012) 112004, `arXiv:1201.5600`.

[318] LHCb collaboration, R. Aaij *et al.*, *Measurement of prompt hadron production ratios in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV*, Eur. Phys. J. **C72** (2012) 2168, `arXiv:1206.5160`.

[319] LHCb collaboration, R. Aaij *et al.*, *Measurement of Υ production in pp collisions at $\sqrt{s} = 7$ TeV*, Eur. Phys. J. **C72** (2012) 2025, `arXiv:1202.6579`.

[320] LHCb collaboration, R. Aaij *et al.*, *Measurement of b-hadron masses*, Phys. Lett. **B708** (2012) 241, `arXiv:1112.4896`.

[321] LHCb collaboration, R. Aaij *et al.*, *Observation of $X(3872)$ production in pp collisions at $\sqrt{s} = 7$ TeV*, Eur. Phys. J. **C72** (2011) 1972, `arXiv:1112.5310`.

[322] LHCb collaboration, R. Aaij *et al.*, *Search for the $X(4140)$ state in $B^+ \to J/\psi\phi K^+$ decays*, Phys. Rev. **D85** (2012) 091103(R), `arXiv:1202.5087`.

[323] LHCb collaboration, R. Aaij *et al.*, *Measurement of mixing and CP violation parameters in two-body charm decays*, JHEP **04** (2012) 129, `arXiv:1112.4698`.

[324] LHCb collaboration, R. Aaij *et al.*, *Measurement of the CP violating phase ϕ_s in $\overline{B}_s^0 \to J/\psi f_0(980)$*, Phys. Lett. **B707** (2012) 497, `arXiv:1112.3056`.

[325] LHCb collaboration, R. Aaij *et al.*, *Measurement of the ratio of prompt χ_c to J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV*, Phys. Lett. **B718** (2012) 431, `arXiv:1204.1462`.

[326] LHCb collaboration, R. Aaij *et al.*, *First evidence of direct CP violation in charmless two-body decays of B^0_s mesons*, Phys. Rev. Lett. **108** (2012) 201601, `arXiv:1202.6251`.

[327] LHCb collaboration, R. Aaij *et al.*, *Determination of the sign of the decay width difference in the B^0_s system*, Phys. Rev. Lett. **108** (2012) 241801, `arXiv:1202.4717`.

[328] LHCb collaboration, R. Aaij *et al.*, *Opposite-side flavour tagging of B mesons at the LHCb experiment*, Eur. Phys. J. **C72** (2012) 2022, `arXiv:1202.4979`.

[329] LHCb collaboration, R. Aaij *et al.*, *Observation of $\overline{B}{}^0_s \to J/\psi f_2'(1525)$ in $J/\psi K^+K^-$ final states*, Phys. Rev. Lett. **108** (2012) 151801, `arXiv:1112.4695`.

[330] LHCb collaboration, R. Aaij *et al.*, *Search for the rare decays $B^0_s \to \mu^+\mu^-$ and $B^0 \to \mu^+\mu^-$*, Phys. Lett. **B708** (2012) 55, `arXiv:1112.1600`.

[331] LHCb collaboration, R. Aaij *et al.*, *Measurements of the branching fractions and CP asymmetries of $B^\pm \to J/\psi\pi^\pm$ and $B^\pm \to \psi(2S)\pi^\pm$ decays*, Phys. Rev. **D85** (2012) 091105(R), `arXiv:1203.3592`.

[332] LHCb collaboration, R. Aaij *et al.*, *Evidence for CP violation in time-integrated $D^0 \to h^-h^+$ decay rates*, Phys. Rev. Lett. **108** (2012) 111602, `arXiv:1112.0938`.

[333] LHCb collaboration, R. Aaij *et al.*, *Measurements of the branching fractions of the decays $B^0_s \to D^\mp_s K^\pm$ and $B^0_s \to D^-_s \pi^+$*, JHEP **06** (2012) 115, `arXiv:1204.1237`.

[334] LHCb collaboration, R. Aaij *et al.*, *Measurement of the CP-violating phase ϕ_s in the decay $B^0_s \to J/\psi\phi$*, Phys. Rev. Lett. **108** (2012) 101803, `arXiv:1112.3183`.

[335] LHCb collaboration, R. Aaij *et al.*, *Measurement of the cross-section ratio $\sigma(\chi_{c2})/\sigma(\chi_{c1})$ for prompt χ_c production at $\sqrt{s} = 7$ TeV*, Phys. Lett. **B714** (2012) 215, `arXiv:1202.1080`.

[336] LHCb collaboration, R. Aaij *et al.*, *Measurement of b hadron production fractions in 7 TeV pp collisions*, Phys. Rev. **D85** (2012) 032008, `arXiv:1111.2357`.

[337] LHCb collaboration, R. Aaij *et al.*, *Search for CP violation in $D^+ \to K^-K^+\pi^+$ decays*, Phys. Rev. **D84** (2011) 112008, `arXiv:1110.3970`.

[338] LHCb collaboration, R. Aaij *et al.*, *Measurements of the branching fractions for $B_{(s)} \to D_{(s)}\pi\pi\pi$ and $\Lambda^0_b \to \Lambda^+_c\pi\pi\pi$*, Phys. Rev. **D84** (2011) 092001, Erratum ibid. **D85** (2012) 039904, `arXiv:1109.6831`.

[339] LHCb collaboration, R. Aaij *et al.*, *Absolute luminosity measurements with the LHCb detector at the LHC*, JINST **7** (2012) P01010, `arXiv:1110.2866`.

[340] LHCb collaboration, R. Aaij *et al.*, *Measurement of the effective $B_s^0 \to K^+K^-$ lifetime*, Phys. Lett. **B707** (2012) 349, `arXiv:1111.0521`.

[341] LHCb collaboration, R. Aaij *et al.*, *Observation of J/ψ-pair production in pp collisions at $\sqrt{s} = 7$ TeV*, Phys. Lett. **B707** (2012) 52, `arXiv:1109.0963`.

[342] LHCb collaboration, R. Aaij *et al.*, *First observation of the decay $B_s^0 \to K^{*0}\overline{K}^{*0}$*, Phys. Lett. **B709** (2012) 50, `arXiv:1111.4183`.

[343] LHCb collaboration, R. Aaij *et al.*, *Measurement of charged particle multiplicities in pp collisions at $\sqrt{s} = 7$ TeV in the forward region*, Eur. Phys. J. **C72** (2012) 1947, `arXiv:1112.4592`.

[344] LHCb collaboration, R. Aaij *et al.*, *Measurement of the B_s^0–$\overline{B}_s^0$ oscillation frequency Δm_s in $B_s^0 \to D_s^-(3)\pi$ decays*, Phys. Lett. **B709** (2012) 177, `arXiv:1112.4311`.

[345] LHCb collaboration, R. Aaij *et al.*, *Search for lepton number violating decays $B^+ \to \pi^-\mu^+\mu^+$ and $B^+ \to K^-\mu^+\mu^+$*, Phys. Rev. Lett. **108** (2012) 101601, `arXiv:1110.0730`.

[346] LHCb collaboration, R. Aaij *et al.*, *First observation of the decay $\overline{B}_s^0 \to D^0K^{*0}$ and a measurement of the ratio of branching fractions $\frac{\mathcal{B}(\overline{B}_s^0 \to D^0K^{*0})}{\mathcal{B}(\overline{B}^0 \to D^0\rho^0)}$*, Phys. Lett. **B706** (2011) 32, `arXiv:1110.3676`.

[347] LHCb collaboration, R. Aaij *et al.*, *Measurement of the inclusive ϕ cross-section in pp collisions at $\sqrt{s} = 7$ TeV*, Phys. Lett. **B703** (2011) 267, `arXiv:1107.3935`.

[348] LHCb collaboration, R. Aaij *et al.*, *Determination of f_s/f_d for 7 TeV pp collisions and measurement of the $B^0 \to D^-K^+$ branching fraction*, Phys. Rev. Lett. **107** (2011) 211801, `arXiv:1106.4435`.

[349] LHCb collaboration, R. Aaij *et al.*, *Measurement of V^0 production ratios in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV*, JHEP **08** (2011) 034, `arXiv:1107.0882`.

[350] LHCb collaboration, R. Aaij *et al.*, *Search for the rare decays $B_s^0 \to \mu^+\mu^-$ and $B^0 \to \mu^+\mu^-$*, Phys. Lett. **B699** (2011) 330, `arXiv:1103.2465`.

[351] LHCb collaboration, R. Aaij *et al.*, *Measurement of J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV*, Eur. Phys. J. **C71** (2011) 1645, `arXiv:1103.0423`.

[352] LHCb collaboration, R. Aaij *et al.*, *First observation of $B_s^0 \to J/\psi\, f_0(980)$ decays*, Phys. Lett. **B698** (2011) 115, `arXiv:1102.0206`.

[353] LHCb collaboration, R. Aaij *et al.*, *First observation of $\overline{B}{}^0_s \to D^{*+}_{s2} X \mu^- \overline{\nu}$ decays*, Phys. Lett. **B698** (2011) 14, arXiv:1102.0348.

[354] LHCb collaboration, R. Aaij *et al.*, *Measurement of $\sigma(pp \to b\bar{b}X)$ at $\sqrt{s} = 7$ TeV in the forward region*, Phys. Lett. **B694** (2010) 209, arXiv:1009.2731.

[355] LHCb collaboration, R. Aaij *et al.*, *Prompt K^0_S production in pp collisions at $\sqrt{s} = 0.9$ TeV*, Phys. Lett. **B693** (2010) 69, arXiv:1008.3105.

[356] LHCb collaboration, *Study of $\psi(2S)$ production and cold nuclear matter effects in pPb collisions at $\sqrt{s_{NN}} = 5$ TeV*, LHCb-CONF-2015-005.

[357] LHCb collaboration, *First measurements of long-range near-side angular correlations in $\sqrt{s_{NN}} = 5$ TeV proton-lead collisions in the forward region*, LHCb-CONF-2015-004.

[358] LHCb collaboration, *Measurement of the B^0 oscillation frequency Δm_d with $B^0 \to D^{(*)-}\mu^+\nu_\mu$*, LHCb-CONF-2015-003.

[359] LHCb collaboration, *Angular analysis of the $B^0_d \to K^{*0}\mu^+\mu^-$ decay*, LHCb-CONF-2015-002.

[360] LHCb collaboration, *Study of the decay $B^+ \to K^+\pi^0$ at LHCb*, LHCb-CONF-2015-001.

[361] LHCb collaboration, *Improved constraints on γ: CKM2014 update*, LHCb-CONF-2014-004.

[362] ALICE and LHCb collaborations, *Reference pp cross-sections for $\Upsilon(1S)$ studies in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV and comparisons between ALICE and LHCb results*, Aug, 2014. LHCb-CONF-2014-003 ; ALICE-PUBLIC-2014-002.

[363] LHCb collaboration, *Measurement of the forward W boson cross-section in pp collisions at $\sqrt{s} = 7$ TeV*, LHCb-CONF-2014-002.

[364] LHCb collaboration, *A search for heavy long-lived stau pair production in the LHCb detector*, LHCb-CONF-2014-001.

[365] ALICE and LHCb collaborations, *Reference pp cross-sections for J/ψ studies in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV and comparisons between ALICE and LHCb results*, Dec, 2013. LHCb-CONF-2013-013, ALICE-PUBLIC-2013-002.

[366] CMS and LHCb collaborations, *Combination of results on the rare decays $B^0_{(s)} \to \mu^+\mu^-$ from the CMS and LHCb experiments*, Jul, 2013. CMS-PAS-BPH-13-007, LHCb-CONF-2013-012.

[367] LHCb collaboration, *Updated average f_s/f_d b-hadron production fraction ratio for 7 TeV pp collisions*, LHCb-CONF-2013-011.

[368] LHCb collaboration, *Search for the $\Lambda_b^0 \to \Lambda\eta'$ decay at LHCb*, LHCb-CONF-2013-010.

[369] LHCb collaboration, *CP and up-down asymmetries in $B^\pm \to K^\pm\pi^\mp\pi^\pm\gamma$ decays*, LHCb-CONF-2013-009.

[370] LHCb collaboration, *Study of the J/ψ production cross-section in proton-lead collisions at $\sqrt{s_{NN}} = 5\ TeV$*, LHCb-CONF-2013-008.

[371] LHCb collaboration, *Measurement of the cross section for $Z \to \mu^+\mu^-$ production with $1.0\,fb^{-1}$ of pp collisions at $\sqrt{s} = 7\ TeV$*, LHCb-CONF-2013-007.

[372] LHCb collaboration, *A measurement of γ from a combination of $B^\pm \to DK^\pm$ analyses including first results using $2\,fb^{-1}$ of 2012 data*, LHCb-CONF-2013-006.

[373] LHCb collaboration, *Graphical comparison of the LHCb measurements of W and Z boson production with ATLAS and CMS*, LHCb-CONF-2013-005.

[374] LHCb collaboration, *Model-independent measurement of CP violation parameters in $B^\pm \to (K_S^0 h^+h^-)_D K^\pm$ decays*, LHCb-CONF-2013-004.

[375] LHCb collaboration, *A search for time-integrated CP violation in $D^0 \to K^-K^+$ and $D^0 \to \pi^-\pi^+$ decays*, LHCb-CONF-2013-003.

[376] LHCb collaboration, *Measurement of $\sigma(b\bar{b})$ with inclusive final states*, LHCb-CONF-2013-002.

[377] LHCb collaboration, *Measurement of the forward-central $b\bar{b}$ production asymmetry at LHCb*, LHCb-CONF-2013-001.

[378] LHCb collaboration, *First look at the pPb pilot run*, LHCb-CONF-2012-034.

[379] LHCb collaboration, *Optimization and calibration of the same-side kaon tagging algorithm using hadronic B_s^0 decays in 2011 data*, LHCb-CONF-2012-033.

[380] LHCb collaboration, *A measurement of γ from a combination of $B^+ \to Dh^+$ analyses*, LHCb-CONF-2012-032.

[381] LHCb collaboration, *Studies of $\Lambda_b^0 \to J/\psi\Lambda$ production in pp collisions at $\sqrt{s} = 7\ TeV$*, LHCb-CONF-2012-031.

[382] LHCb collaboration, *Search for the suppressed ADS modes $B^\pm \to [\pi^\pm K^\mp\pi^+\pi^-]_D K^\pm$ and $B^\pm \to [\pi^\pm K^\mp\pi^+\pi^-]_D\pi^\pm$*, LHCb-CONF-2012-030.

[383] LHCb collaboration, *Measurement of the time-dependent CP-violation parameters in $B_s^0 \to D_s^\mp K^\pm$*, LHCb-CONF-2012-029.

[384] LHCb collaboration, *Evidence for CP violation in $B \to KK\pi$ and $B \to \pi\pi\pi$ decays*, LHCb-CONF-2012-028.

[385] LHCb collaboration, *Search for the lepton flavour violating and baryon number violating decays $\tau^- \to \overline{p}\mu^+\mu^-$ and $\tau^- \to p\mu^-\mu^-$*, LHCb-CONF-2012-027.

[386] LHCb collaboration, *Performance of flavor tagging algorithms optimised for the analysis of $B_s^0 \to J/\psi\phi$*, LHCb-CONF-2012-026.

[387] LHCb collaboration, *Production of J/ψ and $\Upsilon(1S)$, $\Upsilon(2S)$ and $\Upsilon(3S)$ mesons at $\sqrt{s} = 8$ TeV*, LHCb-CONF-2012-025.

[388] LHCb collaboration, *Measurement of CP observables in $B^0 \to DK^{*0}$ with $D \to K^+K^-$*, LHCb-CONF-2012-024.

[389] LHCb collaboration, *Branching fraction measurements of $B^0_{d,s}$ decays to $K^0_S hh'$ final states, including first observation of $B_s^0 \to K_S K\pi$*, LHCb-CONF-2012-023.

[390] LHCb collaboration, *Measurement of the flavour-specific CP violating asymmetry $a^s_{\rm sl}$ in B_s^0 decays*, LHCb-CONF-2012-022.

[391] LHCb collaboration, *First observation of $B^- \to D^0K^-\pi^+\pi^-$ decays to CP even final states*, LHCb-CONF-2012-021.

[392] LHCb collaboration, *Observation of $\chi_b(3P)$ state at LHCb in pp collisions at $\sqrt{s} = 7$ TeV*, LHCb-CONF-2012-020.

[393] LHCb collaboration, *Search for CP violation in $D^0 \to \pi^-\pi^+\pi^+\pi^-$ decays*, LHCb-CONF-2012-019.

[394] LHCb collaboration, *Evidence for CP violation in $B \to K\pi\pi$ and $B \to KKK$ decays*, LHCb-CONF-2012-018.

[395] LHCb collaboration, *Search for the rare decays $B^0_{(s)} \to \mu\mu$ at the LHC with the ATLAS, CMS and LHCb experiments*, LHCb-CONF-2012-017.

[396] LHCb collaboration, *Measurement of jet production in $Z^0/\gamma^* \to \mu^+\mu^-$ events at LHCb in $\sqrt{s} = 7$ TeV pp collisions*, LHCb-CONF-2012-016.

[397] LHCb collaboration, *Search for the lepton flavour violating decay $\tau^- \to \mu^+\mu^-\mu^-$* , LHCb-CONF-2012-015.

[398] LHCb collaboration, *Search for (Higgs-like) bosons decaying into long-lived exotic particles*, LHCb-CONF-2012-014.

[399] LHCb collaboration, *Inclusive low mass Drell-Yan production in the forward region at $\sqrt{s} = 7$ TeV*, LHCb-CONF-2012-013.

[400] LHCb collaboration, *Measurement of the forward energy flow in pp collisions at $\sqrt{s} = 7$ TeV with the LHCb experiment*, LHCb-CONF-2012-012.

[401] LHCb collaboration, *Measurement of the cross-section for $Z^0 \to e^+e^-$ production in pp collisions at $\sqrt{s} = 7$ TeV*, LHCb-CONF-2012-011.

[402] LHCb collaboration, *Search for the rare decays $B_s^0 \to \mu^+\mu^-\mu^+\mu^-$ and $B_d^0 \to \mu^+\mu^-\mu^+\mu^-$*, LHCb-CONF-2012-010.

[403] LHCb collaboration, *First observations and branching fraction measurements of $\overline{B}_s^0$ to double-charm final states*, LHCb-CONF-2012-009.

[404] LHCb collaboration, *Differential branching fraction and angular analysis of the $B^0 \to K^{*0}\mu^+\mu^-$ decay*, LHCb-CONF-2012-008.

[405] LHCb collaboration, *Measurement of time-dependent CP violation in charmless two-body B decays*, LHCb-CONF-2012-007.

[406] LHCb collaboration, *First observation of $B^+ \to \pi^+\mu^+\mu^-$*, LHCb-CONF-2012-006.

[407] LHCb collaboration, *Search for the $D^0 \to \mu^+\mu^-$ decay with $0.9\,fb^{-1}$ at LHCb*, LHCb-CONF-2012-005.

[408] LHCb collaboration, *Measurement of the direct CP asymmetry in the $B_d^0 \to K^{*0}\gamma$ decay*, LHCb-CONF-2012-004.

[409] LHCb collaboration, *Measurement of the ratio of branching fractions for $B_s^0 \to \phi\mu\mu$ and $B_s^0 \to J/\psi\phi$*, LHCb-CONF-2012-003.

[410] LHCb collaboration, *Tagged time-dependent angular analysis of $B_s^0 \to J/\psi\phi$ decays at LHCb*, LHCb-CONF-2012-002.

[411] LHCb collaboration, *Measurement of the effective $B_s^0 \to K^+K^-$ lifetime*, LHCb-CONF-2012-001.

[412] LHCb collaboration, *Measurement of the relative cross-section $\sigma(\chi_{c_2})/\sigma(\chi_{c_1})$ of prompt χ_c mesons using at LHCb*, LHCb-CONF-2011-062.

[413] LHCb collaboration, *A search for time-integrated CP violation in $D^0 \to h^-h^+$ decays*, LHCb-CONF-2011-061.

[414] LHCb collaboration, *Measurement of the masses of the Ξ_b^- and Ω_b^-*, LHCb-CONF-2011-060.

[415] LHCb collaboration, *Relative branching ratio measurements of charmless $B^\pm$ decays to three hadrons*, LHCb-CONF-2011-059.

[416] LHCb collaboration, *Measurements of the relative branching fractions of the $B^\pm \to p\bar{p}K^\pm$ decay channel including charmonium contributions*, LHCb-CONF-2011-058.

[417] LHCb collaboration, *Measurements of the relative and absolute branching fractions of the decays $B_s^0 \to D_s^\mp K^\pm$ and $B_s^0 \to D_s^-\pi^+$* , LHCb-CONF-2011-057.

[418] LHCb collaboration, *Combination of ϕ_s measurements from $B_s^0 \to J/\psi\phi$ and $B_s^0 \to J/\psi f_0(980)$*, LHCb-CONF-2011-056.

[419] LHCb collaboration, *Measurement of the ratio of branching fractions $\mathcal{B}(B_d \to K^{*0}\gamma)/\mathcal{B}(B_s \to \phi\gamma)$ with the LHCb experiment at $\sqrt{s} = 7$ TeV*, LHCb-CONF-2011-055.

[420] LHCb collaboration, *Measurement of the Charm Mixing Parameter y_{CP} in Two-Body Charm Decays*, LHCb-CONF-2011-054.

[421] LHCb collaboration, *Observations of Orbitally Excited $B_{(s)}^{**}$ Mesons*, LHCb-CONF-2011-053.

[422] LHCb collaboration, *Study of Triple Product Asymmetries in $B_s \to \phi\phi$ decays*, LHCb-CONF-2011-052.

[423] LHCb collaboration, *Measurement of ϕ_s in $B_s \to J/\psi f_0(980)$*, LHCb-CONF-2011-051.

[424] LHCb collaboration, *Measurement of Δm_s in the decay $B_s^0 \to D_s^-(K^+K^-\pi^-)\pi^+$ using opposite-side and same-side flavour tagging algorithms*, LHCb-CONF-2011-050.

[425] LHCb collaboration, *Tagged time-dependent angular analysis of $B_s \to J/\psi\phi$ decays with 337 pb^{-1} at LHCb*, LHCb-CONF-2011-049.

[426] LHCb collaboration, *Measurement of the $B_s^0 \to J/\psi K_s^0$ branching fraction*, LHCb-CONF-2011-048.

[427] CMS and LHCb collaborations, *Search for the rare decay $B_s^0 \to \mu^+\mu^-$ at the LHC with the CMS and LHCb experiments*, LHCb-CONF-2011-047,CMS-PAS-BPH-11-019.

[428] LHCb collaboration, *Measurement of the CP Violation Parameter $\mathcal{A}_\Gamma$ in Two-Body Charm Decays*, LHCb-CONF-2011-046.

[429] LHCb collaboration, *Search for $X(4140)$ in $B^+ \to J/\psi\phi K^+$*, LHCb-CONF-2011-045.

[430] LHCb collaboration, *Evidence for the suppressed decay $B^\pm \to (K^\mp\pi^\pm)_D K^\pm$*, LHCb-CONF-2011-044.

[431] LHCb collaboration, *Inclusive $X(3872)$ production in pp collisions at $\sqrt{s} = 7$ TeV*, LHCb-CONF-2011-043.

[432] LHCb collaboration, *Charmless charged two-body B decays at LHCb with 2011 data*, LHCb-CONF-2011-042.

[433] LHCb collaboration, *Z cross-section measurement at $\sqrt{s} = 7$ TeV using the channel $Z \to \tau\tau$*, LHCb-CONF-2011-041.

[434] LHCb collaboration, *First observation of $B_c^+ \to J/\psi\pi^+\pi^-\pi^+$*, LHCb-CONF-2011-040.

[435] LHCb collaboration, *Updated measurements of W and Z production at $\sqrt{s} = 7$ TeV with the LHCb experiment*, LHCb-CONF-2011-039.

[436] LHCb collaboration, *Angular analysis of $B^0 \to K^{*0}\mu^+\mu^-$*, LHCb-CONF-2011-038.

[437] LHCb collaboration, *Search for the rare decays $B^0_{(s)} \to \mu^+\mu^-$ with 300 pb^{-1} at LHCb*, LHCb-CONF-2011-037.

[438] LHCb collaboration, *Studies of beauty baryons decaying to $D^0 p\pi^-$ and $D^0 pK^-$*, LHCb-CONF-2011-036.

[439] LHCb collaboration, *Analysis of $\overline{B}{}^0_s \to J/\psi\,(\pi^+\pi^-$ and $K^+K^-)$ and the first observation of $J/\psi f_2'(1525)$*, LHCb-CONF-2011-035.

[440] LHCb collaboration, *Average f_s/f_d b-hadron production fraction for 7 TeV pp collisions*, LHCb-CONF-2011-034.

[441] LHCb collaboration, *Measurement of the $B^\pm$ production cross-section at LHCb*, LHCb-CONF-2011-033.

[442] LHCb collaboration, *A measurement of the ratio of branching fractions: $\frac{\mathcal{B}(B^\pm \to DK^\pm)}{\mathcal{B}(B^\pm \to D\pi^\pm)}$ for $D \to K\pi$, KK, $K\pi\pi\pi$ and $K^0_S\pi\pi$*, LHCb-CONF-2011-031.

[443] LHCb collaboration, *Measurement of the Ratio of Branching Fractions $\mathcal{B}(\mathrm{B}^\pm \to \mathrm{J}/\psi\pi^\pm)/\mathcal{B}(\mathrm{B}^\pm \to \mathrm{J}/\psi\mathrm{K}^\pm)$ at $\sqrt{\mathrm{s}} = 7$ TeV with the LHCb Detector*, LHCb-CONF-2011-030.

[444] LHCb collaboration, *Time integrated ratio of wrong-sign to right-sign $D^0 \to K\pi$ decays in 2010 data at LHCb*, LHCb-CONF-2011-029.

[445] LHCb collaboration, *Measurement of b-hadron production fractions in 7 TeV centre-of-mass energy pp collisions*, LHCb-CONF-2011-028.

[446] LHCb collaboration, *Measurement of b-hadron masses with exclusive $J/\psi X$ decays in 2010 data*, LHCb-CONF-2011-027.

[447] LHCb collaboration, *Measurement of the $\psi(2S)$ production cross-section at $\sqrt{s} = 7$ TeV in LHCb*, LHCb-CONF-2011-026.

[448] LHCb collaboration, *Evidence for the decay $B^0_s \to J/\psi\overline{K}{}^{*0}$*, LHCb-CONF-2011-025.

[449] LHCb collaboration, *First observations of the Cabibbo-suppressed decays* $\overline{B}^0 \to D^+K^-\pi^+\pi^-$ *and* $B^- \to D^0K^-\pi^+\pi^-$, LHCb-CONF-2011-024.

[450] LHCb collaboration, *A search for time-integrated* CP *violation in* $D^0 \to h^+h^-$ *decays and a measurement of the* D^0 *production asymmetry*, LHCb-CONF-2011-023.

[451] LHCb collaboration, *Central exclusive dimuon production at* $\sqrt{s} = 7\ TeV$, LHCb-CONF-2011-022.

[452] LHCb collaboration, *Measurement of the X(3872) mass with first LHCb data*, LHCb-CONF-2011-021.

[453] LHCb collaboration, *A measurement of the cross-section ratio* $\sigma(\chi_{c2})/\sigma(\chi_{c1})$ *for prompt* χ_c *production at* $\sqrt{s} = 7\ TeV$ *in LHCb*, LHCb-CONF-2011-020.

[454] LHCb collaboration, *First observation of the decay* $B_s^0 \to K^{*0}\overline{K}^{*0}$, LHCb-CONF-2011-019.

[455] LHCb collaboration, *Measurement of the effective* $B_s^0 \to K^+K^-$ *Lifetime*, LHCb-CONF-2011-018.

[456] LHCb collaboration, *Measurement of the* B_c^+ *to* B^+ *production cross-section ratios at* $\sqrt{s} = 7\ TeV$ *in LHCb*, LHCb-CONF-2011-017.

[457] LHCb collaboration, *Measurement of the* $\Upsilon(1S)$ *production cross-section at* $\sqrt{s} = 7\ TeV$ *in LHCb*, LHCb-CONF-2011-016.

[458] LHCb collaboration, *Inclusive jets and dijets in LHCb*, LHCb-CONF-2011-015.

[459] LHCb collaboration, $\mathcal{B}(B_s^0 \to \mathrm{ps}i(2S)\phi)/\mathcal{B}(B_s^0 \to J/\psi\phi)$, LHCb-CONF-2011-014.

[460] LHCb collaboration, *Measurement of the relative yields of the decay modes* $B^0 \to D^-\pi^+$, $B^0 \to D^-K^+$, $B_s^0 \to D_s^-\pi^+$, *and determination of* f_s/f_d *for 7 TeV pp collisions*, LHCb-CONF-2011-013.

[461] LHCb collaboration, *W and Z production at* $\sqrt{s} = 7\ TeV$ *with the LHCb experiment*, LHCb-CONF-2011-012.

[462] LHCb collaboration, *Measurement of direct* $\mathcal{CP}$ *violation in charmless charged two-body B decays at LHCb*, LHCb-CONF-2011-011.

[463] LHCb collaboration, *Measurement of* Δm_d *in* $B^0 \to D^-(K^+\pi^-\pi^-)\pi^+$, LHCb-CONF-2011-010.

[464] LHCb collaboration, *Observation of double* J/ψ *production in proton-proton collisions at a centre-of-mass energy of* $\sqrt{s} = 7\ TeV$, LHCb-CONF-2011-009.

[465] LHCb collaboration, *First observation of the decay* $\overline{B}_s^0 \to D^0 K^{*0}$ *and measurement of the ratio of branching fractions* $\frac{\mathcal{B}\left(\overline{B}_s^0 \to D^0 K^{*0}\right)}{\mathcal{B}\left(\overline{B}_d^0 \to D^0 \rho^0\right)}$, LHCb-CONF-2011-008.

[466] LHCb collaboration, *Improved Measurements of the Cabibbo Favored Decays* $B_{(s)} \to D_{(s)}\pi\pi\pi$ *and* $\Lambda_b \to \Lambda_{c\pi\pi\pi}$ *Branching Fractions*, LHCb-CONF-2011-007.

[467] LHCb collaboration, *Tagged time-dependent angular analysis of* $B_s^0 \to J/\psi\phi$ *decays with the 2010 LHCb data*, LHCb-CONF-2011-006.

[468] LHCb collaboration, *Measurement of* Δm_s *in the decay* $B_s^0 \to D_s^-(K^+K^-\pi^-)(3)\pi$, LHCb-CONF-2011-005.

[469] LHCb collaboration, *Search for* CP *violation in* $B^0 \to J/\psi K_S^0$ *decays with first LHCb data*, LHCb-CONF-2011-004.

[470] LHCb collaboration, *Flavor-untagged angular analysis of* $B_d^0 \to J/\psi K^*$ *and* $B_s^0 \to J/\psi\phi$ *decays* , LHCb-CONF-2011-002.

[471] LHCb collaboration, *b-hadron lifetime measurements with exclusive* $b \to J/\psi X$ *decays reconstructed in the 2010 data*, LHCb-CONF-2011-001.

[472] LHCb collaboration, *Measurement of the inclusive* ϕ *cross-section in pp collisions at* $\sqrt{s} = 7$ *TeV with the LHCb experiment*, LHCb-CONF-2010-014.

[473] LHCb collaboration, *Prompt charm production in pp collisions at* $\sqrt{s} = 7$ *TeV*, LHCb-CONF-2010-013.

[474] LHCb collaboration, *Measurements of* B^0 *mesons production cross-section in pp collisions at* $\sqrt{s} = 7$ *TeV using* $B^0 \to D^{*-}\mu^+\nu_\mu X$ *decays*, LHCb-CONF-2010-012.

[475] LHCb collaboration, *Measurement of prompt* $\overline{\Lambda}/\Lambda$ *and* $\overline{\Lambda}/K_S^0$ *production ratios in inelastic non-diffractive pp collisions at* $\sqrt{s}$ *= 0.9 and* 7 *TeV*, LHCb-CONF-2010-011.

[476] LHCb collaboration, *Measurement of the* J/ψ *production cross-section at* $\sqrt{s} =$ 7 *TeV in LHCb*, LHCb-CONF-2010-010.

[477] LHCb collaboration, *Measurement of the* $\bar{p}/p$ *ratio in LHCb at* $\sqrt{s} = 900\,\mathrm{GeV}$ *and* 7 *TeV*, LHCb-CONF-2010-009.

[478] LHCb collaboration, *Prompt* K_S^0 *production in pp collisions at* $\sqrt{s}$ *= 900 GeV*, LHCb-CONF-2010-008.

LHCb collaboration

A. N. Other[1].

[1] *University of nowhere*

The author list for journal publications is generated from the Membership Database shortly after 'approval to go to paper' has been given. It will be sent to you by email shortly after a paper number has been assigned. The author list should be included already at first circulation, to allow new members of the collaboration to verify that they have been included correctly. Occasionally a misspelled name is corrected, or associated institutions become full members. Therefore an updated author list will be sent to you after the final EB review of the paper. In case line numbering doesn't work well after including the authorlist, try moving the `\bigskip` after the last author to a separate line.

The authorship for Conference Reports should be "The LHCb collaboration", with a footnote giving the name(s) of the contact author(s), but without the full list of collaboration names.