Challenge Stigma / Find Peace

FrontlineFolks | Guide #10

Tunnel Vision vs Scattered Brain

A Field Guide for Frontline Folks and Their Families

When you're either locked-in on one thing or can't focus on anything.

By Michael Jenkins, MS, MSW, LCSW
Never Forgotten Services, PLLC

Disclaimer

This guide is for general education only.

It is not:

- Therapy
- Medical care
- A crisis service
- Individualized advice

Reading this guide does not create a therapist–client relationship with the author or with Never Forgotten Services, PLLC.

If you are in crisis or thinking about harming yourself or someone else, call 988 in the United States, go to your nearest emergency room, or contact your local emergency services.

If you want mental health treatment, please contact a licensed provider in your state or call the number on the back of your insurance card.

Table of Contents

1. What Tunnel Vision and Scattered Attention Look Like
2. Why Attention Gets Stuck or Scattered
3. Field Tools: Resetting Attention
4. For Partners and Family
5. When To Get More Help
6. 7-Day Focus Rebuild Drill
7. Worksheets
   - Worksheet 1: Worksheet: Tunnel Vision vs Scattered Brain
   - Worksheet 2: Worksheet: Tunnel Vision vs Scattered Brain - Partner/Team Check-In

1. What Tunnel Vision and Scattered Attention Look Like

Under threat, your attention narrows to a laser: tunnel vision locks you onto the threat and filters out everything else. This is survival mode—great for fleeing danger, terrible for driving home or having a conversation. When the threat passes but arousal stays high, your attention scatters: you can't focus on anything, thoughts jump around, and tasks feel impossible to start or finish. Both patterns are attentional dysregulation caused by a nervous system stuck in the wrong gear.

What this looks like in frontline work

- Tunnel vision: Hyper-focused on one task, missing everything else happening around you.
- Can't shift attention: Stuck on one thought or problem, unable to move on.
- Scattered brain: Can't hold focus, jumping between tasks without finishing any.
- Missing obvious details: 'How did I not see that?'
- Difficulty tracking conversations: People talk, you hear noise.
- Reading the same sentence five times without absorbing it.

> **Two sides of the same issue:**
> Tunnel vision = attention locked under threat. Scattered brain = attention dysregulated after threat. Both mean your nervous system hasn't reset to baseline.

2. Why Attention Gets Stuck or Scattered

Your attentional system is controlled by arousal. High arousal (threat mode) narrows attention to immediate threats—tunnel vision. When arousal drops but doesn't reset to baseline, your prefrontal cortex (executive control) stays offline and attention scatters. You're too activated to focus but not activated enough to lock on. Sleep debt, stimulants (caffeine, nicotine), and unprocessed stress keep arousal stuck in the middle zone where attention fails.

What amplifies attentional dysregulation

- Chronic hypervigilance: Always scanning for threats = no attentional flexibility.
- Sleep debt: Executive control breaks down first when tired.
- Stimulant overuse: Caffeine and nicotine spike arousal but don't improve focus under stress.
- Screen time overload: Constant novelty trains your brain to seek distraction.
- Unprocessed critical incidents: Intrusive thoughts hijack attention.

> *Why this works: Reducing baseline arousal restores prefrontal control over attention. Single-tasking and minimizing distractions rebuild attentional endurance. Sleep and arousal regulation restore flexible focus.*

3. Field Tools: Resetting Attention

You can't force focus when your nervous system is dysregulated. Start by lowering arousal, then rebuild attention endurance with single-tasking and short focus intervals.

Immediate strategies

1. Name the mode: 'I'm in tunnel vision' or 'My brain is scattered.' Awareness interrupts the loop.
2. Reset arousal first: 60-second breathwork or cold water on face before trying to refocus.
3. Single-task for 10 minutes: Set a timer. Do one thing. Stop when timer ends. Repeat.
4. Remove distractions: Phone away, notifications off, one browser tab, one task.
5. Use external structure: Timers, checklists, and alarms replace willpower.
6. Improve sleep for three days: Even small sleep gains restore executive control.

> Field rule: Attention follows arousal. Lower arousal first, then rebuild focus endurance with short intervals.

4. For Partners and Family

When your partner is in tunnel vision, they genuinely don't hear you. When they're scattered, they're not ignoring you—they can't hold focus. Both patterns frustrate everyone, but criticism makes it worse.

What helps

- Name the pattern without judgment: 'You seem locked in right now. Want to take a break?'
- Reduce competing demands: One task, one conversation at a time.
- Use written reminders: Text or notes instead of verbal-only communication.
- Support lowering arousal: Suggest a walk, breathing, or a short break before important conversations.

What makes it worse

- 'You're not listening': They literally can't process multiple inputs when dysregulated.

- Multitasking demands: 'Can you do this while you finish that?' guarantees failure.
- Criticism: 'Why can't you just focus?' Shame doesn't fix attention.

---

5. When To Get More Help

Attentional dysregulation that persists despite rest and reduced stress may indicate ADHD, TBI, or other conditions. Get assessed if focus problems are chronic and impairing function.

Escalate if:

- Attention problems were present before frontline work (possible ADHD).
- History of head injuries or concussions.
- Focus deficits persist despite improved sleep and reduced stress.
- Work or home function is deteriorating due to inability to focus.
- Safety is compromised (driving, work tasks, parenting).

6. 7-Day Focus Rebuild Drill

Use the worksheet to track attentional patterns and practice single-task focus intervals. Goal: rebuild attention endurance one short interval at a time.

> **Daily drill:**
> 1) Log one moment of tunnel vision or scattered brain.
> 2) Reset arousal (breathing, cold water, movement).
> 3) Single-task for 10 minutes (one thing, timer set).
> 4) Log whether you completed the interval. Repeat daily.

Worksheet 1: Worksheet: Tunnel Vision vs Scattered Brain

Use this to track attentional dysregulation and practice single-task focus intervals.

When did tunnel vision or scattered brain show up this week?

Examples: locked onto one task, couldn't shift attention, jumped between tasks, couldn't finish anything.

What was your arousal level when attention failed?

High arousal = tunnel vision. Mid-range arousal = scattered. Both mean nervous system isn't at baseline.

What two focus-rebuild actions will you practice this week?

Examples: 10-minute single-task intervals, arousal reset before refocus, remove distractions.

1. Trigger:

What activated the pattern?

2. Early body signal:

What did your body do first?

3. Reset action used:

What fast action lowered intensity?

4. Better next response:

What exact behavior will you use next time?

> Attention follows arousal. Reset nervous system first, then rebuild focus endurance.

Worksheet 2: Worksheet: Tunnel Vision vs Scattered Brain - Partner/Team Check-In

Use this with a partner to reduce frustration around attentional dysregulation.

What does tunnel vision or scattered brain look like in me?

Observable signs: not responding when spoken to, jumping between tasks, unable to finish anything, hyper-focused and unaware of surroundings.

What helps when my attention is dysregulated?

Examples: gentle interrupt, suggest a break, lower demands, give written reminders.

What's one agreement we'll try this week?

Example: 'I'll name the pattern when I notice it. You'll help me reset arousal before refocusing.'

1. Signal phrase:

What phrase means pause and reset?

2. Time-to-return commitment:

When will re-engagement happen?

3. Repair step:

What specific repair happens after a rupture?

> Keep check-ins short, specific, and repeatable.

Closing

You've seen and carried more than most people will ever know.

Blow ups and shutdowns are not proof that you're broken or that your relationship is doomed.

They are signs that your nervous system has been running in survival mode for a long time.

The fact that you picked up this guide and read it matters.

You are choosing to be intentional about how you show up for the people who matter to you.

That choice is a lot more powerful than having flawless days.

About the Author

Michael Jenkins, MS, MSW, LCSW

Founder, Never Forgotten Services, PLLC

Michael is a U.S. Army combat veteran and licensed clinical social worker who specializes in working with military, veterans, and first responders—our frontline folks. After leaving the military, he spent years fighting his own demons and trying to figure out why he could hold it together on the job but feel completely wrecked at home. The turning point was realizing he wasn't the only one living that split life—and that nobody should have to feel that alone, confused, or broken by what the job asks of them.

Since then, his work has focused on trauma, the impact of high-stress jobs on home life, and helping families make sense of what the job brings home. He uses plain language, zero shame, and a "you're not crazy, this actually makes sense" approach to help frontline folks and their families understand what's happening in their nervous systems and learn how to move through the chaos together.