Adicionando Botões coloridos nas linhas:







Código:

```
def InitializeRow(entity, row):
    if entity is None:
        return
#COLUNA DE ANEXO DE NOTA FISCAL
    if ('NF anexada' in row.GetCellByName("ANEXONF").Text):

        row.GetCellByName("ANEXONF").Text = "<div class='label label-sm label-success'>NF
Anexada</div>"

    elif ('S/anexo NF' in row.GetCellByName("ANEXONF").Text):

        row.GetCellByName("ANEXONF").Text = "<div class='label label-sm label-danger'>S/anexo
NF</div>"

    #COLUNA DE REMESSA BANCARIA
    if('Sem Remessa' in row.GetCellByName("REMESSABANCARIA").Text):
        row.GetCellByName("REMESSABANCARIA").Text = "<div class='label label-sm label-
danger'>S/Remessa</div>"
    elif ('Remessa Gerada' in row.GetCellByName("REMESSABANCARIA").Text):
        row.GetCellByName("REMESSABANCARIA").Text = "<div class='label label-sm label-
success'>Remessa Gerada</div>"


    #COLUNA DE STATUS DE NOTA FISCAL
    if ('Emitida' in row.GetCellByName("SQL_SITUACAONF").Text):
        row.GetCellByName("SQL_SITUACAONF").Text = "<div class='label label-sm label-
success'>Emitida</div>"

    elif ('Gerada' in row.GetCellByName("SQL_SITUACAONF").Text):
        row.GetCellByName("SQL_SITUACAONF").Text = "<div class='label label-sm label-
info'>Gerada</div>"

    elif ('Pendente' in row.GetCellByName("SQL_SITUACAONF").Text):
        row.GetCellByName("SQL_SITUACAONF").Text = "<div class='label label-sm label-
info'>Pendente</div>"

    elif ('Processando' in row.GetCellByName("SQL_SITUACAONF").Text):
        row.GetCellByName("SQL_SITUACAONF").Text = "<div class='label label-sm label-
info'>Processando</div>"

    elif ('Rejeitada' in row.GetCellByName("SQL_SITUACAONF").Text):
        row.GetCellByName("SQL_SITUACAONF").Text = "<div class='label label-sm label-
warning'>Rejeitada</div>"


    #STATUS DE ENVIO DO EMAIL
    if ('Email enviado' in row.GetCellByName("STATUSEMAIL").Text):
        row.GetCellByName("STATUSEMAIL").Text = "<div class='label label-sm label-
success'>Enviado</div>"

    elif ('Processando envio' in row.GetCellByName("STATUSEMAIL").Text):
        row.GetCellByName("STATUSEMAIL").Text = "<div class='label label-sm label-
info'>Processando</div>"

    elif ('Erro no envio' in row.GetCellByName("STATUSEMAIL").Text):
        row.GetCellByName("STATUSEMAIL").Text = "<div class='label label-sm label-danger'>Erro
de envio</div>"


    elif ('Não enviado' in row.GetCellByName("STATUSEMAIL").Text):
        row.GetCellByName("STATUSEMAIL").Text = "<div class='label label-sm label-info'>Não
enviado</div>"
```

CAMPO NF:

NF
Emitida

```
SELECT CASE WHEN OVBASE.STATUS = 2 AND OVBASE.STATUSNFE = 6 THEN 'Emitida'             WHEN
OVBASE.DOCUMENTO IS NOT NULL AND OVBASE.STATUSNFE = 1 THEN 'Gerada'             WHEN
OVBASE.DOCUMENTO IS NOT NULL AND  OVBASE.STATUSNFE = 2 THEN 'Processando'             WHEN
OVBASE.DOCUMENTO IS NOT NULL AND OVBASE.STATUSNFE = 3 THEN 'Rejeitada'  ELSE 'Pendente' END
FROM CCPP_CABECALHOS AUXCCPP        JOIN (SELECT CABECALHO.HANDLE CABECALHO,
MAX(OV.DOCUMENTO) DOCUMENTO,                    MAX(OVENDA.HANDLE) ORDEMVENDA,
MAX(DOC.STATUS) STATUS,                     MAX(DOC.STATUSNFE) STATUSNFE                FROM
CCPP_CABECALHOS CABECALHO                     JOIN CCPP_CABECALHODETALHES DETALHE ON
(DETALHE.CABECALHO = CABECALHO.HANDLE)                     LEFT JOIN BB_VENDASDOCUMENTOS VD ON
(VD.HANDLE = DETALHE.VENDADOCUMENTO)                     LEFT JOIN BB_ORDEMVENDADOCUMENTO OVDOC
ON (OVDOC.DOCUMENTO = VD.HANDLE OR OVDOC.DOCUMENTO = VD.NUMEROCONFERENCIA)
LEFT JOIN CM_ORDENSVENDA OVENDA ON (OVENDA.HANDLE = OVDOC.ORDEMVENDA)                     LEFT
JOIN (SELECT CMITEM.DOCUMENTO,                                          OV.HANDLE HANDLE
FROM CM_ITENS CMITEM                                          JOIN CM_ORDEMVENDALIBERACOES OVLIB ON
(OVLIB.ITEMNF = CMITEM.HANDLE)                                          JOIN CM_ORDEMVENDAITENS
OVITEM ON (OVITEM.HANDLE = OVLIB.ORDEMVENDAITEM)                                          JOIN
CM_ORDENSVENDA OV ON (OV.HANDLE = OVITEM.ORDEMVENDA)) OV ON (OV.HANDLE = OVENDA.HANDLE)
LEFT JOIN FN_DOCUMENTOS DOC ON (DOC.HANDLE = OV.DOCUMENTO)                     LEFT JOIN
FN_DOCUMENTONFE DOCNFE ON (DOC.HANDLE = DOCNFE.DOCUMENTO)               GROUP BY
CABECALHO.HANDLE) OVBASE ON (OVBASE.CABECALHO = AUXCCPP.HANDLE) WHERE AUXCCPP.HANDLE = A.HANDLE
```

ANEXO NF

Anexo NF
S/anexo NF
S/anexo NF

```
(SELECT        CASE WHEN MAX(OVBASE.ANEXO_HANDLE) IS NOT NULL AND MAX(OVBASE.ANEXO_TIPOARQUIVO)
= 4 THEN 'NF anexada' ELSE 'S/anexo NF' END AS ANEXONF   FROM CCPP_CABECALHOS AUXCCPP
JOIN (SELECT CABECALHO.HANDLE AS CABECALHO,                     MAX(OV.DOCUMENTO) AS DOCUMENTO,
MAX(DOC.DOCUMENTODIGITADO) AS DOCUMENTODIGITADO,                     MAX(OVENDA.HANDLE) AS
ORDEMVENDA,                     MAX(DOC.STATUS) AS STATUS,                     MAX(ANEXO.HANDLE)
AS ANEXO_HANDLE,                     MAX(ANEXO.TIPOARQUIVO) AS ANEXO_TIPOARQUIVO
FROM CCPP_CABECALHOS CABECALHO                     JOIN CCPP_CABECALHODETALHES DETALHE ON
DETALHE.CABECALHO = CABECALHO.HANDLE                     LEFT JOIN BB_VENDASDOCUMENTOS VD ON
VD.HANDLE = DETALHE.VENDADOCUMENTO                     LEFT JOIN BB_ORDEMVENDADOCUMENTO OVDOC ON
(OVDOC.DOCUMENTO = VD.HANDLE OR OVDOC.DOCUMENTO = VD.NUMEROCONFERENCIA)                     LEFT
JOIN CM_ORDENSVENDA OVENDA ON OVENDA.HANDLE = OVDOC.ORDEMVENDA                     LEFT JOIN
(SELECT CMITEM.DOCUMENTO,                     OV.HANDLE AS HANDLE
FROM CM_ITENS CMITEM                     JOIN CM_ORDEMVENDALIBERACOES OVLIB ON
OVLIB.ITEMNF = CMITEM.HANDLE                     JOIN CM_ORDEMVENDAITENS
OVITEM ON OVITEM.HANDLE = OVLIB.ORDEMVENDAITEM                     JOIN
CM_ORDENSVENDA OV ON OV.HANDLE = OVITEM.ORDEMVENDA) OV ON OV.HANDLE = OVENDA.HANDLE
LEFT JOIN FN_DOCUMENTOS DOC ON DOC.HANDLE = OV.DOCUMENTO                     LEFT JOIN
FN_DOCUMENTONFE DOCNFE ON DOC.HANDLE = DOCNFE.DOCUMENTO                     LEFT JOIN BB_ANEXOS
ANEXO ON ANEXO.ORDEMVENDA = OVENDA.HANDLE                     GROUP BY CABECALHO.HANDLE) OVBASE ON
OVBASE.CABECALHO = AUXCCPP.HANDLE WHERE AUXCCPP.HANDLE = A.HANDLE)
```

REMESSA BANCÁRIA

```
(SELECT CASE WHEN PARC.REMESSA IS NOT NULL THEN 'Remessa Gerada' ELSE 'Sem Remessa' END FROM
FN_PARCELAS PARC LEFT JOIN GN_HBREMESSAS BOL ON BOL.HANDLE = PARC.REMESSA WHERE PARC.DOCUMENTO =
A.DOCUMENTO)
```

STATUS EMAIL




```
(SELECT CASE WHEN CCPP.DATAALTERACAO < (SELECT MAX(DATAINCLUSAO) FROM Z_EMAILS WHERE ASSUNTO
LIKE CONCAT('%',CCPP.CODIGO,'%') AND STATUS = 4) THEN 'Email enviado'      WHEN
CCPP.DATAALTERACAO < (SELECT MAX(DATAINCLUSAO) FROM Z_EMAILS WHERE ASSUNTO LIKE
CONCAT('%',CCPP.CODIGO,'%') AND STATUS IN( 1,2,3)) THEN 'Processando envio'      WHEN
CCPP.DATAALTERACAO < (SELECT MAX(DATAINCLUSAO) FROM Z_EMAILS WHERE ASSUNTO LIKE
CONCAT('%',CCPP.CODIGO,'%') AND STATUS IN( 5,6)) THEN 'Erro no envio'      ELSE 'Não enviado'
END STATUSEMAIL         FROM CCPP_CABECALHOS CCPP WHERE CCPP.HANDLE = A.HANDLE)
```