

GOVERNMENT OF JAMMU AND KASHMIR
OFFICE OF THE SUPERINTENDING ENGINEER,
JAL SHAKTI DEPARTMENT HYDRAULIC CIRCLE DISTRICT BLA/BPR H.Q SOPORE
Member Secretary District Jal Jeevan Mission Baramulla/Bandipora

M/S:- G.K Constructions

P/o:- Zahid Amin

S/o:- Mohammad Amin Khanday

R/o:- Iqbal Nagar Sopore

GST No:- 01ASGPK9519C2Z1

Regd No: 695-AAY-(CIVIL/Sanitary) CE/KCC/PDC/2007-08.

Email: sehydbla@gmail.com

Advertised Amount: ₹ 207.18 lac

Allotted Amount:- ₹ 2,14,44,141.00

Major Head:- 4215-JJM

Time of completion: 120 days

[ORDER No: 27/SE/HYD/SPR/JJM of 2022-23]

Subject: Fixation of Contract for:

Dated: - 3 - 2 - 2023

Construction of Chowkidar Quarter, Chain Link fencing, Approach road, retaining/protection wall, laying fitting of pipes & allied works for W.S.Scheme Sangri Muqam under JJM.
(Tender ID:2022_PHE_168403_2)

Reference:


1. Executive Engineer Jal Shakti (PHE) Division Sopore's e-NIT No 07/JJM/JSDS of 05/2022 issued under endorsement NO JSD/JJM/763-74 dated 04-05-2022.
2. Revised District Action Plan of District Baramulla approved by DJJM vide no: DDCB/3929 dated: 30-07-2022.
3. Minutes of Meeting held with District Development Commissioner Baramulla (Chairperson DJJM) on 23/5/2022 minutes issued vide letter No DDCB/Meeting/2022/1214-44 Dated: 24/5/2022 and No DDCB/2022/ 1248-70 Dated: 26/5/2022 thereafter vide letter No. DDCB/ 2022/1725-28 Dated 04/06/2022.
4. Administrative Approval Accorded vide Government Order No:- 277-JK(JSD) of 2022 Dated:- 29-12-2022 issued under endorsement No: JSD-PS/8/2022-PLG(7019739)
5. Technical Sanction issued by Chief Engineer Jal Shakti (PHE) Department Kashmir's Order No:- CE/PHE/DB/801 of 01/2023 Dated: 19-01-2023.
6. Minutes of Meeting of District Contract Committee circulated vide No: SE/Hyd/JJM/3583-3606 dated: 30-06-2022.
7. Amendment in operational guidelines for the implementation of Jal Jeevan Mission issued by NJJM, DDW&S ministry of Jal Shakti GOI vide F. No W-11016/10/2022-JJM-IV-DDWS Dated:- 21-06-2022.
8. Modus operandi communicated by Chief Engineer PHE Kashmir Vide circular No CE/PHE/MC/DB/13745-83 Dated: - 26-07-2022.
9. Your letter of acceptance No: GKC/786/02 Dated:- 14-07-2022.

Dear Sir,

For and on behalf of Lieutenant Governor of Union Territory of Jammu and Kashmir, the contract for above subject work is hereby fixed on the rates quoted and subsequently negotiated and accepted by you on Percentage rate basis as per the **Annexure "A"** of this allotment order with standard terms and conditions as laid down in the **Annexure "B"** of this allotment Order. The total cost of work shall be ₹ 2,14,44,141.00 (Two Crore Fourteen lac Forty Four Thousand One Hundred and Forty one Only)

No:- SE/HYD/JJM/ 14139-53

Dated:- 3/2/2023


Superintending Engineer

Hydraulic Circle Baramulla/Bandipora

W.Q Sopore


Copy to the:-

1. Chief Engineer Kmr. Jal Shakti (PHE) Department Srinagar for favour information.
2. District Development Commissioner Baramulla (Chairperson DJJM) for favour of information.
3. Additional District Development Commissioner Baramulla (Member DJJM) for information.
4. Assistant Commissioner Development Baramulla (Member DJJM) for information.
5. Divisional Forest officer Baramulla (Member DJJM) for information.
6. Chief Planning Officer Baramulla (Member DJJM) for information.
7. Chief Medical Officer Baramulla (Member DJJM) for information.
8. Chief Educational Officer Baramulla (Member DJJM) for information.
9. District Social Welfare Officer Baramulla/District Tribal Welfare Officer Baramulla (Member DJJM) for information.
10. District Information officer Baramulla (Member DJJM) for information.
11. Executive Engineer Jal Shakti (PHE) Division Sopore (Member DJJM) for information and necessary action.
12. Executive Engineer Jal Shakti PHE Mech. Division North Sopore (Member DJJM) for information.
13. Executive Engineer Ground Water Division Srinagar (Member DJJM) for information
14. WAPCOS Limited Baramulla for information and necessary action.
15. File Concerned.


**of Chowkidar Quarter, Chain Link fencing, Approach road, retaining/protection wall, laying of pipes & allied works for W.S.Scheme Sangri Muqam under JJM
D:2022_PHE_168403_2)**

Annexure "A" with Order No: 7 SE/HYD/JJM of 2022-23 Dated :- 3 - 2 - 2022

| No | Item Description | Units | Quantity | Allotted Rate | Amount |
|----|---|-------|----------|---------------|----------------|
| 1 | Earth work in excavation by manual means over areas (exceeding 30cm and upto 1.5m in depth and width as well as 10 Sqm in Plan) including disposal of excavated earth upto 1m cutting edge, disposed earth to be levelled and neatly dressed in: All kinds of soil. | Cum | 5477.49 | ₹ 451.26 | ₹ 24,71,772.14 |
| 2 | Earth work in excavation by mechanical means over areas (exceeding 30cm and up[to 1.5mtr in depth, 1.5mtr in width as well as 10 sqm on plan) including disposal of excavated earth upto 50m from cutting edge disposal earth to be levelled and neatly dressed . All kinds of soil | Cum | 5314.00 | ₹ 260.87 | ₹ 13,86,272.48 |
| 3 | Earth work in excavation by manual means over areas (exceeding 30cm and up[to 1.5mtr in depth, 1.5mtr in width as well as 10 sqm on plan) including disposal of excavated earth upto 50m from cutting edge disposal earth to be levelled and neatly dressed . All kinds of soil | Cum | 590.50 | ₹ 558.23 | ₹ 3,29,633.19 |
| 4 | Earth work in excavation by manual means over areas (exceeding 30cm and upto 1.5m in depth and width as well as 10 Sqm in Plan) including disposal of excavated earth upto 1m cutting edge, disposed earth to be levelled and neatly dressed: Ordinary Rock | Cum | 58.32 | ₹ 885.60 | ₹ 51,648.06 |
| 5 | Providing and laying of dry Stone soling in horizontal on level. | Cum | 97.90 | ₹ 844.97 | ₹ 82,722.95 |
| 6 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering 1:4:8 (1 cement : 4 coarse sand : 8 graded stone agg. 40 mm nominal size Crushed | Cum | 82.67 | ₹ 5,032.00 | ₹ 4,15,995.80 |
| 7 | Random Rubble masonry with hard stone in foundation and plinth including leveling up with cement concrete 1:6:12 (1 Cement : 6 coarse sand : 12 graded stone aggregate 20mm nominal size) upto plinth level and curing complete with: Cement mortar 1:6 (1 Cement : 6 coarse sand) | Cum | 16.46 | ₹ 4,590.48 | ₹ 75,559.36 |
| 8 | Random Rubble masonry with hard stone in superstructure above plinth level and upto floor five level, including levelling up with cement concrete 1:6:12 (1 Cement : 6 coarse sand : 12 graded stone aggregate 20mm nominal size) and curing complete at window sills, ceiling level and the like: Cement mortar 1:6 (1 Cement : 6 coarse sand) | Cum | 71.34 | ₹ 5,959.12 | ₹ 4,25,123.34 |
| 9 | Providing and laying damp-proof Course 50 mm thick with cement concrete 1:2:4 (1 cement:2 coarse sand: 4 graded stone aggregate 20 mm nominal size) and curing complete | Sqm | 69.53 | ₹ 424.48 | ₹ 29,514.41 |
| 10 | Pointing on stone work with cement mortar 1 : 3 (1 cement : 3 fine sand) Flush/Ruled Pointing | Sqm | 73.17 | ₹ 308.31 | ₹ 22,558.74 |
| 11 | Supply of Boulders | Cum | 91.94 | ₹ 414.00 | ₹ 38,063.16 |


Head Draftsman


Technical Officer



Superintending Engineer



of Chowkidar Quarter, Chain Link fencing, Approach road, retaining/protection wall,
Laying of pipes & allied works for W.S.Scheme Sangri Muqam under JJM
(ID:2022_PHE_168403_2)

Annexure "A" with Order No. 27 SE/HYD/JJM of 2022-23 Dated :- 3 - 2 - 2022


| S. No | Item Description | Units | Quantity | Alloted Rate | Amount |
|-------|--|-------|----------|--------------|----------------|
| 12 | Providing/laying of plain cement concrete in 1 : 3 : 6 mix excluding cost of centring and shuttering, finishing and reinforcement. All works upto plinth level for thrust blocks. | Cum | 78.74 | ₹ 5,628.06 | ₹ 4,43,153.52 |
| 13 | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) | Cum | 126.00 | ₹ 6,691.48 | ₹ 8,43,126.73 |
| 14 | Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) | Cum | 419.52 | ₹ 7,222.93 | ₹ 30,30,165.19 |
| 15 | Centering and shuttering including strutting, propping etc. and removal of form for: Foundations, footings, bases of columns etc. for mass concrete. | Sqm | 1817.00 | ₹ 271.48 | ₹ 4,93,280.07 |
| 15.1 | walls (any thickness) including attached pilasters buttresses, plinth and string course fillets, kerbs and steps etc. | Sqm | 31.36 | ₹ 593.93 | ₹ 18,625.79 |
| 15.2 | Suspended floors, roofs, landings, balconies and access platforms. | Sqm | 99.70 | ₹ 657.85 | ₹ 65,587.25 |
| 16 | Applying priming coat: With ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and soft wood) | Sqm | 59.38 | ₹ 61.58 | ₹ 3,656.77 |
| 17 | Distempering with oil bond washable distemper of approved brand and manufacture to give an even shade. New work one or more coats | Sqm | 248.16 | ₹ 154.27 | ₹ 38,282.84 |
| 18 | Providing and fixing rods of 1.25mm thick cromium plated brass plates with 2 cromium plated brass brackets fixed with CP brass screws and wooden plugs etc. whatever necessary complete 25mm dia | Rm | 25.20 | ₹ 493.59 | ₹ 12,438.51 |
| 19 | Providing and fixing aluminium tower bolt ISI marked (anodised anodic coating not less than grade AC 10 as per IS: 1868) transparent or died to req colour or shade with necessary screws etc. complete 100mm. | No. | 132.00 | ₹ 49.27 | ₹ 6,503.11 |
| 20 | Providing and fixing aluminium handles ISI marked (anodised anodic coating not less than grade AC 10 as per IS: 1868) transparent or died to req colour or shade with necessary screws etc. complete 100mm. | No. | 72.00 | ₹ 60.81 | ₹ 4,378.05 |
| 21 | Providing and fixing finished brass door latch with necessary screws etc | No. | 6.00 | ₹ 247.52 | ₹ 1,485.12 |



Head Draftsman



Technical Officer



Superintending Engineer





Scanned with OKEN Scanner


of Chowkidar Quarter, Chain Link fencing, Approach road, retaining/protection wall,
digging of pipes & allied works for W.S.Scheme Sangri Muqam under JMM
(D:2022_PHE_168403_2)

Annexure "A" with Order No. 27 SE/HYD/JMM of 2022-23 Dated :- 3 - 2 - 2022

| No. | Item Description | Units | Quantity | Allotted Rate | Amount |
|------|--|-------|----------|---------------|---------------|
| 22 | Providing and fixing water closet squatting pan (Indian type WC pan) with 100mm sand iron P trap, 10 lit low level white PVC flushing sistern with manually controlled device confirming to IS: 7231 Paray ware/ hindware/ Seabird with all fittings and fixtures complete including cutting and making good the walls& floors wherever requires. | No. | 1.00 | ₹ 5,728.57 | ₹ 5,728.57 |
| 23 | Providing and fixing wash basin with C.I/M.S brackets, 15mm C.P brass pillar taps, 32mm C.P brass waste of standard pattern, including painting of fittings and brackets, cutting and making good good the walls wherever required: White Vitreous China Wash basin size 550x400mm with a pair of 15mm C.P brass pilar taps. | No. | 1.00 | ₹ 3,047.51 | ₹ 3,047.51 |
| 24 | Providing and fixing stainless steel ISI 304, (18/8) Kitchen sink as per IS 13983 with C.I brackets and stainless steel plug 40mm incld. painting of fittings and brackets cutting and making good the walls wherever required 270x420 bowel depth 178mm incld. fixtures. | No. | 1.00 | ₹ 3,304.91 | ₹ 3,304.91 |
| 25 | Providing and fixing GI inlet connection for flush pipe connecting with WC pan | mtr | 2.00 | ₹ 121.97 | ₹ 243.95 |
| 26 | Providing and fixing waste pipe for sink and wash basin | mtr | 4.00 | ₹ 75.07 | ₹ 300.27 |
| 27 | Electrification of pump House by providing fixing/fittings wire switches, channels, boxes, Boards, MCB etc. of standard qualities ISI mark etc (complete job) Lighting points | point | 8.00 | ₹ 828.00 | ₹ 6,624.00 |
| 27.1 | Heating points | point | 22.00 | ₹ 1,035.00 | ₹ 22,770.00 |
| 28 | Providing , hoisting, trusses, purlins, rafters, posts or like components including cost of screws, nails complete of popular wood | Cum | 6.04 | ₹ 25,875.00 | ₹ 1,56,285.00 |
| 29 | Providing corrugated G.S sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I limpet washers filled with white lead and including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface) excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.50mm thick with zinc coating not less than 275gm/m ² | Sqm | 155.00 | ₹ 859.31 | ₹ 1,33,192.86 |
| 30 | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture. | Sqm | 59.38 | ₹ 186.09 | ₹ 11,050.20 |
| 31 | Reinforcement for R.C.C work including straightening, cutting, bending, placing in position and binding all complete (T.M.T bars) | Kg | 9354.69 | ₹ 90.22 | ₹ 8,43,989.02 |


Head Draftsman



Technical Officer


Superintending Engineer


of Chowkidar Quarter, Chain Link fencing, Approach road, retaining/protection wall,
of pipes & allied works for W.S.Scheme Sangri Muqam under JJM
(2022_PHE_168403_2)

Annexure "A" with Order No~~27~~ SE/HYD/JJM of 2022-23 Dated :- 3 - 2 - 2022


| Item Description | Units | Quantity | Alloted Rate | Amount |
|--|-------|----------|--------------|----------------------|
| 32 Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in :Cement mortar 1:4 (1 cement : 4 coarse sand) | Cum | 28.60 | ₹ 6,728.74 | ₹ 1,92,442.02 |
| 33 Extra for brick work with common burnt clay bricks/cement concrete bricks in superstructure above plinth level upto floor five level | Cum | 23.17 | ₹ 1,369.98 | ₹ 31,742.38 |
| 34 Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge, Using First class kail wood 35mm Thick. | Sqm | 41.78 | ₹ 3,202.08 | ₹ 1,33,783.03 |
| 35 Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately) 2nd Class Kail Wood | Cum | 1.40 | ₹ 95,287.64 | ₹ 1,33,402.69 |
| 36 Providing and fixing panelling or panelling and glazing in panelled or paneled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40mm thick. for Door | Sqm | 6.70 | ₹ 2,589.31 | ₹ 17,348.39 |
| 37 Providing and fixing panelling or panelling and glazing in panelled or paneled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40mm thick. for Glass panes 4mm thick for exterior window shutters | Sqm | 9.36 | ₹ 1,829.93 | ₹ 17,128.16 |
| 38 Fly proof stainless steel grade 304 wire gauge with 0.5 mm dia wire and 1.4 mm wide aperture with matching wood beading | Sqm | 9.40 | ₹ 1,505.72 | ₹ 14,153.75 |
| 39 Providing & fixing 30mm thick wire gauze shutters using galvanised MS wire gauze of average width for appuetture 1.4., with wire of dia 0.63mm for doors &windows and clerestory windows including ISI marked bright finished or/ and black enamled M/s Butt Hinges with necessary screws 1st class Kail wood | Sqm | 41.80 | ₹ 2,536.47 | ₹ 1,06,024.63 |
| 40 12mm Thick cement sand plaster finished with a floating coat neat cement of mix 1 : 4 | Sqm | 1419.50 | ₹ 370.52 | ₹ 5,25,952.64 |
| 41 15mm Thick cement sand plaster finished with a floating coat neat cement of mix 1:4 | Sqm | 248.16 | ₹ 416.58 | ₹ 1,03,377.79 |



Head Draftsman



Technical Officer




Superintending Engineer




Scanned with OKEN Scanner

Annexure "A" with Order No: SE/HYD/JJM of 2022-23 Dated :- 3 - 2 - 2022

| | Item Description | Units | Quantity | Allotted Rate | Amount |
|------|--|--------|----------|---------------|----------------|
| 42 | Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In stringers, treads, landings etc. of stair cases, including use of chequered plate wherever required, all complete | Kg | 6922.65 | ₹ 118.69 | ₹ 8,21,639.81 |
| 43 | Providing and fixing GI Chain Link fabric fencing of 4mm dia wire of required width in mesh 50mmx50mm including cost of nuts and bolts, washers as required at site with all carriages (Complete Job) | Sqm | 630.00 | ₹ 759.17 | ₹ 4,78,278.68 |
| 44 | Applying priming coat with ready mixed red oxide zinc chromate primer of approved brand and manufacture on steel galvanised iron/ steel work | Sqm | 644.40 | ₹ 54.60 | ₹ 35,181.82 |
| 45 | Painting with synthetic enamel paint of approved brand and manufacture on steel galvanised iron/ steel work | Sqm | 644.40 | ₹ 126.22 | ₹ 81,335.04 |
| 46 | Providing and fixing of nuts and bolts and chip including one end fix anchor block | Kg | 300.00 | ₹ 103.50 | ₹ 31,050.00 |
| 47 | Providing and fixing 80mm dia PVC pipes for aeration purpose | Rm | 15.00 | ₹ 103.50 | ₹ 1,552.50 |
| 48 | Laying in position centrifugally cast (spun) iron S&S or Ductile Iron or flanged pipes (excluding cost of pipes) | Qtls | 1152.00 | ₹ 254.14 | ₹ 2,92,774.18 |
| 49 | Providing push-on-joints to centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints. 150mm ø D.I | Joints | 873.00 | ₹ 149.76 | ₹ 1,30,744.41 |
| 50 | Laying and fitting of G.I Pipes with cost of pipe specials excluding cost of pipes ,earthwork and refilling : 100mm ø G.I | mtr | 1800.00 | ₹ 153.69 | ₹ 2,76,636.87 |
| 50.1 | 80mm ø G.I | mtr | 5560.00 | ₹ 104.69 | ₹ 5,82,077.79 |
| 50.2 | 65mm ø G.I | mtr | 5500.00 | ₹ 98.61 | ₹ 5,42,381.40 |
| 50.3 | 50mm ø G.I | mtr | 4300.00 | ₹ 60.34 | ₹ 2,59,464.15 |
| 50.4 | 40mm ø G.I | mtr | 6500.00 | ₹ 56.53 | ₹ 3,67,456.05 |
| 50.5 | 25mm ø G.I | mtr | 5500.00 | ₹ 40.51 | ₹ 2,22,804.45 |
| 50.6 | 20mm ø G.I | mtr | 3200.00 | ₹ 27.70 | ₹ 88,629.12 |
| 50.7 | 15mm ø G.I | mtr | 3500.00 | ₹ 26.29 | ₹ 92,011.50 |
| 51 | Providing and fixing aluminium handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade with necessary screws etc complete 125 mm | No. | 5.00 | ₹ 68.62 | ₹ 343.10 |
| 52 | Supply/Providing and laying stone soling quarry 90-45mm hand broken incld. stacking ,laying, spreading uniformly incld. providing laying and spreading khak bajri and watering incld consolidation with power road roller 8-10 ton capacity to achieve required density incld. all carriages costs of material involved. | Cum | 821.30 | ₹ 1,449.00 | ₹ 11,90,063.70 |


Head Draftsman


Technical Officer



Superintending Engineer




of Chowkidar Quarter, Chain Link fencing, Approach road, retaining/protection wall,
laying of pipes & allied works for W.S.Scheme Sangri Muqam under JJM
(ID:2022_PHE_168403_2)

Annexure "A" with Order No. 27 SE/HYD/JJM of 2022-23 Dated :- 3 - 2 - 2022

| No | Item Description | Units | Quantity | Alloted Rate | Amount |
|--|---|-------|----------|--------------|----------------------|
| 53 | Supply /providing of 63-45mm crushed stone aggregate and incld. laying spreading uniformly in proper grade incld. consolidation with power road roller 8-10 ton capacity to achieve proper grade incld. screeing khak bajri brooming, watering etc incld. all carriages and costs of material involved complete job. | Cum | 821.30 | ₹ 2,277.00 | ₹ 18,70,100.10 |
| 54 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. | Cum | 273.80 | ₹ 205.65 | ₹ 56,308.20 |
| 55 | Providing and fixing C.I Sluice valve of standard quality ISI mark reputed make, heavy duty incld. cost of flanges nuts, bolts tail pieces and all other fittings complete Job.150mm | No | 7.00 | ₹ 42,435.00 | ₹ 2,97,045.00 |
| 56 | Providing and fixing C.I Sluice valve of standard quality ISI mark reputed make, heavy duty incld. cost of flanges nuts, bolts tail pieces and all other fittings complete Job.100mm | No | 7.00 | ₹ 24,840.00 | ₹ 1,73,880.00 |
| 57 | Providing and installation of 50 mm dia. NRVs Standard Quality ISI mark incl. C/o nuts , bolts, rubber insertion, required CI Tees, Standing pipe of requires Dia. Incl. Cost for lead jointing , earth work , refilling and all type of carriages incl. providing cement concrete blocks of required size complete job | No. | 10.00 | ₹ 15,525.00 | ₹ 1,55,250.00 |
| 58 | Carriage of Materials by Mechanical transport from different sources to nearest dumping site/Road site of work including loading, unloading and stacking: Cement & Steel for an average lead of 5 Km | MT | 285.50 | ₹ 189.72 | ₹ 54,163.78 |
| 58.1 | Sand & 20mm Crushed aggregate for an average lead of 20 Km | Cum | 912.57 | ₹ 416.37 | ₹ 3,79,966.91 |
| 58.2 | 40mm aggregate for an average lead of 20 Km | Cum | 73.60 | ₹ 452.60 | ₹ 33,311.00 |
| 58.3 | Stone/Stone Soling for an average lead of 12 Km | Cum | 277.66 | ₹ 371.54 | ₹ 1,03,162.99 |
| 58.4 | Bricks for an average lead of 80 Km | No. | 13585.00 | ₹ 2.75 | ₹ 37,400.86 |
| 58.5 | 150mm dia D.I Pipes from Divisional Store for an average lead of 8 km | MT | 163.20 | ₹ 230.94 | ₹ 37,689.33 |
| Total | | | | | ₹ 2,14,44,141 |
| (Two Crore Fourteen lac Forty Four Thousand One Hundred and Forty one Only) | | | | | |


Head Draftsman


Technical Officer



Superintending Engineer
Hydraulic Circle Baramulla, Bandipora
H.Q Sopore

Annexure "B" with ORDER No: 97/SE/HYD/SPR/JJM of 2022-23


Dated:- 3 /01/2023.

Terms and Conditions

1. The work is executed strictly as per approved design / drawing, specifications and JJM Guidelines. Any deviation or change in proposal/location is subject to the prior approval from the competent authority.
2. The Executive Engineer will draw the formal agreement with the contractor within 07 Days from the date of issuance of this allotment order.
3. The rates allotted are inclusive of all taxes applicable as per norms amended by competent authorities from time to time. Labour cess and royalties shall have to be borne by the executing agency/contractor.
4. The execution of work shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department.
5. The date of start of the work shall be reckoned from 07days of issuance of LOI/Allotment whichever is earlier.
6. The executing agency/contractor shall be bound for satisfactory performance of the work for **18 months** after the successful Commissioning of subject work and will have to make a trial run of the work for a period of **03 months** to the best satisfaction of the department.
7. The **Defective Liability Period** shall be for a period of **12 Months** which shall commence after the successful completion of the Trial Run.
8. No liability should be created on this account.
9. The total cost of work shall in no case exceed beyond of **₹2,14,44,141.00 (Two Crore Fourteen lac Forty Four Thousand One Hundred and Forty one Only)**
10. In case the contractor fails to execute the work, the work shall be put to fresh tenders on the risk and cost of the contractor & the excess cost if involved shall be recovered from the contractor and strict action as warranted under contractual obligation shall be taken against the defaulter.
11. The time of completion of the work is reckoned **120-Days (One Hundred Twenty Days)** as per the condition laid down in the e-NIT.
12. The Performance Security in shape of Bank Guarantee bearing **BG No.0636IPBG2209002 dated: 20-09-2022 for an amount of ₹650000/-** pledged to Superintending Engineer Hyd. Circle Bla/Bpr, H.Q Sopore has been retained and shall be released after successful fulfilment of the laid down conditions in SDB/e-Nit.
13. Geo Tagged Photographic evidences of the work; pre-execution, during execution and post execution should be maintained by the agency on his own expenses.
14. The executing agency/contractor must execute the work as per the requirements/specifications detailed in the relevant/applicable IS codes.
15. The tests for concrete and allied materials shall have to be carried out at reputed institute as per directions of Engineer in-charge and the charges for the same shall have to be borne by the executing agency/contractor.
16. All Environmental norms, labour laws and all other guidelines issued by competent authorities shall be followed in letter and spirit
17. All other terms & conditions as laid down in the standard bidding document, PWD form-25, GFR-2017 and manual of procurement of works 2019 shall remain in force.


Head Draftsman


Technical Officer


Superintending Engineer
Hydraulic Circle Baramulla/Bandipora
H.Q Sopore.