CHEICE OF THE SUPTRINTENDING ENGINEER Member Secretary District 1st 1 City 17 DISTRICT BLANDING Member Secretary District Jal Jeevan Mexicon Baramulla/Bandipora M/5" Zahoor Ahmad Rather the west opening the second M/S Ab Rashid Rather R/o:- Alas Bandipora GST No:- 01AMEPR94B1L2ZK GST No:- UTANA Rogd No: CE/IRFC/Sgr/04(Four)/AAY(CIVII &SanHary)/2022-23-

Adventised Amount \$237.04 lac Allotted Amounts \$2,46,20,628.00 Major Hand-4215-JIM Time of completions 90days

intending Engine

ORDER No: 16 /SE/HYD/SPR/JJM of 2022-231 Dated: -26-11-2022

Subject: Fixation of Contract for:

Construction including successful testing and commissioning of 0.55 Iac Gallon Capacity
RCC service reservoir with sluta. RCC service reservoir with sluice chamber, Laying / Fitting incld. Improvements of pipe network, construction of Chowkidar / Operator Quarter, protection wall, chainlink fencing, Anchor/ saddle blocks, intelligence of Approach road & construction of , Anchor/ saddle blocks , intake/ collection chamber, Approach road & construction of crate protection works at bond all a collection chamber id; 2022 IFC 167024 30). crate protection works at head site for WSS Erin (Tender Id: 2022_IFC 167024_30).

Reference:

- Executive Engineer PHE Hydraulic Division Bandipora's e-NIT No 03/PHE/HYD/BPR of 2022-23 dated: 18-04-2022 issued under endorcement black and property and 18-04-2022.
- 2022 issued under endorsement No PHE/HYD/BPR/386-96 dated 18-04-2022.
 Revised District Action Plan (DAM) Revised District Action Plan (DAP) approved by the DDCB/BPR/2022/2056 Dated 15 02 2000
- Minutes of Meeting held with District Development Commissioner Bandipora (Chairman DDJM) on 23-08-2022 minutes issued vide order No 210-DDCB OF 2022 Dated 02/09/2022, under endorsement No 3.
- Administrative Approval Accorded by Chief Engineer Jal Shakti (PHE) Department Kashmir vide Order No CE/PHE/DB/IIM/255 of OR 2022
- Technical Sanction issued by Chief Engineer Jal Shakti (PHE) Department Kashmir's Order No.-CE/PHE/DB/478 of 09/2022 Dated 05-09-2022.
- Minutes of Meeting of District Contract Committee circulated vide No SE/Hyd/JJM/4785-98
- Amendment in operational guidelines for the implementation of Jal Jeevan Mission issued by NJJM, DDW&S ministry of Jal Shakti GOI vide F. No W-11016/10/2022-JJM-IV-DDWS Dated: 21-06-2022.
- Modus operandi communicated by Chief Engineer PHE Kashmir Vide circular No CE/PHE/MC/DB/13745-83 Dated: - 26-07-2022.
- You letter of acceptance No:- 25/ZA/2022 dated :02/08/2022.

For and on behalf of Lieutenant Governor of Union Territory of Jammu and Kashmir, the Dear Sir, contract for above subject work is hereby fixed on the rates quoted and subsequently negotiated and accepted by you on Percentage rate basis as per the Annexure "A" of this allotment order with standard terms and conditions as laid down in the Annexure "B" of this allotment Order. The total cost of work shall be ₹2,46,20,628.00 (Rupees Two Crore Forty Six Lac Twenty Thousand and Six Hundred Twenty Eight Only).

Hydraulic C

No:- SE/HYD/JJM/ 1/10 4-18 Dated: -90/12/2022

Copy to the:-

Chief Engineer Kmr. Jal Shakti (PHE) Department Srinagar for favour information.

- District Development Commissioner Bandipora(Chairman DJJM) for favour of information. 1.
- Additional District Development Commissioner Bandipora(Member DJJM) for information. Assistant Commissioner Development Bandipora(Member DJJM) for information.
- Divisional Forest officer Bandipora(Member DJJM) for information.
- Chief Planning Officer Bandipora(Member DJJM) for information.
- Chief Medical Officer Bandipora(Member DJJM) for information.
- Chief Educational Officer Bandipora(Member DJJM) for information 8
- District Social Welfare Officer Bandipora/District Tribal Welfare Officer Bandipora(Member DJJM) for
- 10. District Information officer Bandipora(Member DJJM) for information.
- 11. Executive Engineer PHE Hydraulic Division Bandipora (Member DJJM) for information and necessary action
- 12. Executive Engineer Jul Shakti PHE Mech. Division North Sopore (Member D.IJM) for information.
- 13. Executive Engineer Ground Water Division Srinagar (Member DJJM) for information.
- 14. WAPCOS Limited Bandiporu for information and necessary action
- 15. File Concerned.

filon including successful testing and commissioning of 0.55 fac Gallon Capacity RCC service reservoir with chamber, Laying / Fitting Incld. Improvements of Dipe network, construction of Chowkidar / Operator fruction of crate protection works at head site for WSS frin

	"A" with Oat	WSS Erin				
	Annexure "A" with Order No:16 SE/H	YD/IIM	nt 202	2-23 Date	q:-`38 ·	11 -2022
					,	Amount
/	Earth work in excavation by manual means in trenthes for high drains, pipes, cables etc. (not exceeding 1.5 m in width) and wells, cesspits and the like not exceeding 10 sqm on plan dressing of sides and ramming of bottoms lift upto 1.5 m getting out excavated earth and disposal of surplus excavate directed.	of thate		5913 780) 449.0A	0 (26,55,760)2
	All kinds of soil 1.1 Ordinary Rock			2474.100	996 88	5 1 24,66,374 12
	Earth work in bulk excavation by manual means over areas (30 cm in depth, 15 m in width as well as 10 m2 on plan) disposal of excavated earth lead upto 50 meters and lift upto directed by Engineer-In-Charge.	exceeding including 1.5 m, as	Cum	2.355	555.53	1 9 8
	All kinds of soil 2.1 Ordinary or hard rock		Cum	1.010	B#1.320	1 0687
	Earth work in bulk excavation by mechanical means (prescavator) over areas (exceeding 30 cm in depth, 1.5 m in width as 10 m2 on plan) including disposal of excavated earth lead meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil	h as well	Cum	807 480	194 413	
⊢	3.1 Ordinary Rock		Cum	204 310	389 701	₹ 79,61971
	Earth work in excavation by mechanical means (hydraulic exc in trenches for foundations, drains, pipes, cables etc. (not exceed m in width) and for shafts, wells, cesspits and the like not exceed sqm on plan, including dressing of sides and ramming of botto upto 1.5 m. including getting out excavated earth and dispose	ling 1.5 ling 10 oms lift	Cum	419020	259.612	₹ 1.08.782.41
1	surplus excavated earth as directed, within a lead of 50 metres			13.610	484.100	₹ 6,588 60
	Ordinary or hard rock Extra for every additional lift of 1.5 m or part there excavation/banking excavated or stacked material:	of In	Cum	27,180	84.100	₹ 2,285 82
5	All kinds of soil :		um	129.540	150.844	₹ 19,540.27
6	Random Rubble masonry with hard stone in foundation and princluding leveling up with cement concrete 1:6:12 (1 Cement : 6 ct sand : 12 graded stone aggregate 20mm nominal size) upto plinth and curing complete with: Cement mortar 1:6 (1 Cement : 6 ct	olinth parse level C	um ,	38.920	4568.308	
	sand) Random rubble masornry with quarry stone laid in dry	Cu	ım	15.900	2572.425	₹ 40,901 56
	Supplying and stacking at site, Graded crushed stone aggregate of sign mm to 45 mm with Stone screening of size, 13.2 mm nominal (Type A), including laying of stone dust / Moorum as binding mate including laying of water bound macadam sub-base with be aggregate and binding material, earth etc. including screening, sorting spreading to template and consolidation with power road roller 8-tonne capacity etc. complete inclusive of all carriages upto site of we complete job	erial rick Cur ing, 10 ork	m	199.110	2575.000	₹ 5,12,708 25
, L	aying in position centrifugally cast (spun) iron S&S or flang	ed gtl	1	000.008	252.917	₹ 4,55,249.70
Pi Di ru	ipes(excluding cost of pipe) roviding push-on-joints to Centrifugally (Spun) Cast Iron Pipes uctile Iron Pipes including testing of joints and including the cost bber gasket.	or of No	11	364.000	149 041	₹ 2,03,291 92
Dis refi mea	Omm dia Smantling G.J. pipes (external work) including excavation and Illing trenches after taking out the pipes, manually/by mechanica ans including stacking of pipes within 50 meters lead as pe- ection of Engineer-in-charge: Above 40 mm nominal bore	mtr	11	00.000	113.970	₹ 1,25,366.45
pipe	ing and fitting of G.I. pipes (all classes) complete excluding cost of es, fittings and Earth work:-	nitr	30	00.000	110.931	₹ 33,279.30
	mm dia G.1 pipe m dia G.1 pipe	mtr	50	0.000	75.242	₹ 37,620.75
	m dia G.I pipe	mtr		0.000	75.242	₹ 22,572.45
	nn dia G1 pipe	mtr	_	0.000	42.024	(1.13,464.80
1127	n dia G.l pipe	mtr		0.000	42 024	(84.948 00
-	n dia G.I pipe	mtr		0.000	31.570	₹ 78,923.75 ₹ 62,572.50
Company of the Compan						
20mn	n dia G.I pipe	mtr mtr		0.000	20.858	₹ 41,715.00

Head Draftsman

12 12.1 122 12.3 12.4 12.5 12.6

Technical Officer

Superintending Engineer

from Including successful testing and commissioning of 0.55 lac Gallon Capacity RCC service resorvoir with hamber, hamber, construction wall, chainlink fencing, Anchor/saddle blocks, intake/ collection chamber, Approach road & fuction of crate protection works at head site for WSS Erin

Annexure "A" with Order No: | SE/UVE | SEALURE |

Annexure "A" with Order No: b SE/HYD	JIM	of 202	2-23 Date	q:- 38 -	1 -2022
			Quantity		Amount
Providing and fixing of 12mm thick M.S. flanges. GI pipe incid. C. flanges, rubber gaskets, nuts bolts, welding charges cutting of the carld Earth work and ref. 100mm dia.	net of reads	fotots	550.000	1236.000	₹ 6,79,800 do
13.1 80 mm dla	_	Joints	367.000	1081.500	
13.2 65 mm dia	ality	Joints	15 000	10300 000	£ 2,05,000.00
complete 50mm dia 14.1 25mm dia	etc	No	20.000	7210 000	3 627-30040
Providing and fixing of El slulce valve with cap including all accesso tike nuts, bolts rubber insertion etc and tail pieces of Kirloskar m including successful testing and commissioning 150 mm dia	iles ake	No	12 000	56650.000	-1
15.1 100mm dia	_ _	 +	18 000	46350 000	
15.2 80mm dia		No No	12.000	30900 000	
15.3 65mm dia	+	No	10.000	25750 000	₹ 2,57,500 oc
Making connection of G.I distribution branch with G1 main 16 following sizes by providing and fixing Tee, including cutting a	of nd	Nos	162.000	686 238	(1.11.170 48
threading the pipe etc. complete 25 to 40 mm nominal bore	1 _	Nos	50 000	1306 813	1 65,340 63
16.1 50 to 80 mm nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approve			20.000	2060.000	₹41,200.00
quality (screwed end) 50 mm nominal bore	1_	No	9.000	2575.000	₹ 23,175 00
17.1 65 mm nominal bore	1	No	7.000		
Constructing masonry Chamber of specified size, in brick work wit common burnt clay (non modular) bricks of class designation 7. incement mortar 1:4 (1cement :4 coarse sand) and R.C.C. top slat 1:1.5:3mix (1 cement : 1.5 coarse sand .3 graded stone aggregate 20 mmnominal size) including necessary xcavation, foundation concrete1:5:10 (1 cement :5 fine sand : 10 graded stone aggregate 40 mmnominal size) and inside plastering with cement mortar 1:3 (1 cement :3 coarse sand) 12 mm thick finished with a floating coat of neat cement complete as per standard design. For sluice valve, with C.I. surface box 100 mm top diameter, 160 mm bottom diameter and 180 mm deep (inside) with chained lid.	N	lo	5.000	22106.736	₹ 1,10,533.68
Chamber 120x120x100 cm	Cur	- -	201.750	634.892	₹ 1,28,089 46
19 Dumping stone including cost of stones. in Horizontal on level 20 Hand-packing stones in wire-crates; including cost of stones			58.320	759,574	₹ 44,298.33
but excluding cost of crates Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering,	Cum	<u>"</u>	951.920	204.661	₹ 16,27,447.90
lead upto 50 m and lift upto 1.5 m 22 Providing & laying stone soling in horizontal on level.	Cum	7	5.380	840.892	₹ 63,386 44
Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded	Cum	5	4.930	5007.695	₹ 2,75,072.70
Providing and laying in position specified grade of relitorced cement concrete including curing but excluding the cost of centering,	um	37	7.225	8034 783	₹ 2,99,094.79
Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including caring but excluding cost of centering shuttering, finishing and creinforcement. 1:1½:3 (I cement: 1½ coarse sand: 3 graded stone aggregate 20 min pomital size)	m	29.	875	9690.384	₹ 2,89,500.23
Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, charjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:14:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)		16 B	60 10	144 831	(1.71.041.84

Head Draftsman

26

Technicaromeer

B' SuperIntending Enginee.

from including successful testing and commissioning of 0.55 Jac Gallon Capacity RCC service resorvoir with all including incld. Improvements of pipe network, construction of Chowkidar / Operator hamber, with an including incld. Improvements of pipe network, construction of Chowkidar / Operator hamber, with a successful testing incld in the successful testing of the successful tes

der 1d: 2022_IFC_167024_30)			1.23 Dat	red :- 38	-(1	-7022
Annexure "A" with Order No: 16 SE/HYL	MIL	of 202	Quan	red :- 38_		Amount
Remarked rement constitute work in arches archists dames Remarked relief to and routs having slope more than 15° upto 0. Remarked place and routs having slope more than 15° upto 0.	tering	Lum	1784	0 1021		11 177.01.01
product yet?	-	110	1.000	was	600	€ 1 6 55 ng
28 with regle is in home wild in my exact fattings transpare		160	1 000	1615	000	11190509
29 with angle montraine meld all necessary fittings complete Steel reinforcement for REC work including straightening, or Steel reinforcement for REC work including all complete upon plinth	nine –	P.II.	11317.30	10 177	15	t 10 mat = -7
Thermy Mechanically Treated bary of grade re-souls of more	ork	1:11	2455 500	105.2	0.1	17,5e 13P 91
31 belieding cutting horstime living in position and applying a prince it of approved steel primer all complete. Welded Structural steel work in single section, fixed with or without connect plate, including cutting hoisting living in position and applying	ing	11:	7028 000	9376	,	4 6.59.951.61
ceat of approved steel printer all complete	val	m	g21 290	270 16	9	1271,097 10
31 of torm for Foundations, footings, bases of common ser		+	1294.450	591.06	5	17,65,10474
[Walls (any thirliness) including attached phasters, dutivessess particularly		<u>"</u>	44 200	65465		7 20 9 20, 11
1356 state to make landings halconies and access platforms	squ	1	45 690	517.939		12300447
11.03 Hearth bearth photh beams, garders, bressumers and candidate	squ		103320	214940		122207+42 12547132
1202 Jacober de le la litte upto 6 m span	sqm		215 490	11H264		174619
A TO THE TOTAL CONTRACT WORK	sqm	T	13.710	101597	÷	(2 m) 12
and light for the strengt core light work lighted	sym		20 740	1030764		11.07.11045
11 - 4 14 - 4 2 1 2 1 2 1 2 1 2 1 2 1 3 1 1 1 1 1 1 1	squi		01320	244 564		11427116
110 Erral of orar of a care that work DOMES	Rm		57 100	700 555	-	3605279
13 (ii) [Ed. et nº 422 et 4 breat : in mages and contents	sqin		8640		1	
13.1 Colors p. Par parts and memory Providing and being of Stimm dia G1 half bend of standard quality to be	No	-	5 000	257 500	+	\$ 14,14,250 \$ 14,14,250
Providing and incorporating Pol simple roll contractions sort incid. All carriages complete toll contractions sort incid. All carriages consiste of specified grade	Squi	1	1700	412.000	1-	
From J - g and toping in position terminal containing and shottering All and restricting but excluding the cost of century and shottering All and topic states and beginned	Cum	13	5 000	5000173		17,54,117.75
come serverse 20 ma number size) Lines (expect poster functed with a floating cost of next cement of my 1 f () (expect ()); To v 2 f () (expect ()); To v 3 f () (expect ()); To v 4 f () (expect ()); To v 5 f () (expect ()); To v 6 f () (expect ()); To v 7 f () (expect ());	sym	13	1510	354(6)	 	1 4 1 0 2 2 1 3
Frenching and fairly 61 chain but fabric beneaus of tempined width in	Ethi	549	000	755 505		407.972.79
	1417/02	1425	0.28	267832	1	1.81 6.003 101
Providing and hyper in president a parameter state of reinforced remains treatment and other country but residents are used of respecting	un	21 0	au	7100010	ţ !	2091285
Providing and brong contents one reto in retaining with, tension walls, we're (any Universal problem) effected position, coupling point observations private parties private parties to the problem point of the parties of the private parties of the parties o	au .	241 98	ia r	187 <i>]</i> ne	ť ļū	e2 b/n 01
Providing 6 laying damp proof clearer 40 mm thick with centernt processes 12.4 (1 center) 2 course small 4 graded close age 12.5 mm type (1995) above 1804 course compacts.		27 470	35		YEL	2602.14
timen Tochan Talan				(1)	erinte.	nding Incined

41

successful testing and commisioning of 0.55 fac Gallon Capacity RCC service reservoir with factor wall, chainlink fencing, Anchor/saddle blocks, intake/collection chamber, Approach road & First Capacity FC_167024_30

	er Id: 2022 FFC_107024_507		- 22 Date	di No II	2022
	Annexa Item Description	JM of 2	022-23 Date	d: 38 -11	
		Ur	dt Quantit	Y	Amount
	nortar 1-4 (1 cement 4 coarse sand) nortar 1-4 (1 cement 4 coarse sand)	mont Co	19 190	2365 860	\$ 1.41.150 ns
	Extra for brick work with common burnt clay bricks/cement cone burcks in superstructure above plinth level upto floor five level	rete	n 15.010	1499 701	t 22.555.50
/	cement concrete flooring 1-2.4 (Icement 2 coarse sand 4 grassione aggregate) finished with a floating coat of next cement include cement slurry and curing complete, but excluding the cost of nosing steps etc. complete. 50 mm thick with 20mm nominal size steps.	ting	14 000	572 165	C19 15 (6)
	providing wood work in frames of doors, windows, clerestory windo and other frames, wrought framed and fixed in position with hold fall lugs or with dash fasteners of required dia and length hold fast lugs with dash fasteners shall be paid for separately.) Second class k	ast Cum	0710	94027311	(67.327.39
	Providing and fixing glazed shutters for , windows and cleresto windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, a screws, excluding panelling which will be paid for separately, a screws, excluding panelling which will be paid for separately, a screws, excluding panelling which will be paid for separately, a screws.	ry ry nill sqm	31,230	3186614	₹ 99,517.96
	and necessary screws shall be paid separately). First class kall woo (35mm)		18.730	824 000	₹ 15,433.52
	48 Providing and fixing of 4mm thick Float glass panes(weighing not less than 10 kg/sqm Providing and fixing fly proof wire gauze to windows, clerestory windows and doors with M.S Flat 15x3 mm and nuts and bolts complete. Galvanized M.S wire gauze with 0.63 mm dia wire and 14	y s	18.730	720.279	₹ 13,490 83
	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.J limpet washers or with G.J. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface)excluding the cost of purlins, rafters and trusses and including surface)excluding the cost of purlins, rafters and trusses and including surface) size and shape wherever required. 0.63 mm thick with zinc		65.190	980 354	₹ 63.909.20
\downarrow	coating not less than 2/3 grain/in2 Providing & fixing colour corrigated ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J. or L hooks, overall width plain G.S. sheets fixed with polymer washers complete.	Rm	22.880	712.091	₹ 16,292.63
			29.500	714.717	₹ 21,084-15
1	Providing and fixing plained eaves boarding (Kall Wood)	Rm		669.500	₹ 11,876 93
	Providing and fixing of Gsheet soffit of approved quality, colour discrete texture complete Providing and fixing aluminum tower bolts ISI marked anodized providing and fixing aluminum tower bolts (SI marked anodized).	sqm No	17.740	82.761	₹ 827 61
5	(anodic coating not less than grade AC 10 as per 13. 1300) or dyed to required colour or shade with necessary screws etc. complete Tower bolt (150x10 mm) long	No	30.000	59.071	₹ 1,772.12
55	Tower bolt (100x10 mm) long	No No	6 000	68.341	₹ 410 04
	125mm	No	32.000	53.869	₹ 1,723,81
56.1	100 mm	No	16.000	46 350	₹74160
56.2	Air hooks Providing and applying white cement based putty of specified	ותן	79.160	177 572	₹ 14.056.60
58	thick) Distempering with 1st quality acrylic distemper, having VOC (Volatile Organic Compound) content less than 50 grains/ liter of approved organic Compound) content less than 50 grains/ liter of approved organic and manufacture, including applying additional coats wherever brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. Two coats	m	79 160	61.010	₹6,112,71
	required, to define to the second sec			A -	1

Head Drallsman

perintending Lings

chamber. Laying / Fitting Incld improvements of pipe network, construction of Chowkidar / Operator incl, protection wall, chamber, Approach road & intel, protection wall, chainlink fencing, Anchor/ saddle blocks, intake/ collection chamber, Approach road & intel, protection works at head site for wes. diter, but of crate protection works at head site for WSS trin 14 2022 HE 167024 301

	der Id. 2022 III. 167024 30)	01 20122			Amount
-	Annexure "A" with Order No. b SI/HYD/IJM	Unit	Quartity		
S No	Harris Caraca Ca			14.53.9	Em Street
	Egyptical scale with water property answer post of reported grade of	302-11	95,010		
4.15	See the filter of the contract of the party of the Bridge	and the same			1
				- 1	
	Printing with Delian most and are part to the house the entire the printing and		to tell	13676	3 4 475 53
		1675 018	1	1	1
6.4					
	The same of the sa	-	14 pmi	7394 Rutt	FARREST.
	and the state of the party amplied with the little got A champ'	Et eri			
r-T	process (and greater or market with all two fittings posts	and the same of th	11000	77250H	\$ 10 may 50
inner siere	countries and trong of pro paper rathers with shi two fittings each prompt of and role one or protected with the east 100 mm discrete paper process of and role one or protected with the east 100 mm discrete paper.	\$1.773			
60	plant of and return the transfer of the state of the stat			4	
	T	1	1		to Visit a way
	bread a A take White actions that notes don't commit		1000	1069 787	4 1 116/4-19
	the species from I always with S of the species with all reseasons.	94	•	1	
1	the seas and N or T trap at site temperature of the disposed of the manufest of the season materials. Is been and disposed of the manufest of the disposed of the season o			1	
	correction potential L Part of time Sylve 440 from				
	Land to the state of the state				7 2 1 20 50
	Provide and proving on trusce (at all floor levels) polyethylene water compensated by the many marked indicating the III's Lecture No with compensate Deal No. 12704 marked indicating the III's Lecture No with compensate Deal No. 12704 marked indicating the II's Lecture No.		500 600	n 240	5 X X 405 1000
	leves Det S Is of the state of the day of the day of the level	litte		1	
.5	topics and a state lacking arrangement and tribute at things and the rise of the rise and carriers payer including all associated bittings and the rise of the rise are the rise are rise and rises are rises.]	
	the bone very part for the party				
	because ye of (New York)			1	
	Free date and haine list quality ceramic glazed with the reproved is 1562210 element to be specified by the manufacturer) of approved in 1562210 element to be specified by the manufacturer) of approved in 1562210 element to be specified by the manufacturer) of approved in 1562210 element to be specified by the manufacturer) of approved in 1562210 element to be specified by the manufacturer) of approved in 1562210 element to be specified by the manufacturer) of approved in 1562210 element to be specified by the manufacturer.				T 17,556 47
	int TEAT THE PARTY OF A PARTY OF		14 940	1144 687	4.8 ,2000.7
	Take of a court, thades except burgainty, battle press of steps and up as approved by forgreen in-Charge, in storting, risers of steps and up as approved by forgreen in-Charge, in storting risers of steps and	Sqm		1	
5	and a serviced by long over in-Charge, in storting, received a rearre- land over 12 to their bed of coment mortan 1.1 [1] coment a rearre- land over 12 to their bed of coment about 2 l'Akg per sum, un industri			1	
	table on 12 - then bed of coment mortar 1 1 f f for sign, in helion				
- 2			1 (50)1	24.75 000	7.2.5 (188)
1	SURGEST (MAIL SERVICE)	Nas	1100		
5	or dog the englate arrives events on maid waste popel winning for the dog and take of the format and tenting points in lading winning for the dog and take of the dog and take of the dog and and an analysis of the dog analysis of the dog and an analysis of the dog analysis of the dog and an analysis of the dog and an analysis of the dog analysis of the dog analysis of the dog analysis of the dog and an analysis of the dog analysis of the dog analysis of the dog and analysis of the dog analysis of the dog and an analysis of the dog analysis of the dog and an analysis of the dog a	_		1	
-	A A A 1 2 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1			1	
	and the second of the first terms of the second of the sec	15.7	18 600	1164 500	7 2 1 S45 DE
4	the first and the standing per wife familian brace etc famp been take for conduct conservation braces etc famp been take for conduct of the formal wife for the formal wife for the familian the first wife for the formal wife for the familian formal wife for the formal wife for the familian for the familian formal wife for the familian for the familian formal wife for the familian for the familian for the familian formal wife for the familian for t				}
1	one take full conduct connect with breath part than the with the second by the first feel because the full below when with the second second and the second			n esco	
1	who has the respect a main with discontinuous complete. Lighting	Characteristics Septime	ME OF SCHOOL ST.	Lesies Adio	7 8 37 54
1	Comments of the comments of th	Philipson and the same of the	6.000	\$6500 0000	1 5, 18 532
	The state of the s	Pin .	11/10	3 5 7 2 22 22	7.5.150.05
T	A STATE OF THE PARTY OF THE PAR	# (E	: 000	-	
1	the same and had real mand ted made for Chromater		9447800	29 7n-7	7 16.365 90
1	there is a many that their trains for board work ferring	3-35%	perchas	and the second	1
	The state of the s	THE RESERVE AND ADDRESS OF THE PERSON NAMED IN			
+	tracing a military part of appropriational and manufacture to	\$ 15,000	5401699	142 950	F 42" 625 200
18	transag as the analysis part of more prints the rear which				
	A C. Della College	tion	£ 18653	41/2 503/	1 1 1 2 0 5 9
	commonly for the state of the s	N. Or	3.349.0890s	M1029	* 17 SQS 97
- 2				167.543	1 - FALLOW
1.90	constitution of the production production of the production	64245	5-9 (5.3)	1 21 x 30	4 Sal Sep. 8 Ga
	The state of the same of the control state of the same	137	372m 1000	6 L S. V.	
1	the second of the second traces of the second excess of the	den	1.000	10906:000	1 20 500 00
17	recently and Centry of 1 the month appearing accommendation to the control of the	12.044			
- 2	The state of the s		- Annahus per Aparlamenta de Primario de Caración de C		
iz	Analysis and total of best man done Plans that of the foods with	, arrela	N. CLOTHA	\$ 1 5 (see abl)	r pr san der
4	The first state of the state of	Total	1.000	A Springer	1
122	proper table of each with time, therefore the court for the	the report forms for the same		-	I
-	manufacture and properties for his action to the actions for surrelinatively	00	10,4400	LOTED TOW	ELDAREST.
		- Erif & a Market Alice		+	
	The same of the sa	100	1 month	1037 (Jak 1923)	# -12 Fan 00
11	resident to transport and flares of pope species of strangen quality	1002	Digwall	103, 21,41 (-0.5)	-

hamber, Laying / Fitting incld. improvements of pipe network, construction of Chowkidar / Operator fer, protection wall, chainlink fencing, Anchor/ saddle blocks, intake/ collection chamber, Approach road & struction of crate protection works at head site for WSS Erin

1	Annexure "A" with Order No: \ b SE/HYD/JIM o	1 2022-	23 Dated :- 2	8 -11-2	022
5. No.	Item Description	unit	Quantity		Amount
78	Carraige of materials from source to road site of work including loading unloading and stacking:	Cum	390 120	458 020	1.10,602.92
	Stone / stone soling for an av lead of 10 km	-	42.170	761.850	1.37,689.71
78 01	40mm aggregate for an av lead of 10 km	Cum	117,900	700.915	(3,13,939.83
78.02	20mm aggregate for an av lead of 40 km	Com	295 315	700.915	1 2,07,011.74
78.03	sand for an av lead of 33km	Cum	81.770	312760	1 25,574 34
78.04	Pipes for an av lead of 10km	MIT	223.775	312 760	1 69,991 01
78.05	cement for an av lead of 10 km	MT	21.395	312.760	1 6,691,49
78 06	steel for an av lead of 10 km	MT	0.590	938.196	1553.54
78 07	wire Crates for an av lead of 10 Km	MT	9595 000	2.740	1 26,288 38
	Bricks for an av lead of 80 km	No	7500 000	11 145	£ 83,584 50
78.09	150mm dia D.I pipe for an av lead of 15 km	mtr		/	
79	Carraige of materials from road site to site of work by manual labour including loading, unloading and stacking for an av lead of 500 Mtrs.	Cum	390.120	654 544	₹ Z,55,350.86
*: 2	Stone / stone soling		49.470	601.479	1 29,755.16
		Cum	447.900	556 385	1 2,49,205 02
79.01	40mm aggregate	Cum	295.345	556.385	11,64,325.65
79.02	20mm aggregate	Cum	81.770	318.579	1 26,050 20
79.03	sand	.MT	223.795	318 579	171,296 39
79.04	pipes	MT	21.395	542 728	7 11,611 66
79.05	Cement	MT		268.634	₹ 158.49
	Steel	MT	0.590	1.030	1 9.882 85
79.07	wire crates	No	9595.000 7500.000	22.763	₹ 1,70,722.50
79.08	Bricks	mtr	7500.000		
79.09	150mm dia D.I pipe for an av lead of 1000mtr Providing, erecting and fixing of sign board 2'6"x4' made up of angle iron frame work 50x50x6mm with 1mm thick M.S sheet including iron frame with 1mm thi	job	1.000	6180.000	₹ 6,180.00
00	priming, painting and proper lettering and				₹ 2,46,20,62
	cement concrete complete job				

(Rupees Two Crore Forty Six Lac Twenty Thousand and Six Hundred Twenty Eight Only)

Head Draftsman

Technical Officer

Superintending Engineer

Hydraulic/Circle Baramulla/Bandipora

H. Q Sopore

Government of Jamma and F OFFICE OF THE SUPERINTENDING ENGINEER SHAKTI DEPARTMENT HYDRAULIC CIRCLE DISTRICT RLA/BPR H.Q SOPORE Member Secretary District Jal Jeevan Mission Baramulla/Bandipora Email:solydbia@pmail.com

nexure "B" with ORDER No: 16 /SE/HYD/SPR/JJM of 2022-23 Dated: 18-11 -2022

The work is executed strictly as per approved design / drawing, specifications and JIM Guidelines. Any deviation or change in proposal/location is subject to the prior approval

2. The Executive Engineer will draw the formal agreement with the contractor within 07 Days

3. The rates allotted are inclusive of all taxes applicable as per norms amended by competent authorities from time to time. Labour. authorities from time to time. Labour cess and royalties shall have to be borne by the 4. The execution of work shall be subject to check by the third party monitoring agency (TPIOM) appointed by the Department

5. The executing agency/contractor shall be bound for satisfactory performance of the work for 18 months after the successful Care for 18 months after the successful Commissioning of subject work and will have to make a trial run of the work for a period of 02 trial run of the work for a period of 03 months to the best satisfaction of the department.

The Defective Liability Period shall be a The **Defective Liability Period** shall be for a period of **12 Months** which shall commence after the successful completion of the Territory

8. The total cost of work shall in no case exceed beyond of ₹2,46,20,628.00 (Rupees Two Crore Forty Six Lac Twenty Thousand and Six I)

9. In case the contractor fails to execute the work, the work shall be put to fresh tenders on the rick and cost of the contractor at the risk and cost of the contractor & the excess cost if involved shall be recovered from the contractor and strict action as warranted under contractual obligation shall be taken against

10. The time of completion of the work is reckoned 90-Days (Ninety Days) as per the

11. The bidder shall furnish a performance security equivalent to 03% of the value of the contract within one week of the issuance of allotment order in the shape of CDR/FDR/Bank Guarantee, valid for a period of 24 Months, which shall be released after successful

12. Geo Tagged Photographic evidences of the work; pre-execution, during execution and post the

execution should be maintained by the agency on his own expenses.

requirements/specifications detailed in the relevant/applicable IS codes.

14. The tests for concrete and allied materials shall have to be carried out at reputed institute as per directions of Engineer in-charge and the charges for the same shall have to be borne by

15. All Environmental norms, labour laws and all other guidelines issued by competent

16. All other terms & conditions as laid down in the standard bidding document, PWD form-25, GFR-2017 and manual of procurement of works 2019 shall remain in force.

lydraulic **Ç**ircle Baramulla/Bandipora

H.Q Sopore.