Government of Jammu and Kashmir

OFFICE OF THE SUPERINTENDING ENGINEER,

(M) sev

AL SHAKTI DEPARTMENT HYDRAULIC CIRCLE DISTRICT BLA/BPR H.Q SOPORE Member Secretary District Jal Jeevan Mission Baramulla/Bandipora

Email:sehydbla@gmail.com

Mis:- Ashig Hussain Bhat Je-Ghulam Nabi Bhat

i o:- Barthana R.C Depot Srinagar

GST No:- 01 ALOPB730F1 ZG

Regd No: 129/A/CE/KCC/PDC/1995-96

Advertised Amount: ₹213.70lac Allotted Amount:- ₹ 2,17,01,011.00 Major Head:-4215-JJM

Time of completion: 120days

{ORDER No: 16 /SE/HYD/SPR/JJM of 2023-24} Dated: - 10 -06-2023

Subject: Fixation of Contract for:

Laying fitting of pipes, 0.30 lac gallons SR, 0.90 lac gallons SR, 0.60 lac gallons SR, Anchor/ Saddle Blocks, Intake chamber, 7 No Sluice chamber, Protection Work, Chowkidar Quarter and Chain Link Fencing for WSS Patchar Hudpora under JJM (Tender Id:2023_PHE_206388_1)

Reference:

- Executive Engineer PHE Division Baramulla's e-NIT No 79 of 02/23 dated: 28-02-2023 issued under endorsement No. PHE/BLA/CC/11195-205 Dated 28-02-2022.
- Revised District Action Plan of District Baramulla approved by DJJM vide no: DDCB/3929 dated: 30-07-2022.
- Minutes of Meeting held with District Development Commissioner Baramulla (Chairperson DDJM) on 23/5/2022 minutes issued vide letter No DDCB/Meeting/2022/1214-44 Dated: 24/5/2022 and No DDCB/2022/ 1248-70 Dated: 26/5/2022 thereafter vide letter No. DDCB/ 2022/1725-28 Dated 04/06/2022.
- Administrative Approval Accorded by Chief Engineer Jal Shakti (PHE) Department Kashmir vide Order No: CE/PHE/DB/JJM/256 of 09-2022 Dated: - 05-09-2022
- 5. Technical Sanction issued by Chief Engineer Jal Shakti (PHE) Department Kashmir's Order No:- CE/PHE/DB/514 of 09/2022 Dated: 09-09-2022
- Minutes of Meeting of District Contract Committee circulated vide No: SE/Hyd/JJM/459-71 dated:13-04-2023.
- 7. Amendment in operational guidelines for the implementation of Jal Jeevan Mission issued by NJJM, DDW&S ministry of Jal Shakti GOI vide F. No W-11016/10/2022-JJM-IV-DDWS Dated: - 21-06-2022.
- Modus operandi communicated by Chief Engineer PHE Kashmir Vide circular No CE/PHE/MC/DB/13745-83 Dated:
 - Your letter of acceptance No:- 55-AHB-2023 Dated:- 01-06-2022.

Ugar Sir.

For and on behalf of Lieutenant Governor of Union Territory of Jammu and Kashmir, the contract for above subject work is hereby fixed on the rates quoted and subsequently negotiated and accepted by you Percentage rate basis as per the Annexure "A" of this allotment order with standard terms and conditions is laid down in the Annexure "B" of this allotment order. The total cost of work shall be ₹ 2,17,01,011.00 upees Two Crore Seventeen Lac One Thousand and Eleven Only).

SEMYD/JJM/2689-2702

Copy to the:-

Superintending Engineer Hydraulic Circle Bla/Bpr H.Q Sopore

- 1) Chief Engineer Kmr. Jal Shakti (PHE) Department Srinagar for favour information.
- 2. Dis trict Development Commissioner Baramulla (Chairperson DJJM) for favour of information.
 - Adelitional District Development Commissioner Baramulla (Member DJJM) for information.
 - Assistant Commissioner Development Baramulla (Member DJJM) for information.
 - 5. Divisional Forest officer Baramulla (Member DJJM) for information.
 - 6. Chi ef Planning Officer Baramulla (Member DJJM) for information.
 - 7. Chi ef Medical Officer Baramulla (Member DJJM) for information.
 - 8. Chi ef Educational Officer Baramulla (Member DJJM) for information.
 - District Social Welfare Officer Baramulla / District Tribal Welfare Officer Baramulla (Member DJJM) for information.
 - 10. District Information officer Baramulla (Member DJJM) for information.
 - # Exe cutive Engineer PHE Division Baramulla (Member DJJM) for information and necessary action.
 - 12. Exe cutive Engineer Jal Shakti PHE Mech. Division North Sopore (Member DJJM) for information.
 - 13. Executive Engineer Ground Water Division Srinagar (Member DJJM) for information.
 - 14 File Concerned.

Chamber, 7 No Sluice chamber, Protection Work, Chowkidar Quarter and Chain Link Fencing for WSS Patchar Pythogram, nder JIM (Tender Id:2023_PHE_206388_1)

	_														
-2023	Amount	£ 23,27,370,71	₹ 12,89,108.26	£ 4,30,537,96	₹ 1,41,643.26	₹ 5,26,435.20 ₹ 50.343.41	₹ 1,51,967.95	₹ 2,24,260.83	₹ 2,92,183.11	₹ 84,252.58	₹ 10,82,734,10	₹ 9,01,320.69	₹ 2,96,559.59	₹ 14,330.74	F 2,76,400,94
10 - 06	Alloted Rate	₹ 442.76	₹ 982.85	£ 191.68	₹ 547.71	₹ 2,031.00 ₹ 25.39	₹ 1,340,46	₹ 7,381,86	€ 4,937.19	₹7,086.84	₹ 7,921.67	₹ 9,553.96	₹ 10,002.01	₹ 913.95	₹ 10,665.78
-24 Dated :-	Quantity	5256.530	1311.600	2246.180	258.610	259.200	113.370	30.380	59.180	11.890	136.680	94.340	29.650	15,680	26.160
of 2023	unit	8	Cum	Cen	Cum	Cum	CO.	- E	Emo	B	Cum	En Co	E E	Cum	E
Annexure "A" with Order No: 16, SE/HYD/JJM of 2023-24 Dated :-		could work in excavation by manual means in trenches for storndations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on app.n, including dressing of sides and ramming of bottoms lift upto 1.5 including getting out excavated earth and disposal of surplus still ected. All Kinds of soil	- Ordhary Rock	teach work in bulk excavation by mechanical means (hydraulic teachwater) over areas (exceeding 30 cm in depth, 1.5 m in width as swell as 10 m2 on plan) including disposal of excavated earth lead seaso 50 meters and lift upto 1.5 m, as directed by Engineer-in-Casage.	THE PERSON NAMED IN	Halling of stone into wire crate including cost of stones.	Providing and laying hand packed stone soling 50 mm nominal size recording Filling, spreading, dressing, ramming, all leads lifts and all states complete.	Action and laying cement concrete in retaining walls, return walls, wills (any thickness) including attached pilasters, columns, piers, switchments, pilars, posts, struts, buttresses, string or lacing courses, perapets, coping, bed blocks, anchors blocks, plain window sills, relies etc. upto floor V level, including curing but excluding the cost of respiring, shuttering and finishing with: 123.6.(1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm	Reputding and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All viorit upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stoine aggregate 40 mm nominal size)	Providing and laying in position specified grade of reinforced cement songrete. Including curing but excluding the cost of centering, Shuttering, finishing and reinforcement. All works upto plinth level 12.24 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm months asce).	Providing and laying in position specified grade of reinforced cement concrete. Including curing but excluding the cost of centering, anytering, finishing and reinforcement. All works upto plinth level 12/2/2/3 (1 cement; 11/2 coarse sand: 3 graded stone aggregate 20	102865	Reinfanced cement concrete work in beams, suspended floors, roofs traving slope upto 15°, landings, belconies, shelves, chajjas, lintels, bands, plain window sils, staircases and spiral stair cases upto five cyel including curing but excluding the cost of centring, shuttering, inshing and reinforcement with 1.17x33 (1 cement : 11x coarse controlled stone accordance of the cost of common size).	Boulder filling in rooms including handpa	Certiforced cement concrete work in arches, archribs, domes, vaults strend, folded plate and roofs having slope more than 15° upto floor line lievel lievel including curing but excluding the cost of centering, shiptoming Pinishing and reinforcement with: 1:17s:3 (1 cement : 1% orange sand : 3 graded stone aggregate 20 mm nominal size)
	15		17	1	2 P	13			3 3	1 3		9	5120	13.0	14.0

	Annexure "A" with Order No: & SE/HYD/JJM o	of 2023	of 2023-24 Dated :-	90-01	-2023
UB O	Item Description	unit	Quantity	Alloted Rate	Amount
	gividing and incorporating G.I Sheet strap 150mm wide and 2.5mm	Mtr	303.420	₹ 507.75	₹ 1,54,061.51
	Froyiding and laying in position cement concrete of specified grade kertuding curing but excluding the cost of centring and shuttering. All swork upto plinth level with: 1:2:4 (1 cement : 2 coarse sand : 4 stoded stone aggregate 20 mm nominal size)	Cum	108.890	₹ 6,565.41	77,14,907.01
1	styles work welded in built up sections/framed work, including C. ting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In disingers, treads, landings etc. of stair cases, including use of structured plate wherever required, all complete.	. Kg.	459,900	₹ 103.72	₹ 47,699.95
9	ncluding straightening ling all complete abors of grade Fe-500D o	27	18827.860	₹ 88.53	₹ 16,66,759.14
9	Contering and shuttering including strutting, propping etc. and proposed of form work for:	E S	96.490	₹ 266.37	₹ 25,701.62
49.1	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	mbs	1520.810	₹ 582.74	₹ 8,86,243.93
G.		wbs	102.520	₹ 510,64	₹ 52,351.24
15	pended floors, roofs, landings, balcomes and access platforms.	mpx mpx	85.260	₹ 645.45	₹ 55,031.22
E S	Eximms, Pillars, piers, abutments, posts and struts.	mbs	16.800	₹ 2,119.15	₹ 4,51,123.67
N.	Extra for shuttering in circular work:	mbs	34.530	₹ 53.27	£ 1,839.52
8	wils etc.,	mbs	667.510	₹ 116.55 # 420.00	# 77,797.58
76.3	Superior Floors	E DS	102.520	₹ 102.13	₹ 10,470.25
SH.	perfering and shuttering including strutting, propping etc. and denoval of form for:	mps	212.880	₹ 1,024.08	₹ 2,18,006.36
0.15	mork with gnation 7.5 in nent mortar	Cum	15.130	₹ 6,601.97	₹ 99,887.78
100	Extra for brick work with common burnt day bricks/cement concrete spacks in superstructure above plinth level upto floor five level	Cum	15.130	₹ 1,344.17	£ 20,337.24
100	Providing ridges or hips of width 60cm overall width plain G.S. sheets God with polymer coated J. or L. hooks, bolts and nuts 8mm dia G.I. strapet and bitmen washers complete.	Mtr	7.400	₹ 636.41	₹ 4,709.46
	Providing Corrugated G.S sheets roofing fixed with ploymer coatd 3 or shocks, nexts & bolts 8mm dia	mps	112.620	₹ 843.12	₹ 94,952.05
1 - 13 -	Providing wood work in frames of doors, windows, clerestory will dows and other frames, wrought framed and fixed in position such hold fast lugs or with dash fasteners of required dia and length sight fast Lugs or with dash fasteners shall be paid for separately):	E .	3.240	₹ 93,492.36	₹ 3,02,915.26
26.0	Strim Cernent plaster of mix:	mbs	433.520	₹ 264,08	₹ 1,14,484.30
12	Comment and the second of the	mbs	346,900	₹ 330,49	₹ 1,14,648.53
28.0	Providing S. Fixing of MS door of size(1 x 2.5m)with 3mm Ms sheet think 40x40x6mm size angle iron frame ind. all accessories, locking incangements, applying of approved steel primer and all carriages	No	3.000	₹8,124.00	£ 24,372.00
0.00	Prefetting and making of water proofing Chemicals. Refetting the finite of plain Eaves boarding of 2nd class kalwood	Kg	2284.100	₹ 58.80	# 1,34,299.26
	thick & 300mm wide pourtiers for doors, wind boarding and fixing glazed shutters for doors, wind the took varieties to the state of the	Dia.	oor-to		
Shirt	And the second but hings bright finished of required size with				

effiting of pipes, 0.30 lac gallons SR, 0.90 lac gallons SR, 0.60 lac gallons SR, Anchor/ Saddle Blocks, Intake Ext, 7 No Sluice chamber, Protection Work, Chowkidar Quarter and Chain Link Fencing for WSS Patchar

10 - 04-2023	E	₹3,012,33 ₹31,147,48	₹3,351,15 ₹5,48,918,37	€ 3,747.45	₹7,372.28 ₹7,372.28	₹ 8,209.61		₹ 203.10		₹ 341.41 ₹ 3,414.11	₹ 135.82 ₹ 4,753.81	₹ 5,401.93	₹ 323.79 ₹ 1,942.75
of 2023-24 Dated :-		10,340	163.800 ₹	1.000	1.000	2 000	30.000	1.000	20.000	10.000	35.000	200,000	000.9
f 2023-	unit	E D	m bs	o Z	o _N	No.	Mtr	No Met	Mtr	Mtr	Mtr	Ufre	No No
Annexure "A" with Order No: [& SE/HYD/JJM		abyiding and fixing wire gauze shutters using gabanized M.S. wire office of average width for aperture 1.4 mm in both directions with first of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge:	No pening for paneled doors, windows & celestory windows (area of opening for paneling insert excluding portion inside groves or instes to be measured) paneling for paneled or panelled and glazed authors 25 to 40mm thick.	Providing & fixing White vitreous china water closet squatting profitidian type) along with "S" or "P" trap including dismantling of the WC seat and "S" or "P" trap at site complete with all operations according all necessary materials, labour and disposal of dismantled material s/c malba, all complete as per the direction of Engineer-in chase pattern W.C. Pan of size \$80x440 mm.	Staylding and fixing Salem Stainless Steel A ISI 304 (18/8) kitchen Stak as per I.S. 13983 with C.I. brackets and stainless steel plug 40 per including painting of fittings and brackets, cutting and making cook the walls wherever required:	constructing brick masonry manhole in cement mortar 1:4 (1 is sent : 4 coarse sand) R.C.C. top slab with 1:2:4 mix (1 cemefant coarse sand : 4 graded stone aggregate 20 mm nominal size), adabton concrete 1:4:8 mix (1 cement : 4 coarse sand : 8 graded or eaggregate 40mm nominal size) inside plastering 12 mm thick on cement mortar 1:3 (1 cement: 3 coarse sand) finished with scatting coat of neat cement and making channels in cement correct 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate (1 mm nominal size) finished with a floating coat of neat cement singlete as per standard design. Active size 90x80 cm and 45 cm deep including C.I. cover with frame (licht duty) 455x61 Omm. internal diamensions total weight of cover with frame to be not less than 38	goyiding & fixing PVC soil waste and vent pipe.	Strim conditions of fixing PTMT towel rail complete with brackets fixed to proder cleats with CP brass screws with concealed fitting the approved quality and colour.	Eviding & fixing GI pipes complete with GI fittings and clamps cluding cutting and making good the walls etc. (Internal works).	farmi dia nominal bore. (light weight) Poyiding & fixing GI pipes complete with GI fittings including	and refilling etc. (External works).	Providing 8s fixing on Terrace (at all floor levels) polyetheline water arrage tark ISI 12701 marked indicating the BIS license no, with corons and suitable locking arrangement and making necessary holes forfulet, o utilet and over flow pipes but without fittings and the base papport for tank (Syntex, Electroplast, Star, Lotus or equivalent having valid ISI license.	Frayiding & fixing CP brass Bib cock of approved qyality confirming to (§ 8931.

Titting of Pipes, 0.30 lac gallons SR, 0.90 lac gallons SR, 0.60 lac gallons SR, Anchor/ Saddle Blocks, Intake San Bas, 7 No Sluice chamber, Protection Work, Chowkidar Quarter and Chain Link Fencing for WSS Patchar under JJM (Tender Id: 2023_PHE_206388_1)

1	Annexure "A" with Order No: 16 SE/HYD/JJM	of 2023	-24 Dated :-	10-6	-2023
d	Item Description	unit	Quantity	Alloted Rate	Amount
400	Prioriding & fixing Lighting points in 1.5 sqmm multistrand PVC wire to be laid in conduits including providing & fixing of 5-A switches complete.	No	20.000	₹ 1,218.60	₹ 24,372.00
į	Providing & fixing heating points in 2.5 sqmm multistrand PVC sopper wire to be laid in conduits including providing & fixing of 16-A tratches complete.	No	3.000	₹ 1,523.25	₹ 4,569.75
-	societing & fixing of 1200mm sweep ceiling fans complete with	No	2.000	₹ 3,554 25	₹ 7,108.50
,	oviding 8 fixing of Exaust fan in 1.5 sqmm stand wire to be laid in siduits complete.	No	2.000	₹ 2,538.75	₹ 5,077.50
ì	Wilding & fixing of 16-A MCB of Indocap complete.	No	5.000	₹ 609 30	₹ 3,046,50
d	Nalding & fixing MCB distribution box 10 way main double door	No	1.000	₹ 5,585.25	₹ 5,585.25
1	Anent concrete flooring 1:2:4 (Icement: 2 coarse sand: 4 graded flore aggregate) finished with a floating coat of neat cement studing cement slurry and curing complete, but excluding the cost mosing of steps etc. complete.		299.110	₹ 564.11	₹ 1,68,731.02
Name of Street St. of	Previding and fixing aluminium handles for door stopper ISI marked anodised (anodi coating not less than grade AC 10 as per IS : 1868) is sparent or dyed to required colour and sahde with necessary lowers etc complete 225mm size		3.000	₹ 55 09	₹ 165.27
1	100mm size	Nos	10.000	₹ 49.20	₹ 492.01
	Providing & fixing aluminium hanging floor door stopper ISI marked handized (Anodic coating not less than grade AC 10 as per IS- 1968) transparent or dyed to required colour or shade with nuts and stippe etc. complete.	No	3.000	₹ 35.75	₹ 107.24
	Seem thick cement plaster finished without floating coat of neat learnt of mix 1: 6 mix (1 cement : 6 fine Sand).	sqm	150.330	₹ 166.19	₹ 24,982.83
	shing with Epoxy paint (two or more coats) at all locations puared and applied as per manufacturers specifications including propriate priming coat preparation of surfaces, etc complete.	sqm	150.330	₹ 191.73	₹ 28,822.23
1	40x5mm flat iron hold fasts 40cm long incl. fixing to frame 10mm dia bolts, nuts, and wooden plugs and embedings in whent concrete block 30x10x15cm (1:3:6) mix 20mm nominal size.	No	32.000	₹ 115.56	₹ 3,698.04
	Fividing & fixing aluminium sliding door boit ISI marked annodized phodic coating not less than grade AC 10 as per IS-1868) apparent or dyed to required colour or shade with nuts and screws fix complete.	No	3.000	₹ 127.04	₹ 381.12
	providing 8 fixing aluminium tower bolt ISI marked annodized apodic coating not less than grade AC 10 as per IS-1868) transparent or dyed to required colour or shade with nuts and screws acceptable to the complete is a screw of the complete in the complete is a screw of the complete in the complete is a screw of the complete in the complete		6.000	₹ 64.89	₹ 389,34
	100x10mm	No	20.000	₹ 48,34	₹ 966.76
	Signitural steel work in single section, fixed with or without consecuting plate, including cutting, hoisting, fixing in position and paying a priming coat of approved steel primer all complete.		2600.000	₹ 92.44	₹ 2,40,333.31
	reviding and fixing G.I. chain link fabric fencing of required width in Siesh size 50x50 mm including strengthening with 2 mm dia wire or 50x5, bolts, and washers as required complete as per the direction of frameer-incharge.		457.500	₹ 744.87	₹ 3,40,777.68
ŀ	outtural steel work in built up sections, trusses and framed work, schuding coutting, hoisting, fixing in position and applying a priming out of approved steel primer all complete. Every and boilted	kg ·	5082.920	₹ 103.72	₹ 5,27,190.77
	Sking pli nth protection 50mm thick of cement concrete 1:3:6 (1 ceicent: 3 coarse sand: 6 graded stone aggregate 20 mm nominal (22) over 75mm bed of dry brick ballast 40mm nominal size well centriced and consolidated and grouted with fine sand including this tipe top smooth and curing complete	sqm	24,750	₹ 504.35	₹ 12,482.61
H	Providing & fixing MS grill of required pattern in frames of windows ito, with Ms flat, square or round bars etc. including priming coat with approved steel primer. All complete.		300.000	₹ 121.86	₹ 36,558.00



(tting of pipes, 0.30 lac gallons SR, 0.90 lac gallons SR, 0.60 lac gallons SR, Anchor/ Saddle Blocks, Intake
7 No Sluice chamber, Protection Work, Chowkidar Quarter and Chain Link Fencing for WSS Patchar
under JM (Tender Id:2023_PHE_206388_1)

Annexure "A" with Order No:) 6 SE/HYD/JJM	of 2023	-24 Dated	- 10 - 6	-2023
	75.770	Transcent V.	The state of the s	127 (N. C. SERVICE)
Item Description Sylviding and Jaying Ceramic glazed floor tiles 300x300 mm Shickness to be specified by the manufacturers) of 1st quality conforming to IS:		Quantity	Alloted Rate	. Amount
15-522 of approved make, laid on 20 mm thick bed of cement mortar 24 (1 cement : 4 coarse sand) including pointing the joints with a chite cement and matching pigment etc., complete. In all colours, stades except White Ivory Fume Red Brown	sqm	23,470	₹ 1,133.09	₹ 26,593.74
Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc complete of steel work		457.500	₹ 191.73	₹ 87,714,83
Ing and fitting of G.I. pipes (all classes) complete including cost of specials and excluding cost of Pipes and Earth work. Thin dia. nominal bore	Mtr	9500.000	₹ 20.56	₹ 1,95,356.81
mm dia, nominal bore	Mtr	2800.000	₹ 20.56	₹ 57,578.85
min dia. nominal bore	Mtr	2300.000	₹ 31.13	₹ 71,587.67
50 mm dia. nominal bore	Mtr	3000.000	₹41.43	₹ 1,24,297.20
65 mm dia. nominal bore	Mtr Mtr	2500.000 1200.000	₹ 41.43 ₹ 74.18	₹ 1,03,581.00 ₹ 89,018.73
Summ dia, nominal bore	Mtr	2600.000	₹ 74.18	₹ 1,92,873.92
ing in position centrifugally cast (spun) iron S&S or flanged pipes		3180.100	₹ 249.36	₹ 7,92,977.10
Dicividing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Disctile Iron Pipes including testing of joints and including the cost of Subber gasket.	No	909.000	₹ 91.09	₹ 82,801.13
350 mm dia pipes	No	1549.000	₹ 146.94	₹ 2,27,614.47
表現 mm dia pipes	No	4.000	₹ 216.30	₹ 865.21
Eleg available excavated earth (excluding rock) in trenches, plinth, sees of foundations etc. in layers not exceeding 20 cm in depth, possilidating each deposited layer by ramming and watering, lead to 50 m and lift upto 1.5 m.	cum	7201.330	₹ 201.78	₹ 14,53,083.29
ing connection of G.I. distribution branch with G.I. main of sowing sizes by providing and fixing Tee, including cutting and eaching the pipe etc. complete to 40 mm nominal bore		30.000	₹ 676.58	₹ 20,297.31
55 to 80 mm nominal bore	No	15.000	₹ 1,288.42	₹ 19,326.23
Welding machine upto site of work incl. cost of nuts, bolts, rubber the hers etc., complete job.	Кд	250.000	₹ 213.26	₹ 53,313.75
viding and fixing D.I. sluice valves (with cap) complete with bolts, u.s., rubber insertions etc. (the tail pieces if required will be paid grately). Confirming to IS:14846 read with latest amendments.	No	, 2.000	₹ 10,982.63	₹ 21,965.27
00 mm dia.	No	4.000	₹ 13,368.04	₹ 53,472.17
Gió jinm dia.	No	15.000	₹ 20,556.77	₹ 3,08,351.50
200 mm dia. Providing and fixing gun metal gate valve with C.I. wheel of sproved quality (screwed end) 200 mm nominal bore	No No	3.000	₹ 32,189.32	₹ 1,60,946.60 ₹ 1,412.51
25 cnm nominal bore	No	4,000	₹ 552.28	₹ 2,209.12
7 mg nominal bore	No	4.000	₹ 715.62	₹ 2,862.49
mm nominal bore	No	4.000	₹ 957.36	₹ 3,829.45
Min nominal bore	No	2.000	₹ 1,593.17	₹ 3,186.33
The nominal bore conditions and fixing C.I. double acting air valve of approved quality can bolts, nuts, rubber insertions etc. complete (The tail pieces, spers etc. if required will be paid separately).	NO No	4.000	₹ 2,443.95 ₹ 1,523.25	₹ 4,887.91 ₹ 6,093.00
Simm dia.	No	4.000	₹ 2,031.00	₹ 8,124.00
dividing a nd fixing of MS flanged joints (12mm thick) to double accept GI/DI pipes including cutting of pipes, welding charges, tring of flanges, rubber gasket, bolts, nuts including testing of joint all sorts of carriages. Complete Job.		460.000	₹ 1,543.56	₹ 7,10,037.60
55 Fram dia G.I	Pair	132.000	₹2,183.33	₹ 2,88,198.90
A Property of the Control of the Con	7 011	136,000	12.102.20	

of pipes, 0.30 lac gallons SR, 0.90 lac gallons SR, 0.60 lac gallons SR, Anchor/ Saddle Blocks, Intake The Thir, 7 No Sluice chamber, Protection Work, Chowkidar Quarter and Chain Link Fencing for WSS Patchar United IIM (Tender Id:2023_PHE_206388_1)

Annexure "A" with Order No: 16 SE/HYD/JJM	of 2023	24 Dated :	- 10-06	-2023
Item Description	unit	Quantity	Alloted Rate	Amount
Providing fixing D.I Tail Piece male/ female to D.I pipes one side sketted and one side flanged incl. all carraiges complete.	No	10.000	₹ 4,062.00	₹ 40,620.00
Dimm dia D.I	No	8.000	₹ 4,569.75	₹ 36,558.00
and laying D.I. standard specials such as tees, bends, collars, tapers, caps etc. suitable for flanged jointing as per IS: 9523 (a) per site requirement)	QtI	6.000	₹ 7,944.97	₹ 47,669.80
Adviding fixing fabricating of MS plateform made of 5mm thick MS 50te in 50x50x6mm angle iron frame incl. all sorts of bracings etc., and supporting channel section as directed by Engineer Incharge, all work as complete job.	Job	1.000	₹ 8,124.00	₹ 8,124.00
Providing and fixing of MS ladder of required height made of 50x50x6mm angle section with 40x40x5mm thick treads etc all work	Job	1.000 -	₹ 8,124.00	₹ 8,124.00
privage of material from source to road site/dumping site of work by schnical Transport including loading unloading and stacking etc.	M.ton	59.460	₹ 497,72	₹ 29,594.18
es 100 mm dia D.I max lead 35 Km	Mtr	5000.000	₹ 12.05	₹ 60,259.77
les 150 mm dia D.I max lead 35 km	Mtr	8524.000	₹ 20.24	₹ 1,72,516.51
goes 200 mm dia D.I max lead 25 Km	Mtr	24.000	₹ 33.16	₹ 795.72
Oction / Steel max lead 25 Km	M.ton	168.580	₹ 408.03	₹ 68,785.17
Sind max lead 23 Km	cum	1.540	₹ 438.57	₹ 675.39
Some aggregate 20mm nominal size max lead 12 Km	cum	407,170	₹ 408.53	₹ 1,66,340.57
Sand/ aggregate 20mm nominal size max lead 25 Km	cum	472.800	₹ 458.98	₹ 2,17,005.07
and degregate zonin normal size max eas zo van	Nos	8448.310	₹1.20	₹ 10,166.42
Priage of material from dumping/ road side to site of work by Minual Means including loading unloading and stacking etc. max 6200 Mtrs. These (below 100mm dia)	M.ton	59,460	₹ 224.15	₹ 13,328.10
Moes 100 mm dia D.I	Mtr	5000.000	₹ 6.03	₹ 30,129.89
Sioes 150mm dia D.I	Mtr	8500.000	₹ 8.51	₹ 72,368.59
Sand/ aggregate 20mm nominal size	cum	41.010	₹ 352.38	₹ 14,451.08
Total				₹2,17,01,011

(Rupees Two Crore Seventeen Lac One Thousand and Eleven Only)

freman

Technical Officer

Superintending Engineer
Hydraulic Circle Baramulla/Bandipora
H. Q Sopore

