OFFICE OF THE EXECUTIVE ENGINEER (JSD) PHE DIVISION BARAMULIA

Email: kmrphebla@gmail.com (EAX) 01952234575 (Tel) 01952234244

Payemi 60

No. 6444-55 dt. 14-9-022

M/s. Syed Mujahid Ali R/o. Dab Ganderbal Contact No 7006872105 Regd No.

Retrofitting of W.S.Scheme Dangarpora by way of :- Laying and fitting of Main /Submain /Distribution System at various spots, Constt. of 0.10 lac gallons 5.%, Construction of Collection Chamber near spring at Reshimuqam and Constt. of spring protection works(for providing 100% FHTC) under JJM.

Ref: 1/- Constitution of District JalJeevan Mission, Administrative Council Dec on No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 24-04-2020.

2/- UT level committee meeting held on 28-04-2022 under the C armanship Development Commissioner Works PW (R&B).

3/- Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No: CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

4/- Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.

5/- District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No. SE/Hyd/DB/4538-50 dated 22.07.2022.

6/- Your tender received in response to this office ENIT No: 24 of 05/2022 (% No: 10)

7/- This office LOI No. PHE/Bla/4484-98 dated 29.07.2022

1/- Amount of work advertised: 220100L 0

2/- Allotted cost of work: 2091259 .00

(Rupees Twenty Lacs Ninety One Ti sand Two Hundred Fifty Nine Only)

3/- Time of completion: (60 days)

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" t this allotment, on the terms and conditions given here under:

Conditions:

- 01. Time of completion is essence of the contract.
- O2. The work shall have to be started by you at site immediately & ensure completion within a period of 60 days from the date of issuance of allotment from this office strictly in accordance with the approved proposals falling which the work ship have to be got executed through any other means at your risk and cost, besides CDR depoint ted by you as security against this contract shall be forfeited.

03. Earnest Money amounting to the tune of Rs. 440 20 -deposited by you vive CDR No 32/3066 Dated /0-5-262 2

O4. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.

05. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.

O6. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.





- O7. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of ssuance of allotment order & Valid for a period of 03 months beyond the expiry of warr y period of the contract.
- O8. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- O9. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
- The defective liability period shall be for a period of 12 months and shall commerce after the successful completion of trial run.
- Pre & post Geo-tagged photographic evidence be taken during the execution of a work and shall have to be produced at the time of submission of the bill.
- Date of start of the work within07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
- All other terms and conditions shall be applicable as laid down in Standard bid Document& PWD form No. 25/33.
- Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

(Encl: Annexure "A")

Technical Officer to Executive Engineer PHE Division Baramulla

Executive Engineer

Jal Shakti Department

PHE Division Baramulla

Copy to the :-

- 1/- Mission Director, Mission Directorate JalJeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt.Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secret / DJJM) for information. This is with reference to his authorization No: 2105-14 Dated: 04-06-2022.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla(Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla(Member DJJM) for information.
- 10/- District Social Welfare OfficerBaramulla/ District Tribal Welfare Officer Baramulla(Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- File Concerned.

Comp. by: ShahidFarooq (Correspondence)



6549 111 17458 Total Amc 15246 8996 52764 677171 2174 130580 tting of W.S.Scheme Dangarpora by way of :- Laying and fitting of Main /Submain / Distribution System at various spots, of 0.10 lac gallons S.R, Construction of Collection Chamber near spring at Reshimugam and Constt. of spring protection 1254.000 8937.728 77.568 414.200 179.313 4618.743 7410.722 9356.878 Rate Units , E A E E Cum CUM, Sum EITO CUM eProcurement System Government of Jammu And Kashmir
Annexure "A" 85.030 0.700 28.030 7.710 3.780 7,120 14.610 1634.890 No.of Qty ead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in Providing & Laying in position cement concrete of 1:4:8 (1 cement plinth level, 1:172:3 (1 cement : 172 coarse sand : 3 graded stone Earth work in excavation by manual means in trenches for m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and 11/2 coarse sand : 3 graded stone aggregate 20 mm nominal size) ramming of bottoms lift upto 1.5 m, including getting out excavator) over areas (exceeding-30 cm in depth, 1.5 m in width centering, shuttering, finishing and reinforcement. All works upto roofs having slope upto 15°, landings, balconies, shelves, chajjas, ramming, all leads lifts including attached pilasters, buttresses, plinth and string courses, shuttering, finishing and reinforcement. 1:11/5:3 (1 cement: 11/2) upto five level including curing but excluding the cost of centring, lintels, bands, plain window sills, staircases and spiral stair cases foundations, drains, pipes, cables etc. (not exceeding 1.5 excavated earth and disposal of surplus excavated earth as well as 10 m2 on plan) including disposal of excavated earth shuttering, finishing and reinforcement with 1:11/2:3 (1 cement fillets, columns, pillars, piers, abutments, posts and struts upto Earth work in bulk excavation by mechanical means (hydraulic Providing and laying hand packed stone soling 50 mm nominal Reinforced cement concrete work in beams, suspended floors, floor five level including curing but excluding cost of centering size) exciding the cost of centring and shuttering all work upto coarse sand: 3 graded stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of 4 coarse sand : 8 graded stone aggrigate 40mm nominal addredate 20 mm nominal size)
Reinforced cement concrete work in walls (any thickness) Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material: Description of Work / Item(s) size including filling, spreading, dressing, works(for providing 100% FHTC) under JJM. plinth Level incl. dewatering and all carriages complete. All kinds of soil All kinds of soil. All kinds of soil as directed: of work: SI.No P 2 9 00 Retroil Nam Cons

Ď	Description of Work / Item(s)	No.of Qty	Units	2,42	Tesal Ame	TEST.
teinforced cement concritomes, vaults shells, fold more than 15° upto floor but excluding the cost of and reinforcement with: 1:172:3 (1 cement: 172 aggregate 20 mm nomir	Reinforced cement concrete work in arches, archribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1/2:3 (1 cement : 1/2 coarse sand : 3 graded stone aggregate 20 mm nominal size)	2.1800	\§	9884.289	21547	Section of the second
ncluding and laying I ncluding curing but e III work upto plinth le III 1923 (1 cement :	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:11/2:3 (1 cement :1% coarse sand: 3 graded stone aggregate	7.808.	Jā	6922.916	33229	07/202
Sentering and shuttering i	Centering and shuttering including strutting, propping etc. and removal of form work for:	1		0.000	. ,	FOR MEDICAL
Foundations, footi Retaining walls, re attached pilasters buttresses, plinth	Foundations, footings, bases for columns Retaining walls, return walls, walls (any thickness) including attached pilasters buttresses, plinth and string course fillets, kerbs and steps etc.	39.580	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	249.185	9862	
pended flo	Suspended floors, roofs, landings, balconies and access platforms.	4.930	X X	603.820		
Arches, domes, v Edges of slabs and Under 20 cm wide	Arches, domes, vaults upto 6 m span Edges of slabs and breaks in floors and walls Under 20 cm wide	8.400	Mer.	720.185	43336	
Extra for shur Foundations Walls	Extra for shuttering in circular work: Foundations Walls	7.360	mos mos	49.837	1	
Steel reinforce cutting, bendii above plinth k	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	2218.560	\$	82.816	183732	
: 4 (1 cen oviding fixi ime of 0.7 synthetic e	12mm Cement plaster of mix: 1:4 (1 cement: 4 coarse sand) Providing fixing of MS lid cover 4mm thick fixed in angle iron frame of 0.75x0.75m with priming coat of red oxide and two coats of synthetic enamel paint with locking arrangement and all	3.000	sqm CSob	247.348	47504	
cluding c cluding c priming c eel etc. a n grating	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, pates and similar works.	62.5500	75	139,299	8713	A STATE OF THE PARTY OF
pipe spec	Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work. 15 mm dia nominal hore	at according		0.000	0	CARLE
20 mm dia. 25 mm dia. 30 mm dia. 50 mm dia. 65 mm dia. 80 mm dia.	25 mm dia. nominal bore 25 mm dia. nominal bore 50 mm dia. nominal bore 50 mm dia. nominal bore 65 mm dia. nominal bore 80 mm dia. nominal bore	1000.000 1000.000 1375.000 200.000	是是是是是	28.750 28.750 28.750 28.750 28.750		
d Fareeq (Cor	respondence)	2)			2	
						-



229125		Mino Only	Hindrad Eff	(Bureac Twenty Lace Ninety One Thousand Two Hundred Fifty Nine Only)	STATE OF THE PARTY
	1949.634	E SO	7.740	Stone soilling	25.4
2	V807.226	Cum	42/100	Sand / Stone aggregate	25.3
5	1787.671	W.ton	2,220	Steel	25.2
4 14/44	1352.714	M.ton	13,450	Tor avg. lead 750 Mtrs. Cement	25.1
5	0.000			work by Manual means including loading unloading and stacking	8
9 MATE	230,539	Cum	7.7100	Stone soilling for 05 Kms	24.4
1 15431	C3Z7.641	Cum	47.100	Sand / Stone aggregate for 13 Kms	24.3
4 3820 器	VZ88.464	M.ton	45.670	Cement /Steel avg. lead 15 KMs	24.2
8 1-5751	257.688	Mkoi	20.360	Pipes (below 100mm dia) for 12 Km	24.1
9	000:	,		carriage of material from source to dumping site of work by Mechnical Transport including loading unloading and stacking etc.	24
000-1-1-000	766.000	No	15.000	Providing fixing 50 mm dia G.I flanged Bend to be manufactured as per site requirement (complete job)	EZ.
8 2980	1490.408	CNO	2.0000		22.4
1	669.465	No.	0000	40 mm nominal bore	2773
8 1.3099	546.658	No	6.000		22.1
0	0.000			Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete.	77
0 25011	12505.800	ON	2.0000	100 mm dia.	21.1
.0	0.000				21
	129831	200	30.090	100	20.1
0	000.0	3		Makin main o includ	20
5 264346	1488.765	\$	1400,400	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	
3 1033E	1078.583	THE STATE OF THE S	17,9000	Providing and fixing G.I. pipes complete with G.I. fittings excluding trenching and refilling etc. (external work) 100 mm dia. nominal bore	
Total Amc	Rate	Units	No.of Qty	Description of Work / Item(s)	
0		the state of			-
				And the second s	

Rates & Qty checked by:

A STATE OF THE PARTY OF THE PAR

Executive Engine