Allotment Order No:PHQ/CC/	D of	of 2022-23 dated			022
NAME: Safeer Ahmad Rather Sto Habibullah Rather R/o Mehmoodabad	Rather R/o Me	DATE: 6-15-	0.703	7 /69/2022	
email.safeerah78600@gmail.com			Cell No	Cell No. 8082408285	
REGO, NO: PWOJNK CONT-2022-64278		ACCOUNT N	0.004404	ACCOUNT NO:0644640806061063 JK 8	Barrik Doorg
GSTN: 01DAMPR4722R125			PAN: D	PAN: DAMPR4722R	
Name of Schemes: Laying and fitting of pipes incl. P/F of pipe fittings , const. of spring protection and shijice chamber for WS Scheme Rein GB and Brenard GB Under JJM	inct. P/F of p Brenard GB U	pe fittings , co	onst. of	spring protect	ton and
Adminstrative Approval No.(9th ACM)		207-DB of 2022	2	Dated	27-08-2022
Technical Sanction NO.		59-DB of 2022	1	Dated	3/9/2022
Altoted Cost; RS:- 648659/=		Rupees ;- Six lacs forty eigh Hundred and fifty nine only	ics forty	Rupees ;- Six lacs forty eight thousands Six Hundred and fifty nine only	is Six
Compleation Time			6	90 Days	
References.1, Your tender received in response to e- NIT,No.21 of 8/2022 OF 2022-23 Date ISSUED UNDER NO.No. PHG/2961-75 Dated 23/08/2022 For & on behalf of Lt. Governor of J&K,, contract for above noted work is here	2022 Contract for al	1 of 8/2622 OF :	2022-23 C ork is he	NIT.No.21 of 8/2022 OF 2022-23 Dated;23-08-2022 (Fresh) sot for above noted work is here by fixed with you on and are provided becomeder.	2 (Fresh) ith you on
St. No. Description of Work / Item(s)	n(s)	Ato	Unit	Rate	Amount
t Earth work in excavation by mahual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in woth) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed.	is in trenches (not exceeding pits and the ing dressing of 5 m, including of surplus				
1.01 All kinds of soils		167.220	cum	436.000	72907.92
1.02) Ordinary rock		42.560	cum	841.600	35818.5
2 Earth work in burk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and iff upto 1.5 m, as directed by Engineer-in-Charge.	means over width as well cavaled earth s directed by				0.00
2.01 All kinds of soils		16.200	cnm	539.350	8737.47
3 Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes and Earth work but incl. cost of pipe fittings.	sses) Earth work				00 0
3.01 50 mm dia nominal bore		100.000	Mtr	40.800	4080.00
3.02 25 mm dia nominal bare		700.000	Mtr	30.650	21455.00
3.03 20 mm dia nomenal bore		550.000	Mtr	20.250	11137.50
3.04 15mm dia nominal bore		320 000 -	Mtr	20.250	6480.00
A Providing and instalishion of house hold connection tounconnected household including providing and fixing of necessary pipes speciels earthwork at connection and whatever necessary complete.	nnection ling and fixing connection and	15 000	o Z	1500.000	22500.00
5 Extra for every additional lift of 1.5 m or part thereof in excavation/lamining excavated or stacked material. All kinds of soil.	material All	2.700	onm	81,650	220.46
6 Filling available excavated earth (excluding rock) in trenches, plints, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating earth deposited	g rock) in in layers not aNy deposited	174.870	cnm	198.700	34746.67

250 000 000 000 000 000 000 000 000 000	7828 20.	4375.60		8970.87		120301.28	0	16746.48		2659.32		00.0	818 38	2000000	202000:00	1430.10	1744.56	5198.83	26247.74	18395.40	12444.00	
recting and laying of try globe solving lightly hated volding and laying of try globe solving lightly hated for detail of historical lightly and foreign of antiforing and foreign and second solving to sear of antiforing and foreign and second solving solving the second solving solving to sear of antiforing and foreign and foreign and solving solv	616 400	661.835	9	900.760				9408.135	V 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9849.345	1 2		000 000	000.202	573.850	635.600	242,300 -	265.925	91.138	153.295	155,550	
cheld on herizontal forms aciding lightly field of the statement contains of the statement	-	+		Н		+		-		cum			1	mbs	Sqm	Sqm	Sam	Sqm	Kg.	g,	Z.	
cheels and laying of dry stone soling lightly harid toked any territorial interests and laying of dry stone soling lightly harid and laying an position certain the soling and definite social of canding the coal of canding and definite social of canding the coal of canding and definite social of canding the coal of canding the coal of canding the coal of canding and definite social of canding the coal of canding and definite social of canding the coal of canding and definite social of canding the coal of canding and definite social of canding the coal of canding and social soc		+		+		+		+		+				3.120	63.760	2 250	7.200 -	19.550	288.000	120.000	80.000	
	December 1	perchanging and laying of dry stone solling signify meno peached on honzontal towers	Providing and laying in position ceroant condrete of specified grade exchaling the goat of centring and shruttering all work up to plants level (1.4.8) 1 dement, 4 control above apprendiate demand.	Mize) crustied	9 Providing and leying in position specified grade of reinforced cerners consists induding quintilg but excluding the cost of centering shuffering, finishing and reinforcement. All works use plinth level. 1155.3 (1 centerin 125 course such it cleaned stone aggregate 20.	mm neminal size)	O Providing and laying coment concrete in relativing shifts, return walls, walls (any thickness) including attached pilasters, columns, piers, abunnents, pilass, parapets, struts, buttnisses, shing or lacing courses, parapets, coping, bed blocks, anchors blocks, plain window sills, fillets etc upto floor V level, including curing but excluding the cost of conting, shuttering and finishing with 12.4 (1 cement). 2 coarse sand: A graded stone	aggregate 20 mm nominal size)	11 Reinforced cornent concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, filets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttlering, finishing and reinforcement, 11%-3 (1 centering shuttlering coarse sand. 3 grades stone aggregate 20 mm nominal size).		Reinforced cament concrete work in bearins, subject floors, roofs having slope upto 15°, tandings, balcon shelves, chagas, intells, bands, plain window alla, stancases and spiral stan cases upto five level included curing but excluding the cost of centring, shuttering finishing and reinforcement with 1.11%3 (1 cement coarse sand 3 graded stone aggregate 20 mm not			-	- 101	1.0	2	3.04			survives survives survived by springs, tidal or river	Seephore broken washing and a seephore broken washing a seephore broke

				650.693 10		cum 330,418 4196,31	00.0	MT 249.654 699.03	0.00	MT 638.825 946.10			cum 1659.6347 134	00.00	MT 1255.455 5870.51	cum 2449.247 48137.50	cum 2881.302 - 33999.36	00:0	MT 355/695 995.95	65	1.11% Below	and fifty nine only	-	Ex. Engineer PHEDIV.	Gozianna	ds Six Hundred and fifty nine one	08-2022 of Rs 14000/= in JK Bank er as per the general terms and	ring agency (TPIQM) appointed to be be been sended. The quality of in each scheme. The TPIQM's repurpose of monitoring and nod.	ns detailed in the
7.000		6.445	8.624	15.932	0.810	12.700		2.800		1.481	0.288	4.902	0.810		4.676	19.654	11.800		2.800		-	X Hunbred an	To the second	rech. Officer		y eight thousan	96 Dated;- 26-	d party monito works execute innery installed infative for the ne Contract Pe	nts/specificatio
18 Providing and supplying of polyethene sheets over boulders behind walls including fixing using wooden naits and layinf of grassad soil over the same complete Job.	19 Carnage of material from source to dumping site at road by mechanical transport.	19 01 Cement and steel Avg Lead 25 KM	19 02 Sand Avg Lend 55 KM	19.03 20 mm Aggregate Avg Lead 45 KM	19 04 40 mm Aggregate Avg Lend 45 KM	19.05 Stone Soling Avg Lead 10 KM	20 Camage of Pipes material From divisinal store to dumping site of work by mechanical transport For anaverage lead of 15 Km including loading , unloading and stacking complete.	20.01 50,25,20 and 15 mm dia GI Pipe	21 Extra carraige of material from dumping site to acctual work site by mannual labour Avg Lead 500 mtr	21,01 Cement	21.02 Steel	21.03 Sand 8.20 mm Aggregate	21.04 40 mm Aggregate .	22 Extra carraige of material from dumping site to acctual work site by mannual (abour Avg Lead 2500 mit	22.01 Cement	22,02 Sand & 20 mm Aggregate	22.03 Stone Soling	23 Extra carraige of pipe material from dumping site to actual site of work by marriual labours Avg Lead 500 Mtr	23.01 50.25.20 and 15 mm dia Ol Pipe	G.TOTAL	Quoted Percentage rate	Six lacs forty eight thousands		Headbroffeman	Terms & Conditions	The cost of work is restricted to Rs. 648659 /= (Six lacs forly eight thousands Six Hundred and fifty nine	2 Earnest money deposited by you vide CDR No.3097196 Dated; - 26-08-2022 of Rs 14000/= in JK B Dooru is being retained as security deposit and shall be released after as per the general terms and condition of the Contract	3 The allotted works shall be subject to check by the third party monitoring agency (TPIOM) appointed by the Department. The agency shall check the quality of works executed by the agencies, the quality of materials used for construction and the quality of machinery installed in each scheme. The TPIOM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluating of the performance of the Contract during the Contract Period.	4 Agency must execute the works as per the requirements/specifications detailed in the

profess copies 6 The da		7 No pric comple	8 In case be exe	9 Retent recove the wo	10 Liquidated d / works or in any default Department being enforc a) Terminate b) Recover II department, and/or	c)Reco d)Impo of 0.59 and/or e)Forfe	11 Adequ	12 No mo	13 The A correc provisi	14 The Ag	Snow Snow bidder equipm	16 The Ar fencing work o	17 The Ag pipe m transp	18 As soo them, within shall n	19 All oth
professional person before, during and after construction and progress reports in both hard and soft copies. The date of start of testing and after construction and progress reports in both hard and soft The date of start of testing the of testing the date of testi	All others of start of work shall be reckoned within one week form the date of issue of COLY Contract.	No price escalation will be paid for completion of the work within the stipulated time or extended date of completion due to any reasons whatsoever.	In case of quantity variation OR required as per the direction of the Engineer in charge , the same has to be executed at site and nothing extra will be paid beyond the overall allotted cost.	Retention many / Security deposit shall be 10% of the contract value. The security deposit is to be recovered © of 10% of bill amount from running account bills and shall be released after completion of the work and recommandation from the concerned Engineer in charge.	Liquidated damages (LD) in the event of allottee failing, declining, neglecting or delaying the supplies I works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT. a) Terminate the contract after 15 days' notice and/or b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department. and/or	c)Recover the extra cost, if any, involved in aliotting contract to other party and/or d)Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract, and/or e)Forfeit the performance security and blacklist the firm.	Adequate precautions be taken for the environment and social protection and all safety practices in vogue be strictly adhered to during the execution of work.	No mobilization advance shall be paid.	13 The Agency shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith.	The Agency shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under.	The Agency shall at his own cost make arrangements for proper storage, especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose, the bidder shall, with the approval of the Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work.	The Agency shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc.	The Agency shall in advance communicate with inchage store keeper,of Divisional Store for lifting of pipe material etc and shall make adquate measures like availability of transport and labour for easy transportation from store to site against proper receipt / Challan, if required.	As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the Agency/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award.	All other terms and conditions as laid down in the detailed NIT/SBD/ PWD Form No.25 double /GFR

