Du pixel aux images

Introduction technique à la vision par ordinateur

Adrien Jeanrenaud – Université de Genève – Visual Contagions Project



La machine

1950s Silicon Transistor



1 Transistor 1960s

TTL Quad Gate




16 Transistors 1970s

8-bit Microprocessor



4500 Transistors 1980s

32-bit Microprocessor



275,000 Transistors 1990s

32-bit Microprocessor




3,100,000 Transistors 2000s

64-bit Microprocessor



592,000,000 Transistors 2010s


3072-Core GPU



8,000,000,000 Transistors




De la machine au code





Système d'exploitation

Timeline of OS Milestones



source:

http://www.computerworld.com/s/article/9129498/Timeline_40_years_of_OS_milestones



Le code

op 10 Programming anguages		C		6	G	R	5	php		
	Python	С	Java	C++	C#	R	JavaScript	PHP	Go	Swift
Paradigm	Multi-paradigm: object-oriented, imperative, functional, procedural, reflective	Imperative (procedural), structured	Multi-paradigm: object-oriented (class-based), structured, imperative, generic, reflective, concurrent	Multi-paradigm: procedural, functional, object-oriented, generic	Multi-paradigm: structured, imperative, object-oriented, evenl-driven, task-driven, functional, generic, reflective, concurrent	Multi-paradigm: array, object-oriented, imperative, functional, procedural, reflective	Multi-paradigm: object-oriented (prototype-based), imperative, functional, event-driven	Imperative, object-oriented, procedural, reflective	Compiled, concurrent, imperative, structured	Mului-paradigm: protocol-oriented, object-oriented, functional, imperative, block-structured
Designed by	Guido van Rossum	Dennis Ritchie	James Gosling	Bjarne Stroustrup	Microsoft	Ross Ihaka and Robert Gentleman	Brendan Eich	Rasmus Lerdorf	Robert Griesemer, Rob Pike, Ken Thompson	Chris Lattner and Apple Inc
Developer	Python Software Foundation	Dennis Ritchie & Bell Labs (creators), ANSI X3J11 (ANSI C), ISO/IEC	Sun Microsystems (now owned by Oracle corporation)	Bell Labs	Microsoft	R Core Team	Neuscape Communications Corporation, Mozilla Foundation, Ecma International	The PHP Development Team, Zend Technologies	Google Inc.	Apple Inc
First appeared	20 February 1991 (26 years ago)	1972 (45 years ago)	May 23 1995 (22 years ago)	1983 (34 years ago)	2000 (17 years ago)	August 1993 (24 years ago)	December 4, 1995 (21 years ago)	June 8, 1995 (22 years ago)	November 10, 2009 (7 years ago)	June 2, 2014 (3 years ago)
Typing discipline	Duck, dynamic, strong	Static, weak, manifest, nominal	Static, strong, safe, nominative, manifest	Static, nominative, partially inferred	Static, dynamic, strong, safe, nominative, partially inferred	Dynamic	Dynamic, duck	Dynamic, weak, gradual (as for PHP 7.0.0)	Strong, static, inferred, structural	Static, strong, inferred
Platform	Cross-platform	Cross-platform	Windows, Solaris, Linux, OS X	Linux, MacOS, Solaris	Common Language Infrastructure	UNIX platforms, Windows, MacOS	Cross-platform	Unix-like, Windows	Linux, macOS, FreeBSD, NetBSD, OpenBSD, Windows, Plan 9, DragonFly BSD, Solaris	Darwin, Linux, FreeBSD
Filename extensions	.py, .pyc, .pyo (prior to 3.5), .pyw, .pyz (since 3.5)	.c, .h	.java, .class, .jar	.cc, .cpp, .C, c++, .h, .hh, .hpp, .hxx, .h++	.cs	.r, .R, .RData, .rds, .rda	.js	.php, .phtml, .php3, .php4, .php5, .php7, .phps	.go	.swift



Python


```
import unittest
 2 import quotes
  class MyTests (unittest .TestCase):
       def test add get quote (self):
           quotes .add ("Confucius", "A journey of a thousand miles ... ")
           q = quotes.get("Confucius", contains = "step")
           self.assertEqual (q,[ "A journey of a thousand miles ... "])
10
11
       def test add get quote no contains (self):
12
           quotes .add ("Confucius", "A journey of a thousand miles ... ")
13
           q = quotes.get("Confucius")
14
           self.assertEqual (q,["A journey of a thousand miles ... "])
15
16 if name == " main ":
17
       unittest .main()
```



Python: liens utiles


- Tutoriels
 - W3schools
 - Openclassrooms
 - Python docs
- Conventions : PEP8
- Aide
 - Docs, ?Fonction
 - Stackoverflow, Github, ChatGPT







Réseau de neurones





Les transformers: un cap dans la vision par ordinateur




Figure 1: The Transformer - model architecture.



Outils pour le semestre









Lignes de commande

```
nacworld -- bash -- 80×17
Last login: Tue Jul 4 16:04:47 on ttys000
lmacworlds-MacBook:~ macworld$ sudo /Applications/Install\ macOS\ High\ Sierra\ B
eta.app/Contents/Resources/createinstallmedia --volume /Volumes/Untitled --appli
cationpath /Applications/Install\ macOS\ High\ Sierra\ Beta.app
Password:
Ready to start.
To continue we need to erase the volume at /Volumes/Untitled.
If you wish to continue type (Y) then press return: Y
Erasing Disk: 0%... 10%... 20%... 30%...100%...
Copying installer files to disk...
Copy complete.
Making disk bootable...
Copying boot files...
Copy complete.
Done.
macworlds-MacBook:~ macworld$
```



Lignes de commande

- 1. ls
- 2. cd
- 3. mkdir +nom
- 4. rm +nom
- 5. pwd
- 6. touch + nom

- 1. dir
- 2. cd
- 3. mkdir +nom
- 4. del +nom
- 5. cd
- 6. echo some_text >
 hello_world.rb



Lignes de commande

- Chemin relatif
- Chemin absolu



Acquisition de l'image numérique







Image numérique = matrice




157	153	174	168	150	152	129	151	172	161	155	156
155	182	163	74	75	62	33	17	110	210	180	154
180	180	50	14	34	6	10	33	48	106	159	181
206	109	6	124	131	111	120	204	166	15	56	180
194	68	137	251	237	239	239	228	227	87	71	201
172	106	207	233	233	214	220	239	228	98	74	206
188	88	179	209	185	215	211	158	139	75	20	169
189	97	165	84	10	168	134	11	31	62	22	148
199	168	191	193	158	227	178	143	182	105	36	190
205	174	155	252	236	231	149	178	228	43	95	234
190	216	116	149	236	187	86	150	79	38	218	241
190	224	147	108	227	210	127	102	36	101	255	224
190	214	173	66	103	143	95	50	2	109	249	215
187	196	235	75	1	81	47	0	6	217	255	211
183	202	237	145	0	0	12	108	200	138	243	236
195	206	123	207	177	121	123	200	175	13	96	218

157	153	174	168	150	152	129	151	172	161	155	156
155	182	163	74	75	62	33	17	110	210	180	154
180	180	50	14	34	6	10	33	48	106	159	181
206	109	5	124	131	111	120	204	166	15	56	180
194	68	137	251	237	239	239	228	227	87	n	201
172	106	207	233	233	214	220	239	228	98	74	206
188	88	179	209	185	215	211	158	139	75	20	169
189	97	166	84	10	168	134	11	31	62	22	148
199	168	191	193	158	227	178	143	182	106	36	190
206	174	156	252	236	231	149	178	228	43	96	234
190	216	116	149	236	187	86	150	79	38	218	241
190	224	147	108	227	210	127	102	36	101	255	224
190	214	173	66	103	143	96	50	2	109	249	215
187	196	235	75	1	81	47	0	6	217	255	211
183	202	237	145	0	0	12	108	200	138	243	236
196	206	123	207	177	121	123	200	175	13	96	218



Image numérique binaire









Image numérique en valeurs de gris





Encodage des valeurs de gris









Image numérique en couleurs









Pixel of an RGB image are formed from the corresponding pixel of the three component images



Encodage des couleurs







Formats de l'image numérique

