

Account Details

The account details object contains the financial account's account number and routing information.

Properties

`account_id` string

The id of the account the account details belong to.

`account_number` string

The account number.

`links` object

An object containing links to related resources. A link indicates the enrollment supports that type of resource. Not every institution implements all of the capabilities that Teller supports. Your application should reflect on the contents of this object to determine what is supported by the financial institution.

`self` string

A self link to the account details.

`account` string

A link to the account that owns the details.

`routing_numbers` object

An object containing the account details routing numbers.





wire string (nullable)

The account's wire routing number.

bacs string (nullable)

The account's BACS sort code.

GET /accounts/:account_id/details

Get Account Details

Returns the account's details.

Request

```
curl https://api.teller.io/accounts/acc_oiin624iajrg2mp2ea000/details \
-u test_token_ky6igyqi3qxa4:
```

Response

```
{
  "links" : {
    "account" : "https://api.teller.io/accounts/acc_oiin624iajrg2mp2ea000",
    "self" : "https://api.teller.io/accounts/acc_oiin624iajrg2mp2ea000/details"
  },
  "routing_numbers" : {
    "ach" : "066474405"
  },
  "account_id" : "acc_oiin624iajrg2mp2ea000",
```

Account Details verification via Microdeposit

Account details are available instantly after an enrollment for the majority of institutions supported by Teller. These institutions have the `verify.instant` product in the response from the [Institutions API endpoint](#). However, this is not possible for a number of institutions (those that have `verify.microdeposit` products in the API response from the [Institutions API endpoint](#)). To access account details from these institutions, you can implement the 'Verify Account Details via Microdeposit' flow. Your customers will enter account and routing numbers for the accounts that they would like to enroll in Teller Connect, and Teller will send a microdeposit to the accounts to verify that they are correct.

Enabling / disabling the flow

To enable the flow, [initialize Teller Connect](#) with `verify` specified among the products using the `products` property. To disable the flow and only enable institutions that provide account details instantly, specify the `verify.instant` product instead.

If you don't need account details but would like to enroll users with the institutions that require this flow to use other Teller products, don't specify `verify` product when initializing Teller Connect. Your users won't be prompted to enter account numbers when they enroll.

Accessing Account Details

When using this flow, account details become available after a successful verification: once we've confirmed that the microdeposit sent by us is present among the account's transactions, we'll make the account details available via the API. This usually happens within 3 business days. You can also subscribe to an `account.number_verification.processed` [webhook](#) to be notified about completed verifications.



Account details verification is pending error

```
{
  "error": {
    "code": "account_number_verification_pending",
    "message": "Account details are not yet available because the verification v
  }
}
```

If we are not able to verify the details entered by the user within 7 calendar days, the verification expires, and the `/accounts/:account_id/details` API endpoint will start returning a `404 Not Found` error with the following body:

Account details verification has expired error

```
{
  "error": {
    "code": "account_number_verification_expired",
    "message": "Account details are not available because the verification via m
  }
}
```

We'll also send a `account.number_verification.processed` webhook when the verification expires.

Testing the flow in Sandbox

To test this flow in [Sandbox](#), initialize [Teller Connect](#) with `verify` product and use `verify.microdeposit` as the username in Teller Connect. You'll get access to two accounts called `Success` and `Failure`, and you'll be asked to enter the account number and routing number for both. Enter any number that ends with the account number suffix shown in Teller Connect and any valid routing number (e.g. `110000000`).



fetch transactions for the account called `Success`, a microdeposit transaction will be present in the response and the account details verification will succeed. You'll then be able to fetch account details from the API.

If you make an API call to fetch transactions for the account called `Failure`, there won't be a microdeposit transaction present and the verification will expire. If you make an API call to fetch account details, you'll get an error saying that the verification has expired.

Considerations

Consider using `selectAccount` configuration parameter in Teller Connect to limit the number of accounts your users enroll or let the user select which accounts they want to enroll to avoid making users enter details for the accounts that you don't need access to.

When a verification expires, the enrollment remains healthy and you might be billed for it, so consider [disconnecting such enrollments](#) if you don't need access to the enrollment.

Was this page helpful?

Yes

No

[← Previous](#)

[Next →](#)

[Accounts](#)

[Account Balances](#)