

<iframe>

Used for embedding media in your website:

```
<iframe width="600" height="100" src="path/to/resource"></iframe>
```

Other Attributes

- `allowfullscreen` — if true, users can open the content in full screen
- `frameborder` — (deprecated) use the CSS `border` property instead

Note: Not all browsers fully support iframes. See <https://caniuse.com/> for details.

<video>

Used for embedding videos:

```
<!-- example with a single source file -->
<video width="320" height="240" src="clip.mp4" controls></video>

<!-- example with multiple source files -->
<!-- using multiple sources is recommended because no file type is supported by all browsers -->
<video width="320" height="240" controls>
  <source src="clip.mp4" type="video/mp4">
  <source src="clip.ogg" type="video/ogg">
</video>
```

Other Attributes

<code>autoplay</code>	If true, the video starts playing when loaded
<code>controls</code>	If true, a virtual control panel appears
<code>loop</code>	If true, the video will loop after finishing
<code>muted</code>	If true, the video will be muted by default
<code>poster</code>	Sets an image as the initial frame

Valid source file formats: `mp4`, `mov`, `webm`, and `ogg`

<audio>

Used for embedding media in your website:

- Syntax and attributes are very similar to those of the `<video>` tag
- Valid source file formats: `mp3`, `wav`, and `ogg`