		20% CS					
	$\overline{ ext{PCCC}}$	PCCC-R	COPKM	CSC	DILS	LCC	KMEANS
Dataset							
Appendicitis	0	0	_	0	0	20	19
Breast Cancer	0	0	0	2,930	0	_	587
Bupa	0	0	0	1,116	0	0	875
Circles	0	0	0	0	0	_	468
Ecoli	0	0	_	136	13	141	198
Glass	0	0	_	157	1	63	215
Haberman	0	0	0	745	0	0	473
Hayesroth	0	0	_	124	0	24	106
Heart	0	0	0	27	0	0	219
Ionosphere	0	0	0	1,075	0	_	463
Iris	0	0	0	0	0	0	1
Led7Digit	0	0	_	1,445	98	449	327
Monk2	0	0	0	82	0	_	895
Moons	0	0	0	16	0	0	225
Movement Libras	0	0	_	273	15	98	147
Newthyroid	0	0	0	29	0	50	193
Saheart	0	0	0	1,914	0	_	928
Sonar	0	0	0	416	0	0	231
Soybean	0	0	0	2	0	1	0
Spectfheart	0	0	0	463	0	0	390
Spiral	0	0	_	0	0	0	432
Tae	0	0	_	106	0	63	120
Vehicle	0	0	0	5,635	373	_	3,088
Wine	0	0	0	4	0	0	23
Zoo	0	0	0	29	0	1	4
Mean	0	0	0*	669	20	48*	425

^{*}Nan values (-) are ignored when computing the sum.

Table W20: Average number of cannot-link constraint violations of the PCCC and the PCCC-R algorithms and the four state-of-the-art algorithms (COPKM, CSC, DILS, LCC) for the constraint sets of size 20% CS. The lowest values are stated in bold. The column KMEANS reports the average number of cannot-link constraint violations obtained with the k-means algorithm. The hyphen indicates that the respective algorithm returned no solution within the time limit of 1,800 seconds.