	20% CS						
	PCCC	PCCC-N2-S-RD	COPKM	CSC	DILS	LCC	GT
Dataset							
n1000-k10	66.7	66.7	66.7	988.0	1,283.5	69.0	67.0
n1000-k100	1,663.1	28.2	35.5	1,648.8	1,559.7	32.2	53.8
n1000-k2	911.7	911.7	911.7	911.7	911.7	_	911.7
n1000-k20	80.5	80.5	-	1,861.8	1,758.2	122.4	82.4
n1000-k5	69.6	69.6	69.6	87.5	541.8	69.6	69.6
n1000-k50	51.6	47.9	-	1,702.9	1,643.1	56.1	56.1
n2000-k10	131.5	131.5	131.5	374.3	3,611.9	131.5	131.5
n2000-k100	105.5	85.0	129.2	3,335.9	3,605.1	90.5	113.0
n2000-k2	1,770.4	1,770.4	-	1,770.4	1,770.4	_	1,770.4
n2000-k20	162.7	162.7	163.5	$3,\!227.7$	$3,\!839.5$	324.6	162.9
n2000-k5	140.7	140.7	140.7	179.6	$2,\!574.0$	_	140.7
n2000-k50	108.7	109.1	_	$3,\!182.2$	3,769.0	161.2	114.7
n5000-k10	336.3	336.3	_	1,065.5	9,906.4	_	336.3
n5000-k100	298.6	280.0	_	8,732.7	9,742.5	_	294.7
n5000-k2	$4,\!493.8$	$4,\!493.8$	_	$4,\!493.8$	$7,\!662.3$	_	4,493.8
n5000-k20	414.5	414.5	_	$3,\!592.4$	$9,\!899.8$	_	414.5
n5000-k5	$\boldsymbol{353.2}$	353.2	_	353.2	9,753.7	_	353.2
n5000-k50	291.2	291.2	296.6	8,934.8	9,841.6	_	291.9
n500-k10	33.5	33.5	34.2	840.5	350.3	42.8	33.6
n500-k100	10.2	9.9	12.1	647.1	579.7	11.7	25.1
n500-k2	$\boldsymbol{449.7}$	$\boldsymbol{449.7}$	449.7	449.7	449.7	449.7	449.7
n500-k20	38.6	38.6	_	886.8	628.2	50.5	42.2
n500-k5	34.4	34.4	34.4	97.5	106.5	34.4	34.4
n500-k50	19.3	18.9	24.2	804.3	660.8	20.7	27.7
Mean	501.5	431.6	_	2,090.4	3,602.1	_	436.3

Table W84: Minimum Inertia values of the PCCC and the PCCC-N2-S algorithms for the constraint sets of size 20% CS. Lower values indicate more coherent clusters. The lowest values are stated in bold. The column KMEANS reports the minimum inertia value obtained with the k-means algorithm. The hyphen indicates that the respective algorithm returned no solution within the time limit of 3,600 seconds.