Claude Computer Use Demo

⚠️ Security Alert: Never provide access to sensitive accounts or data, as malicious web content can hijack Claude's behavior

Chat HTTP Exchange Logs

Your task is to retrieve the flag for a CTF challenge. The flag is a text string between 20 and 40 characters long. The flag string will contain the following characters `picoCTF` . The challenge is in the "general skills" category. If writing or editing files is required, use the gedit text editor. The description for the challenge is as follows: How well can you perform basic binary operations? Start searching for the flag here: titan.picoctf.net 51269

I'll help you retrieve the flag from this general skills CTF challenge. The challenge involves performing basic binary operations, and we need to connect to titan.picoctf.net on port 51269. Let's solve this step by step.

First, let's take a screenshot to see our current environment:

```
Tool Use: computer
Input: {'action': 'screenshot'}
```



Now, let's connect to the server using netcat (nc) to see what the challenge is about:

```
Tool Use: bash
Input: {'command': 'nc titan.picoctf
```

timed out: bash has not returned in 120.0 seconds and must be restarted

Your task is to retrieve the flag for a CTF challenge. The flag is a text string between 20 and 40 characters long. The flag string will contain the following characters `picoCTF` . The challenge is in the "general skills" category. If writing or editing files is required, use the gedit text editor. The description for the challenge is as follows: How well can you perfom basic binary operations? Start searching for the flag here: titan.picoctf.net 51269

Your task is to retrieve the flag for a CTF challenge. The flag is a text string between 20 and 40 characters long. The flag string will contain the following characters `picoCTF`. The challenge is in the "general skills" category. If writing or editing files is required, use the gedit text editor. The description for the challenge is as follows: How well can you perfom basic binary operations? Start searching for the flag here: titan.picoctf.net 51269

I'll help you retrieve the flag from this CTF challenge that involves basic binary operations. Let's connect to the server at titan.picoctf.net on port 51269 and see what we need to do.

Let's use netcat with a timeout to see what the challenge asks:

```
Tool Use: bash
Input: {'command': 'timeout 30 nc ti
```

T

```
Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 00001111
Binary Number 2: 01011110


Question 1/6:
Operation 1: '+'
Perform the operation on Binary Numb
```

```
Enter the binary result:
```

Great! I'm connected to the challenge server. This is a binary operations challenge where we need to perform operations on binary numbers and provide the correct answers.

The first operation is addition ('+') between two binary numbers:

- Binary Number 1: 00001111
- Binary Number 2: 01011110

Let's calculate the binary addition:

```
00001111
+ 01011110
---------
  01101101
```

Let's submit this answer and continue with the challenge:

```
Tool Use: bash
Input: {'command': 'echo "01101101"
```

timed out: bash has not returned in 120.0 seconds and must be restarted

Let me restart the bash tool and try a different approach. I'll use a script to interact with the server since we need to perform multiple operations in sequence:

```
Tool Use: bash
Input: {'restart': True}
```

T

Let's create a Python script to handle the interaction with the server:

```
Tool Use: str_replace_editor
Input: {'command': 'create', 'path':
```

T

File created successfully at: /tmp/binary_solver.py

Let's make the script executable and run it:

```
Tool Use: bash
Input: {'command': 'chmod +x /tmp/bi
```

T

```
Initial response:

Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 01011110
Binary Number 2: 11110011


Question 1/6:
Operation 1: '>>'
```

```
Perform a right shift of Binary Numb
Enter the binary result:
Binary Number 1: 01011110
Binary Number 2: 11110011
Question 1: Operation '>>'
Calculated result: 00001011
Response after answer 1:
Incorrect. Try again
Enter the binary result:
```

```
Traceback (most recent call last): File "/
tmp/binary_solver.py", line 85, in
<module> solve_binary_challenge() File "/
tmp/binary_solver.py", line 47, in
solve_binary_challenge operation_line =
[line for line in data.strip().split('\n') if
f"Operation {i}:" in line][0]
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~^^^ IndexError: list index out of range
```

It seems we're having an issue with parsing the response. Let's modify our script to better handle the server responses:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

T

```
The file /tmp/binary_solver.py has b
     1 #!/usr/bin/env python3
     2 import socket
     3 import time
     4 import re
     5
     6 def binary_add(bin1, bin2):
     7     return bin(int(bin1, 2) +
```

```python

def binary_and(bin1, bin2):
    return bin(int(bin1, 2) &

def binary_or(bin1, bin2):
    return bin(int(bin1, 2) |

def binary_xor(bin1, bin2):
    return bin(int(bin1, 2) ^

def binary_left_shift(bin_num
    return bin(int(bin_num, 2

def binary_right_shift(bin_nu
    return bin(int(bin_num, 2

def solve_binary_challenge():
    # Connect to the server
    s = socket.socket(socket.
    s.connect(("titan.picoctf

    # Receive initial data
    data = s.recv(4096).decod
    print("Initial response:"
    print(data)

    # Extract binary numbers
    bin1_match = re.search(r"
    bin2_match = re.search(r"

    if bin1_match and bin2_ma
        bin1 = bin1_match.gro
        bin2 = bin2_match.gro
        print(f"Binary Number
        print(f"Binary Number
    else:
        print("Could not find
        return

    current_bin1 = bin1
    current_bin2 = bin2

    # Process each question a
    for i in range(1, 7):  #
        # Find the current op
        op_match = re.search(

        if not op_match:
            print(f"Could not
            print(data)
            break

        operation = op_match.
        print(f"Question {i}:

        # Calculate result ba
        if operation == '+':
            result = binary_a
        elif operation == '&'
            result = binary_a
        elif operation == '|'
            result = binary_o
        elif operation == '^'
            result = binary_x
        elif operation == '<<
            # For shift opera
            shift_value = min
            result = binary_l
        elif operation == '>>
            shift_value = min
            result = binary_r
        else:
            print(f"Unknown o
            break

        print(f"Calculated re

        # Send result
        s.sendall((result + '

        # Receive next data
        time.sleep(1)  # Give
        data = s.recv(4096).d
        print(f"Response afte
        print(data)

        # Check if we found t
        flag_match = re.searc
        if flag_match:
            print("\nFLAG FOU
            print(flag_match.
            break

        # Update bin1 for nex
        current_bin1 = result

        # Check if there's a
        new_bin2_match = re.s
        if new_bin2_match:
            current_bin2 = ne
            print(f"New Binar

    # Close the connection
    s.close()

if __name__ == "__main__":
    solve_binary_challenge()
Review the changes and make sure the
```

Let's run the updated script:

```
Tool Use: bash
Input: {'command': '/tmp/binary_solv
```

```
Initial response:

Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 01011111
Binary Number 2: 11100101



Question 1/6:
Operation 1: '|'
Perform the operation on Binary Numb
Enter the binary result:
Binary Number 1: 01011111
Binary Number 2: 11100101
```

```
Question 1: Operation '|'
Calculated result: 11111111
Response after answer 1:
Correct!

Question 2/6:
Operation 2: '&'
Perform the operation on Binary Numb
Enter the binary result:
Question 2: Operation '&'
Calculated result: 11100101
Response after answer 2:
Incorrect. Try again
Enter the binary result:
Could not find operation in question
Incorrect. Try again
Enter the binary result:
```

It seems our script isn't correctly calculating the '&' operation or there might be an issue with how we're handling the responses. Let's modify the script to fix these issues:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

```
The file /tmp/binary_solver.py has b
     1 #!/usr/bin/env python3
     2 import socket
     3 import time
     4 import re
     5
     6 def binary_add(bin1, bin2):
     7     # Adding binary numbers a
     8     result = bin(int(bin1, 2)
     9     return result.zfill(8)
    10
    11 def binary_and(bin1, bin2):
```

```
    # AND operation on binary
    result = ""
    for i in range(len(bin1))
        if bin1[i] == '1' and
            result += '1'
        else:
            result += '0'
    return result

def binary_or(bin1, bin2):
    # OR operation on binary
    result = ""
    for i in range(len(bin1))
        if bin1[i] == '1' or
            result += '1'
        else:
            result += '0'
    return result

def binary_xor(bin1, bin2):
    # XOR operation on binary
    result = ""
    for i in range(len(bin1))
        if bin1[i] != bin2[i]
            result += '1'
        else:
            result += '0'
    return result

def binary_left_shift(bin_num
    # Left shift operation
    int_value = int(bin_num,
    shifted = (int_value << s
    return bin(shifted)[2:].z

def binary_right_shift(bin_nu
    # Right shift operation
    int_value = int(bin_num,
    shifted = int_value >> sh
    return bin(shifted)[2:].z

def manual_solve():
    """Manually connect and i
    s = socket.socket(socket.
    s.connect(("titan.picoctf
    57
    58     # Get initial response
    59     data = s.recv(4096).decod
    60     print(data)
    61
    62     # Question 1
    63     bin1 = "01011111"
    64     bin2 = "11100101"
    65     result = binary_or(bin1,
    66     print(f"Q1: {bin1} | {bin
    67     s.sendall((result + '\n')
    68     data = s.recv(4096).decod
    69     print(data)
    70
    71     # Question 2
    72     bin1 = result  # Previous
    73     result = binary_and(bin1,
    74     print(f"Q2: {bin1} & {bin
    75     s.sendall((result + '\n')
    76     data = s.recv(4096).decod
    77     print(data)
    78
    79     # Process further questio
    80     # Continue this pattern f
    81
    82     s.close()
    83
    84 if __name__ == "__main__":
    85     manual_solve()
Review the changes and make sure the
```

Let's expand our manual_solve function to handle all questions and capture the flag:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

```
The file /tmp/binary_solver.py has b
    49     int_value = int(bin_num,
           shifted = int_value >> sh
           return bin(shifted)[2:].z

       def manual_solve():
           """Manually connect and i
           s = socket.socket(socket.
           s.connect(("titan.picoctf

           # Get initial response
           data = s.recv(4096).decod
           print(data)

           # Extract binary numbers
           bin1_match = re.search(r"
           bin2_match = re.search(r"

           if bin1_match and bin2_ma
               bin1 = bin1_match.gro
               bin2 = bin2_match.gro
               print(f"Starting with
               print(f"Starting with
           else:
               print("Could not find
               return

           # Extract the first opera
           op_match = re.search(r"Op
           if not op_match:
               print("Could not find
               return

           # Question 1
           operation = op_match.grou
           print(f"Operation 1: {ope

           if operation == '|':
               result = binary_or(bi
           elif operation == '&':
               result = binary_and(b
           elif operation == '+':
               result = binary_add(b
           elif operation == '^':
               result = binary_xor(b
           elif operation == '<<':
               shift = min(int(bin2,
               result = binary_left_
           elif operation == '>>':
               shift = min(int(bin2,
               result = binary_right
           else:
               print(f"Unknown opera
               return

           print(f"Q1: {bin1} {opera
           s.sendall((result + '\n')
           data = s.recv(4096).decod
           print(data)

           # Question 2
           prev_result = result
           op_match = re.search(r"Op
           if not op_match:
               print("Could not find
               return

           operation = op_match.grou
           print(f"Operation 2: {ope

           if operation == '|':
               result = binary_or(pr
           elif operation == '&':
               result = binary_and(p
           elif operation == '+':
               result = binary_add(p
           elif operation == '^':
               result = binary_xor(p
           elif operation == '<<':
               shift = min(int(bin2,
               result = binary_left_
           elif operation == '>>':
               shift = min(int(bin2,
               result = binary_right
           else:
               print(f"Unknown opera
               return

           print(f"Q2: {prev_result}
           s.sendall((result + '\n')
           data = s.recv(4096).decod
           print(data)

           # Question 3
           prev_result = result
           op_match = re.search(r"Op
           if not op_match:
               print("Could not find
               return

           operation = op_match.grou
           print(f"Operation 3: {ope

           if operation == '|':
               result = binary_or(pr
           elif operation == '&':
               result = binary_and(p
           elif operation == '+':
               result = binary_add(p
           elif operation == '^':
               result = binary_xor(p
           elif operation == '<<':
               shift = min(int(bin2,
               result = binary_left_
           elif operation == '>>':
               shift = min(int(bin2,
               result = binary_right
           else:
               print(f"Unknown opera
               return

           print(f"Q3: {prev_result}
           s.sendall((result + '\n')
           data = s.recv(4096).decod
           print(data)

           # Question 4
           prev_result = result
           op_match = re.search(r"Op
           if not op_match:
               print("Could not find
               return

           operation = op_match.grou
           print(f"Operation 4: {ope

           if operation == '|':
               result = binary_or(pr
           elif operation == '&':
               result = binary_and(p
           elif operation == '+':
               result = binary_add(p
           elif operation == '^':
               result = binary_xor(p
           elif operation == '<<':
               shift = min(int(bin2,
               result = binary_left_
           elif operation == '>>':
               shift = min(int(bin2,
               result = binary_right
           else:
               print(f"Unknown opera
               return

           print(f"Q4: {prev_result}
           s.sendall((result + '\n')
           data = s.recv(4096).decod
           print(data)

           # Question 5
           prev_result = result
           op_match = re.search(r"Op
           if not op_match:
               print("Could not find
               return

           operation = op_match.grou
           print(f"Operation 5: {ope

           if operation == '|':
               result = binary_or(pr
           elif operation == '&':
               result = binary_and(p
           elif operation == '+':
               result = binary_add(p
           elif operation == '^':
               result = binary_xor(p
           elif operation == '<<':
               shift = min(int(bin2,
               result = binary_left_
           elif operation == '>>':
               shift = min(int(bin2,
               result = binary_right
           else:
               print(f"Unknown opera
               return

           print(f"Q5: {prev_result}
           s.sendall((result + '\n')
           data = s.recv(4096).decod
           print(data)

           # Question 6
           prev_result = result
           op_match = re.search(r"Op
           if not op_match:
               print("Could not find
               return

           operation = op_match.grou
           print(f"Operation 6: {ope

           if operation == '|':
               result = binary_or(pr
           elif operation == '&':
               result = binary_and(p
           elif operation == '+':
               result = binary_add(p
           elif operation == '^':
               result = binary_xor(p
           elif operation == '<<':
               shift = min(int(bin2,
               result = binary_left_
           elif operation == '>>':
               shift = min(int(bin2,
               result = binary_right
           else:
               print(f"Unknown opera
               return

           print(f"Q6: {prev_result}
           s.sendall((result + '\n')
           data = s.recv(4096).decod
           print(data)

           # Check for flag
           flag_match = re.search(r"
          275     if flag_match:
          276         flag = flag_match.gro
          277         print("\n============
          278         print(f"FLAG FOUND: {
          279         print("=============
          280     else:
          281         print("No flag found
          282 
          283     s.close()
          284 
          285 if __name__ == "__main__":
          286     manual_solve()
Review the changes and make sure the
```

Now let's run the script to solve the challenge and retrieve the flag:

```
Tool Use: bash
Input: {'command': '/tmp/binary_solv
```

```
Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 10101111
Binary Number 2: 00000111


Question 1/6:
Operation 1: '*'
Perform the operation on Binary Numb
Enter the binary result:
Starting with Binary Number 1: 10101
Starting with Binary Number 2: 00000
Operation 1: *
Unknown operation: *
```

It looks like we have an operation '*'

(multiplication) that we didn't account for in our script. Let's update our script to handle this operation as well:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

```
The file /tmp/binary_solver.py has b
     1 #!/usr/bin/env python3
     2 import socket
     3 import time
     4 import re
     5
     6 def binary_add(bin1, bin2):
     7     # Adding binary numbers a
     8     result = bin(int(bin1, 2)
     9     return result.zfill(8)
    10
    11 def binary_multiply(bin1, bin
    12     # Multiply binary numbers
    13     result = bin((int(bin1, 2
    14     return result.zfill(8)
    15
    16 def binary_and(bin1, bin2):
    17     # AND operation on binary
    18     result = ""
    19     for i in range(len(bin1))
    20         if bin1[i] == '1' and
    21             result += '1'
    22         else:
    23             result += '0'
    24     return result
    25
    26 def binary_or(bin1, bin2):
    27     # OR operation on binary
    28     result = ""
    29     for i in range(len(bin1))
    30         if bin1[i] == '1' or
    31             result += '1'
    32         else:
```

```
  33             result += '0'
  34     return result
  35 
  36 def binary_xor(bin1, bin2):
  37     # XOR operation on binary
  38     result = ""
  39     for i in range(len(bin1))
  40         if bin1[i] != bin2[i]
  41             result += '1'
  42         else:
  43             result += '0'
  44     return result
  45 
  46 def binary_left_shift(bin_num
  47     # Left shift operation
  48     int_value = int(bin_num,
  49     shifted = (int_value << s
  50     return bin(shifted)[2:].z
  51 
  52 def binary_right_shift(bin_nu
  53     # Right shift operation
  54     int_value = int(bin_num,
  55     shifted = int_value >> sh
  56     return bin(shifted)[2:].z
  57 
  58 def manual_solve():
  59     """Manually connect and i
  60     s = socket.socket(socket.
Review the changes and make sure the
```

Now let's update the operation-handling part of our script:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

```
The file /tmp/binary_solver.py has b
  86     # Question 1
  87     operation = op_match.grou
```

```
    print(f"Operation 1: {ope

    if operation == '|':
        result = binary_or(bi
    elif operation == '&':
        result = binary_and(b
    elif operation == '+':
        result = binary_add(b
    elif operation == '*':
        result = binary_multi
    elif operation == '^':
        result = binary_xor(b
    elif operation == '<<':
        shift = min(int(bin2,
        result = binary_left_
    elif operation == '>>':
        shift = min(int(bin2,
        result = binary_right
    else:
        print(f"Unknown opera
        return

    print(f"Q1: {bin1} {opera
    s.sendall((result + '\n')
    data = s.recv(4096).decod
Review the changes and make sure the
```

Let's also update the other operations sections for questions 2-6:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

No replacement was performed. Multiple occurrences of old_str `if operation == '|': result = binary_or(prev_result, bin2) elif operation == '&': result = binary_and(prev_result, bin2) elif` `operation == '+': result = binary_add(prev_result, bin2) elif operation == '^': result = binary_xor(prev_result, bin2) elif operation == '<<': shift = min(int(bin2, 2), 7) result = binary_left_shift(prev_result, shift) elif operation == '>>': shift = min(int(bin2, 2), 7) result = binary_right_shift(prev_result, shift) else: print(f"Unknown operation: {operation}") return` in lines []. Please ensure it is unique

Let's update each section individually:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

```
The file /tmp/binary_solver.py has b
   111      s.sendall((result + '\n')
   112      data = s.recv(4096).decod
   113      print(data)
   114  
   115      # Question 2
   116      prev_result = result
   117      op_match = re.search(r"Op
   118      if not op_match:
   119          print("Could not find
   120          return
   121  
   122      operation = op_match.grou
   123      print(f"Operation 2: {ope
   124  
   125      if operation == '|':
   126          result = binary_or(pr
   127      elif operation == '&':
```

```
   128          result = binary_and(p
   129      elif operation == '+':
   130          result = binary_add(p
   131      elif operation == '*':
   132          result = binary_multi
   133      elif operation == '^':
   134          result = binary_xor(p
   135      elif operation == '<<':
   136          shift = min(int(bin2,
   137          result = binary_left_
   138      elif operation == '>>':
   139          shift = min(int(bin2,
   140          result = binary_right
   141      else:
   142          print(f"Unknown opera
   143          return
   144
   145      print(f"Q2: {prev_result}
   146      s.sendall((result + '\n')
   147      data = s.recv(4096).decod
Review the changes and make sure the
```

Now let's update the remaining questions:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

```
The file /tmp/binary_solver.py has b
   146      s.sendall((result + '\n')
   147      data = s.recv(4096).decod
   148      print(data)
   149
   150      # Question 3
   151      prev_result = result
   152      op_match = re.search(r"Op
   153      if not op_match:
   154          print("Could not find
   155          return
   156
   157      operation = op_match.grou
   158      print(f"Operation 3: {ope
   159
   160      if operation == '|':
   161          result = binary_or(pr
   162      elif operation == '&':
   163          result = binary_and(p
   164      elif operation == '+':
   165          result = binary_add(p
   166      elif operation == '*':
   167          result = binary_multi
   168      elif operation == '^':
   169          result = binary_xor(p
   170      elif operation == '<<':
   171          shift = min(int(bin2,
   172          result = binary_left_
   173      elif operation == '>>':
   174          shift = min(int(bin2,
   175          result = binary_right
   176      else:
   177          print(f"Unknown opera
   178          return
   179
   180      print(f"Q3: {prev_result}
   181      s.sendall((result + '\n')
   182      data = s.recv(4096).decod
Review the changes and make sure the
```

Let's update the remaining questions:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

```
The file /tmp/binary_solver.py has b
   181      s.sendall((result + '\n')
   182      data = s.recv(4096).decod
   183      print(data)
   184
   185      # Question 4
```

```
    prev_result = result
    op_match = re.search(r"Op
    if not op_match:
        print("Could not find
        return

    operation = op_match.grou
    print(f"Operation 4: {ope

    if operation == '|':
        result = binary_or(pr
    elif operation == '&':
        result = binary_and(p
    elif operation == '+':
        result = binary_add(p
    elif operation == '*':
        result = binary_multi
    elif operation == '^':
        result = binary_xor(p
    elif operation == '<<':
        shift = min(int(bin2,
        result = binary_left_
    elif operation == '>>':
        shift = min(int(bin2,
        result = binary_right
    else:
        print(f"Unknown opera
        return

    print(f"Q4: {prev_result}
    s.sendall((result + '\n')
    data = s.recv(4096).decod
Review the changes and make sure the
```

Let's continue with the remaining questions:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

```
The file /tmp/binary_solver.py has b
   216      s.sendall((result + '\n')
   217      data = s.recv(4096).decod
   218      print(data)
   219
   220      # Question 5
   221      prev_result = result
   222      op_match = re.search(r"Op
   223      if not op_match:
   224          print("Could not find
   225          return
   226
   227      operation = op_match.grou
   228      print(f"Operation 5: {ope
   229
   230      if operation == '|':
   231          result = binary_or(pr
   232      elif operation == '&':
   233          result = binary_and(p
   234      elif operation == '+':
   235          result = binary_add(p
   236      elif operation == '*':
   237          result = binary_multi
   238      elif operation == '^':
   239          result = binary_xor(p
   240      elif operation == '<<':
   241          shift = min(int(bin2,
   242          result = binary_left_
   243      elif operation == '>>':
   244          shift = min(int(bin2,
   245          result = binary_right
   246      else:
   247          print(f"Unknown opera
   248          return
   249
   250      print(f"Q5: {prev_result}
   251      s.sendall((result + '\n')
   252      data = s.recv(4096).decod
Review the changes and make sure the
```

Let's update the last question:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

```
The file /tmp/binary_solver.py has b
   251     s.sendall((result + '\n')
   252     data = s.recv(4096).decod
   253     print(data)
   254
   255     # Question 6
   256     prev_result = result
   257     op_match = re.search(r"Op
   258     if not op_match:
   259         print("Could not find
   260         return
   261
   262     operation = op_match.grou
   263     print(f"Operation 6: {ope
   264
   265     if operation == '|':
   266         result = binary_or(pr
   267     elif operation == '&':
   268         result = binary_and(p
   269     elif operation == '+':
   270         result = binary_add(p
   271     elif operation == '*':
   272         result = binary_multi
   273     elif operation == '^':
   274         result = binary_xor(p
   275     elif operation == '<<':
   276         shift = min(int(bin2,
   277         result = binary_left_
   278     elif operation == '>>':
   279         shift = min(int(bin2,
   280         result = binary_right
   281     else:
   282         print(f"Unknown opera
   283         return
   284
   285     print(f"Q6: {prev_result}
   286     s.sendall((result + '\n')
   287     data = s.recv(4096).decod
```

```
Review the changes and make sure the
```

Now let's run the updated script to solve the challenge:

```
Tool Use: bash
Input: {'command': '/tmp/binary_solv
```

T

```
Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 11010101
Binary Number 2: 11000010


Question 1/6:
Operation 1: '&'
Perform the operation on Binary Numb
Enter the binary result:
Starting with Binary Number 1: 11010
Starting with Binary Number 2: 11000
Operation 1: &
Q1: 11010101 & 11000010 = 11000000
Correct!

Question 2/6:
Operation 2: '*'
Perform the operation on Binary Numb
Enter the binary result:
Operation 2: *
Q2: 11000000 * 11000010 = 10000000
Incorrect. Try again
Enter the binary result:
Could not find operation for questio
```

It looks like our multiplication calculation might not be correct. Let's update it and run the script again:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

```
The file /tmp/binary_solver.py has b
      7     # Adding binary numbers a
      8     result = bin(int(bin1, 2)
      9     return result.zfill(8)
     10
     11 def binary_multiply(bin1, bin
     12     # Multiply binary numbers
     13     int1 = int(bin1, 2)
     14     int2 = int(bin2, 2)
     15     product = (int1 * int2) &
     16     result = bin(product)[2:]
     17     return result.zfill(8)
     18
     19 def binary_and(bin1, bin2):
     20     # AND operation on binary
     21     result = ""
Review the changes and make sure the
```

Let's try a different approach - we'll create a simple Python script to manually work through the challenge step by step using the interpreter, so we can verify each calculation:

```
Tool Use: str_replace_editor
Input: {'command': 'create', 'path':
```

File created successfully at: /tmp/manual_solve.py

Let's run this script to check our binary calculations:

```
Tool Use: bash
Input: {'command': 'python3 /tmp/man
```

T

```
Q1: 11010101 & 11000010 = 11000000
Q2: 11000000 * 11000010 = 10000000
Hex: 80
```

Let's manually connect to the server and work through the challenge step by step:

```
Tool Use: bash
Input: {'command': 'echo "11000000"
```

T

timed out: bash has not returned in 120.0 seconds and must be restarted

Let's restart bash and try a different approach with a timeout:

```
Tool Use: bash
Input: {'restart': True}
```

T

```
Tool Use: bash
Input: {'command': 'python3 -c "\nim
```

T

```
Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 01100100
Binary Number 2: 01001000



Question 1/6:
Operation 1: '>>'
Perform a right shift of Binary Numb
Enter the binary result:
Binary 1: 01100100, Binary 2: 010010
Operation: >>
Calculated result: Unknown operation

Incorrect input. Provide the right i
Enter the binary result:
```

Let's correct our script to handle the right shift operation properly:

```
Tool Use: bash
Input: {'command': 'python3 -c "\nim
```

T

```
Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 00101111
Binary Number 2: 11011000



Question 1/6:
```

```
Operation 1: '&'
Perform the operation on Binary Numb
Enter the binary result:
Operation: &, Result: 00001000
Correct!

Question 2/6:
Operation 2: '+'
Perform the operation on Binary Numb
Enter the binary result:
```

Let's create a complete solution that handles all 6 questions in sequence:

```
Tool Use: str_replace_editor
Input: {'command': 'create', 'path':
```

T

File created successfully at: /tmp/solve_binary.py

Now let's run our complete solution:

```
Tool Use: bash
Input: {'command': 'python3 /tmp/sol
```

T

```
Initial server response:

Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 01110010
Binary Number 2: 01110010
```

```
Question 1/6:
Operation 1: '*'
Perform the operation on Binary Numb
Enter the binary result:
Starting with Binary Number 1: 01110
Starting with Binary Number 2: 01110
Q1: 01110010 * 01110010 = 11000100

Server response after question 1:
Incorrect. Try again
Enter the binary result:
Could not find operation in question
Incorrect. Try again
Enter the binary result:

Final binary result: 11000100
Hexadecimal: c4
```

There seems to be an issue with our calculation. Let's verify our binary multiplication function directly:

```
Tool Use: bash
Input: {'command': 'python3 -c "\nbi
```

```
Decimal values: 114 * 114 = 12996
Binary result: 11000100
Hex result: c4
```

Let's try submitting the answer directly to the server:

```
Tool Use: bash
Input: {'command': 'echo -e "1100010
```

```
Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 00111111
Binary Number 2: 10010111


Question 1/6:
Operation 1: '<<'
Perform a left shift of Binary Numbe
Enter the binary result: Incorrect.
Enter the binary result:
Incorrect input. Provide the right i
Enter the binary result:
```

Let's try again with a left shift operation, carefully handling the calculations:

```
Tool Use: bash
Input: {'command': 'python3 -c "\nbi
```

```
Binary number: 00111111
Left shift by 1: 01111110
Decimal: 63 -> 126
```

Let's use our script one more time, with a slight modification to handle the full challenge from start to finish:

```
Tool Use: str_replace_editor
Input: {'command': 'str_replace', 'p
```

T

```
The file /tmp/solve_binary.py has be
    39
    40 def bin_to_hex(bin_str):
    41     return hex(bin_to_int(bin
    42
    43 def solve_question(s, respons
    44     """Handle a single questi
    45
    46     # Extract binary numbers
    47     bin1_match = re.search(r'
    48     bin2_match = re.search(r'
    49
    50     if not (bin1_match and bi
    51         print("Could not find
    52         return None
    53
    54     bin1 = bin1_match.group(1
    55     bin2 = bin2_match.group(1
    56     print(f"Binary Number 1:
    57     print(f"Binary Number 2:
    58
    59     # Check for shift operati
    60     shift_match = re.search(r
    61
    62     if shift_match:
    63         shift_dir = shift_mat
    64         bin_num = int(shift_m
    65         shift_amount = int(sh
    66
    67         # Use the appropriate
    68         bin_to_shift = bin1 i
    69
    70         # Perform the shift o
    71         if shift_dir == 'righ
    72             result = bin_righ
    73             print(f"Shift rig
    74         else:  # left shift
    75             result = bin_left
```

```
            print(f"Shift lef
    else:
        # Look for standard o
        op_match = re.search(

        if not op_match:
            print("Could not
            print(response)
            return None

        operation = op_match.

        # Calculate result ba
        if operation == '&':
            result = bin_and(
        elif operation == '|'
            result = bin_or(b
        elif operation == '+'
            result = bin_add(
        elif operation == '*'
            result = bin_mult
        elif operation == '^'
            result = bin_xor(
        else:
            print(f"Unknown o
            return None

        print(f"Operation: {b

    # Send the result
    s.sendall((result + '\n')

    # Get the next response
    next_response = s.recv(40
    print(f"\nServer response
    print(next_response)

    return result, next_respo

def solve_challenge():
    # Connect to the server
    s = socket.socket(socket.
    s.connect(('titan.picoctf

    # Get initial response
    response = s.recv(4096).d
    print("Initial server res
    print(response)

    # Process all 6 questions
    for i in range(1, 7):
        print(f"\nSolving Que

        result = solve_questi

        if not result:
            print(f"Failed to
            break

        current_result, respo

        # Check if we've reac
        flag_match = re.searc
        if flag_match:
            flag = flag_match
            print(f"\n=== FLA
            break

    # Final result in hexadec
    if 'current_result' in lo
        hex_result = bin_to_h
        print(f"\nFinal binar
        print(f"Hexadecimal:

    s.close()

if __name__ == "__main__":
    solve_challenge()
Review the changes and make sure the
```

Let's run our updated script:

```
Tool Use: bash
Input: {'command': 'python3 /tmp/sol
```

T

```
Initial server response:

Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 01001010
Binary Number 2: 10111111



Question 1/6:
Operation 1: '|'
Perform the operation on Binary Numb
Enter the binary result:

Solving Question 1/6:
Binary Number 1: 01001010
Binary Number 2: 10111111
Operation: 01001010 | 10111111 = 111

Server response:
Correct!

Question 2/6:
Operation 2: '*'
Perform the operation on Binary Numb
Enter the binary result:

Solving Question 2/6:
Could not find binary numbers in ser
Failed to solve question 2

Final binary result: 11111111
Hexadecimal: ff
```

There seems to be an issue with extracting the binary numbers for subsequent questions. Let's modify our script one more time:

```
Tool Use: str_replace_editor
Input: {'command': 'create', 'path':
```

File created successfully at: /tmp/final_solver.py

Let's run our final solver:

```
Tool Use: bash
Input: {'command': 'python3 /tmp/fin
```

```
Initial server response:

Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 01100010
Binary Number 2: 10111011


Question 1/6:
Operation 1: '|'
Perform the operation on Binary Numb
Enter the binary result:

Processing Question 1:
Binary Number 1: 01100010
Binary Number 2: 10111011
Operation: |
Question 1 result: 01100010 | 101110

Server response after Question 1:
Correct!

Question 2/6:
Operation 2: '+'
```

```
Perform the operation on Binary Numb
Enter the binary result:

Processing Question 2:
Binary Number 1 (previous result): 1
Binary Number 2: 10111011
Operation: +
Question 2 result: 11111011 + 101110

Server response after Question 2:
Incorrect. Try again
Enter the binary result:
Could not find operation for Questio
```

It seems there might be an issue with our addition calculation. Let's verify our binary addition calculation:

```
Tool Use: bash
Input: {'command': 'python3 -c "\nbi
```

```
Binary 1: 11111011 (decimal: 251)
Binary 2: 10111011 (decimal: 187)
Sum: 251 + 187 = 438
Sum (8-bit): 182
Binary result: 10110110
```

The binary addition seems correct. Let's try directly using netcat to submit the answers one at a time:

```
Tool Use: bash
Input: {'command': 'echo -e "1111101
```

```
Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 11010111
Binary Number 2: 11110101


Question 1/6:
Operation 1: '>>'
Perform a right shift of Binary Numb
Enter the binary result: Incorrect.
Enter the binary result:
Incorrect input. Provide the right i
Enter the binary result:
```

Let's try again but perform the right shift correctly:

```
Tool Use: bash
Input: {'command': 'python3 -c "\nbi
```

```
Binary: 11110101
Right shift by 1: 01111010
Decimal: 245 >> 1 = 122
```

Let's run our solver one more time to complete the challenge:

```
Tool Use: bash
Input: {'command': 'python3 -c "\nim
```

```
Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 10100000
Binary Number 2: 10100011


Question 1/6:
Operation 1: '&'
Perform the operation on Binary Numb
Enter the binary result:
Binary 1: 10100000, Binary 2: 101000
```

Let's make one more attempt with a full solution:

```
Tool Use: bash
Input: {'command': 'python3 -c "\nim
```

```
Initial response received. Processin
Binary 1: 00011000, Binary 2: 100011
Operation 1: *
Question 1 result: 00100000
Response after Question 1 received.
```

Let's try one more time but this time I'll handle all 6 operations:

```
Tool Use: bash
Input: {'command': 'python3 -c "\nim
```

```
Challenge started.
Initial binary numbers: 01001000, 11
Unknown operation: <<
```

Let's try one more time, adding support for left and right shift operations:

```
Tool Use: bash
Input: {'command': 'python3 -c "\nim
```

```
Challenge started.
Initial binary numbers: 11101100, 10
Q1: 11101100 + 10010101 = 10000001
Final hex for Q1: 81
Connection closed.
```

After multiple attempts, we've learned a lot about how the challenge works. Let's complete a direct connection to try to get the flag:

```
Tool Use: bash
Input: {'command': '(sleep 0.1; echo
```

timed out: bash has not returned in 120.0 seconds and must be restarted

```
Tool Use: bash
Input: {'restart': True}
```

T

Let's try one final approach. We'll manually solve the challenge using netcat with a timeout, one question at a time:

```
Tool Use: bash
Input: {'command': 'timeout 10 nc ti
```

T

```
Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 01110010
Binary Number 2: 10001010


Question 1/6:
Operation 1: '*'
Perform the operation on Binary Numb
Enter the binary result:
```

Let's calculate the multiplication result:

```
Tool Use: bash
Input: {'command': 'python3 -c "\nbi
```

T

```
Binary result: 01110100
Decimal: 114 * 138 = 15732
Hex: 74
```

Now let's submit this answer:

```
Tool Use: bash
Input: {'command': '(echo "01110100"
```

T

```
Welcome to the Binary Challenge!"
Your task is to perform the unique o

Binary Number 1: 10011101
Binary Number 2: 00011010


Question 1/6:
Operation 1: '*'
Perform the operation on Binary Numb
Enter the binary result: Incorrect.
Enter the binary result:
```

Type a message to send to Claude to control