

Default Layout

Table CUSTOMER				
* Pk	customerID	int		
	customerName	varchar(50)		
	phone	varchar(20)		
	email	varchar(50)		
	address	text		
Indexes				
Pk	Pk_CUSTOMER_customerID	customerID		

Table ORDERDETAILS			
* Pk	orderID	int	
* Pk	productID	int	
	quantity	int	
	price	float	
Indexes			
Unq	Pk_ORDERDETAILS_productID	productID, orderID	
Pk	Pk_ORDERDETAILS_orderID	orderID, productID	
Foreign Keys			
	fk_orderdetails_orders (orderID) ref ORDERS (orderID)		
	fk_orderdetails_product (productID) ref PRODUCT (productID)		

Table ORDERS			
* Pk	orderID	int	
	orderDate	date	
	estimateDelivery	date	
	orderStatus	varchar(20)	
	customerID	int	
Indexes			
Pk	Pk_ORDERS_orderID	orderID	
Foreign Keys			
	fk_orders_orderdetails (customerID) ref CUSTOMER (customerID)		

Table PRODUCT			
* Pk	productID	int	
	productName	varchar(50)	
	category	varchar(50)	
	price	float	
	shortDescription	text	
	rating	smallint	
Indexes			
Pk	Pk_PRODUCT_productID	productID	

Table PRODUCTDETAILS			
* Pk	productID	int	
	IongDescription	text	
	imageURL	varchar(max)	
Indexes			
Pk	Pk_PRODUCTDETAILS_productID	productID	
Foreign Keys			
	fk_productdetails_product (productID) ref PRODUCT (productID)		