

BOJACK SECURITY

Termux Security Tools Collection Full Setup, Usage & GitHub Push Guide

FEZZY WRLD · Strategy Over Impulse · Ravensmead, Cape Town
Built from a rootless Android phone – Honor X5b, Android 14, Termux
github.com/philfesters

[EDUCATIONAL USE ONLY – READ ETHICAL WARNING SECTION]

TABLE OF CONTENTS

- 01 About Fezzy WRLD & Bojack Security
- 02 Ethical Warning
- 03 Prerequisites & Initial Setup
- 04 Step-by-Step Installation
- 05 Category-Specific Installation
- 06 Advanced: Proot Distro (Metasploit & more)
- 07 Tool Usage Guide
 - Workflow 1: Reconnaissance
 - Workflow 2: Vulnerability Assessment
 - Workflow 3: Password Testing
 - Workflow 4: Traffic Analysis
- 08 Quick Command Reference
- 09 Full Tools Index (105+ Tools)
- 10 How to Push & Replace README on GitHub
- 11 Troubleshooting

01 — ABOUT FEZZY WRLD & BOJACK SECURITY

My name is Grant Festers, known online as Fezzy WRLD. I'm a self-taught developer from Ravensmead, Cape Town, South Africa. Everything in this collection was built, tested, and pushed from a single Android phone – Honor X5b, Android 14 – running Termux. No laptop, no formal training, no shortcuts.

Bojack Security is named after my dog Bojack, a Lab/Husky mix and my brand mascot. The name represents loyalty to the craft, protection through knowledge, and showing up every single day regardless of your setup.

My guiding philosophy is Strategy Over Impulse (SOI): think before you act, plan before you build, understand before you execute. This runs through every tool, every workflow, every line of bash in this collection.

DETAIL	INFO
Location	Ravensmead, Cape Town, South Africa
Device	Honor X5b – Android 14
Environment	Termux (rootless – no root required)
Background	100% Self-Taught
GitHub	github.com/philfesters
Philosophy	Strategy Over Impulse (SOI)
AI Workflow	Claude (code) · ChatGPT (design) · Gemini (ideas)

02 – ETHICAL WARNING

THIS COLLECTION IS FOR EDUCATIONAL PURPOSES ONLY.

By using these tools, you agree to ALL of the following:

RULE	DETAIL
Authorization Only	Only test systems you OWN or have explicit written permission to test. Unauthorized access is illegal.
Legal Compliance	Comply with all local, national, and international cybersecurity laws. Laws vary by jurisdiction – research yours.
No Malicious Use	Do NOT use these tools for unauthorized access, data theft, DoS/DDoS, privacy violation, harassment, etc.
Responsible Disclosure	If you find vulnerabilities during authorized testing, report them responsibly to the system owner.
Educational Purpose	These tools exist for: learning security skills, pentest certs (OSCP, CEH), security research on your own.

DISCLAIMER: The author (Fezzy WRLD / Bojack Security / github.com/philfesters) is NOT responsible for any misuse, damage, legal consequences, or data loss arising from use of these tools. USE AT YOUR OWN RISK.

Strategy Over Impulse: "Like a K9 scan – trained for detection and protection, not destruction." – Bojack K9 Security

03 – PREREQUISITES & INITIAL SETUP

REQUIREMENT	NOTES
Termux (F-Droid)	NEVER use Play Store version – it is outdated and broken
3GB+ free storage	Full install needs approximately 2-3 GB
Internet connection	Required for git clone and pkg install
Storage permission	Run termux-setup-storage once after install

CRITICAL: Install Termux from F-Droid only.

<https://f-droid.org/en/packages/com.termux/>

First-Time Termux Setup

```
# 1. Update everything first
pkg update && pkg upgrade -y

# 2. Install core dependencies
pkg install -y git python python-pip wget curl

# 3. Grant storage access (run once)
termux-setup-storage

# 4. Install openssh (optional but useful)
pkg install openssh
```

04 – STEP-BY-STEP INSTALLATION

One-Command Install (fastest)

```
git clone https://github.com/philfesters/Termux-Security-Tools-Collection.git && cd  
Termux-Security-Tools-Collection && chmod +x scripts/install-all.sh && ./scripts/install-all.sh
```

Step-by-Step (recommended for first time)

Step 1 – Update Termux

```
pkg update && pkg upgrade -y
```

Step 2 – Install Core Dependencies

```
pkg install -y git python python-pip wget curl
```

Step 3 – Grant Storage Access

```
termux-setup-storage
```

Step 4 – Clone the Repository

```
git clone https://github.com/philfesters/Termux-Security-Tools-Collection.git
```

```
cd Termux-Security-Tools-Collection
```

Step 5 – Run the Installer

```
chmod +x scripts/install-all.sh
```

```
./scripts/install-all.sh
```

Step 6 – Verify Installation

```
nmap --version
```

```
sqlmap --version
```

```
python sherlock/sherlock --version
```

05 – CATEGORY-SPECIFIC INSTALLATION

Only want certain tools? Use the category installer to save storage.

CATEGORY	COMMAND
OSINT tools only	<code>./scripts/install-category.sh osint</code>
Web testing tools only	<code>./scripts/install-category.sh web</code>
Password cracking only	<code>./scripts/install-category.sh passwords</code>
Network tools only	<code>./scripts/install-category.sh network</code>
Vulnerability scanners	<code>./scripts/install-category.sh vuln</code>
Forensics & crypto	<code>./scripts/install-category.sh forensics</code>
Exploitation frameworks	<code>./scripts/install-category.sh exploit</code>
Traffic analysis	<code>./scripts/install-category.sh traffic</code>
Mobile testing	<code>./scripts/install-category.sh mobile</code>
Utilities	<code>./scripts/install-category.sh utils</code>

06 – ADVANCED: PROOT DISTRO

Some tools (Metasploit, Aircrack-ng, CeWL, Foremost, Kismet) require a full Linux environment. Proot-distro gives you a rootless Debian or Ubuntu inside Termux with full apt access – no root needed.

```
# Install proot-distro
pkg install proot-distro

# Install Debian environment
proot-distro install debian

# Login to Debian
proot-distro login debian

# Inside Debian – update and install tools
apt update && apt upgrade -y
apt install metasploit-framework -y
apt install aircrack-ng -y
apt install cewl -y
apt install foremost -y
apt install kismet -y

# Exit back to Termux
exit

# Re-enter Debian anytime with:
proot-distro login debian
```

NOTE: Always pip install with --break-system-packages in Termux to avoid the externally-managed-environment error.

```
Example: pip install holehe --break-system-packages
```


07 – TOOL USAGE GUIDE

Workflow 1: Reconnaissance

```
# Phase 1: Domain Intelligence
whois target.com > domain_info.txt

# Phase 2: DNS Enumeration
dig target.com ANY +short > dns_records.txt

# Phase 3: Subdomain Discovery
subfinder -d target.com -o subdomains.txt
python Sublist3r/sublist3r.py -d target.com

# Phase 4: Port & Service Scan
nmap -sV -O target.com

# Phase 5: Web Tech Detection
whatweb target.com

# Phase 6: Email/Employee Harvest
theHarvester -d target.com -b google

# Phase 7: Username Search
python sherlock/sherlock username

# Phase 8: Screenshot All Subdomains
cat subdomains.txt | gowitness file -
```

Workflow 2: Vulnerability Assessment

```
# Directory brute force
gobuster dir -u http://target.com -w /usr/share/wordlists/dirb/common.txt

# Web server scan
perl nikto/nikto.pl -h http://target.com

# WordPress scan (if WP detected)
wpscan --url http://target.com

# Template-based vuln scan
nuclei -u http://target.com

# SQL injection test
sqlmap -u "http://target.com/page?id=1" --dump --tables

# XSS detection
python XSSStrike/xsstrike.py -u "http://target.com/search?q=test"

# WAF detection first!
wafw00f http://target.com
```

Workflow 3: Password Testing

```
# Build custom wordlist from target site
cewl -d 2 -m 6 http://target.com -w custom.txt

# Build profile-based wordlist
python cupp/cupp.py -i

# Online brute force – SSH
hydra -L users.txt -P passwords.txt ssh://target.com

# Online brute force – HTTP form
hydra -l admin -P pass.txt http-post-form target.com/login:"user=^USER^&pass;=^PASS^:Invalid"

# Crack MD5 hashes
john --format=raw-md5 hashes.txt
hashcat -m 0 hashes.txt wordlist.txt

# Network auth cracking
ncrack -U users.txt -P pass.txt target.com:22
```

Workflow 4: Traffic Analysis

```
# Capture all packets
tcpdump -i wlan0 -w capture.pcap

# Filter by IP
tcpdump -i wlan0 host 192.168.1.100

# Extract HTTP traffic
tcpdump -i wlan0 port 80 -A

# Search for passwords in traffic
ngrep -d any 'password|admin|login'

# MitM proxy for HTTPS
mitmproxy -p 8080
```

08 – QUICK COMMAND REFERENCE

TASK	COMMAND
Scan network	<code>nmap 192.168.1.0/24</code>
Find subdomains	<code>subfinder -d example.com</code>
SQL injection	<code>sqlmap -u target.com?id=1</code>
Brute force SSH	<code>hydra -l user -P pass.txt ssh://target</code>
Crack hash	<code>hashcat -m 0 hash.txt wordlist.txt</code>
Find username	<code>python sherlock username</code>
Dir brute force	<code>gobuster dir -u target -w wordlist</code>
XSS scan	<code>python xssstrike.py -u "target?q=test"</code>
Capture packets	<code>tcpdump -i wlan0 -w cap.pcap</code>
Email OSINT	<code>holehe email@example.com</code>
Phone OSINT	<code>phoneinfoga scan -n +1234567890</code>
Generate wordlist	<code>cupp -i</code>
APK decompile	<code>apktool d app.apk</code>
Metadata extract	<code>exiftool image.jpg</code>
Hide data in image	<code>steghide embed -cf cover.jpg -ef secret.txt</code>
Download video	<code>yt-dlp URL</code>
Convert media	<code>ffmpeg -i input.mp4 output.avi</code>
HTTP file server	<code>python -m http.server 8000</code>
Spotify download	<code>spotdl "track_url"</code>
Web crawl	<code>python photon.py -u domain</code>
Instagram OSINT	<code>instaloader profile username</code>
Twitter/X OSINT	<code>python -m twint -u username</code>

09 – FULL TOOLS INDEX (105+ TOOLS)

OSINT & Reconnaissance (25 tools)

TOOL	DESCRIPTION	INSTALL
nmap	Network/port scanner	pkg install nmap
sherlock	Username search 300+ sites	git clone github.com/sherlock-project/sherlock
holehe	Email OSINT	pip install holehe
maigret	Username search	pip install maigret
theHarvester	Email/domain OSINT	git clone github.com/laramies/theHarvester
sublist3r	Subdomain enumeration	git clone github.com/aboul3la/Sublist3r
amass	Subdomain discovery	Manual install
subfinder	Fast subdomain finder	Manual install
assetfinder	Find assets/subdomains	Manual install
masscan	Fast port scanner	pkg install masscan
phoneinfoga	Phone number OSINT	pip install phoneinfoga
spiderfoot	OSINT automation	git clone github.com/smicallef/spiderfoot
recon-ng	Web recon framework	git clone github.com/lanmaster53/recon-ng
photon	Fast web crawler	git clone github.com/s0md3v/Photon
twint	Twitter/X OSINT	git clone github.com/twintproject/twint
instaloader	Instagram OSINT	pip install instaloader
whatweb	Web tech detection	pkg install whatweb
gowitness	Website screenshots	Manual install
gau	URL gathering	Manual install
waybackurls	Historical URLs	Manual install
hakrawler	URL crawler	Manual install
gospider	Spider tool	Manual install
aquatone	Domain visualization	Manual install
shodan-cli	Shodan search	pip install shodan
maltego	Graph OSINT	APK from maltego.com

Vulnerability Scanners (12 tools)

TOOL	DESCRIPTION	INSTALL
sqlmap	SQL injection automation	git clone github.com/sqlmapproject/sqlmap
nikto	Web server scanner	git clone github.com/sullo/nikto
wpscan	WordPress scanner	gem install wpscan
nuclei	Template-based scanning	Manual install
dirsearch	Directory brute force	git clone github.com/maurosoria/dirsearch
gobuster	Dir/file brute force	pkg install gobuster
ffuf	Web fuzzer	pkg install ffuf
commix	Command injection	git clone github.com/commixproject/commix

wafw00f	WAF detection	pip install wafw00f
testssl	SSL/TLS scanner	git clone github.com/drwetter/testssl.sh
sslyze	SSL scanner	pip install sslyze
arjun	Parameter discovery	git clone github.com/s0md3v/Arjun

Exploitation Frameworks (10 tools)

TOOL	DESCRIPTION	INSTALL
metasploit	Exploitation framework	proot-distro → apt install metasploit-framework
routersploit	Router exploits	git clone github.com/threat9/routersploit
beef	Browser exploitation	git clone github.com/beefproject/beef
crackmapexec	Credential testing	pip install crackmapexec
empire	Post-exploitation	git clone github.com/BC-SECURITY/Empire
set	Social Engineering Toolkit	git clone github.com/trustedsec/social-engineer-toolkit
sliver	C2 framework	Manual from GitHub
veil	Payload generator	Manual from GitHub
ghost	Android ADB backdoor	pip install ghost
sniper	Automated pentest	git clone github.com/1N3/Sn1per

Web Application Testing (15 tools)

TOOL	DESCRIPTION	INSTALL
xsstrike	XSS detection suite	git clone github.com/s0md3v/XSSStrike
sstimap	SSTI scanner	git clone github.com/vladko312/SSTImap
tplmap	Template injection	git clone github.com/epinna/tplmap
graphqlmap	GraphQL testing	git clone github.com/swisskyrepo/GraphQLmap
kiterunner	API testing	Manual install
lfisuite	LFI scanner	git clone github.com/D35m0nd142/LFISuite
fimap	LFI/RFI scanner	Manual install
wfuzz	Web fuzzer	pip install wfuzz
httpx	HTTP probing	Manual install
httprobe	Live host detection	Manual install
smuggler	HTTP smuggling	git clone github.com/defparam/smuggler
breacher	Admin panel finder	git clone github.com/s0md3v/Breacher
ssrf-finder	SSRF detection	Manual from GitHub
linkfinder	JS endpoint finder	git clone github.com/GerbenJavado/LinkFinder
dirbuster	Directory brute force	Android APK

Password Cracking (10 tools)

TOOL	DESCRIPTION	INSTALL
hydra	Login brute force	pkg install hydra
john	Hash cracker	pkg install john-jumbo

hashcat	GPU hash cracker	Manual install
ncrack	Network auth cracker	pkg install ncrack
medusa	Parallel brute forcer	Manual install
crunch	Wordlist generator	pkg install crunch
cupp	Custom profile wordlist	git clone github.com/Mebus/cupp
cewl	Website wordlist spider	proot-distro → apt install cewl
kwprocessor	Keyboard walk generator	Manual from GitHub
princeprocessor	Wordlist mutations	Manual from GitHub

Network Testing (10 tools)

TOOL	DESCRIPTION	INSTALL
nmap	Network scanner	pkg install nmap
masscan	Fast port scanner	pkg install masscan
zmap	Internet scanner	Manual install
netcat	TCP/IP swiss army knife	pkg install netcat-openbsd
bettercap	Network attack framework	pkg install bettercap
ettercap	MITM framework	Manual install
hping3	Packet crafting	Manual install
traceroute	Route tracing	pkg install traceroute
whois	Domain info	pkg install whois
dig	DNS enumeration	pkg install dnsutils

Traffic Analysis (6 tools)

TOOL	DESCRIPTION	INSTALL
tcpdump	Packet capture	pkg install tcpdump
wireshark	GUI traffic analysis	Termux:X11 required
tshark	CLI Wireshark	pkg install tshark
ngrep	Network grep	pkg install ngrep
mitmproxy	HTTP/HTTPS interceptor	pkg install mitmproxy
ettercap	ARP spoofing/sniffing	Manual install

Wireless Tools (5 tools)

TOOL	DESCRIPTION	INSTALL
aircrack-ng	WiFi cracking suite	proot-distro → apt install aircrack-ng
wifite	WiFi auditor	git clone github.com/derv82/wifite2
fluxion	WiFi phishing	git clone github.com/FluxionNetwork/fluxion
reaver	WPS attack	Manual install
kismet	WiFi sniffer/IDS	proot-distro → apt install kismet

Forensics & Crypto (7 tools)

TOOL	DESCRIPTION	INSTALL
binwalk	Firmware analysis	pkg install binwalk
foremost	File carving	proot-distro → apt install foremost
testdisk	Data recovery	pkg install testdisk
exiftool	Metadata extraction	pkg install exiftool
steghide	Steganography	pkg install steghide
gpg	Encryption/signing	pkg install gnupg
openssl	Crypto toolkit	pkg install openssl

Mobile Testing (5 tools)

TOOL	DESCRIPTION	INSTALL
androguard	APK analysis	pip install androguard
apktool	APK decompile	Manual install
dex2jar	DEX to JAR converter	Manual install
frida	Dynamic instrumentation	pip install frida-tools
mobsf	Mobile security framework	git clone github.com/MobSF/Mobile-Security-Framework-MobSF

Utilities (8 tools)

TOOL	DESCRIPTION	INSTALL
yt-dlp	YouTube/video downloader	pip install yt-dlp
gallery-dl	Social media downloader	pip install gallery-dl
ffmpeg	Media converter	pkg install ffmpeg
spotdl	Spotify downloader	pip install spotdl
httrack	Website copier	proot-distro → apt install httrack
wget	File downloader	pkg install wget
curl	HTTP client	pkg install curl
python http.server	File sharing	Built-in Python

10 – HOW TO PUSH & REPLACE README ON GITHUB

This section covers the full workflow for replacing any file in your GitHub repo from Termux – including the README.md, this PDF, or any other file.

One-Time Git Setup (do this once)

```
# Set your identity
git config --global user.name "philfesters"
git config --global user.email "your@email.com"

# Store credentials so you don't retype every push
git config --global credential.helper store

# Fix SSL if git clone fails
git config --global http.sslverify false
```

Workflow A: Replace README.md

Use this exact sequence every time you update the README.

```
# Step 1: Copy your new README from Downloads into the repo
cp /sdcard/Download/README.md ~/Termux-Security-Tools-Collection/README.md

# Step 2: Navigate into the repo
cd ~/Termux-Security-Tools-Collection

# Step 3: Check what changed
git status

# Step 4: Stage the file
git add README.md

# Step 5: Commit with a message
git commit -m "docs: update README with personal info and branding"

# Step 6: Push to GitHub
git push origin main

# Enter your GitHub username when prompted
# For password: use a Personal Access Token (PAT), NOT your account password
```

Workflow B: Add & Push a New PDF

Use this to add the PDF guide (or any new file) to your repo.

```
# Step 1: Copy PDF from Downloads into the repo
cp /sdcard/Download/BojackSecurity_FullGuide.pdf ~/Termux-Security-Tools-Collection/

# Step 2: Navigate into the repo
cd ~/Termux-Security-Tools-Collection

# Step 3: Stage the new file
git add BojackSecurity_FullGuide.pdf

# Step 4: Commit
git commit -m "docs: add full setup and usage guide PDF"
```



```
# Step 5: Push
git push origin main
```

Workflow C: Push Multiple Files at Once

```
cd ~/Termux-Security-Tools-Collection

# Copy all updated files from Downloads
cp /sdcard/Download/README.md .
cp /sdcard/Download/BojackSecurity_FullGuide.pdf .
cp /sdcard/Download/INSTALL.md .

# Stage everything changed
git add .

# Commit all at once
git commit -m "docs: full update – README, PDF guide, install docs"

# Push
git push origin main
```

Creating a GitHub Personal Access Token (PAT)

GitHub no longer accepts your account password for git push. You need a Personal Access Token (PAT).

1. Go to: github.com → Settings → Developer Settings
 2. Click: Personal Access Tokens → Tokens (classic)
 3. Click: Generate new token (classic)
 4. Name it: Termux or Bojack Security
 5. Set expiration: 90 days or No expiration
 6. Tick the 'repo' scope (full repo access)
 7. Click Generate token
 8. COPY IT – you only see it once
 9. Use it as your password when git push asks
- (after first use with credential.helper store, it saves automatically)

TIP: After your first successful push with the PAT, git stores it automatically. Future pushes will not ask for credentials.

Useful Git Commands

COMMAND	WHAT IT DOES
git status	See which files changed
git log --oneline	View commit history
git diff README.md	See exact changes in a file
git add .	Stage all changed files
git add filename	Stage one specific file

<code>git commit -m "msg"</code>	Commit with a message
<code>git push origin main</code>	Push to GitHub main branch
<code>git pull origin main</code>	Pull latest from GitHub
<code>git clone URL</code>	Clone a repo to your device
<code>git remote -v</code>	Check which remote repo you're connected to
<code>git branch</code>	List branches
<code>git checkout -b branch</code>	Create and switch to new branch

11 – TROUBLESHOOTING

ISSUE	FIX
Permission denied on script	<code>chmod +x script.sh</code>
Package not found	<code>pkg update</code> then <code>retry</code>
Storage not accessible	<code>termux-setup-storage</code>
Python externally-managed-environment	Add <code>--break-system-packages</code> to <code>pip</code>
<code>pip</code> module missing	<code>pip install module --break-system-packages</code>
<code>git clone</code> fails (SSL)	<code>git config --global http.sslverify false</code>
Metasploit not found	Install via <code>proot-distro</code> (see section 06)
Out of storage	Install only the categories you need
<code>git push</code> rejected	Use PAT token, not account password (see section 10)
Wrong branch name	Try: <code>git push origin master</code> (if not <code>main</code>)
Credential not saved	<code>git config --global credential.helper store</code>
Tool not found after install	<code>source ~/.bashrc</code> or restart Termux
<code>pip install</code> fails on Python	Try <code>python3 -m pip install</code> instead
<code>gum</code> commands broken	<code>gum choose</code> and <code>gum input</code> broken on Android – avoid them
Root required error	Tool needs root – cannot run on rootless Android

Made with fire by Grant "Fezzy WRLD" Festers – Ravensmead, Cape Town

Bojack K9 Security – Loyalty. Protection. Code.
Strategy Over Impulse – always. | github.com/philfesters