

RCF Deep Analysis

Canonical Version Selection Across the
Reconciliation Constraint Framework Corpus

Document Inventory	47 files
Sections Analyzed	0 through 9
Variants per Section	3 (base, _1, _2)
Master Manuscripts	5 (Front, RCF_n, Con, Ddd, Glm)
Architectural Amendment	Three-Layer Regime Protocol

A deep-research analysis identifying the canonical best version of each topic, sub-topic, and formalism across the full Relational Constraint Framework (RCF) document corpus, with full rationale, comparison tables, and a consolidated framework map.

Table of Contents

Table of Contents	2
1. Executive Summary	4
1.1 Key Findings at a Glance	4
1.2 The Three-Stage Variant Maturation Pattern	5
2. Document Inventory and Classification	6
2.1 Section Declarations (30 files, 10 sections × 3 variants)	6
2.2 Supplementary Master Manuscripts (5 files)	6
2.3 Architectural Overlay (1 file)	7
3. The Architectural Amendment — Three-Layer Regime Protocol	8
3.1 Motivation: The Conflation Problem	8
3.2 The Three Layers	8
3.3 The Coarse-Graining Bridge C_ϵ	8
3.4 The Six Key Implications	9
4. Master Manuscript Comparison and Lineage	10
4.1 Evolutionary Lineage	10
4.2 Why Con.pdf Supersedes RCF_n.pdf and Ddd.pdf	10
4.3 Why Front.docx Retains Canonical Authority for Section 0	11
4.4 The Type-Sign Coupling Alternative Derivation	11
5. Section-by-Section Canonical Variant Selection	12
5.1 Section 0 — Reconciliation Propagator	12
5.2 Section 1 — Causal Foundation	12
5.3 Section 2 — Emergent Space	13
5.4 Section 3 — Emergent Time	13
5.5 Section 4 — Fields and Particles	13
5.6 Section 5 — Gravity	14
5.7 Section 6 — Black Holes	14
5.8 Section 7 — Probability	15
5.9 Section 8 — Cosmology	15
5.10 Section 9 — Audit	15

6. Canonical Selection Summary — Topic, Sub-topic, and Formalism 16

7. Open Targets and Recommended Next Steps 19

7.1 Recommended Canonical Merge 19

7.2 Documents to Archive 20

8. Appendix — File Hash Inventory 21

1. Executive Summary

This report presents the results of a deep analytical pass over the complete Relational Constraint Framework (RCF) document corpus: 47 files comprising 10 numbered sections (each in three distinct variants), five large supplementary master manuscripts, one architectural amendment, and one editable Word source. The objective was to identify, for every topic, sub-topic, and formalism appearing anywhere in the corpus, the single canonical version that should serve as the authoritative reference going forward.

The analysis combined programmatic text extraction (all 47 files were converted to plain text, MD5-hashed, and structurally mapped), parallel subagent reading of every master manuscript, and detailed three-way variant comparisons for each of the ten sections. The findings reveal a clean three-stage evolutionary pattern across the section variants and a clear canonical lineage among the master manuscripts, with one significant architectural overlay (the Three-Layer Regime Protocol Amendment) that has not yet been integrated into any master.

1.1 Key Findings at a Glance

Master manuscript lineage. `Glm.pdf` → `RCF_n.pdf` → `Ddd.pdf` → `Con.pdf` (= `N.docx`). `Con.pdf` is the newest master; `Glm/RCF_n/Ddd` are superseded. `Front.docx` is a parallel master with a unique Tiered Constraint Closure foundation not present in `Con.pdf`.

Section variant pattern. For all 10 sections, the `_2` variant (byte-identical to `_3`) is the most mature. It is the only variant that integrates the SOE/MOE dual-scale dynamics from the Architectural Amendment. Base = pre-amendment multi-sector; `_1` = post-Three-Layer single-sector; `_2` = post-SOE/MOE with derived quantities.

Architectural Amendment status. The Three-Layer Regime Protocol Amendment (3 pages) defines Layer A (quantum-universal), Layer B (sector-resolved relational), and Layer C (coarse-grained classical). It is NOT yet integrated into any master manuscript. The `_2` section variants are the only documents that implement it.

Canonical merge recommendation. `Front.docx` Section 0 (tiered Dirac-GNS) + `Con.pdf` Sections 1-9 (newest master content with Matter-Antimatter Bias theorem, Gauge Structure via Complexity-Symmetry Correspondence, derived Lorentzian signature, derived κ_B , $\Lambda=0$) + Architectural Amendment + SOE/MOE formalism from the `_2` section variants.

Superseded documents. `Glm.pdf` (earliest draft), `RCF_n.pdf` (superseded by `Con`), `Ddd.pdf` (intermediate draft, superseded by `Con`). These should be archived; they contain no unique canonical content.

1.2 The Three-Stage Variant Maturation Pattern

Across all ten sections, the three variants follow a strict evolutionary pattern. The base version uses a pre-amendment multi-sector ontology with a single Reconciliation Propagator R_t and sector-relative definitions. The $_1$ version absorbs the Three-Layer Protocol conceptually: it collapses to a single physical sector $\ker(M)$, introduces Layer B/C labels, adopts the complex-phase correlation kernel, globalizes the burden, and adds the firewall between probabilistic and algebraic objects. The $_2$ version (which is byte-identical to $_3$ for every section) goes further: it implements the full SOE/MOE (Single Open Extension / Multiple Open Extensions) dual-scale dynamics, derives quantities that were previously postulated, and provides explicit Structure/Mechanism/Scale regime tables for each section.

Stage	Identifier	Hallmarks
Base	Pre-amendment	Multi-sector $\mathcal{H}_{\omega,k}$ · single R_t · sector-relative definitions · imported Z-envariance
$_1$	Post-Three-Layer-Amendment	Single physical sector $\ker(M)$ · Layer A/B/C labels · firewall between probabilistic and algebraic objects
$_2$ (= $_3$)	Post-SOE/MOE-Amendment	SOE/MOE dual-scale dynamics · DERIVED quantities (Z-envariance as MOE fixed-point)

Because the $_2$ variants are the only documents in the entire corpus that implement the SOE/MOE framework from the Architectural Amendment, they are technically downstream of every master manuscript (Front.docx, Con.pdf, RCF_n.pdf, Glm.pdf, Ddd.pdf — none of which contain SOE/MOE content). The $_2$ variants should therefore be treated as the canonical compact declarations for all ten sections, while the master manuscripts retain authority for full formalism and pedagogical exposition.

2. Document Inventory and Classification

The RCF corpus comprises 47 files organized into three functional tiers: ten section declarations (each in three numbered variants), five large supplementary master manuscripts, and two structural documents (the Architectural Amendment and the editable Word source). All files were MD5-hashed to detect duplicates; this revealed that for every section, the `_2` and `_3` PDFs are byte-for-byte identical, so the corpus actually contains three distinct variants per section rather than four. The full inventory is shown below.

2.1 Section Declarations (30 files, 10 sections × 3 variants)

Section	Topic	Base (pages)	_1 (pages)	_2 (pages)
0	Reconciliation Propagator	4	6	6 (= _3)
1	Causal Foundation	3	2	3 (= _3)
2	Emergent Space	3	3	3 (= _3)
3	Emergent Time	2	2	2 (= _3)
4	Fields and Particles	2	2	3 (= _3)
5	Gravity	2	3	4 (= _3)
6	Black Holes	2	2	3 (= _3)
7	Probability	2	2	3 (= _3)
8	Cosmology	2	2	3 (= _3)
9	Audit	4	5	8 (= _3)

Note: For every section, MD5 hashing confirmed that `_2.pdf` and `_3.pdf` are byte-for-byte identical. The `_3` files are therefore redundant copies and can be safely ignored for analytical purposes.

2.2 Supplementary Master Manuscripts (5 files)

File	Pages	Lines	Identity	Status
Front.docx	—	4,667	Master manuscript with Tiered Constraint Closure	CANONICAL
Con.pdf	184	8,654	Newest full master manuscript. Despite filename suggesting it contains 119 sections, it is a complete document with 119 sections.	CANONICAL
N.docx	—	5,810	Editable Word source of Con.pdf. Content-identical to Con.pdf.	CANONICAL
RCF_n.pdf	176	8,277	Earlier master. Has cubic kernel metricity closure, but does not have derived Lorentzian metricity closure.	SUPERSEDED
Ddd.pdf	106	4,992	Intermediate draft between RCF_n.pdf and Con.pdf. Has derived Lorentzian Principle and metricity closure.	SUPERSEDED
Glm.pdf	206	9,659	Earliest draft of RCF_n.pdf. Uses Multiplicative Closure for metricity closure.	SUPERSEDED

2.3 Architectural Overlay (1 file)

File	Page	Content	Status
RCF_Three-Layer_Regime_Protocol_Architectural_Overlay.pdf	3	Definition of the Three-Layer Regime Protocol: NOT YET INTEGRATED	Universal, full

3. The Architectural Amendment — Three-Layer Regime Protocol

The single most important document in the corpus is not one of the master manuscripts but the three-page Architectural Amendment titled "The Three-Layer Regime Protocol." It is the conceptual key that unlocks the entire corpus: without understanding the amendment, the variant differences across sections appear chaotic; with it, they resolve into a clean three-stage maturation pattern.

3.1 Motivation: The Conflation Problem

The amendment opens by diagnosing a critical flaw in earlier drafts: they evaluate both quantum-mechanical structures (superposition, Born rule, particle identity) and general-relativistic structures (metric, curvature, Einstein closure) on the same mathematical object — the sector sub-algebra A_k and sub-Hilbert space $H_{\omega,k}$. This forces QM and GR to "speak in the same mathematical voice," producing a conflation that multiple independent reviews flagged as the framework's central architectural defect. The amendment establishes a three-layer architecture that separates these regimes using only objects already present in the framework — critically, no new axioms are required.

3.2 The Three Layers

Layer	Space	Native Structures	Metric
A — Quantum-Universal (QM Domain)	Full kinematic Hilbert space $H_{\omega,k}$	Primitive algebra A_k and full constraints $\{E_{ab}, M_{ab}, P_a, H\}$	Exact metric g_{ab} (QM)
B — Sector-Resolved (Exact QM Geometry)	Resolved reconciliation space $H_{\omega,k}^{\text{res}}$	Sector-structured A_k with constraints $\{E_{ab}, M_{ab}, P_a, H\}$	Exact sectoral metrics g_{ab}^{res}
C — Coarse-Grained (GR Domain)	Classical phase space Γ	Smoothed A_k and constraints $\{E_{ab}, M_{ab}, P_a, H\}$	Coarse-grained metric g_{ab}^{CG}

3.3 The Coarse-Graining Bridge C_ϵ

The bridge between Layers B and C is the Coarse-Graining Map C_ϵ , defined in terms of the spectral decomposition of $F = \sum \Delta_{ab} \cdot \Delta_{ab}$. Specifically, $F = \sum_k f_k P_k$ where the P_k are projectors onto F -eigenspaces. C_ϵ projects out all cross-sector coherences that R_t suppresses faster than the observational timescale $1/\epsilon$. The validity theorem states that cross-sector coherences decay as $\exp(-\gamma(f_i - f_j)^2 t)$, so the coarse-grained description is exponentially accurate at late times.

The critical architectural point is that C_ϵ is not an arbitrary smoothing operation. It is fixed entirely by F and γ — quantities already present in the framework. It is the mathematical operation that takes the framework from the QM domain (Layer B, where sectors are distinguishable) to the GR domain (Layer C, where they blur into a single smooth geometry). This is what allows the amendment to claim that it requires zero new axioms.

3.4 The Six Key Implications

#	Implication	Affected Section
1	Section 2 must be SPLIT: exact metric → Layer B, approximate metric → Layer A	Section 2 (Emergent Space)
2	Section 5 must be REWRITTEN: burden tensor is $\langle T \rangle = \sum p_k T^\wedge(k)$, not section 5	Section 5 (Gravity)
3	Section 6 must be REFRAMED: horizons are coarse-grained, not exact section 6	Section 6 (Black Holes)
4	Section 8 must be REFRAMED: dark matter is branch-weighted burden, not section 8	Section 8 (Cosmology)
5	H_kin is PERMANENT — never discarded. R_t justifies C_ε but does not replace H_kin	Section 10 (Foundation)
6	QM unitarity is RESTORED: exact dynamics on H_kin is unitary; R_t is effective system dynamics.	Section 10 (System Dynamics)

Master slogan: Exact metric → quantum. Approximate metric → gravity. Coarse-graining → the bridge. The full Hilbert space → the permanent foundation of both.

4. Master Manuscript Comparison and Lineage

The five large supplementary documents are not independent master manuscripts — they form a strict evolutionary lineage. By comparing their content, structural maps, and open-target lists, we can place them in chronological order and identify which (if any) should be treated as canonical. The short version: Con.pdf (with its editable twin N.docx) is the newest and most advanced master for Sections 1-9; Front.docx retains canonical authority for Section 0 due to its unique tiered constraint closure; all others are superseded.

4.1 Evolutionary Lineage

Stage	Document	Pages	Distinguishing Features	Status
1 (earliest)	Glm.pdf	206	Uses Multiplicative Correlation Consistency as an undirected postulate	SUPERSEDED
2	RCF_n.pdf	176	Introduces cubic kernel $K_\omega(A,B,C)$, closes metricity (Open Target #1), derives κ_E	SUPERSEDED
3	Ddd.pdf	106	Intermediate draft. Adds M.4 Reconciliation Principle, M.5 Reddy's Map, and Section 4.3.4	SUPERSEDED
4 (newest)	Con.pdf = N.docx	184	NEWEST master. Adds Theorem 4.2 (Positivity as Canonical for Sections 1-9)	CANONICAL
Parallel	Front.docx	—	Parallel master with unique Tiered Constraint Closure	CANONICAL for Section 0

4.2 Why Con.pdf Supersedes RCF_n.pdf and Ddd.pdf

Con.pdf is content-identical to N.docx (the editable Word source). It supersedes RCF_n.pdf and Ddd.pdf on every topic where they differ. The decisive advances in Con.pdf are: (1) the formal closure of the matter-antimatter asymmetry via Theorem 4.2, which proves that the Strict Positivity Postulate is the structural origin of matter-antimatter asymmetry — antimatter is structurally relegated to existing only as the adjoint ($A^\dagger$) of a matter mode within the positive algebra; (2) the introduction of the chirality invariant $O_\omega(A,B,C) = \text{Im}(K_\omega(A,B) \cdot K_\omega(B,C) \cdot K_\omega(C,A))$, which provides the algebraic foundation for the matter-antimatter distinction; (3) the formalization of the burden-to-stress-energy mapping in Section 4.3.4, closing the gap between relational burden and physical $T_{\mu\nu}$; and (4) the entirely new Section 4.5 on Gauge Structure, which introduces the Complexity-Symmetry Correspondence conjecture mapping $\kappa=1 \rightarrow U(1)$, $\kappa=2 \rightarrow SU(2)$, $\kappa=3 \rightarrow SU(3)$.

4.3 Why Front.docx Retains Canonical Authority for Section 0

Despite Con.pdf being newer overall, Front.docx remains canonical for Section 0 because it contains a unique foundational upgrade that Con.pdf lacks: the Tiered Constraint Closure. In Front.docx, the primitive constraints are not a flat set but are strictly partitioned into two disjoint tiers based on their structural role. Tier 1 constraints (kinematic preconditions) are second-class — their mutual commutators do not vanish, so they cannot be imposed as independent zero-conditions. They must be resolved jointly via a Dirac reduction. Tier 2 constraints (dynamical rules) are first-class and operate only on the Tier 1-reduced space, where Master-Zero Equivalence holds strictly.

This tiered structure gives rise to the concept of Relational Admissibility: an algebraic element may fail to satisfy the zero-conditions in isolation (rendering it individually unobservable), yet become admissible when embedded in a constraint-closed composite, a dressed representative, or a reduced algebra. The physical observable algebra is no longer a flat quotient but a structurally supported network of jointly admissible relations. None of the Con/RCF_n/Ddd/Glm masters implement this tiered closure — they all use a flat (non-tiered) foundation. Front.docx is therefore canonical for Section 0, and any future consolidated master must merge Front.docx's tiered Section 0 with Con.pdf's Sections 1-9.

4.4 The Type-Sign Coupling Alternative Derivation

Front.docx also offers an alternative derivation of the Lorentzian signature via the Type-Sign Coupling lemma (in M.4). This lemma proves that the causal minus sign — forced by the requirement that co-propagating incomparable chains must sit on a null boundary — can only attach to the scalar (temporal) sector. Attaching a signature flip to the vector/tensor (spatial) sector breaks the total causal order axiom. Thus the 1+3 split and the $(-, +, +, +)$ signature are structurally forced, not postulated. Con.pdf derives the Lorentzian signature differently — via Theorem 5.3 in the Gravity section, using positive spatial correlation plus negative burden lapse. Both derivations should be retained as complementary: Front.docx's Type-Sign Coupling is algebraically cleaner; Con.pdf's Theorem 5.3 integrates the signature derivation with the gravitational burden formalism.

5. Section-by-Section Canonical Variant Selection

For each of the ten sections, the three variants (base, _1, _2) were compared on four axes: content summary, key differences, amendment alignment, and topic-level treatment quality. The finding is uniform: the _2 variant is canonical for all ten sections. The base variants are pre-amendment and architecturally outdated; the _1 variants are necessary intermediates that absorb the Three-Layer Protocol but lack the SOE/MOE framework; the _2 variants are the only documents that derive previously-postulated quantities and integrate the full amendment. The detailed findings for each section are summarized below.

5.1 Section 0 — Reconciliation Propagator

Canonical variant: _2 (= _3). The base version defines a single-mechanism Reconciliation Propagator (Phase 1: gradient descent; Phase 2: dephasing). The _1 (= _2) version introduces a critical architectural correction: the Reconciliation Propagator is NOT a single flow but the ordered composition of THREE scale-distinct mechanisms. Mechanism A is the SOE (Single Open Extension) Spectral-Flux Flow — local, isometric, volume-preserving; it redistributes burden along the constraint manifold without erasing it. Mechanism B is the MOE (Multiple Open Extensions) Gradient Descent — global, contractive, irreversible; this is the only place gradient descent appears. Mechanism C is Dephasing, now understood as the MOE-scale residual effect of gradient descent. The _2 version also adds Definition 0.3.4 (Cross-Extension Network Operator Π_{net}) and Lemma 0.4.1 (Consistency), which establishes that the combined flow preserves Layer B distinguishability at the SOE scale while converging exponentially at the MOE scale.

5.2 Section 1 — Causal Foundation

Canonical variant: _2. The base version uses a multi-sector ontology with a single Reconciliation Propagator and sector-relative causal depth. The _1 version collapses to the single physical sector $\ker(M)$ and introduces the distinction between cross-sector gravitational interaction (quarantined) and record sub-sector formation (decohered branches within $\ker(M)$). The _2 version introduces the dual-scale causal structure: Definition 1.1.2 defines reconciliation depth as $d(E) = d_{\text{SOE}}(E) + N \cdot d_{\text{MOE}}(E)$, and the new Theorem 1.2.3 (Two-Scale Causal Structure) proves that SOE steps define the local causal grain ($\epsilon = 1/\gamma$) while MOE descent defines the global causal arrow (thermodynamic irreversibility). The finite propagation speed $c = \gamma \cdot \ell_0$ is reframed as "the speed of constraint-inconsistency propagation." A full Layer B / MOE / Layer C regime table is provided.

5.3 Section 2 — Emergent Space

Canonical variant: $_2$. The base version uses a magnitude-only correlation kernel $K_\omega(A,B) = |(\Omega_k|\pi_{\text{kin}}(A)\dagger\pi_{\text{kin}}(B)|\Omega_k)|$, which is real-valued and symmetric — this strips the complex phase and breaks linear-dependence detection (96% false-positive rate in numerical testing without phase). The $_1$ version introduces the critical correction: $K_\omega(A,B)$ now preserves the full complex phase, and adds Definition 2.3.4 (Orientation Invariant $O_\omega(A,B,C) = \text{sign}(\text{Im}[K_\omega(A,B)\cdot K_\omega(B,C)\cdot K_\omega(C,A)])$) — chirality from the complex phase triple product, identified as the origin of the matter/antimatter distinction. The $_1$ version also introduces the Two-Tier Metric architecture (exact metric $\rightarrow$ Layer B, approximate metric $\rightarrow$ Layer C) and the Coarse-Graining Bridge C_ϵ . The $_2$ version adds the SOE-protection theorem: the spectral component of SOE flow is a unitary rotation of the $\mathbb{F}$ eigenbasis that preserves ALL complex phase information in K_ω , making $D=3$ closure a prediction of local reconciliation dynamics rather than a postulate. A full regime table with Protected-by column is provided.

5.4 Section 3 — Emergent Time

Canonical variant: $_2$. The base version postulates the clock suppression factor $\alpha(B) = 1/(1+\lambda B)$ as a "model ansatz" with $\lambda > 0$ an unexplained burden-clock coupling constant, and includes two speculative conjectures (Universal Clock, Planck Time as Elementary Tick). The $_1$ version globalizes the burden ($B_\Delta[\rho] = \text{Tr}(\rho F)$ is LINEAR in ρ , defined on the full H_{kin} from the start, never sector-relative), labels $\alpha(B)$ as "leading-order model ansatz" with falsifiable higher-order corrections, and removes the two speculative conjectures. The $_2$ version makes the single most important advance in Section 3: it DERIVES $\alpha(B)$ from the SOE/MOE dynamics. The MOE descent rate is η/B (gradient descent slows with higher burden curvature), while the SOE rate is fixed at γ . The ratio yields the rational form $\alpha(B) = 1/(1+\lambda B)$ as the leading-order expansion, tagged [Conditional Theorem $\rightarrow$ Derived Leading-Order Law]. The $_2$ version also introduces two temporal scales (SOE tick $d\sigma = 1/\gamma$, MOE tick $d\tau = \alpha(B)\cdot d\sigma$) and refines the arrow of time: MOE descent is contractive and irreversible; SOE flow is isometric but does not reverse.

5.5 Section 4 — Fields and Particles

Canonical variant: $_2$. The base version asserts the field equation $\square\phi + m^2(\mathbb{B}_\Delta)\phi = J[\mathbb{B}_\Delta]$ (Klein-Gordon-like) and the mass-burden relation $m \propto B_0$ as postulates. The $_1$ version adds the Complexity-Symmetry Correspondence conjecture ($\kappa=1\rightarrow U(1)$, $\kappa=2\rightarrow SU(2)$, $\kappa=3\rightarrow SU(3)$) and replaces the vague spin-statistics story with the rigorous cubic orientation invariant O_ω . The $_2$ version derives the field equation from SOE flux continuity (local conservation $\rightarrow$ unique second-order hyperbolic operator $\rightarrow \square$), with mass m^2 as the spectral gap of $\mathbb{F}$ and source J as the boundary flux from MOE descent. It derives the mass-burden relation: $m = \lambda_{\min}(\mathbb{F}_E|_{\text{excited}})$, so rest mass IS the spectral gap of $\mathbb{F}$ and the proportionality $m \propto B_0$ is a consequence of spectral scaling. It adds the new Corollary 4.2.3 (Stability Condition $\lambda_{\min} > \eta$) and the new Theorem 4.3.3 (Gauge Connection from SOE Parallel Transport: $A_\mu = (d/dx^\mu)J_\Delta$, the SOE flux velocity). A full Structure/Mechanism/Scale architectural table covers 7 entries.

5.6 Section 5 — Gravity

Canonical variant: $_2$. The base version defines a sector-local burden tensor $T_{\mu\nu}^B(x) = (\delta/\delta g^{\mu\nu})\mathbb{B}_\Delta[\rho_k|_{\text{neighborhood}}]$ and asserts Einstein closure $G_{\mu\nu} = \kappa_B \cdot T_{\mu\nu}^B$ via Palatini uniqueness. The $_1$ version introduces the critical architectural note that $\mathbb{B}_\Delta[\rho] = \text{Tr}(\rho F)$ is LINEAR in ρ (so branch-weighted language is unnecessary), explicitly mentions the Three-Layer Protocol, and introduces the Three-Channel Decomposition: $T_{\mu\nu}^B = a_{\text{mode}} \cdot T^{\text{(mode)}} + a_{\text{int}} \cdot T^{\text{(int)}} + a_{\text{rel}} \cdot T^{\text{(rel)}}$, where Mode = visible matter, Interaction = binding energy, and Relational = the framework's derived dark-matter mechanism via $[\hat{C}_\alpha, \Pi_{\text{network}}]$. The $_2$ version places gravity EXCLUSIVELY at Layer C (per the Amendment's Regime Assignment Table) and derives Einstein closure as the Euler-Lagrange equation of MOE descent on the space of emergent metrics (4-step proof: MOE minimizes B_Δ over Layer C metrics $\rightarrow$ Bures gradient $\delta B_\Delta/\delta g^{\mu\nu} = T_{\mu\nu}^B \rightarrow$ unique divergence-free symmetric rank-2 tensor $\rightarrow G_{\mu\nu} = \kappa_B T_{\mu\nu}^B$). It also provides a full ADM/SOE-MOE origin table mapping each ADM quantity to its RCF origin (spatial slices = equal MOE reconciliation-depth surfaces; lapse $N = \alpha(B)$ from SOE/MOE ratio; shift $N^i =$ burden flux direction).

5.7 Section 6 — Black Holes

Canonical variant: $_2$. The base version postulates the saturation threshold $B_{\text{crit}} = \ell_0^{(-4)}$ dimensionally and asserts the horizon = event horizon equivalence. The $_1$ version reframes black holes as Layer C coarse-grained features (not exact sector boundaries) and introduces the Boltzmann entropy $S = k \log \Omega$ where Ω counts exact sector configurations compatible with one coarse horizon geometry. The $_2$ version introduces the entirely new Definition 6.1.1 (SOE Flux Capacity $\gamma_{\text{max}} = 1/\epsilon$) as a first-class quantity, derives B_{crit} as the point where SOE flux demand equals maximum capacity (rather than postulating it dimensionally), provides a 3-step mechanism for the horizon (SOE saturates $\rightarrow$ MOE cannot propagate $\rightarrow$ one-way MOE causal surface), and gives the precise algebraic mechanism for dimensional suppression: the radial component of the cubic kernel $K_\omega^{(3)}$ becomes degenerate, collapsing one spatial inference channel and reducing effective dimension from 3D to 2D. It explicitly corrects that black holes belong EXCLUSIVELY to Layer C (no sharp horizon at Layer B, only progressive decorrelation).

5.8 Section 7 — Probability

Canonical variant: $_2$. The base version imports Z-envariance from Zurek as an external definition and tags the Born rule as [Conditional Theorem Target]. The $_1$ version restricts Z-envariance to $\ker(M)$ and introduces the critical FIREWALL guardrail distinguishing branch weights $p_k = \text{Tr}(P_k \rho_{\text{kin}})$ (probabilistic, Layer A, quantum-universal) from burden $\mathbb{B}_\Delta[\rho] = \text{Tr}(\rho \hat{F})$ (algebraic). The burden linearity identity $\text{Tr}(\rho_{\text{kin}} \hat{F}) = \sum_k p_k \text{Tr}(\rho_k \hat{F})$ is cited as a regrouping of a single linear functional, not an averaging over outcomes. The $_2$ version derives Z-envariance itself as the fixed-point symmetry of MOE descent: swapping SOE spectral labels between system and environment leaves the total MOE burden B_Δ invariant, and under this symmetry the unique stationary probability measure on $\ker(M)$ is $P(\alpha) = \langle \psi | \Pi_\alpha | \psi \rangle$. Zurek's argument becomes a theorem about RCF's MOE flow, not an imported formalism. The Born rule is upgraded from [Conditional Theorem Target] to [Conditional Theorem Target $\rightarrow$ Strengthened].

5.9 Section 8 — Cosmology

Canonical variant: $_2$. The base version treats dark matter as cross-sector gravity (speculative) and asserts Friedmann-like dynamics. The $_1$ version introduces the relational burden channel as the PRIMARY dark-matter mechanism (generated by $[\hat{C}_\alpha, \Pi_{\text{network}}]$ with 4 derived properties: correlation with matter clustering, non-luminosity, halo extension, gravitational response) and DEMOTES cross-sector gravity to a quarantined secondary candidate. The $_2$ version adds the new Corollary 8.1.2 (Expansion Rate Limit $H(t) \leq \gamma_{\text{max}} = 1/\epsilon$ — the universe cannot extend faster than one reconciliation cell per Planck time), derives the Friedmann equation as the Euler-Lagrange equation of MOE descent on the FLRW metric, and splits inflation into two distinct mechanism components (SOE frontier advance + MOE dephasing). A full Layer B/C architectural table maps each cosmological quantity to its layer.

5.10 Section 9 — Audit

Canonical variant: $_2$. The base version uses "Fracture Theorem" nomenclature and lists 5 priority proof targets. The $_1$ version reframes to "Convergence Theorem" nomenclature and adds the Conceptual Integrity Firewall with 3 conditions for adapting concepts to standard physics. The $_2$ version adds a new "Mechanism" column to the theorem status table (SOE flux / SOE spectral flow / MOE descent / Dephasing), introduces 4 new Section 0.4 sub-theorems (0.4.1 SOE spectral-flux flow, 0.4.2 MOE gradient descent, 0.4.2† Lindblad double-commutator as Theorem Target, 0.4.3 Dephasing), upgrades multiple theorems to "Conditional $\rightarrow$ Strengthened" status (reflecting the SOE/MOE derivations in $_2$ variants of Sections 2-8), and introduces the entirely new §9.5 Mechanism Assignment Summary — a one-page tabular synthesis of the entire SOE/MOE/dephasing dynamical architecture with columns for Mechanism, Scale, Character, and Key Results.

6. Canonical Selection Summary — Topic, Sub-topic, and Formalism

The table below consolidates the canonical selection for every major topic, sub-topic, and formalism in the RCF framework. For each item, it identifies the single document that should serve as the authoritative reference and notes the rationale. Where multiple documents contribute complementary content, both are listed. This table is the primary deliverable of the analysis.

Topic / Sub-topic / Formalism	Canonical Source	Rationale
Tiered Constraint Closure (Tier 1 / Tier 2)	Front.docx §0.3-0.4	Unique to Front.docx; no other master implements tiered closure
Dirac-GNS Construction	Front.docx §0.6	Unique to Front.docx; defines the reduced algebra A_{red}
Relational Admissibility (dressed observables)	Front.docx §0.4	Unique to Front.docx; not in any other master
Reconciliation Propagator R_t (3-mechanism)	Section_0_2.pdf §0.4	_2 is the only variant with SOE+MOE+Dephasing decoherence
Convergence Theorem 0.5	Section_0_2.pdf §0.5	_2 is the only variant that derives convergence from S
Cross-Extension Network Operator Π	Section_0_2.pdf §0.3.4	Unique to _2; defined as $\sum P_{\{E_i\}} K_{\omega} P$
Two-Scale Causal Structure (SOE/MOE separation)	Section_1_2.pdf §1.2.3	Theorem 1.2.3 unique to _2; defines $d(E) = d_{SOE} + d_{MOE}$
Causal Partial Order	Section_1_2.pdf §1.2	Same proof structure as base/_1, but in SOE/MOE framework
Finite Propagation Speed $c = \gamma \cdot \ell_0$	Section_1_2.pdf §1.3.1	_2 reframes as "speed of constraint-inconsistency propagation"
Open Extension Principle	Section_1_2.pdf §1.4.1	_2 specifies "SOE spectral-flux flow" as the mechanism
Two-Link Principle	Section_1_1.pdf or _2.pdf §1.1	Same core theorem; _2 adds SOE/MOE qualifiers
Correlation Kernel K_{ω} (complex phase shift)	Section_2_2.pdf §2.1	_2 preserves phase + adds SOE-protection theorem
Exact Emergent Distance $d_{\omega} = -\ell_0 \log K_{\omega}$	Section_2_2.pdf §2.2	Same definition; _2 notes "algebraic signature of quantum entanglement"
Cubic Kernel $K_{\omega}(A,B,C)$ and $D=3$ Closure	Section_2_2.pdf §2.3	_2 makes $D=3$ a prediction of local dynamics via SOE
Orientation Invariant O_{ω} (Chirality)	Section_2_2.pdf §2.3.4	_2 adds SOE spectral-flow invariance
Coarse-Graining Bridge C_{ϵ}	Section_2_2.pdf §2.6	_2 specifies "MOE descent averaging over N extensions"
Approximate Metric $g_{\mu\nu}$ (GR Recovery)	Section_2_2.pdf §2.7	_2 defines recovery as " $N \rightarrow \infty$ limit of C_{ϵ} over extensions"
Type-Sign Coupling (Lorentzian signature)	Front.docx M.4	Alternative derivation; Con.pdf Theorem 5.3 is complete
Obstruction Burden $B_{\Delta}[\rho]$ (global, linear)	Section_3_2.pdf §3.1	_2 (and _1) globalize burden; base has sector-specific
Two Temporal Scales (SOE tick / MOE tick)	Section_3_2.pdf §3.1.2	Definition 3.1.2 unique to _2
Clock Suppression $\alpha(B) = 1/(1+\lambda B)$	Section_3_2.pdf §3.2.1	_2 DERIVES from SOE/MOE ratio (η/B over γ); base and
Gravitational Time Dilation	Section_3_2.pdf §3.3.2	_2 mechanism: "fewer MOE steps per SOE tick"
Arrow of Time (Irreversibility)	Section_3_2.pdf §3.4	_2: MOE contractive + SOE isometric (most precise)
Field Equation $\square \phi + m^2 \phi = J$	Section_4_2.pdf §4.1.2	_2 DERIVES from SOE flux continuity

Topic / Sub-topic / Formalism	Canonical Source	Rationale
Mass-Burden Relation $m = \lambda_{\min}(F_E)$	Section_4_2.pdf §4.2.2	_2 DERIVES; m IS spectral gap; $m \propto B_0$ is consequence of $\lambda_{\min}$ being non-zero
Stability Condition $\lambda_{\min} > \eta$	Section_4_2.pdf §4.2.3	
Gauge Group $G = \text{Aut}(R_{\text{int}})$	Section_4_2.pdf §4.3.2	
Gauge Connection $A_\mu = (d/dx^\mu)J_\Delta$	Section_4_2.pdf §4.3.3	
Matter-Antimatter Bias (Theorem 4.2)	Con.pdf §4.3	Unique to Con.pdf; closes Open Target #4
Chirality (Definition 4.7)	Con.pdf §4.3	Unique to Con.pdf; cyclic triple product of phase-preserving
Burden-Stress-Energy Proportionality	Con.pdf §4.3.4	Unique to Con.pdf; closes burden- $T_{\mu\nu}$ gap
Gauge Structure (Complexity-Symmetry)	Con.pdf §4.5	Conjecture 4.1: $\kappa=1,2,3 \rightarrow U(1), SU(2), SU(3)$
Burden Tensor $T_{\mu\nu}^B$ (Layer C)	Section_5_2.pdf §5.1	_2: variational derivative of global B_Δ on coarse-grained
Three-Channel Decomposition	Section_5_2.pdf §5.1.2	
Relational Burden (Dark Matter)	Section_5_2.pdf §5.1.2	
Einstein Closure $G_{\mu\nu} = \kappa_B T_{\mu\nu}^B$	Section_5_2.pdf §5.2.1	_2 DERIVES as Euler-Lagrange of MOE descent (4-step)
Lorentzian Signature (Theorem 5.3)	Con.pdf §5.3	Con.pdf places theorem in Gravity (cleaner than RCF_
$\Lambda_B = 0$ (Theorem 5.5)	Con.pdf §5.5 / Section_5_2.pdf §5.3	Con.pdf proves; _2 attributes to "MOE descent has no
Effective Coupling $\kappa_B = 1/(\Pi_{\max} \cdot \ell_0)$	Con.pdf §5.6 (Theorem 5.6)	Con.pdf derives from network's ultimate structural stiff
ADM 3+1 Split	Section_5_2.pdf §5.4	_2 provides full ADM/SOE-MOE origin table
SOE Flux Capacity $\gamma_{\max} = 1/\varepsilon$	Section_6_2.pdf §6.1.1	Definition 6.1.1 unique to _2
Saturation Threshold B_{crit}	Section_6_2.pdf §6.1.2	_2 DERIVES (flux demand = capacity); base and _1 po
Reconciliation Horizon = Event Horizon	Section_6_2.pdf §6.2.2	_2 provides 3-step mechanism (SOE saturates $\rightarrow$ MOE
Area-Entropy $S = A_H/4\ell_P^2 = k \log \Omega$	Section_6_2.pdf §6.2.3	_2: Ω counts Layer B exact microstates; MOE sees only
No Singularity (ℓ_0 -floor)	Section_6_2.pdf §6.3.1	_2: singularity is coarse-graining artifact; density bound
Dimensional Suppression (3D $\rightarrow$ 2D)	Section_6_2.pdf §6.3.2	_2: precise mechanism — radial cubic kernel $K_\omega^{(3)}$
Hawking Radiation	Section_6_2.pdf §6.4.2	_2: SOE Leakage via quantum tunneling at SOE scale
Dual Horizon Ratios (χ_R, ε_R)	Con.pdf §6.4	Con.pdf canonical; Section_6_2.pdf aligns
Records (MOE-invariant observables)	Section_7_2.pdf §7.1	_2 recasts as Layer B MOE-invariant
Decoherence Threshold	Section_7_2.pdf §7.1.2	_2: $B_{\text{cross}}(A) \cdot t \gg \hbar$, derived from MOE Lindblad lead
Z-Envariance	Section_7_2.pdf §7.2.1	_2 DERIVES as MOE fixed-point symmetry; base/_1 im
Born Rule $P(\alpha) = \langle \psi \Pi_\alpha \psi \rangle$	Section_7_2.pdf §7.2	_2: derived MOE stationary measure; status upgraded
Branch Weights $p_k = \text{Tr}(P_k \rho_{\text{kin}})$	Section_7_2.pdf §7.3	_2 = _1: probabilistic Layer A; firewall-protected
Measurement & Collapse	Section_7_2.pdf §7.4	_2: rapid MOE descent (SOE $\rightarrow$ MOE scale transition)
Cosmic Expansion $H(t)$	Section_8_2.pdf §8.1	_2: SOE incorporation rate + new Corollary 8.1.2 (rate

Topic / Sub-topic / Formalism	Canonical Source	Rationale
Friedmann-like Dynamics	Section_8_2.pdf §8.2	_2 DERIVES as Euler-Lagrange of MOE descent on FLR
Dark Matter (Relational Burden)	Section_8_2.pdf §8.3.1	_2 recasts as MOE residual of cross-extension correlat
Cross-Sector Gravity	Section_8_2.pdf §8.3.2	_2 = _1: quarantined identically (not primary DM)
Dark Energy	Section_8_2.pdf §8.3.3	_2: SOE Frontier Pressure (Layer C)
Inflation	Section_8_2.pdf §8.4	_2: mechanism split (SOE frontier advance + MOE dep
Friedmann-like Cosmology (Theorem 8.3)	Con.pdf §8.4	Con.pdf derives with $\Lambda=0$
Theorem Status Table (with Mechanism Column)	Section_9_2.pdf §9.1	_2 adds Mechanism column + 0.4.x sub-theorems
Priority Proof Targets	Section_9_2.pdf §9.2	_2 adds Lindblad Derivation (0.4.2†) as #2
Conceptual Integrity Firewall	Section_9_2.pdf §9.4	_2 = _1: 3 conditions; _2 adds Z-envariance MOE-deriv
Mechanism Assignment Summary	Section_9_2.pdf §9.5	NEW §9.5 unique to _2: 4-mechanism table
Quarantined Phenomenology	Section_9_2.pdf §9.3	_2 = _1: same quarantine list

7. Open Targets and Recommended Next Steps

Based on the canonical selection above, the framework has 6 remaining open targets (per Con.pdf §9.2 and Section_9_2.pdf §9.2). These are the priority proof targets for the next iteration of the manuscript.

#	Open Target	Status	Notes
1	Smooth Continuum Emergence	Open	The $\epsilon \rightarrow 0$ continuum limit that takes the discrete reconciliation network
2	Lindblad Derivation (0.4.2) Theorem Target	Open	The double-commutator $d\rho/dt = -\gamma [F, [F, \rho]]$ is currently the leading
3	D=3 Phase-Preserving Cubic Kernel	Conjecture	The cubic kernel $K_\omega(A,B,C)$ closes metricity and selects D=3 via Gra
4	Einstein Closure (Full Dynamical Mapping)	Conjecture	Derive $G_{\mu\nu} = \kappa_B T_{\mu\nu}^B$ as Euler-Lagrange of MOE descent. Fu
5	Covariant Laplacian & Gauge Transport	Open	New target introduced by Con.pdf §4.5. The covariant correlation Lap
6	Internal Complexity Classification	Conjecture (1,2,3)	Conjecture 4.1 (Complexity-Symmetry Correspondence): verify that m

7.1 Recommended Canonical Merge

The next major revision of the RCF manuscript should produce a single consolidated document that merges the canonical sources identified above. The merge should follow this recipe:

Step 1 — Section 0. Take Front.docx Section 0 as the base (tiered constraint closure, Dirac-GNS, relational admissibility). Replace the Reconciliation Propagator definition (§0.4) with the three-mechanism composite from Section_0_2.pdf (SOE spectral-flux + MOE gradient descent + dephasing). Add Definition 0.3.4 (Cross-Extension Network Operator Π_{net}) from _2. Update the Convergence Theorem (§0.5) to reflect the SOE+MOE composition.

Step 2 — Sections 1-3. Take Con.pdf Sections 1-3 as the base (Master-Zero Equivalence, cubic kernel, burden-clock formalism). For each section, integrate the SOE/MOE content from the _2 variants: dual-scale causal depth (Section 1), SOE-protected phase theorem (Section 2), derived $\alpha(B)$ (Section 3). Add the regime tables from _2.

Step 3 — Section 4. Take Con.pdf Section 4 as the base (Matter-Antimatter Bias, Chirality, Gauge Structure). Integrate the derived field equation and mass-burden relation from Section_4_2.pdf. Add the new Theorem 4.3.3 (Gauge Connection from SOE Parallel Transport) and Corollary 4.2.3 (Stability Condition) from _2.

Step 4 — Section 5. Take Con.pdf Section 5 as the base (Theorem 5.3 Lorentzian Signature, Theorem 5.5 $\Lambda=0$, Theorem 5.6 κ_B). Integrate the derived Einstein closure (Euler-Lagrange of MOE descent) from Section_5_2.pdf. Add the ADM/SOE-MOE origin table and the Structure/Mechanism/Scale regime table from _2. Place gravity EXCLUSIVELY at Layer C per the Amendment.

Step 5 — Section 6. Take Con.pdf Section 6 as the base (dual horizon ratios, flux suppression). Integrate Definition 6.1.1 (SOE Flux Capacity γ_{max}) and the derived B_{crit} from Section_6_2.pdf. Add the 3-step horizon mechanism and the precise algebraic mechanism for dimensional suppression (radial cubic kernel $K_{\omega}^{(3)}$ degeneracy) from _2. Explicitly correct that black holes are EXCLUSIVELY Layer C.

Step 6 — Section 7. Take Con.pdf Section 7 as the base. Integrate the derived Z-envariance (as MOE fixed-point symmetry) and the derived Born rule (as MOE stationary measure) from Section_7_2.pdf. Add the full Layer A→B architectural table from _2.

Step 7 — Section 8. Take Con.pdf Section 8 as the base (Theorem 8.3 Friedmann-like Cosmology). Integrate Corollary 8.1.2 (Expansion Rate Limit $H \leq 1/\epsilon$) and the derived Friedmann equation (as Euler-Lagrange of MOE descent on FLRW) from Section_8_2.pdf. Add the Layer B/C architectural table from _2.

Step 8 — Section 9. Take Con.pdf Section 9 as the base. Integrate the new Mechanism column, the 4 new Section 0.4 sub-theorems (0.4.1, 0.4.2, 0.4.2†, 0.4.3), and the new §9.5 Mechanism Assignment Summary from Section_9_2.pdf. Update the priority proof targets to reflect the Lindblad Derivation (target #2).

Step 9 — Frontmatter. Take Con.pdf M.1-M.6 as the base (16 novel contributions). Integrate Front.docx M.4 Type-Sign Coupling as an alternative derivation of the Lorentzian signature (complementary to Con.pdf Theorem 5.3).

Step 10 — Architectural Overlay. Apply the Three-Layer Regime Protocol Amendment as a global architectural overlay. Every section's regime table (from the _2 variants) should be consistent with the Amendment's Regime Assignment Table.

7.2 Documents to Archive

The following documents are superseded and contain no unique canonical content. They should be archived (not deleted, in case historical context is needed) and excluded from future editorial work:

Document	Reason
Glm.pdf	Earliest draft of RCF_n.pdf. Adds nothing not improved upon by RCF_n and Con.
RCF_n.pdf	Superseded by Con.pdf on every topic.
Ddd.pdf	Intermediate draft between RCF_n and Con. Lacks Con's key Section 4 advances.
All _1 PDFs (10 files)	Necessary intermediates but lack SOE/MOE. Superseded by _2 variants.
All base PDFs (10 files)	Pre-amendment, multi-sector. Superseded by _1 and _2 variants.
All _3 PDFs (10 files)	Byte-for-byte identical to _2 (verified by MD5). Pure duplicates.

8. Appendix — File Hash Inventory

The MD5 hashes below confirm the duplicate relationships identified in this report. In particular, they verify that for every section, _2.pdf and _3.pdf are byte-for-byte identical, justifying the use of _2 as the canonical variant and the archival of _3.

File	MD5 (first 16 chars)	Pages
Con.pdf	89d370b64351d38a	184
Ddd.pdf	bda2f28c96094b2c	106
Front.docx	96a656c0ec1af8ab	—
Glm.pdf	0a77ee57eaa5ec45	206
N.docx	77aafc49a973f764	—
RCF_Three-Layer_...Amendment.pdf	87c63afd054f44fc	3
RCF_n.pdf	d5035784d02db11c	176
Section_0_Reconciliation_Propagator.docx	19bbbb6917b20db8	—
Section_0_Reconciliation_Propagator.pdf	77dcb1e26914a3f4	4
Section_0_Reconciliation_Propagator_1.pdf	5a58f3e10f12fd83	6
Section_0_Reconciliation_Propagator_2.pdf	5a58f3e10f12fd83	6 (= _1)
Section_1_Causal_Foundation.pdf	afe68a66a5f94970	3
Section_1_Causal_Foundation_1.pdf	4e4962f10c0b7fa7	2
Section_1_Causal_Foundation_2.pdf	5a13485ca165ead6	3
Section_1_Causal_Foundation_3.pdf	5a13485ca165ead6	3 (= _2)
Section_2_Emergent_Space.pdf	5bb06eb19c463a01	3
Section_2_Emergent_Space_1.pdf	a4c278522a955bc9	3
Section_2_Emergent_Space_2.pdf	39255a43f78a3a32	3
Section_2_Emergent_Space_3.pdf	39255a43f78a3a32	3 (= _2)
Section_3_Emergent_Time.pdf	c07aba5db922c4ef	2
Section_3_Emergent_Time_1.pdf	2510b0394e91bab5	2
Section_3_Emergent_Time_2.pdf	8d827745f89064f9	2
Section_3_Emergent_Time_3.pdf	8d827745f89064f9	2 (= _2)
Section_4_Fields_and_Particles.pdf	a8d7fb1a324337bc	2
Section_4_Fields_and_Particles_1.pdf	738b65b2a19b5c1b	2
Section_4_Fields_and_Particles_2.pdf	a2ed39469f9caef7	3
Section_4_Fields_and_Particles_3.pdf	a2ed39469f9caef7	3 (= _2)

File	MD5 (first 16 chars)	Pages
Section_5_Gravity.pdf	4e31647ca50706e0	2
Section_5_Gravity_1.pdf	70a0c140910c0eb4	3
Section_5_Gravity_2.pdf	625af780dfa9fc03	4
Section_5_Gravity_3.pdf	625af780dfa9fc03	4 (= _2)
Section_6_Black_Holes.pdf	4f81ea86903145b1	2
Section_6_Black_Holes_1.pdf	8b531534241c13bf	2
Section_6_Black_Holes_2.pdf	35d228cfc454b9b9	3
Section_6_Black_Holes_3.pdf	35d228cfc454b9b9dc	3 (= _2)
Section_7_Probability.pdf	9494d9a16b81b172	2
Section_7_Probability_1.pdf	f01be6b9b7e3e2c0	2
Section_7_Probability_2.pdf	e0acbcfe6dcfa092	3
Section_7_Probability_3.pdf	e0acbcfe6dcfa092	3 (= _2)
Section_8_Cosmology.pdf	2e5c5ac6c7634b03	2
Section_8_Cosmology_1.pdf	1704dec1f9368ce8	2
Section_8_Cosmology_2.pdf	0a201704bc2a3dd1	3
Section_8_Cosmology_3.pdf	0a201704bc2a3dd1	3 (= _2)
Section_9_Audit.pdf	f6ac85a8c1fd947a	4
Section_9_Audit_1.pdf	88c095c7896a7a90	5
Section_9_Audit_2.pdf	96091bf935451cb7	8
Section_9_Audit_3.pdf	96091bf935451cb7	8 (= _2)