



3D GPX Viewer

Admin Guide

Contents

About admin	3
-------------	---

Signing in	3
------------	---

Adding examples	3
-----------------	---

Ordering and deleting	4
-----------------------	---

Publishing to your website	4
----------------------------	---

Visitor downloads	5
-------------------	---

Live visitors	5
---------------	---

Updating the website	6
----------------------	---

Changing the admin password	7
-----------------------------	---

Troubleshooting	8
-----------------	---



About admin

Admins choose the examples visitors see in the Examples tab. How you sign in and publish depends on where the viewer runs.

Where the viewer runs	Signing in	When visitors see changes
Your own website	With the admin password, at the bottom of the Examples tab.	After you export the examples and upload them to the website.
Inside Claude	Automatic for anyone who can edit the page.	Straight away.



Signing in

Open the Examples tab, enter the admin password at the bottom and tap Sign in.

Once you're signed in, the admin tools appear in place of the password box, and each example card gets buttons to reorder and delete it. Tap **Admin guide** there to open this guide in the app, and **Sign out** when you're finished.

While you're signed in, files you download (the model with its dome, and the iPhone AR file) have no watermark. Visitors' downloads include a small "Created with 3D GPX Viewer" plaque with your site address, and the same credit in the file's details.

You stay signed in until you sign out or close the browser tab. On the Claude-hosted page there's no password: if you can edit the page, the admin tools are already there.



Adding examples

An example saves the model together with how it looks, so visitors see it exactly as you set it up.

- 1 In the Model tab, tap **Upload .glb or .3mf** and choose the model.
- 2 Set it up how you want visitors to see it: dome shape, opacity and tint in the Dome tab, background in the Scene tab, lighting in the Light tab.
- 3 Turn and zoom the model to the camera angle you want. The example card uses this view as its picture.

- 4 In the Examples tab, type a name and tap **Add current view as an example**.

Saved with the example

Not saved

The model, dome, background, lighting, reflections, refraction, AR size and camera angle

Your own uploaded photos and the live camera background. Choose a built-in background for examples.

Model size

On the Claude-hosted page, models used as examples can be up to about 15 MB. On your website the limit is GitHub's 25 MB per file when uploading through the browser.

Ordering and deleting

Examples appear in the order you set, left to right and top to bottom.

Move earlier or later

Tap  or  on the card.

Delete

Tap  on the card, then tap it again within five seconds to confirm.

Change an example

Open it, make your changes, add it again with the same name, then delete the old one.

Publishing to your website

On your website, examples you add are saved in your browser as a draft. Visitors only see them after you publish.

- 1 In the Examples tab, tap **Export examples for your website**. This downloads `elevate-examples.zip`.
- 2 Unzip it. You get a folder called `examples`, containing `examples.json` and a `models` folder.
- 3 In the GitHub repository, choose **Add file** › **Upload files**, drag in the whole `examples` folder (not the zip) and commit.
- 4 Wait for the green tick in the **Actions** tab.

Repeat these steps whenever you add, remove or reorder examples. The new `examples` folder replaces the old one.

Checking it worked

Open the site in a private window, or tap **Sign out**: while signed in you see your drafts, not the published examples. You can also open `your-site-address/examples/examples.json` ; if it shows text starting with `{"examples":` , they're live.

Drafts stay in one browser

Drafts are kept only in the browser you made them in. Clearing that browser's data, or switching to another computer, loses unpublished drafts, so export after each session. Signing in on a new device starts from the published examples.



Visitor downloads

Choose whether visitors can download the model and use iPhone AR. Admins can always do both.

In the Admin tab, under **Visitor downloads**:

Visitors can download the model

Shows or hides **Download with dome** for visitors.

Visitors can use iPhone AR

Shows or hides the iPhone AR button in the Model tab. Apple's AR viewer lets people save the file, so turn this off too if you don't want visitors to have a copy.

On the Claude-hosted page, changes apply straight away. On your website, the settings are saved with your example drafts: export the examples and upload the `examples` folder to apply them. Android AR places the model live without saving a file, so it stays available.



Live visitors

The Admin tab shows how many people have your website open right now, updated live, with a split by computer, phone and tablet.

It uses Supabase, a free online service. Setting it up takes about five minutes and only needs doing once.

- 1 Go to **supabase.com**, sign up for a free account and choose **New project**. Give it any name, set a database password (the viewer doesn't use it) and pick the region nearest your visitors.
- 2 When the project is ready, click **Connect** at the top of the dashboard, or go to **Project Settings** › **API Keys**. Copy the **Project URL** and the **publishable** key (called the **anon public** key on older projects). Never use the secret or service_role key.
- 3 In your GitHub repository, open `config.js`, tap the pencil icon and paste them between the quotes on the `SUPABASE_URL` and `SUPABASE_KEY` lines. Commit.
- 4 When the green tick appears in Actions, open your site, sign in as admin and open the **Admin** tab. It should say **Live** and count at least you.

Status	What it means
Live	Working. The number updates as people arrive and leave.
Not set up	The Supabase details in <code>config.js</code> are empty.
Can't connect	The details are wrong, the project is paused, or the connection dropped. Check <code>config.js</code> and your Supabase dashboard, then reload.
Website only	Shown on the Claude-hosted page, where the live count isn't available.

Privacy and limits

Each open copy of the viewer shares only its device type. No names, locations or cookies are used, and nothing is stored. The free plan allows about 200 people connected at once, and pauses projects that go unused for a week; if that happens, restore it from the Supabase dashboard. The publishable key is designed to be public, so it's fine in `config.js`.



Updating the website

When there's a new version of the viewer, replace the files in your GitHub repository.

- 1 Unzip the new `3d-gpx-viewer.zip` on your computer.
- 2 In the repository, choose **Add file** › **Upload files**, drag in everything from the unzipped folder and commit. Upload the files, never the zip itself:

GitHub doesn't unpack zips.

- 3 Wait for the green tick in the **Actions** tab, then check the site in a private window.

Your published `examples` folder isn't part of the download, so it stays as it is. Your settings live in `config.js` : leave that file out when uploading an update, so your password and Supabase details are kept.

To keep a record of each version, attach the zip to a GitHub release. Releases don't change the live site; only the files in the repository do.



Changing the admin password

The default password is `elevate-admin`. Change it before you share the site.

Only a coded version (hash) of the password is stored, in `config.js` on the line starting `window.ELEVATE_ADMIN_HASH` , so the password itself never appears in the code.

- 1 Make the hash of your new password. On a Mac, open Terminal and run `printf '%s' 'new-password' | shasum -a 256` . On Windows, use the PowerShell command in the README.
- 2 Copy the long string of letters and numbers it prints (leave out the trailing `-`).
- 3 In the repository, open `config.js` , tap the pencil icon, replace the old value between the quotes, and commit.

About security

A website without a server can't truly lock anything, so the password only hides the admin tools. Nothing reaches visitors until someone with access to your GitHub repository uploads files, so your repository login is what really protects the site. Use a long password, as a short one could be guessed from its hash.



Troubleshooting

Quick fixes for common admin problems.

Problem	Try this
Visitors don't see my examples	Export and upload the <code>examples</code> folder, then wait for the green tick in Actions. Check in a private window.
The site still shows the old version	Make sure you uploaded the unzipped files, not the zip, then refresh or use a private window. The site can take up to 10 minutes to update.
My drafts have disappeared	Drafts live in one browser. Use the browser you made them in, or add them again.
I forgot the admin password	Set a new one by replacing the hash in <code>config.js</code> .
The Admin tab says Can't connect	Check the two Supabase values in <code>config.js</code> , and that the project isn't paused. In Supabase, Realtime must allow public access (it does by default).
An example won't save	Load the model first, and keep it under the size limit.