

### General

⌘ + ⇧ + P	Command Palette
⌘ + P	Goto Anything
⌘ + R	Goto Symbol
⌘ + N	New File
⌘ + S	Save File
⌘ + ⇧ + S	Save File As
⌘ + ⌘ + S	Save All
⌘ + O	Open File
⌘ + W	Close File
⌘ + ⇧ + T	Reopen Closed File
⌘ + ⇧ + N	New Window
⌘ + ⇧ + W	Close Window
⌘ + K, ⌘ + B	Show Sidebar
^ + `	Show Console
⌘ + ^ + F	Enter Full Screen
⌘ + ^ + ⇧ + F	Enter Distraction Free Mode

### Moving / Editing

⌘ + Z	Undo
⌘ + ⇧ + Z	Redo
⌘ + Y	Repeat
⌘ + C	Copy
⌘ + Y	Yank (inserts the text that's on top of the kill ring)
⌘ + X	Cut
⌘ + V	Paste
⌘ + ⇧ + V	Paste and Indent
⌘ + ]	Indent
⌘ + [	Unindent
⌘ + ^ + ⇧	Swap Line Up/Down
⌘ + ⇧ + ⇧	Duplicate Line

### Moving / Editing (cont)

^ + ⇧ + K	Delete (kill) Line
⌘ + J	Join Lines
⌘ + /	Toggle Comment
⌘ + ~	Toggle Block Comment
⌘ + ⇧ + ↵	Insert Line Before
⌘ + ⇧ + ↵	Insert Line After
⌘ + ⌘	Delete to Beginning of Line
^ + K	Delete to End of Line
^ + A	Move to Beginning of Line
^ + E	Move to End of Line
^ + P	(Previous) Move Up
^ + F	(Forward) Move Right
^ + N	(Next) Move Down
^ + B	(Back) Move Left
^ + T	Transpose (swap two characters or words; buggy behaviour)
⌘ + ~	Close Tag
^ + ⇧ + W	Wrap Selection with Tag
⌘ + K, ⌘ + U	Convert Selected Text to Uppercase
⌘ + K, ⌘ + L	Convert Selected Text to Lowercase
⌘ + ~ + Q	Wrap Paragraph at Ruler
F5	Sort Lines
^ + F5	Sort Lines (Case Sensitive)
^ + G	Goto Line
^ + M	Jump to Matching Brackets (does not work with HTML/XML tags)

### Moving / Editing (cont)

^ + L	Scroll to Selection (centers the screen to cursor)
^ + ⇧ + ⇧	Scroll Line Up/Down
^ + Q	Record Macro
^ + ⇧ + Q	Playback Macro

### Selection

⌘ + U	Undo
⌘ + ⇧ + U	Soft Undo
⌘ + ⇧ + L	Split Selection Into Lines (inserts multiple cursors)
^ + ⇧ + ⇧	Add Previous/Next Line (inserts multiple cursors)
⌘	Single Selection (when there are multiple selections; exits to visual mode first if you are in insert mode)
⌘ + A	Select All
⌘ + D	Expand Selection to Word
⌘ + L	Expand Selection to Line
⌘ + ⇧ + A	Expand Selection to Tag (HTML/XML)
⌘ + ⇧ + Space	Expand Selection to Scope
^ + ⇧ + M	Expand Selection to Brackets
⌘ + ⇧ + J	Expand Selection to Indentation



By **martinprins**  
[cheatography.com/martinprins/](https://cheatography.com/martinprins/)

Published 3rd January, 2014.  
 Last updated 3rd January, 2014.  
 Page 1 of 3.

Sponsored by **Readability-Score.com**  
 Measure your website readability!  
<https://readability-score.com>

### Search / Replace

⌘ + F  
Find

⌘ + G  
Find Next

⌘ + ⌵  
Find Previous

⌘ + I  
Incremental Find

⌘ + ⌘  
Replace

⌘ + ⌘  
Replace Next

⌘ + ⌘  
Quick Find (searches for the word under the cursor)

⌘ + ⌘  
Quick Find All (selects all occurrences of the word under the cursor)

⌘ + E  
Use Selection for Find

⌘ + ⌵  
Use Selection for Replace

⌘ + ⌵  
Find in Files (all open files)

F4  
Next Result (file search results)

⌵ + F4  
Previous Result (file search results)

### Folding

⌘ + ⌘ + [   
Fold (selection)

⌘ + ⌘ + ]   
Unfold

⌘ + K, ⌘ + J   
Unfold All

⌘ + K, ⌘ + 1   
Fold All

⌘ + K, ⌘ + 2-9   
Fold Level 2-9

⌘ + K, ⌘ + T   
Fold Tag Attributes (HTML/XML)

### Bookmarking

⌘ + K, ⌘ + Space   
Set Mark

⌘ + K, ⌘ + A   
Select to Mark

⌘ + K, ⌘ + W   
Delete to Mark

⌘ + K, ⌘ + X   
Swap with Mark

⌘ + K, ⌘ + G   
Clear to Mark

⌘ + F2   
Toggle Bookmark

F2   
Nex Bookmark

⌵ + F2   
Previous Bookmark

⌘ + ⌵ + F2   
Clear Bookmarks

### Miscellaneous

F6   
Tobble Spell Check

⌵ + F6   
Next Misspelling

⌵ + ⌵ + F6   
Previous Misspelling

⌘ + B   
Build

⌵ + Space   
Show Completions

⌘ + ⌘ + T   
Special Characters

### Vintage Mode

.   
Repeat

d, count (optional), motion/dd/D   
Delete motion (e.g. a word) or delete line or delete line to end

c, count (optional), motion / C   
Change motion or change until end of line (enters insert mode)

y, count (optional), motion / yy   
Yank motion or yank (copy) Line

p/P   
Paste yanked/deleted text after/before the cursor

O/\$   
Move to the beginning/end of a line

### Vintage Mode (cont)

g   
Most of g's power is not implemented in Vintage Mode. You can use the basic combinations gg and G to move to the top/bottom of the file. number, gg to move to that line. ga to display character encoding in the status bar.

a/A   
Append to cursor/line (enters insert mode)

i/I   
Insert before cursor/line (enters insert mode)

w/W   
Move forward a Word/WORD (WORDs are whitespace-separated words)

b/B   
Move backwards a Word/WORD

e/E   
Move to the end of a Word/WORD

f, character /F, character   
Find (character) forward/backwards on the current line

r, character   
Replace character under cursor

t/T   
'till (forward/backward) Used in combination with motions like c or d. For example, d, t, { deletes everything until the next { character (on the current line).



By **martinprins**  
[cheatography.com/martinprins/](http://cheatography.com/martinprins/)

Published 3rd January, 2014.  
Last updated 3rd January, 2014.  
Page 2 of 3.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Vintage Mode (cont)

o/O	Open line below/above (enters insert mode)
{/}	Move to the beginning/end of a paragraph
s/S or cc	Substitute character/line (enters insert mode)
H(igh)/M(id)/L(ow)	Move cursor to the top/middle/bottom of the screen
J	Join Lines
ZZ	CloseFile
x	Delete character under cursor
X	Backspace
v/V	Enters Visual Mode/Visual Line Mode
n/N	Find next/previous occurrence of search
>, >/<, <	Indent/Unindent
~	SwapCase
q, character/@, character	Record/play macro



By **martinprins**  
[cheatography.com/martinprins/](http://cheatography.com/martinprins/)

Published 3rd January, 2014.  
Last updated 3rd January, 2014.  
Page 3 of 3.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>