

Références

- Alimardani, M., Nishio, S., & Ishiguro, H. (2016). The importance of visual feedback design in BCIs: A study of brain activity during motor imagery training. *Brain-Computer Interfaces*, 3(3), 141–152. <https://doi.org/10.1080/2326263X.2016.1231037>
- Blankertz, B., Tomioka, R., Lemm, S., Kawanabe, M., & Müller, K. R. (2007). Optimizing spatial filters for robust EEG single-trial analysis. *IEEE Signal Processing Magazine*, 25(1), 41–56. <https://doi.org/10.1109/MSP.2007.4436578>
- Chen Z, Wang Y, Song Z. Classification of Motor Imagery Electroencephalography Signals Based on Image Processing Method. *Sensors (Basel)*. 2021 Jul 7;21(14):4646. doi: 10.3390/s21144646. PMID: 34300386; PMCID: PMC8309641.
- Fodor, M. A., Herschel, H., Cantürk, A., Heisenberg, G., & Volosyak, I. (2024). Evaluation of Different Visual Feedback Methods for Brain-Computer Interfaces (BCI) Based on Code-Modulated Visual Evoked Potentials (cVEP). *Brain Sci*, 14(8), 846. <https://doi.org/10.3390/brainsci14080846>
- Giromini, L., Porcelli, P., Viglione, D.J., Parolin, L., & Pineda, J.A. (2010). The feeling of movement: EEG evidence for mirroring activity during the observations of static, ambiguous stimuli in the Rorschach cards. *Biological Psychology*, 85, 233–241. <https://doi.org/10.1016/j.biopsycho.2010.07.008>
- Huang, G., Zhao, Z., Zhang, S., Hu, Z., Fan, J., Fu, M., Chen, J., Xiao, Y., Wang, J., & Dan, G. (2023). Discrepancy between inter- and intra-subject variability in EEG-based motor imagery brain-computer interface: Evidence from multiple perspectives. *Frontiers in Neuroscience*, 17, 1122661. <https://doi.org/10.3389/fnins.2023.1122661>
- Kingwell, K. (2012). Neurally controlled robotic arm enables tetraplegic patient to drink coffee of her own volition. *Nature Reviews Neurology*, 8, 353. <https://doi.org/10.1038/nrneurol.2012.101>
- Lazarou, I., Nikolopoulos, S., Petrantonakis, P. C., Kompatsiaris, I., & Tsolaki, M. (2018). EEG-based brain-computer interfaces for communication and rehabilitation of people with motor impairment: A novel approach of the 21st century. *Frontiers in Human Neuroscience*, 12, 14. <https://doi.org/10.3389/fnhum.2018.00014>
- Leeb, R., Brunner, C., Müller-Putz, G. R., Schlögl, A., & Pfurtscheller, G. (2008). BCI Competition 2008 Graz data set B. Proceedings of the 4th International Brain-Computer Interface Workshop and Training Course, 79-84. Graz University of Technology, Austria.
- Fabien Lotte. Les Interfaces Cerveau-Ordinateur: Conception et Utilisation en Réalité Virtuelle. *Revue des Sciences et Technologies de l'Information - Série TSI : Technique et Science Informatiques*, 2012, 31 (3), pp.289-310. fahal-00659822v2f
- McFarland, D. J., Miner, L. A., Vaughan, T. M., & Wolpaw, J. R. (2000). Mu and beta rhythm topographies during motor imagery and actual movements. *Brain Topography*, 12(3), 177–186. <https://doi.org/10.1023/a:1023437823106>
- Thomas, E., Fruitet, J., & Clerc, M. (2012). Investigating brief motor imagery for an ERD/ERS based BCI.

Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2012, 2929–2932. <https://doi.org/10.1109/EMBC.2012.6346577>

Vasilyev, A. N., Nuzhdin, Y. O., & Kaplan, A. Y. (2021). Does real-time feedback affect sensorimotor EEG patterns in routine motor imagery practice? *Brain Sciences*, 11(9), 1234. <https://doi.org/10.3390/brainsci11091234>

Xu, X., Lee, D., Drougard, N., et al. (2023). Signature methods for brain-computer interfaces. *Scientific Reports*, 13, 21367. <https://doi.org/10.1038/s41598-023-41326-8>

Yu, T., Kober, S. E., & Neuper, C. (2022). Advanced classifiers for motor imagery in brain-computer interfaces: A comprehensive review. *Frontiers in Computational Neuroscience*, 16, Article 876543. <https://doi.org/10.3389/fncom.2022.876543>

Zhang, J., Li, J., Huang, Z., Huang, D., Yu, H., & Li, Z. (2023). Recent progress in wearable brain-computer interface (BCI) devices based on electroencephalogram (EEG) for medical applications: A review. *Health Data Science*, 3, 0096. <https://doi.org/10.34133/hds.0096>