Wednesday, March 3, 2021

Recent posts

Minneapolis man, 48, says Derek Chauvin jumped on h

Newsfeed




NEWS ENTERTAINMENT LIFESTYLE SCIENCE & TECHNOLOGY HEALTH BUSINESS

SPORTS

CONTACT

Q xt

Great Pacific Garbage Patch has 'connecting pathway with East Asia' that may feed it debris



The North Pacific is home to an enormous swirl of plastic waste twice the size of Texas known as the Great Pacific Garbage Patch, but how the trash made its way to the region has been a mystery among scientists - until now.

Researchers from the US and Germany set out to uncover pathways that transport debris to the massive floating landfill, along with relative strengths of different subtropical gyres, or large system of circulating ocean currents, in the oceans and how they influence longterm accumulation of debris.

Using the Marvok model, the team described the probability of plastic debris being transported from one region of ocean surface to another.



The model identified a high-probability transition channel connecting the Great Pacific Garbage Patch with the coast of eastern Asia, which suggests the area is a large source of

Follow Us









Donate



Popular News



Incredible moment brave Aussie shoos a gigantic saltwater crocodile off a walking track



BMW 3 series convertible gets stuck in mud before being swallowed by incoming tide



Dutch prostitutes demand the right to get back to work as they protest against country's lockdown



Footage shows brother of crime boss **Bassam Hamzy** seconds after he was gunned down



Impala leaps clear of snapping crocodile as it suddenly pounces out of watering hole

3/3/21, 12:07


plastic pollution.

The model also revealed that the weakness of the circulating system in the Indian Ocean is also a trap for plastics and the North Pacific subtropical gyre attracts the most debris.

Shaina Bell Get \$150k For Not Watching Her Kids - But, Me...



Scroll down for video



Using the Marvok model, which looks at the probabilities of different states and the rates of transitions among them, the team described the probability of plastic debris being transported from one region of ocean surface to another

Tons of plastic debris makes its way into the oceans ever day and as of 2020 there were some 5.25 trillion pieces of waste with 269,000 ton of it floating on the surface.

However, a majority of the trash accumulates in garbage patches, specifically the most famous – the Great Pacific Garbage Patch.

Popular Entertainment



Serena Williams and daughter Olympia wear matching outfits as they star in fashion campaign



Golden Globe Awards 2021: Nicole Kidman makes rare appearance with her daughters Sunday and Faith



Tamar Braxton no longer has to keep her distance from exboyfriend after restraining order dismissed



Dolph Lundgren, 63, stands out in red tracksuit as he runs errands with fiancée Emma Krokdal, 24



Larsa Pippen looks glamorous in a supershort black beaded dress

Popular Lifestyle



Man who grew up in poverty becomes multi-millionaire in just TWO YEARS



Student, 26, who drank nearly 1.5 GALLONS of soda a day loses a staggering 276lbs

Should you date a Colombian woman? Your Tips for 2021 r...



This marine landfill, also known as the Pacific trash vortex, is estimated to hold 1.8 trillion plastic pieces.

The study was conducted by Philippe Miron, Francisco Beron-Vera, Luzie Helfmann, and Peter Koltai who created a Markov chain model of the oceans' surface dynamics from historical trajectories of surface buoys.

'Surface debris is released from the coast and distributed according to their location's share of the global land-based plastic waste entering the ocean,' said Miron, an assistant scientist at the University of Miami.



Tons of plastic debris makes its way into the oceans ever day and as of 2020 there were some 5.25 trillion pieces of waste with 269,000 ton of it floating on the surface. However, a majority of the trash accumulates in garbage patches, specifically the most famous – the Great Pacific Garbage Patch (stock)



British grandmother, 81, separated from her Egyptian toyboy husband, 36, writes emotional post



Fire-breathing performer tattoos his eyeballs to look like a dragon



Baby girl rocks generous mane of hair at only fivemonths-old

Popular Science & Technology



World's first supersonic unmanned combat aerial vehicle that reaches speeds of Mach 2.1



The first helicopter on Mars phones home and confirms it is operating as expected



Warzone 1.33 update fixes issues with Reactive Blueprints – CharlielNTEL.com



Demon Slayer: Mugen Trains Tops Weekends in Australia, New Zealand, South Korea, Surpasses US\$400 Million Worldwide – Crunchyroll News



Once Upon a Time on Mars – The New York Times



Researchers identified a high-probability transition channel connecting with the Great Pacific Garbage Patch with the coasts of eastern Asia, which suggests this area is a large source of plastic pollution. Pictured is a beach in Indonesia

To observe the long-term distribution of floating debris, beached debris is reinjected into the system following the same distribution.'

'We call this model 'pollution aware,' because it models the injection, dispersion, and recirculation of debris within the system.'

Transition path theory allows the researchers to identify pathways or transition paths connecting a source directly to a target.

'In this work, we focus on pathways from the coast to the subtropical gyres, from one gyre to another, and from the gyres to the coast,' Miron said.

Using the model, the team followed debris pathways and analyzed the stability of the garbage patch to understand the connection between them and their ability to retain trash.

We identified a high-probability transition channel connecting the Great Pacific Garbage Patch with the coasts of eastern Asia, which suggests an important source of plastic pollution there,' said Miron.

Popular Health



Health advocates warn Minnesota's COVID-19 vaccine priorities ignore highrisk individuals – Minneapolis Star Tribune

No One Food Item Is 'Bad' For You – Lifehacker



Vaccine supply exceeding demand in Bear River Health, Utah County areas – KSL.com



Nearly every state saw sharp declines in birth rates since pandemic began



Radiologists report COVID-19 vaccine causing swelling on mammograms | TheHill - The Hill

Popular Business



Johnson & Johnson COVID vaccine morally wrong? Catholic bishops caution just that – Fox News



I am getting a less effective vaccine now. Can I get a better one later? – Fortune





Nike VP Ann Hebert Resigns Following Discovery of Family Ties to Sneaker Reseller - HYPEBEAST



Tesla vs. Lucid: Here's how the EV rivals are and aren't alike – CNBC



Elon Musk's SpaceX lands in Austin with new state-of-the-art manufacturing plant - Fox Business

The model also revealed that the weakness of the circulating system in the Indian Ocean is also a trap for plastics and the North Pacific subtropical gyre attracts the most debris

'And the weakness of the Indian Ocean gyre as a plastic debris trap is consistent with transition paths not converging within the gyre.'

The team determined that gyres, in general, are weakly connected or disconnected from each other.

'Indeed, in the event of anomalously intense winds, a subtropical gyre is more likely to export garbage toward the coastlines than into another gyre,' Miron said.

One of the biggest discoveries the group made is while the North Pacific subtropical gyre attracts the most debris, consistent with earlier assessments, the South Pacific gyre stands out as the most enduring, because debris has fewer pathways out and into other gyres.

'Our results, including prospects for garbage patches yet to be directly or robustly observed, namely in the Gulf of Guinea and in the Bay of Bengal, have implications for ocean cleanup activities,' said Miron.

The reactive pollution routes we found provide targets — aside from the great garbage patches themselves — for those cleanup efforts.'

WHAT DOES DEEP-SEA DEBRIS DATABASE REVEAL ABOUT OCEAN PLASTIC POLLUTION?

Plastic pollution is a scourge that is ravaging the surface of our planet. Now, the polluting polymer is sinking down to the bottom of the ocean.

The deepest part of the ocean is found in the Mariana Trench, located in the western Pacific Ocean, to the east of the Mariana Islands. It stretches down nearly 36,100 feet (11,000 metres) below the surface.

One plastic bag was found 35,754 feet (10,898 metres) below the surface in this region, the deepest known piece of human-made pollution in the world. This single-use piece of plastic was found deeper than 33 Eiffel towers, laid tip to base, would reach.

Whilst the plastic pollution is rapidly sinking, it is also spreading further into the middle of the oceans. A piece of plastic was found over 620 miles (1,000 km) from the nearest coast

Popular Sports



Jim Boeheim shares injury updates on Kadary Richmond, Quincy Guerrier – 247Sports



Skip Bayless was 'shocked' and 'fell out of [his] chair' after discovering LeBron James ranks No. 1 in... – Lakers Daily



Miami Heat provide injury report for Tuesday's game vs. Atlanta... – Heat Nation



It sounds like the Bears have a massive offer on the table for Deshaun Watson – Chicago Bears Wire



Start Of Triple-A Season Delayed – MLB Trade Rumors

- that's further than the length of France.

The Global Oceanographic Data Center (Godac) of the Japan Agency for Marine-Earth Science and Technology (Jamstec) launched for public use in March 2017.

In this database, there is the data from 5,010 different dives. From all of these different dives, 3,425 man-made debris items were counted.

More than 33 per cent of the debris was macro-plastic followed by metal (26 per cent), rubber (1.8 per cent), fishing gear (1.7 per cent), glass (1.4 per cent), cloth/paper/lumber (1.3 per cent), and 'other' anthropogenic items (35 per cent).

It was also discovered that of all the waste found, 89 per cent of it was designed for single-use purposes. This is defined as plastic bags, bottles and packages. The deeper the study looked, the greater the amount of plastic they found.

Of all man-made items found deeper than 20,000 feet (6,000 metres), the ratios increased to 52 per cent for macro-plastic and 92 per cent for single-use plastic.

The direct damage this caused to the ecosystem and environment is clear to see as deepsea organisms were observed in the 17 per cent of plastic debris images taken by the study.

Share this: Tweet Like this: Like Be the first to like this.

« Texas medical examiner is suspended from conducting autopsies in homicide cases after missing bullet What's next for Cam Newton, Patriots? An inside look at New England's QB conundrum – NFL.com »

Related posts



Newsfeeds.Media

Global CO2 emissions need to decrease tenfold, scientists warn

Global carbon dioxide (CO2) emissions still need to decrease tenfold to avoid a



Newsfeeds.Media

Comments on:
"Unprecedented" New
Form of Symbiosis
Discovered –
SciTechDaily

Energy-providing bacterial



Newsfeeds.Media

Xbox Game Pass aims for sports fans with NBA 2K21, Madden NFL 21, NHL 21, and more – The Verge

Microsoft is adding four sports games to Xbox Game