



Josh David Espers 50 BRK 480



ISO  
Josh David Espers 50 BRK 480  
Scale = Perspective



Front View  
Josh David Espers 50 BRK 480  
Scale = 1:40

ISO  
Josh David Espers 50 BRK 480  
Scale = 1:40

| Josh David Espers 50 BRK 480 Cut List |                                                       |                           |                                           |             |                                     |
|---------------------------------------|-------------------------------------------------------|---------------------------|-------------------------------------------|-------------|-------------------------------------|
| QTY                                   | Part Number                                           | Material                  | Description                               | Length      | Location                            |
| 1                                     | SM0006                                                | C 3.0 x 5                 | Cope on Both Ends                         | 59 7/16     | Steel Framing Assembly              |
| 1                                     | SM0004 (1)                                            | C 3.0 x 5                 | Cope on Both Ends                         | 59 7/16     | Steel Framing Assembly              |
| 1                                     | SM0004                                                | C 3.0 x 5                 |                                           | 56 15/16    | Steel Framing Assembly              |
| 4                                     | SM0009                                                | C 3.0 x 5                 |                                           | 36          | Base Feet - Steel Framing Assembly  |
| 4                                     | SM0005                                                | C 3.0 x 5                 | Cope on One End                           | 34 1/4      | Steel Framing Assembly              |
| 1                                     | SM0011                                                | C 3.0 x 5                 | Cope on Both Ends                         | 23 1/2      | Steel Framing Assembly              |
| 1                                     | SM0007                                                | C 3.0 x 5                 | Cope on One End                           | 17 1/4      | Steel Framing Assembly              |
| 1                                     | SM0008                                                | C 3.0 x 5                 | Cope on One End                           | 15 5/8      | Steel Framing Assembly              |
| Steel Angle 1 1/2 x 1 1/2 x 1/4       |                                                       |                           |                                           |             |                                     |
| 4                                     | SM0001                                                | L_in 1-1/2 x 1-1/2 x 1/4  |                                           | 93 5/16     | Steel Framing Assembly              |
| 7                                     | SM0003 /SM0015                                        | L_in 1-1/2 x 1-1/2 x 1/4  | Cope on Both Ends ( One Not Coped)        | 78          | Steel Framing Assembly              |
| 2                                     | Vert. Distribution Rack A                             | L_in 1-1/2 x 1-1/2 x 1/4  |                                           | 74 1/16     | Vert. Distribution Rack A           |
| 8                                     | Horz. Distribution Rack B                             | L_in 1-1/2 x 1-1/2 x 1/4  |                                           | 57 5/16     | Horz. Distribution Rack B           |
| 2                                     | Vert. Distribution Rack B                             | L_in 1-1/2 x 1-1/2 x 1/4  |                                           | 56 7/8      | Vert. Distribution Rack B           |
| 3                                     | SM0010                                                | L_in 1-1/2 x 1-1/2 x 1/4  | Cope on One End                           | 47 3/8      | Steel Framing Assembly              |
| 4                                     | SM0002                                                | L_in 1-1/2 x 1-1/2 x 1/4  |                                           | 33          | Steel Framing Assembly              |
| 3                                     | SM0017 / SM0017(Mirror)                               | L_in 1-1/2 x 1-1/2 x 1/4  | Cope on One End (Qty.2 Are Mirrors)       | 27 5/8      | Steel Framing Assembly              |
| 2                                     | Vert. Distribution Rack B1                            | L_in 1-1/2 x 1-1/2 x 1/4  |                                           | 14 3/4      | Vert. Distribution Rack B1          |
| 2                                     | Vert. Distribution Rack B1                            | L_in 1-1/2 x 1-1/2 x 1/4  | Cope on Both Ends                         | 13          | Vert. Distribution Rack B1          |
| 2                                     | Horz. Distribution Rack B                             | L_in 1-1/2 x 1-1/2 x 1/4  | Cope on Both Ends                         | 13          | Horz. Distribution Rack B           |
| 8                                     | Vert. Distribution Rack B / Horz. Distribution Rack A | L_in 1-1/2 x 1-1/2 x 1/4  | Cope on Both Ends                         | 9 1/8       | Horz. A / Vert. Distribution Rack B |
| 2                                     | Vert. Distribution Rack B                             | L_in 1-1/2 x 1-1/2 x 1/4  | Cope on Both Ends                         | 9           | Vert. Distribution Rack B           |
| Steel Angle 2 x 2 x 1/4               |                                                       |                           |                                           |             |                                     |
| 4                                     | SM0012                                                | L_in 2 x 1 x 1/4 (Ripped) |                                           | 2           | Interior - Steel Framing Assembly   |
| 2                                     | SM0018                                                | L_in 2 x 2 x 1/4          | Rigging Angle                             | 36          | Rigging Angle                       |
| Steel Angle 1 x 1 x 1/4               |                                                       |                           |                                           |             |                                     |
| 1                                     | SM0013                                                | L_in 1 x 1 x 1/4          | Cope on One End                           | 17          | Steel Framing Assembly              |
| 2                                     | SM0014                                                | L_in 1 x 1 x 1/4          |                                           | 15 5/8      | Steel Framing Assembly              |
| Low Profile Strut Channel             |                                                       |                           |                                           |             |                                     |
| 26                                    | Strut Channel                                         | Low Profile Strut Channel |                                           | 13 1/2      | Steel Framing Assembly              |
| 2                                     | Strut Channel                                         | Low Profile Strut Channel | Vert. Distribution Rack B1                | 1 1/2       | Vert. Distribution Rack B1          |
| Custom T Bar                          |                                                       |                           |                                           |             |                                     |
| 4                                     | CTBB (x2) .25 Steel                                   | 1/4in Steel               | Cust. T Bar B                             | 33          | Steel Framing Assembly              |
| 4                                     | CTBF (x2) .25 Steel                                   | 1/4in Steel               | Cust. T Bar B                             | 33          | Steel Framing Assembly              |
| 2                                     | CTCB (x2) .25 Steel                                   | 1/4in Steel               | Cust. T Bar C                             | 27 5/8      | Steel Framing Assembly              |
| 2                                     | CTCF (x2) .25 Steel                                   | 1/4in Steel               | Cust. T Bar C                             | 26 3/8      | Steel Framing Assembly              |
| 2                                     | CTAF (x2) .25 Steel                                   | 1/4in Steel               | Cust. T Bar A                             | 75 1/2      | Steel Framing Assembly              |
| 2                                     | CTAB (x2) .25 Steel                                   | 1/4in Steel               | Cust. T Bar A                             | 78          | Steel Framing Assembly              |
| 14 ga Steel                           |                                                       |                           |                                           |             |                                     |
| QTY                                   | Part Number                                           | Material                  | Description                               | Length      | Location                            |
| 1                                     | BLS (x1) 14 ga Steel                                  | 14 ga Steel               | Back Left Side Panel                      | See drawing | Exterior Cladding                   |
| 1                                     | BML (x1) 14 ga Steel                                  | 14 ga Steel               | Back Bottom Mid Left Panel                | See drawing | Exterior Cladding                   |
| 2                                     | BSP (x2) 14 ga Steel                                  | 14 ga Steel               | Bottom Side Panel                         | See drawing | Exterior Cladding                   |
| 2                                     | TSP (x2) 14 ga Steel                                  | 14 ga Steel               | Top Side Panel                            | See drawing | Exterior Cladding                   |
| 1                                     | BTP (x1) 14 ga Steel                                  | 14 ga Steel               | Back Top Panel                            | See drawing | Exterior Cladding                   |
| 1                                     | BRS (x1) 14 ga Steel                                  | 14 ga Steel               | Back Right Panel                          | See drawing | Exterior Cladding                   |
| 1                                     | TC (x1) 14 ga Steel                                   | 14 ga Steel               | Top Panel                                 | See drawing | Exterior Cladding                   |
| 1                                     | BMR (x1) 14 ga Steel                                  | 14 ga Steel               | Back Mid Right Panel                      | See drawing | Exterior Cladding                   |
| 1                                     | ILSP (x1) 14 ga Steel                                 | 14 ga Steel               | Interior L Side Panel                     | See drawing | Interior Cladding                   |
| 1                                     | IBP (x1) 14 ga Steel                                  | 14 ga Steel               | Interior Bottom Panel                     | See drawing | Interior Cladding                   |
| 1                                     | IRSP (x1) 14 ga Steel                                 | 14 ga Steel               | Interior R Side Panel                     | See drawing | Interior Cladding                   |
| 12 ga Steel                           |                                                       |                           |                                           |             |                                     |
| 1                                     | LSBP (x1) 12 ga Steel                                 | 12 ga Steel               | Left Side Breaker Panel                   | See drawing | Breaker Panel                       |
| 1                                     | MBBP (x1) 12 ga Steel                                 | 12 ga Steel               | Mid Bottom Breaker Panel                  | See drawing | Breaker Panel                       |
| 1                                     | TMD (x1) 12 ga Steel                                  | 12 ga Steel               | Top Middle Door                           | See drawing | Breaker Panel                       |
| 1                                     | TLD (x1) 12 ga Steel                                  | 12 ga Steel               | Top Left Door                             | See drawing | Breaker Panel                       |
| 1                                     | RSBP (x1) 12 ga Steel                                 | 12 ga Steel               | Right Side Breaker Panel                  | See drawing | Breaker Panel                       |
| 1                                     | MTBP (x1) 12 ga Steel                                 | 12 ga Steel               | Mid Top Breaker Panel                     | See drawing | Breaker Panel                       |
| 11 ga Steel                           |                                                       |                           |                                           |             |                                     |
| 1                                     | BP (x1) 11 ga Steel                                   | 11 ga Steel               | Back Panel                                | See drawing | Interior Back Panel                 |
| Hardware                              |                                                       |                           |                                           |             |                                     |
| QTY                                   | Part Number                                           | Material                  | Description                               | Length      | Location                            |
| 6                                     | Southco-E3-16-21                                      |                           | Southco Lock                              |             | Breaker Panel                       |
| 3                                     | sce-3916                                              |                           | Saginaw Hinge w/ Pin, Replacement (2pcs)  |             | Breaker Panel                       |
| 3                                     | sce-dha12                                             |                           | Saginaw 12 ga, Door Hinge Assembly (2pcs) |             | Breaker Panel                       |

PROJECT

TITLE

Josh David Espers 50 BRK 480

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010–.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size ± 1/16 in
- Weld length ± 1/8 in
- Distortion: hold overall dimensions to ± 1/16 in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 µin RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles ± 0.5°

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

DRAWN BY:

Philip Hull

DATE:


7/16/2026

REV

SHEET

1/13

Josh David Espers 50 BRK 480



ISO  
Steel Framing Assembly  
Scale = 1:16

| PARTS LIST |     |                           |                                           |          |
|------------|-----|---------------------------|-------------------------------------------|----------|
| ITEM       | QTY | PART NAME                 | DESCRIPTION                               | MATERIAL |
| 1          | 1   | Steel Framing Assembly    | ----                                      | Steel    |
| 1.1        | 1   | Angle 1 1/2 x 1 1/2 x 1/4 | ----                                      | Steel    |
| 1.1.1      | 4   | SM0001                    | L_in L1-1/2x1-1/2 L=47.593                | Steel    |
| 1.1.2      | 4   | SM0002                    | L_in L1-1/2x1-1/2 L=20.625                | Steel    |
| 1.1.3      | 6   | SM0003                    | HSS 6.0x2 L=98.25                         | Steel    |
| 1.1.4      | 2   | SM0010                    | Pipe SCH40 _x1/2 L=50                     | Steel    |
| 1.1.5      | 1   | SM0010                    | Pipe SCH40 _x1/2 L=50                     | Steel    |
| 1.1.7      | 1   | SM0015                    | HSS 4.0x2 L=127.129                       | Steel    |
| 1.1.8      | 1   | SM0017                    | L_in L1-1/2x1-1/2 L=27.63 Cope on One End | Steel    |
| 1.1.9      | 2   | SM0017                    | L_in L1-1/2x1-1/2 L=27.63 Cope on One End | Steel    |
| 1.2        | 1   | C Channel C3-5            | ----                                      | Steel    |
| 1.2.1      | 1   | SM0004                    | Flat Bar 2x_ L=60.104                     | Steel    |
| 1.2.2      | 4   | SM0005                    | HSS 1-1/2x1-1/2 L=7.0                     | Steel    |
| 1.2.3      | 1   | SM0006                    | L_in L1-1/2x1-1/2 x 1/4 L=24.0            | Steel    |
| 1.2.4      | 1   | SM0007                    | HSS 1x1x.125 L=11.875                     | Steel    |
| 1.2.5      | 1   | SM0008                    | HSS 1x1x.125 L=11.875                     | Steel    |
| 1.2.6      | 4   | SM0009                    | S_Round _x5/8 L=11.875                    | Steel    |
| 1.2.7      | 1   | SM0011                    | C _x3.0 L=23.484 Cope on Both Ends        | Steel    |
| 1.2.8      | 1   | SM0004 (1)                | C _x3.0 L=56.941                          | Steel    |
| 1.3        | 1   | Cust. .25 Steel T Bar     | ----                                      | Steel    |
| 1.3.1      | 2   | Cust. T Bar A             | ----                                      | Steel    |
| 1.3.1.1    | 1   | CTAF (x2) .25 Steel       | Cust. T Bar A Face                        | Steel    |
| 1.3.1.2    | 1   | CTAB (x2) .25 Steel       | Cust. T Bar A Back                        | Steel    |
| 1.3.2      | 4   | Cust. T Bar B             | ----                                      | Steel    |
| 1.3.2.1    | 1   | CTBF (x4) .25 Steel       | Cust. T Bar B Face                        | Steel    |
| 1.3.2.2    | 1   | CTBB (x4) .25 Steel       | Cust. T Bar B Back                        | Steel    |
| 1.3.3      | 2   | Cust. T Bar C             | ----                                      | Steel    |
| 1.3.3.1    | 1   | CTCF (x2) .25 Steel       | Cust. T Bar C Face                        | Steel    |
| 1.3.3.2    | 1   | CTCB (x2) .25 Steel       | Cust. T Bar C Back                        | Steel    |
| 1.4        | 1   | Angle 2 x 1 x 1/4         | ----                                      | Steel    |
| 1.4.1      | 4   | SM0012                    | Pipe SCH40 _x1/2 L=12.0                   | Steel    |
| 1.5        | 1   | Angle 1in x 1in x 1/4in   | ----                                      | Steel    |
| 1.5.1      | 1   | SM0013                    | HSS 4.0x2 L=93.25                         | Steel    |
| 1.5.2      | 2   | SM0014                    | S_Round _x7/8 L=21.0                      | Steel    |
| 1.6        | 1   | Strut Channel             | ----                                      | Steel    |
| 1.6.1      | 26  | Strut Channel             | Low Profile Strut Channel L=13.5          | Steel    |

HJM  
MACHINE

PROJECT  
TITLE  
Josh David Espers 50 BRK 480

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010–.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size ± 1/16 in
- Weld length ± 1/8 in
- Distortion: hold overall dimensions to ± 1/16 in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 μin RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles ± 0.5°

These drawings are the property of HJM MACHINE. They are not to be used for any purpose without the approval of HJM and are to be returned upon request.

DRAWN BY:

Philip Hull


DATE:

7/16/2026


REV

SHEET


2/13




DETAIL D: 1in Angle  
SCALE 1:5




SECTION A-A  
SCALE 1:25




DETAIL F:  
Back Panel Angle  
SCALE 1:4




DETAIL H  
SCALE 1:8




SECTION C-C  
SCALE 1:25




Front View  
Steel Framing Assembly  
Scale = 1:25




SECTION E-E  
SCALE 1:25




SECTION G-G  
SCALE 1:25




DETAIL I  
SCALE 1:5




DETAIL S: Cust. T Slot Layout  
SCALE 1:5



SECTION B-B  
SCALE 1:25



DETAIL K:  
Cust. T (Not Sym)  
Adjacent Side Mirrored  
SCALE 1:5



SECTION J-J  
SCALE 1:25

HJM  
MACHINE

PROJECT  
TITLE  
Josh David Espers 50 BRK 480

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010–.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size ± 1/16 in
- Weld length ± 1/8 in
- Distortion: hold overall dimensions to ± 1/16 in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 µin RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles ± 0.5°

These drawings are the property of HJM MACHINE. They are not to be used for any purpose without the approval of HJM and are to be returned upon request.

DRAWN BY:

Philip Hull

DATE:

7/16/2026

REV

SHEET

3/13

HJM  
MACHINE

PROJECT

TITLE

Josh David Espers 50 BRK 480

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010–.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size ± 1/16 in
- Weld length ± 1/8 in
- Distortion: hold overall dimensions to ± 1/16 in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 µin RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles ± 0.5°

These drawings are the property of HJM MACHINE. They are not to be used for any purpose without the approval of HJM and are to be returned upon request.

DRAWN BY:

Philip Hull


DATE:

7/16/2026


REV

SHEET


4/13



Front View  
Josh David Espers 50 BRK 480  
Scale = 1:12



Align Interior Side Panels  
with Holes on Bottom Panel



SECTION L-L  
SCALE 1:12

PROJECT

TITLE

Josh David Espers 50 BRK 480

- Standard Dims & Tolerances:**
- All dimensions are in inches [mm], unless otherwise noted.
  - **Break all sharp edges** .010–.030 in Unless otherwise specified.
  - **Remove burrs and slag.**
  - **Unless otherwise noted,** parts to be delivered as-fabricated.
  - **Remove sharp edges & burrs.**
  - Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

- Weldments**
- Welds per AWS D1.1 (unless otherwise specified)
  - Fillet weld size  $\pm 1/16$  in
  - Weld length  $\pm 1/8$  in
  - Distortion: hold overall dimensions to  $\pm 1/16$  in unless otherwise noted

- Machining (CNC / Manual)**
- Unless noted,  $\pm 0.005$  in
  - Concentricity  $\pm 0.003$  in
  - Flatness/parallelism  $\pm 0.003$  in per 12 in length
  - Surface finish: 125  $\mu$ in RMS unless otherwise noted

- Linear Dimensions**
- 1 place decimal (X.X)  $\pm 0.1$  in
  - 2 place decimal (X.XX)  $\pm 0.01$  in
  - 3 place decimal (X.XXX)  $\pm 0.005$  in
  - Angles  $\pm 0.5^\circ$


These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

DRAWN BY: Philip Hull  
DATE: 7/16/2026


REV

SHEET


5/13




Front View  
**Horz. Distribution Rack A - Make Qty.3**  
Scale = 1:10




Side View  
**Horz. Distribution Rack A - Make Qty.3**  
Scale = 1:10




Top View  
**Vert. Distribution Rack A**  
Scale = 1:10




Front View  
**Horz. Distribution Rack B**  
Scale = 1:10




Side View  
**Horz. Distribution Rack B**  
Scale = 1:10




Front View  
**Vert. Distribution Rack A**  
Scale = 1:10





Top View  
**Vert. Distribution Rack B**  
Scale = 1:10




Front View  
**Vert. Distribution Rack B**  
Scale = 1:10




Front View  
**Vert. Distribution Rack B1**  
Scale = 1:10



**DETAIL N:**  
**Typ. Slot**  
SCALE 1:2



Top View  
**Rigging Angle 2 x 2 x 1/4 - Make Qty.2**  
Scale = 1:4



Front View  
**Rigging Angle 2 x 2 x 1/4 - Make Qty.2**  
Scale = 1:4

PROJECT

TITLE

Josh David Espers 50 BRK 480

- Standard Dims & Tolerances:**
- All dimensions are in inches [mm], unless otherwise noted.
  - **Break all sharp edges** .010–.030 in Unless otherwise specified.
  - **Remove burrs and slag.**
  - **Unless otherwise noted,** parts to be delivered as-fabricated.
  - **Remove sharp edges & burrs.**
  - Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

- Weldments**
- Welds per AWS D1.1 (unless otherwise specified)
  - Fillet weld size  $\pm 1/16$  in
  - Weld length  $\pm 1/8$  in
  - Distortion: hold overall dimensions to  $\pm 1/16$  in unless otherwise noted

- Machining (CNC / Manual)**
- Unless noted,  $\pm 0.005$  in
  - Concentricity  $\pm 0.003$  in
  - Flatness/parallelism  $\pm 0.003$  in per 12 in length
  - Surface finish: 125  $\mu$ in RMS unless otherwise noted

- Linear Dimensions**
- 1 place decimal (X.X)  $\pm 0.1$  in
  - 2 place decimal (X.XX)  $\pm 0.01$  in
  - 3 place decimal (X.XXX)  $\pm 0.005$  in
  - Angles  $\pm 0.5^\circ$


These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

DRAWN BY: Philip Hull  
DATE: 7/16/2026

REV

SHEET

6/13



Technical drawing of a circular part with two holes. The top hole has a diameter of  $\frac{1}{16}$  in. The bottom hole has a diameter of  $\frac{1}{8}$  in. The part is shown in cross-section with a center line.

Slide View  
**Josh David Espers 50 BRK 480**  
Scale = 1:12



FILE  
Josh David Espers 50 BRK 480

- All dimensions are in inches [mm], unless otherwise noted.
- **Break all sharp edges** .010–.030 in Unless otherwise specified.
- **Remove burrs and slag.**
- **Unless otherwise noted,** parts to be delivered as-fabricated.
- **Remove sharp edges & burrs.**
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size  $\pm 1/16$  in
- Weld length  $\pm 1/8$  in
- Distortion: hold overall dimensions to  $\pm 1/16$  in unless otherwise noted


- Unless noted,  $\pm 0.005$  in
- Concentricity  $\pm 0.003$  in
- Flatness/parallelism  $\pm 0.003$  in per 12 in length
- Surface finish: 125  $\mu$ in RMS unless otherwise noted

- 1 place decimal (X.X)  $\pm 0.1$  in
- 2 place decimal (X.XX)  $\pm 0.01$  in
- 3 place decimal (X.XXX)  $\pm 0.005$  in
- Angles  $\pm 0.5^\circ$

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

|       |           |
|-------|-----------|
| DATE: | 7/16/2026 |
|-------|-----------|

SHEET



Flat Pattern  
**BP (x1) 11 ga Steel**  
Scale = 1:8

PROJECT

TITLE

Josh David Espers 50 BRK 480

**Standard Dims & Tolerances:**

- All dimensions are in inches [mm], unless otherwise noted.
- **Break all sharp edges** .010–.030 in Unless otherwise specified.
- **Remove burrs and slag.**
- **Unless otherwise noted,** parts to be delivered as-fabricated.
- **Remove sharp edges & burrs.**
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

**Weldments**

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size  $\pm 1/16$  in
- Weld length  $\pm 1/8$  in
- Distortion: hold overall dimensions to  $\pm 1/16$  in unless otherwise noted

**Machining (CNC / Manual)**

- Unless noted,  $\pm 0.005$  in
- Concentricity  $\pm 0.003$  in
- Flatness/parallelism  $\pm 0.003$  in per 12 in length
- Surface finish: 125  $\mu$ in RMS unless otherwise noted

**Linear Dimensions**

- 1 place decimal (X.X)  $\pm 0.1$  in
- 2 place decimal (X.XX)  $\pm 0.01$  in
- 3 place decimal (X.XXX)  $\pm 0.005$  in
- Angles  $\pm 0.5^\circ$


These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

|           |             |
|-----------|-------------|
| DRAWN BY: | Philip Hull |
| DATE:     | 7/16/2026   |


|     |  |
|-----|--|
| REV |  |
|-----|--|

SHEET

8/13



Flat Pattern  
**LSBP (x1) 12 ga Steel**  
Scale = 1:8



Flat Pattern  
**RSBP (x1) 12 ga Steel**  
Scale = 1:8

PROJECT

TITLE

Josh David Espers 50 BRK 480

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- **Break all sharp edges** .010–.030 in Unless otherwise specified.
- **Remove burrs and slag.**
- **Unless otherwise noted,** parts to be delivered as-fabricated.
- **Remove sharp edges & burrs.**
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size  $\pm 1/16$  in
- Weld length  $\pm 1/8$  in
- Distortion: hold overall dimensions to  $\pm 1/16$  in unless otherwise noted

Machining (CNC / Manual)

- Unless noted,  $\pm 0.005$  in
- Concentricity  $\pm 0.003$  in
- Flatness/parallelism  $\pm 0.003$  in per 12 in length
- Surface finish: 125  $\mu$ in RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X)  $\pm 0.1$  in
- 2 place decimal (X.XX)  $\pm 0.01$  in
- 3 place decimal (X.XXX)  $\pm 0.005$  in
- Angles  $\pm 0.5^\circ$

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

DRAWN BY: Philip Hull

DATE: 7/16/2026

REV

SHEET

9/13

HJM  
MACHINE

PROJECT

TITLE

Josh David Espers 50 BRK 480

Standard Dims & Tolerances:

• All dimensions are in inches [mm], unless otherwise noted.

• Break all sharp edges .010–.030 in Unless otherwise specified.

• Remove burrs and slag.

• Unless otherwise noted, parts to be delivered as-fabricated.

• Remove sharp edges & burrs.

• Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

• Welds per AWS D1.1 (unless otherwise specified)

• Fillet weld size ± 1/16 in

• Weld length ± 1/8 in

• Distortion: hold overall dimensions to ± 1/16 in unless otherwise noted

Machining (CNC / Manual)

• Unless noted, ± 0.005 in

• Concentricity ± 0.003 in

• Flatness/parallelism ± 0.003 in per 12 in length

• Surface finish: 125 µin RMS unless otherwise noted

Linear Dimensions

• 1 place decimal (X.X) ± 0.1 in

• 2 place decimal (X.XX) ± 0.01 in

• 3 place decimal (X.XXX) ± 0.005 in

• Angles ± 0.5°

These drawings are the property of HJM MACHINE. They are not to be used for any purpose without the approval of HJM and are to be returned upon request.

DRAWN BY:

Philip Hull

DATE:

7/16/2026

REV

SHEET

10/13

Flat Pattern  
MBBP (x1) 12 ga Steel  
Scale = 1:8

Flat Pattern  
MTBP (x1) 12 ga Steel  
Scale = 1:8

PROJECT

TITLE

Josh David Espers 50 BRK 480

- Standard Dims & Tolerances:**
- All dimensions are in inches [mm], unless otherwise noted.
  - **Break all sharp edges** .010–.030 in Unless otherwise specified.
  - **Remove burrs and slag.**
  - **Unless otherwise noted,** parts to be delivered as-fabricated.
  - **Remove sharp edges & burrs.**
  - Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

- Weldments**
- Welds per AWS D1.1 (unless otherwise specified)
  - Fillet weld size  $\pm 1/16$  in
  - Weld length  $\pm 1/8$  in
  - Distortion: hold overall dimensions to  $\pm 1/16$  in unless otherwise noted

- Machining (CNC / Manual)**
- Unless noted,  $\pm 0.005$  in
  - Concentricity  $\pm 0.003$  in
  - Flatness/parallelism  $\pm 0.003$  in per 12 in length
  - Surface finish: 125  $\mu$ in RMS unless otherwise noted

- Linear Dimensions**
- 1 place decimal (X.X)  $\pm 0.1$  in
  - 2 place decimal (X.XX)  $\pm 0.01$  in
  - 3 place decimal (X.XXX)  $\pm 0.005$  in
  - Angles  $\pm 0.5^\circ$


These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

|           |             |
|-----------|-------------|
| DRAWN BY: | Philip Hull |
| DATE:     | 7/16/2026   |


|     |  |
|-----|--|
| REV |  |
|-----|--|

SHEET


11/13




Flat Pattern  
**TLD (x1) 12 ga Steel**  
Scale = 1:8



Flat Pattern  
**TMD (x1) 12 ga Steel**  
Scale = 1:8



Flat Pattern  
**TRD (x1) 12 ga Steel**  
Scale = 1:8



Flat Pattern  
TC (x1) 14 ga Steel  
Scale = 1:8

PROJECT

TITLE

Josh David Espers 50 BRK 480

- Standard Dims & Tolerances:**
- All dimensions are in inches [mm], unless otherwise noted.
  - **Break all sharp edges** .010–.030 in Unless otherwise specified.
  - **Remove burrs and slag.**
  - **Unless otherwise noted,** parts to be delivered as-fabricated.
  - **Remove sharp edges & burrs.**
  - Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

- Weldments**
- Welds per AWS D1.1 (unless otherwise specified)
  - Fillet weld size  $\pm 1/16$  in
  - Weld length  $\pm 1/8$  in
  - Distortion: hold overall dimensions to  $\pm 1/16$  in unless otherwise noted

- Machining (CNC / Manual)**
- Unless noted,  $\pm 0.005$  in
  - Concentricity  $\pm 0.003$  in
  - Flatness/parallelism  $\pm 0.003$  in per 12 in length
  - Surface finish: 125  $\mu$ in RMS unless otherwise noted


- Linear Dimensions**
- 1 place decimal (X.X)  $\pm 0.1$  in
  - 2 place decimal (X.XX)  $\pm 0.01$  in
  - 3 place decimal (X.XXX)  $\pm 0.005$  in
  - Angles  $\pm 0.5^\circ$

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.


|           |             |
|-----------|-------------|
| DRAWN BY: | Philip Hull |
| DATE:     | 7/16/2026   |
| REV       |             |

SHEET

12/13



Flat Pattern  
ILSP (x1) 14 ga Steel  
Scale = 1:8



Flat Pattern  
IRSP (x1) 14 ga Steel  
Scale = 1:8

|         |                              |
|---------|------------------------------|
| PROJECT |                              |
|         | TITLE                        |
|         | Josh David Espers 50 BRK 480 |

- Standard Dims & Tolerances:**
- All dimensions are in inches [mm], unless otherwise noted.
  - **Break all sharp edges .010–.030 in** Unless otherwise specified.
  - **Remove burrs and slag.**
  - **Unless otherwise noted,** parts to be delivered as-fabricated.
  - **Remove sharp edges & burrs.**
  - Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

- Weldments**
- Welds per AWS D1.1 (unless otherwise specified)
  - Fillet weld size  $\pm 1/16$  in
  - Weld length  $\pm 1/8$  in
  - Distortion: hold overall dimensions to  $\pm 1/16$  in unless otherwise noted

- Machining (CNC / Manual)**
- Unless noted,  $\pm 0.005$  in
  - Concentricity  $\pm 0.003$  in
  - Flatness/parallelism  $\pm 0.003$  in per 12 in length
  - Surface finish: 125  $\mu$ in RMS unless otherwise noted

- Linear Dimensions**
- 1 place decimal (X.X)  $\pm 0.1$  in
  - 2 place decimal (X.XX)  $\pm 0.01$  in
  - 3 place decimal (X.XXX)  $\pm 0.005$  in
  - Angles  $\pm 0.5^\circ$

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

|           |             |
|-----------|-------------|
| DRAWN BY: | Philip Hull |
| DATE:     | 7/16/2026   |
| REV       |             |

SHEET

13/13