







Top View
Ice Maker Transition
Scale = 1:50



Front View
Ice Maker Transition
Scale = 1:50



ISO
Ice Maker Transition
Scale = Perspective



Side View
Ice Maker Transition
Scale = 1:50

HJM
MACHINE

PROJECT
Ice Maker Transition

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010–.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size $\pm 1/16$ in
- Weld length $\pm 1/8$ in
- Distortion: hold overall dimensions to $\pm 1/16$ in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 μ in RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles $\pm 0.5^\circ$

These drawings are the property of HJM MACHINE. They are not to be used for any purpose without the approval of HJM and are to be returned upon request.

DRAWN BY: Philip Hull

DATE: 8/5/2026

REV

SHEET

1/4

Ice Maker Transition

PARTS LIST				
ITEM	QTY	PART NAME	MATERIAL	MASS
10	1	Duct Unit1	Stainless Steel AISI 304	1167.618 ouncemass
11	1	Duct Unit2-B	Stainless Steel AISI 304	553.257 ouncemass
12	1	Inlet Adapter	Stainless Steel AISI 304	1.444E+05 ouncemass
14	1	Duct Unit2-A	----	1426.93 ouncemass



PROJECT	TITLE
	Ice Maker Transition

Standard Dims & Tolerances:
• All dimensions are in inches [mm], unless otherwise noted.
• Break all sharp edges .010–.030 in Unless otherwise specified.
• Remove burrs and slag.
• Unless otherwise noted, parts to be delivered as-fabricated.
• Remove sharp edges & burrs.
• Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.


Weldments
• Welds per AWS D1.1 (unless otherwise specified)
• Fillet weld size ± 1/16 in
• Weld length ± 1/8 in
• Distortion: hold overall dimensions to ± 1/16 in unless otherwise noted

Machining (CNC / Manual)
• Unless noted, ± 0.005 in
• Concentricity ± 0.003 in
• Flatness/parallelism ± 0.003 in per 12 in length
• Surface finish: 125 µin RMS unless otherwise noted

Linear Dimensions
• 1 place decimal (X.X) ± 0.1 in
• 2 place decimal (X.XX) ± 0.01 in
• 3 place decimal (X.XXX) ± 0.005 in
• Angles ± 0.5°

These drawings are the property of HJM MACHINE . They are not to be used for any purpose without the approval of HJM and are to be returned upon request.	

DRAWN BY:	Philip Hull
DATE:	8/5/2026
REV	
SHEET	
2/4	




EXP ISO
Ice Maker Transition - Duct Assembly
Scale = Perspective


Duct Assembly Notes

- Secure duct assemblies to the ice units using 1/4-20 stainless steel bolts and flat washers.
- Connect Duct Unit 2-A to Duct Unit 2-B using 1/4-20 stainless steel bolts, hex nuts, and lock washers.
- Attach Duct Units 1 and 2 to the inlet adapter using McMaster-Carr P/N 97467A726, 18-8 stainless steel twist-resistant rivet nuts.
- Cut all duct penetrations required for the inlet adapter on site after field verification.


Ice Maker Transition




Top View
Duct Unit 1
Scale = 1:20




Top View
Duct Unit 2-A
Scale = 1:20




Front View
Duct Unit 1
Scale = 1:20




Front View
Duct Unit 2-A
Scale = 1:20



Front View
Duct Unit 2-B
Scale = 1:12



Right View
Duct Unit 2-B
Scale = 1:12



Back View
Duct Unit 2-B
Scale = 1:12

HJM
MACHINE

PROJECT
Ice Maker Transition

TITLE
Ice Maker Transition

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010–.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size ± 1/16 in
- Weld length ± 1/8 in
- Distortion: hold overall dimensions to ± 1/16 in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 µin RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles ± 0.5°

These drawings are the property of HJM MACHINE. They are not to be used for any purpose without the approval of HJM and are to be returned upon request.

DRAWN BY: Philip Hull


DATE: 8/5/2026

REV


SHEET

3/4


Ice Maker Transition




Top View
Inlet Adapter
Scale = 1:20



Front View
Inlet Adapter
Scale = 1:20



Right View
Inlet Adapter
Scale = 1:20



Bottom View
Inlet Adapter
Scale = 1:20

HJM
MACHINE

PROJECT

TITLE

Ice Maker Transition

- Standard Dims & Tolerances:**
- All dimensions are in inches [mm], unless otherwise noted.
 - **Break all sharp edges** .010–.030 in Unless otherwise specified.
 - **Remove burrs and slag.**
 - **Unless otherwise noted,** parts to be delivered as-fabricated.
 - **Remove sharp edges & burrs.**
 - Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

- Weldments**
- Welds per AWS D1.1 (unless otherwise specified)
 - Fillet weld size $\pm 1/16$ in
 - Weld length $\pm 1/8$ in
 - Distortion: hold overall dimensions to $\pm 1/16$ in unless otherwise noted

- Machining (CNC / Manual)**
- Unless noted, ± 0.005 in
 - Concentricity ± 0.003 in
 - Flatness/parallelism ± 0.003 in per 12 in length
 - Surface finish: 125 μ in RMS unless otherwise noted

- Linear Dimensions**
- 1 place decimal (X.X) ± 0.1 in
 - 2 place decimal (X.XX) ± 0.01 in
 - 3 place decimal (X.XXX) ± 0.005 in
 - Angles $\pm 0.5^\circ$

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.


DRAWN BY: Philip Hull
DATE: 8/5/2026

REV


SHEET

4/4

Duct Unit1




Top View
Duct Unit1
Scale = 1:16



Front View
Duct Unit1
Scale = 1:16

PARTS LIST				
ITEM	QTY	PART NAME	DESCRIPTION	MATERIAL
1	1	U1SA (x1) 14 ga Stainless	----	Stainless Steel AISI 304
2	1	U1TP (x1) 14 ga Stainless	----	Stainless Steel AISI 304
3	1	U1BP (x1) 14 ga Stainless	----	Stainless Steel AISI 304
4	1	U1SA (x1) 14 ga Stainless	----	Stainless Steel AISI 304
5	1	U1F (x1) 11 ga Stainless	----	Stainless Steel AISI 304
6	8	90955A135	Aligning Weld Nut	Stainless Steel AISI 304



ISO
Duct Unit1
Scale = Perspective

HJM
MACHINE

PROJECT

TITLE

Duct Unit1

Standard Dims & Tolerances:

• All dimensions are in inches [mm], unless otherwise noted.

• Break all sharp edges .010–.030 in Unless otherwise specified.

• Remove burrs and slag.

• Unless otherwise noted, parts to be delivered as-fabricated.

• Remove sharp edges & burrs.

• Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

• Welds per AWS D1.1 (unless otherwise specified)

• Fillet weld size ± 1/16 in

• Weld length ± 1/8 in

• Distortion: hold overall dimensions to ± 1/16 in unless otherwise noted

Machining (CNC / Manual)

• Unless noted, ± 0.005 in

• Concentricity ± 0.003 in

• Flatness/parallelism ± 0.003 in per 12 in length

• Surface finish: 125 µin RMS unless otherwise noted

Linear Dimensions

• 1 place decimal (X.X) ± 0.1 in

• 2 place decimal (X.XX) ± 0.01 in

• 3 place decimal (X.XXX) ± 0.005 in

• Angles ± 0.5°

These drawings are the property of HJM MACHINE. They are not to be used for any purpose without the approval of HJM and are to be returned upon request.

DRAWN BY:

Philip Hull


DATE:

8/7/2026


REV

SHEET

1/2



Top View
U1TP (x1) 14 ga Stainless
Scale = 1:8



Top View
U1BP (x1) 14 ga Stainless
Scale = 1:8

PROJECT

TITLE

Duct Unit1

- Standard Dims & Tolerances:**
- All dimensions are in inches [mm], unless otherwise noted.
 - **Break all sharp edges .010–.030 in** Unless otherwise specified.
 - **Remove burrs and slag.**
 - **Unless otherwise noted,** parts to be delivered as-fabricated.
 - **Remove sharp edges & burrs.**
 - Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

- Weldments**
- Welds per AWS D1.1 (unless otherwise specified)
 - Fillet weld size $\pm 1/16$ in
 - Weld length $\pm 1/8$ in
 - Distortion: hold overall dimensions to $\pm 1/16$ in unless otherwise noted

- Machining (CNC / Manual)**
- Unless noted, ± 0.005 in
 - Concentricity ± 0.003 in
 - Flatness/parallelism ± 0.003 in per 12 in length
 - Surface finish: 125 μ in RMS unless otherwise noted

- Linear Dimensions**
- 1 place decimal (X.X) ± 0.1 in
 - 2 place decimal (X.XX) ± 0.01 in
 - 3 place decimal (X.XXX) ± 0.005 in
 - Angles $\pm 0.5^\circ$


These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

DRAWN BY:	Philip Hull
DATE:	8/7/2026
REV	


SHEET

2/2

Duct Unit2-A




Top View
Duct Unit2-A
Scale = 1:16




Front View
Duct Unit2-A
Scale = 1:16

PARTS LIST				
ITEM	QTY	PART NAME	DESCRIPTION	MATERIAL
2	1	U2ASA (x1) 14 ga Stainless	----	Stainless Steel AISI 304
3	1	U2AT (x1) 14 ga Stainless	----	Stainless Steel AISI 304
4	1	U2AB (x1) 14 ga Stainless	----	Stainless Steel AISI 304
5	1	U2ASB (x1) 14 ga Stainless	----	Stainless Steel AISI 304
6	1	U2A-Flange (x1) 11 ga Stainless	----	Stainless Steel AISI 304
7	8	90955A135	Aligning Weld Nut	Stainless Steel AISI 304



ISO
Duct Unit2-A
Scale = Perspective



Right View
Duct Unit2-A
Scale = 1:16

- Note:
- All welds shall be continuous and 100% watertight.
 - Welds shall be free of pinholes, porosity, cracks, slag inclusions, and other defects.

HJM
MACHINE

PROJECT
TITLE
Duct Unit2-A

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010-.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size ± 1/16 in
- Weld length ± 1/8 in
- Distortion: hold overall dimensions to ± 1/16 in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 µin RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles ± 0.5°

These drawings are the property of HJM MACHINE. They are not to be used for any purpose without the approval of HJM and are to be returned upon request.

DRAWN BY:

Philip Hull

DATE:


8/7/2026

REV


SHEET

1/2

Duct Unit2-A



Top View
U2AT (x1) 14 ga Stainless
Scale = 1:10



Top View
U2AB (x1) 14 ga Stainless
Scale = 1:10

PROJECT

TITLE

Duct Unit2-A

- Standard Dims & Tolerances:**
- All dimensions are in inches [mm], unless otherwise noted.
 - **Break all sharp edges .010–.030 in** Unless otherwise specified.
 - **Remove burrs and slag.**
 - **Unless otherwise noted,** parts to be delivered as-fabricated.
 - **Remove sharp edges & burrs.**
 - Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

- Weldments**
- Welds per AWS D1.1 (unless otherwise specified)
 - Fillet weld size $\pm 1/16$ in
 - Weld length $\pm 1/8$ in
 - Distortion: hold overall dimensions to $\pm 1/16$ in unless otherwise noted

- Machining (CNC / Manual)**
- Unless noted, ± 0.005 in
 - Concentricity ± 0.003 in
 - Flatness/parallelism ± 0.003 in per 12 in length
 - Surface finish: 125 μ in RMS unless otherwise noted

- Linear Dimensions**
- 1 place decimal (X.X) ± 0.1 in
 - 2 place decimal (X.XX) ± 0.01 in
 - 3 place decimal (X.XXX) ± 0.005 in
 - Angles $\pm 0.5^\circ$

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

DRAWN BY: Philip Hull
DATE: 8/7/2026

REV

SHEET

2/2

Duct Unit2-B

PARTS LIST			
ITEM	QTY	PART NAME	MATERIAL
1	1	U2BP (x1) 14 ga Stainless	Stainless Steel AISI 304
2	1	U2TP (x1) 14 ga Stainless	Stainless Steel AISI 304
3	1	U2SP (x1) 14 ga Stainless	Stainless Steel AISI 304
4	1	U2TP (x1) 14 ga Stainless (1)	Stainless Steel AISI 304
5	1	U2BP (x1) 14 ga Stainless (1)	Stainless Steel AISI 304
6	1	U2BF2 (x1) 11 ga Stainless	Stainless Steel AISI 304
7	1	U2BF1 (x1) 11 ga Stainless	Stainless Steel AISI 304

HJM
MACHINE

PROJECT

TITLE

Duct Unit2-B

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010–.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size $\pm 1/16$ in
- Weld length $\pm 1/8$ in
- Distortion: hold overall dimensions to $\pm 1/16$ in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 μ in RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles $\pm 0.5^\circ$

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.


DRAWN BY: Philip Hull

DATE: 8/7/2026


REV

SHEET


1/2




Top View
Duct Unit2-B
Scale = 1:8




ISO
Duct Unit2-B
Scale = Perspective



Front View
Duct Unit2-B
Scale = 1:8




Right View
Duct Unit2-B
Scale = 1:8




Back View
Duct Unit2-B
Scale = 1:8

Duct Unit2-B



Flat Pattern
U2TP (x1) 14 ga Stainless
Scale = 1:8



Flat Pattern
U2BP (x1) 14 ga Stainless
Scale = 1:8

HJM
MACHINE

PROJECT

TITLE

Duct Unit2-B

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010–.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size ± 1/16 in
- Weld length ± 1/8 in
- Distortion: hold overall dimensions to ± 1/16 in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 µin RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles ± 0.5°

These drawings are the property of HJM MACHINE. They are not to be used for any purpose without the approval of HJM and are to be returned upon request.

DRAWN BY:

Philip Hull

DATE:

8/7/2026

REV


SHEET

2/2


Inlet Adapter

PARTS LIST			
ITEM	QTY	PART NAME	MATERIAL
1	1	IAC (x1) 14 ga Stainless	Stainless Steel AISI 304
2	1	IAB (x1) 14 ga Stainless	Stainless Steel AISI 304
3	1	IAA (x1) 14 ga Stainless	Stainless Steel AISI 304
4	1	ITC (x1) 14 ga Stainless	Stainless Steel AISI 304


HJM
MACHINE




Front View
Inlet Adapter
Scale = 1:16



Right View
Inlet Adapter
Scale = 1:16



ISO
Inlet Adapter
Scale = Perspective



Bottom View
Inlet Adapter
Scale = 1:16

PROJECT

TITLE
Inlet Adapter

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- **Break all sharp edges .010–.030 in**
Unless otherwise specified.
- **Remove burrs and slag.**
- **Unless otherwise noted,**
parts to be delivered as-fabricated.
- **Remove sharp edges & burrs.**
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size $\pm 1/16$ in
- Weld length $\pm 1/8$ in
- Distortion: hold overall dimensions to $\pm 1/16$ in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 μ in RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles $\pm 0.5^\circ$




These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

DRAWN BY:	Philip Hull
DATE:	8/7/2026
REV	

SHEET

1/3

Inlet Adapter



HJM
MACHINE

PROJECT

TITLE

Inlet Adapter

- Standard Dims & Tolerances:**
- All dimensions are in inches [mm], unless otherwise noted.
 - **Break all sharp edges .010–.030 in** Unless otherwise specified.
 - **Remove burrs and slag.**
 - **Unless otherwise noted,** parts to be delivered as-fabricated.
 - **Remove sharp edges & burrs.**
 - Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

- Weldments**
- Welds per AWS D1.1 (unless otherwise specified)
 - Fillet weld size $\pm 1/16$ in
 - Weld length $\pm 1/8$ in
 - Distortion: hold overall dimensions to $\pm 1/16$ in unless otherwise noted

- Machining (CNC / Manual)**
- Unless noted, ± 0.005 in
 - Concentricity ± 0.003 in
 - Flatness/parallelism ± 0.003 in per 12 in length
 - Surface finish: 125 μ in RMS unless otherwise noted

- Linear Dimensions**
- 1 place decimal (X.X) ± 0.1 in
 - 2 place decimal (X.XX) ± 0.01 in
 - 3 place decimal (X.XXX) ± 0.005 in
 - Angles $\pm 0.5^\circ$

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.


DRAWN BY: Philip Hull
DATE: 8/7/2026

REV

SHEET

2/3

Inlet Adapter



Flat Pattern
ITC (x1) 14 ga Stainless
Scale = 1:10

HJM
MACHINE

PROJECT

TITLE

Inlet Adapter

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010–.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size $\pm 1/16$ in
- Weld length $\pm 1/8$ in
- Distortion: hold overall dimensions to $\pm 1/16$ in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 μ in RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles $\pm 0.5^\circ$

These drawings are the property of HJM MACHINE. They are not to be used for any purpose without the approval of HJM and are to be returned upon request.

DRAWN BY:

Philip Hull

DATE:

8/7/2026

REV

SHEET

3/3