

Table Top Prop Simulator

HJM
MACHINE

PROJECT
TITLE
Table Top Prop Simulator

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010–.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size $\pm 1/16$ in
- Weld length $\pm 1/8$ in
- Distortion: hold overall dimensions to $\pm 1/16$ in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 μ in RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles $\pm 0.5^\circ$

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

DRAWN BY:

Philip Hull


DATE:

4/20/2026

REV

SHEET

1/5



ISO EXP
Table Top Prop Simulator
Scale = Perspective




Table Top Prop Simulator

PROJECT

TITLE

Table Top Prop Simulator

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010-.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size $\pm 1/16$ in
- Weld length $\pm 1/8$ in
- Distortion: hold overall dimensions to $\pm 1/16$ in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 μ in RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles $\pm 0.5^\circ$

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.


DRAWN BY: Philip Hull

DATE: 4/20/2026


REV

SHEET


2/5




Top View
Base (x1) .25 Alum
Scale = 1:8




Front View
Base (x1) .25 Alum
Scale = 1:8



Front View
FREN (x1) .125 Alum
Scale = 1:4



Flat Pattern
Base (x1) .25 Alum
Scale = 1:4



Front View
BEN (x1) .125 Alum
Scale = 1:4

Table Top Prop Simulator

PROJECT

TITLE

Table Top Prop Simulator

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010–.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size $\pm 1/16$ in
- Weld length $\pm 1/8$ in
- Distortion: hold overall dimensions to $\pm 1/16$ in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 μ in RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles $\pm 0.5^\circ$

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

DRAWN BY: Philip Hull

DATE: 4/20/2026

REV

SHEET

3/5











Table Top Prop Simulator




Flat Pattern
Perf. Wrap Scrap (x1) Alum
Scale = 1:4



Flat Pattern
Perf. Scrap (x1) Alum
Scale = 1:3



Front View
Perf. Wrap Scrap (x1) Alum
Scale = 1:4



Front View
Perf. Scrap (x1) Alum
Scale = 1:3

HJM
MACHINE

PROJECT
TITLE
Table Top Prop Simulator

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- **Break all sharp edges** .010–.030 in Unless otherwise specified.
- **Remove burrs and slag.**
- **Unless otherwise noted,** parts to be delivered as-fabricated.
- **Remove sharp edges & burrs.**
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size ± 1/16 in
- Weld length ± 1/8 in
- Distortion: hold overall dimensions to ± 1/16 in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 µin RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles ± 0.5°

These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

DRAWN BY:Philip Hull

DATE:4/20/2026

REV:

SHEET

4/5

PROJECT
TITLE
Table Top Prop Simulator

Standard Dims & Tolerances:

- All dimensions are in inches [mm], unless otherwise noted.
- Break all sharp edges .010–.030 in Unless otherwise specified.
- Remove burrs and slag.
- Unless otherwise noted, parts to be delivered as-fabricated.
- Remove sharp edges & burrs.
- Coatings/finishes (paint, anodize, powder coat, plating, etc.) per drawing notes.

Weldments

- Welds per AWS D1.1 (unless otherwise specified)
- Fillet weld size $\pm 1/16$ in
- Weld length $\pm 1/8$ in
- Distortion: hold overall dimensions to $\pm 1/16$ in unless otherwise noted

Machining (CNC / Manual)

- Unless noted, ± 0.005 in
- Concentricity ± 0.003 in
- Flatness/parallelism ± 0.003 in per 12 in length
- Surface finish: 125 μ in RMS unless otherwise noted

Linear Dimensions

- 1 place decimal (X.X) ± 0.1 in
- 2 place decimal (X.XX) ± 0.01 in
- 3 place decimal (X.XXX) ± 0.005 in
- Angles $\pm 0.5^\circ$


These drawings are the property of **HJM MACHINE**. They are not to be used for any purpose without the approval of **HJM** and are to be returned upon request.

DRAWN BY: Philip Hull
DATE: 4/20/2026


REV

SHEET


5/5



Front View
SHIM(Make x2)
Scale = 1:4



Top View
SHIM(Make x2)
Scale = 1:4



Top View
Scrap Acrylic (x1) .125
Scale = 1:2