## WINGS

Wings contem informações sobre peças de veículos.

Tabelas disponíveis no wings refined:

AGG\_DEALER\_PERFORMANCE

**DEALER** 

DEALER\_ACTIVE

DEALER\_NEW

FILL\_RATE

**INVENTORY** 

**INVOICE** 

INVOICE\_NEW

IN\_TRANSIT

LOAD\_AND\_BOX

OD AUTOMATIC RELEASE

OD\_DAILY\_AUTOMATIC\_RELEASE

OD\_REPORT

OD\_REPORT\_TEMP

OTD

**OUTBOUND** 

**PARROT** 

**PARTS** 

PARTS\_CADEIA

PARTS VTPR

**PRICE** 

PRICE\_HIST

PROCESSED\_ROWS

**PROGRAMMING** 

RECEIVING

REPORTE\_BO\_VENEZUELA

STOCK\_PARTS\_CADEIA

STOCK\_PARTS\_CADEIA\_NEW

**SUPPLIERS** 

SUPPLY\_CHAIN

table\_name,column\_name,field\_path,data\_type,description

AGG\_DEALER\_PERFORMANCE, Dealer Country Code, Dealer Country Code, STRING, Iso Country Code of the Dealer Country Code, Dealer Country Code, STRING, Iso Country Code of the Dealer Country Code, Dealer Country Code, STRING, Iso Country Code of the Dealer Country Code, Dealer Country Code, STRING, Iso Country Code of the Dealer Country Code, Deal

AGG\_DEALER\_PERFORMANCE, Dealer Group, Dealer Group, STRING, Dealer Code and Dealer Name union

AGG DEALER PERFORMANCE, Dealer Group Code, Dealer Group Code, INT 64, Identifier code for the main or paren

AGG\_DEALER\_PERFORMANCE, Dealer Group Name, Dealer Group Name, STRING, "The name of the group or college and the group of the group of college and the group of th

AGG\_DEALER\_PERFORMANCE, RegionConsultant, RegionConsultant, STRING, Person in charge of the Region

AGG\_DEALER\_PERFORMANCE, RegionServiceManager, RegionServiceManager, STRING, Manager of the ServiceManager, and a serviceManager of the ServiceManager, and a serviceManager of the ServiceManager.

AGG\_DEALER\_PERFORMANCE, RegionServiceName, RegionServiceName, STRING, Identifier name of the Region Name o AGG\_DEALER\_PERFORMANCE, RegionServiceCode, RegionServiceCode, INT64, Identifier Code of the Region fo

AGG\_DEALER\_PERFORMANCE, DealerCode, DealerCode, INT64, Unique identifier code for a specific dealership v

AGG DEALER PERFORMANCE, Dealer Legal Name, Dealer Legal Name, STRING, The official legal name of the dealer Name, STRING, The official legal name of the dealer Name, STRING, The official legal name of the dealer Name, STRING, The official legal name of the dealer Name, STRING, The official legal name of the dealer Name, STRING, The official legal name of the dealer Name, STRING, The official legal name of the dealer Name, STRING, The official legal name of the dealer Name, STRING, The official legal name of the dealer Name, STRING, The official legal name of the dealer Name, STRING, The official legal name of the dealer Name, STRING, The official legal name of the dealer Name, STRING, The official legal

AGG\_DEALER\_PERFORMANCE, Varejo Assinado, Varejo Assinado, FLOAT64, Varejo Yearly Objective for the Deale

AGG\_DEALER\_PERFORMANCE, Atacado Assinado, Atacado Assinado, FLOAT64, Atacado Yearly Objective for the

AGG\_DEALER\_PERFORMANCE, Oleo Assinado, Oleo Assinado, FLO AT64, Oleo Yearly Objective for the Dealer Ground State of the Dealer G AGG\_DEALER\_PERFORMANCE, Varejo Objetivo Mensual, Varejo Objetivo Mensual, FLOAT64, Varejo Monthly Objectivo Mensual, FLOAT64, Varejo Monthly Objectivo Mensual, Varejo Objetivo Objetivo Mensual, Varejo Objetivo Obje

AGG\_DEALER\_PERFORMANCE, Atacado Objetivo Mensual, Atacado Objetivo Mensual, FLOAT64, Atacado Monthly

```
AGG_DEALER_PERFORMANCE, Oleo Objetivo Mensual, Oleo Objetivo Mensual, FLOAT64, Oleo Monthly Objective for the control of the c
AGG_DEALER_PERFORMANCE, AnoMesDelObjetivo, AnoMesDelObjetivo, INT64, "Year and Month of the Oleo, Ato
AGG_DEALER_PERFORMANCE,OrderAnoMes,OrderAnoMes,INT64,Year and Month the order was placed
AGG_DEALER_PERFORMANCE,LatestWorkOrdersDate,LatestWorkOrdersDate,TIMESTAMP,Date of the latest of the
AGG_DEALER_PERFORMANCE, Pedidos Colocados Varejo, Pedidos Colocados Varejo, FLOAT64, Amount of money
AGG_DEALER_PERFORMANCE, Pedidos Colocados Atacado, Pedidos Colocados Atacado, FLOAT64, Amount of modern and activities of the colocados activi
AGG_DEALER_PERFORMANCE, Pedidos Colocados Oleo, Pedidos Colocados Oleo, FLOAT64, Amount of oleo the control of 
AGG_DEALER_PERFORMANCE, Varejo Cancelamentos, Varejo Cancelamentos, FLOAT64, Canceled Varejo work of
AGG_DEALER_PERFORMANCE, Atacado Cancelamentos, Atacado Cancelamentos, FLOAT64, Canceled Atacado v
AGG_DEALER_PERFORMANCE, Oleo Cancelamentos, Oleo Cancelamentos, FLOAT64, Canceled Oleo work orders
AGG_DEALER_PERFORMANCE, VarejoNet, VarejoNet, NUMERIC, Varejo Facturado
AGG_DEALER_PERFORMANCE, AtacadoNet, AtacadoNet, NUMERIC, Atacado Facturado
AGG_DEALER_PERFORMANCE, CVVGRealizado, CVVGRealizado, INT64, Amount of contacts reported by the dealers.
AGG_DEALER_PERFORMANCE, Objetivo Share 12p, Objetivo Share 12p, FLOAT 64, 12% of Shares objective
AGG_DEALER_PERFORMANCE, Contratos, Contratos, INT64, Contracts done
AGG_DEALER_PERFORMANCE, ShareRealizado, ShareRealizado, FLOAT64, Amount of share done through conti
AGG_DEALER_PERFORMANCE, Objetivo Elegibilidade, Objetivo Elegibilidade, INT64, Amount of contracts the Deale
AGG_DEALER_PERFORMANCE, Objetivo Share, Objetivo Share, FLOAT64, Contract sails Share Objective
AGG_DEALER_PERFORMANCE, Accesorios, Accesorios, STRING, If the Ford group requested the right amount of
AGG_DEALER_PERFORMANCE,SSIP,SSIP,STRING,If the Ford group requested the right amount of SSP
DEALER, Matriz Dealer Code, Matriz Dealer Code, STRING, Unique identifier code for the main dealership or headquain
DEALER, Dealer Code, Dealer Code, STRING, Unique identifier code for individual dealership locations.
DEALER, DealerName, DealerName, STRING, The public-facing name of the dealership.
DEALER, Dealer Legal Name, Dealer Legal Name, STRING, The legal registered name of the dealership entity.
DEALER, Dealer Group Name, Dealer Group Name, STRING, The name of the group or chain the dealership is a part of
DEALER, Country, Country, STRING, The country in which the dealership is located.
DEALER, Latitude, Latitude, STRING, The geographical latitude coordinate of the dealership's location.
DEALER, Longitude, Longitude, STRING, The geographical longitude coordinate of the dealership's location.
DEALER, State, State, STRING, "The state, province, or region within the country where the dealership is situated."
DEALER, Dealer Create Date, Dealer Create Date, TIMESTAMP, The date and time when the dealership information we
DEALER, Dealer Active, Dealer Active, STRING, An indicator of whether the dealership is currently active and operation
DEALER, Dealer National ID, Dealer National ID, STRING, "The dealership's national identification number, which could
DEALER, Region, Region, STRING, "A broader territorial classification that the dealership belongs to, such as sales r
DEALER, Express Service, Express Service, STRING, An indicator of whether the dealership offers an express service
DEALER, LabourCost, LabourCost, NUMERIC, Information related to the labor cost at the dealership.
DEALER, Dealer ZIPCode, Dealer ZIPCode, STRING, The postal zip code of the dealership's location.
DEALER, Dealer City, Dealer City, STRING, The city in which the dealership is located.
DEALER, Dealer Street, Dealer Street, STRING, The street address of the dealership.
DEALER, Mobile Service, Mobile Service, STRING, An indicator of whether the dealership offers services that can be provided by the service of the service of
DEALER, Franchise, Franchise, STRING, "An identifier for the franchise, if the dealership is part of a franchised chair
DEALER, Division, Division, STRING, The division or segment of the car manufacturing company that the dealership
DEALER_ACTIVE, Country, Country, STRING, The Code of thr country in which the dealership is located.
DEALER_ACTIVE, Country Name, Country Name, STRING, The country Name in which the dealership is located.
DEALER_ACTIVE, Dealer Code, Dealer Code, STRING, Unique identifier code for a specific dealership within the dea
DEALER_ACTIVE, Dealer Code Sales, Dealer Code Sales, INT64, Unique identifier code for a specific dealership within
DEALER_ACTIVE, DealerName, DealerName, STRING, "The public-facing name of the dealership, often used for bridge
DEALER ACTIVE, Dealer Legal Name, Dealer Legal Name, STRING, The official legal name of the dealership as regis
DEALER_ACTIVE, Dealer National ID, Dealer National ID, STRING, "The national identification number for the dealership of the dealership of
DEALER_ACTIVE, Dealer Active Agenda, Dealer Active Agenda, STRING, Indicator of whether the dealership is curren
DEALER_ACTIVE, Dealer Mobile Service, Dealer Mobile Service, STRING, "Indicator of whether the dealership provide
DEALER_ACTIVE, Dealer Group Code, Dealer Group Code, INT64, Identifier code for the main or parent dealership in
DEALER_ACTIVE, Dealer Group Name, Dealer Group Name, STRING, "The name of the group or collective the dealer
DEALER_ACTIVE, DealerFranchise, DealerFranchise, STRING, The associated franchise or brand the dealership re
DEALER_ACTIVE, Dealer Vehicle Division Code, Dealer Vehicle Division Code, INT64, "The specific division or departm
```

```
DEALER_ACTIVE, RegionConsultant, RegionConsultant, STRING, The name or identifier of the regional consultant of
DEALER_ACTIVE, Region Consultant Email, Region Consultant Email, STRING, Email of Region Consultant
DEALER_ACTIVE, RegionServiceCode, RegionServiceCode, INT64, Code of the Region as established by Ford's se
DEALER_ACTIVE, Region ServiceName, Region ServiceName, STRING, Name of the Region as established by Ford
DEALER_ACTIVE, RegionServiceManager, RegionServiceManager, STRING, The name or identifier of the regional
DEALER_ACTIVE, Sails Region, Sails Region, STRING, Region Name as established by the Sails team.
DEALER_ACTIVE, DealerStreet, DealerStreet, STRING, "The street address for the dealership, providing a precise to
DEALER_ACTIVE, Dealer CityOr District, Dealer CityOr District, STRING,
DEALER_ACTIVE, Dealer ZIPCode, Dealer ZIPCode, STRING, "The postal code for the dealership's location, used fo
DEALER_ACTIVE, DealerZoneOrState, DealerZoneOrState, STRING, "The state, province, or region where the deal
DEALER_ACTIVE, Dealer Address Latitude, Dealer Address Latitude, STRING, The geographical latitude coordinate of
DEALER_ACTIVE, Dealer Address Longitude, Dealer Address Longitude, STRING, The geographical longitude coordin
DEALER_ACTIVE, ServiceBoxes, ServiceBoxes, NUMERIC, Amount of Dealers garages
DEALER_ACTIVE, Distinct Mechanics, Distinct Mechanics, NUMERIC, Count of Active Dealer Mechanics in the last 3
DEALER_ACTIVE, Distinct Consultants, Distinct Consultants, NUMERIC, Count of Active Dealer Consultants in the last
DEALER_ACTIVE, Dealer CreateDate, Dealer CreateDate, TIMESTAMP, Date and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time when the dealership record was a contracted and time was a contracted 
DEALER_ACTIVE, Dealer Last Update Date, Dealer Last Update Date, TIMESTAMP, Date and time when the dealership
DEALER_ACTIVE,CP,CP,STRING,Additional Postal Code for Dealers in Argentina
DEALER_ACTIVE, ServiceCreationDate, ServiceCreationDate, TIMESTAMP, Date and time when the row was creationDate, and time when the row was creating the control of the cont
DEALER_ACTIVE, RefinedDate, RefinedDate, DATETIME, Date and time when the table was last updated.
DEALER ACTIVE, Dealer City, Dealer City, STRING, The city or locality where the dealership is situated.
DEALER_NEW, Country, Country, STRING, The Code of thr country in which the dealership is located.
DEALER_NEW,CountryName,CountryName,STRING,The country Name in which the dealership is located.
DEALER_NEW, Dealer Code, Dealer Code, STRING, Unique identifier code for a specific dealership within the dealers
DEALER_NEW, Dealer CodeSales, Dealer CodeSales, INT64, Unique identifier code for a specific dealership within the
DEALER_NEW, DealerName, DealerName, STRING, "The public-facing name of the dealership, often used for branch
DEALER_NEW, Dealer Legal Name, Dealer Legal Name, STRING, The official legal name of the dealership as registered
DEALER_NEW, Dealer National ID, Dealer National ID, STRING, "The national identification number for the dealership,
DEALER_NEW,DealerActiveAgenda,DealerActiveAgenda,STRING,Indicator of whether the dealership is currently
DEALER_NEW, Dealer Mobile Service, Dealer Mobile Service, STRING, "Indicator of whether the dealership provides n
DEALER_NEW,DealerGroupCode,DealerGroupCode,INT64,Identifier code for the main or parent dealership in a d
DEALER_NEW, Dealer Group Name, Dealer Group Name, STRING, "The name of the group or collective the dealershi
DEALER_NEW, Dealer Franchise, Dealer Franchise, STRING, The associated franchise or brand the dealership repre
DEALER NEW, Dealer Vehicle Division Code, Dealer Vehicle Division Code, INT64, "The specific division or department
DEALER_NEW, Dealer Vehicle Division, Dealer Vehicle Division, STRING, "The specific division or departmental classi
DEALER_NEW, Region, Region, STRING, "A broader geographical area or market region where the dealership is loc
DEALER_NEW,RegionConsultant,RegionConsultant,STRING,The name or identifier of the regional consultant or r
DEALER NEW, Region Consultant Email, Region Consultant Email, STRING, Email of Region Consultant
DEALER_NEW, RegionServiceCode, RegionServiceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by Ford's serviceCode, INT64, Code of the Region as established by the Region as established by For
DEALER_NEW,RegionServiceName,RegionServiceName,STRING,Name of the Region as established by Ford's s
DEALER_NEW, RegionServiceManager, RegionServiceManager, STRING, The name or identifier of the regional ma
DEALER_NEW, Sails Region, Sails Region, STRING, Region Name as established by the Sails team.
DEALER_NEW, Dealer Street, Dealer Street, STRING, "The street address for the dealership, providing a precise local
```

DEALER\_NEW,DealerZIPCode,DealerZIPCode,STRING,"The postal code for the dealership's location, used for mDEALER\_NEW,DealerZoneOrState,DealerZoneOrState,STRING,"The state, province, or region where the dealers DEALER\_NEW,DealerAddressLatitude,DealerAddressLatitude,STRING,The geographical latitude coordinate of the DEALER\_NEW,DealerAddressLongitude,DealerAddressLongitude,STRING,The geographical longitude coordinate

DEALER\_NEW,DistinctMechanics,DistinctMechanics,NUMERIC,Count of Active Dealer Mechanics in the last 3 mc DEALER\_NEW,DistinctConsultants,DistinctConsultants,NUMERIC,Count of Active Dealer Consultants in the last 3 DEALER\_NEW,DealerCreateDate,DealerCreateDate,TIMESTAMP,Date and time when the dealership record was

DEALER\_NEW, Dealer City Or District, Dealer City Or District, STRING,

DEALER\_NEW,ServiceBoxes,ServiceBoxes,NUMERIC,Amount of Dealers garages

DEALER\_ACTIVE, Dealer Vehicle Division, Dealer Vehicle Division, STRING, "The specific division or departmental cla DEALER\_ACTIVE, Region, Region, STRING, "A broader geographical area or market region where the dealership is

```
DEALER_NEW,DealerLastUpdateDate,DealerLastUpdateDate,TIMESTAMP,Date and time when the dealership redealer_NEW,CP,CP,STRING,Additional Postal Code for Dealers in Argentina DEALER_NEW,ServiceCreationDate,ServiceCreationDate,TIMESTAMP,Date and time when the row was created DEALER_NEW,RefinedDate,RefinedDate,DATETIME,Date and time when the table was last updated. DEALER_NEW,DealerCity,DealerCity,STRING,The city or locality where the dealership is situated. FILL_RATE,Grupo,Grupo,STRING, FILL_RATE,POPIMS_SESP,POPIMS_SESP,STRING,FILL_RATE,ITEM_STATUS,ITEM_STATUS,STRING,FILL_RATE,COUNTRY,COUNTRY,STRING,FILL_RATE,ORDER_TYPE,ORDER_TYPE,STRING,FILL_RATE,CREATE_DATE_DATE_DATE_ORDER_REAL,DATE,FILL_RATE,RecebidosTotal,RecebidosTotal,INT64,FILL_RATE,Recebidos,Recebidos,INT64,FILL_RATE,Recebidos,NaoAtendido,INT64,FILL_RATE,NaoAtendido,NaoAtendido,INT64,FILL_RATE,NaoAtendido,NaoAtendido,INT64,FILL_RATE,NaoAtendido,NaoAtendido,INT64,FILL_RATE,NaoAtendido,NaoAtendido,INT64,FILL_RATE,NaoAtendido,NaoAtendido,INT64,FILL_RATE,NaoAtendido,NaoAtendido,INT64,FILL_RATE,NaoAtendido,NaoAtendido,INT64,FILL_RATE,NaoAtendido,NaoAtendido,INT64,FILL_RATE,NaoAtendido,NaoAtendido,INT64,FILL_RATE,NaoAtendido,NaoAtendido,INT64,FILL_RATE,NaoAtendido,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,NaoAtendido,INT64,FILL_RATE,Nao
```

FILL\_RATE,MODELOS,MODELOS,STRING,

FILL\_RATE, Atendidos, Atendidos, INT64, FILL RATE, BUYER, BUYER, STRING,

FILL\_RATE,INPROGRESS\_STKD8\_BC,INPROGRESS\_STKD8\_BC,INT64,

FILL RATE, BO, BO, INT 64,

FILL\_RATE,OD,OD,INT64,

FILL\_RATE, SUPERSESSION\_COMP, SUPERSESSION\_COMP, STRING,

FILL\_RATE, LEAD\_TIME, LEAD\_TIME, INT64,

FILL\_RATE,MIN\_PURCHASE,MIN\_PURCHASE,INT64,

FILL\_RATE, UNITY\_OF\_SUPPLY, UNITY\_OF\_SUPPLY, INT64,

FILL\_RATE, MEDIA, MEDIA, FLOAT64,

FILL\_RATE,TOTAL\_TRANSF\_D2,TOTAL\_TRANSF\_D2,INT64,

FILL\_RATE,TOTAL\_TRANSF\_D8,TOTAL\_TRANSF\_D8,INT64,

FILL RATE, TOTAL TRANSF D5, TOTAL TRANSF D5, INT64,

INVENTORY, COUNTRY, COUNTRY, STRING, Country

INVENTORY, WAREHOUSE\_NAME, WAREHOUSE\_NAME, STRING, Warehouse name

INVENTORY, WAREHOUSE\_CITY, WAREHOUSE\_CITY, STRING, Warehouse city

INVENTORY, GSPN\_PN, GSPN\_PN, STRING, "Global Service part Number (by the initial load, this is not the Global INVENTORY, POPIMS\_PART\_NUMER, POPIMS\_PART\_NUMER, STRING, POPIMS part number as is in POPIMS INVENTORY, POPIMS SESP, POPIMS SESP, STRING, POPIMS part number as is in POPIMS database but with a

INVENTORY, ENG\_BRA\_PART\_NUMBER, ENG\_BRA\_PART\_NUMBER, STRING, PR Part number (PREFIX BASE INVENTORY, ENG\_ARG\_PART\_NUMBER, ENG\_ARG\_PART\_NUMBER, STRING, PERFIT Engineer part number (PREFIX BASE).

INVENTORY,PCII\_PART\_NUMBER,PCII\_PART\_NUMBER,STRING,PCII part number (PREFIX BASE SUFFIX)

INVENTORY, PART\_DESCRIPTION, PART\_DESCRIPTION, STRING, Long description

INVENTORY, PART\_DESCRIPTION\_EN, PART\_DESCRIPTION\_EN, STRING, Long description (EN)

INVENTORY, PART\_CLASS, PART\_CLASS, STRING, Part class

INVENTORY, PART\_NUMBER\_ACTIVE, PART\_NUMBER\_ACTIVE, STRING, "Flag indicating the Active Status of the status of the

INVENTORY, SUPPLIER\_CODE, SUPPLIER\_CODE, STRING, Supplier code

INVENTORY, SUPPLIER\_NAME, SUPPLIER\_NAME, STRING, Supplier name

INVENTORY, UNITY\_OF\_ISSUE\_VALUE, UNITY\_OF\_ISSUE\_VALUE, NUMERIC, Unit issue value

INVENTORY,ITEM\_BLOCKED\_CAF,ITEM\_BLOCKED\_CAF,STRING,"Indicate if others has blocked or unblocked INVENTORY,QTT\_BLOCKED\_CAF,QTT\_BLOCKED\_CAF,INT64,Quantity reserved.

INVENTORY, TOTAL\_REPLACEMENT\_COST, TOTAL\_REPLACEMENT\_COST, FLOAT64, "Last Total Replaceme

INVENTORY, STATUS, STATUS, STRING, Status label.

INVENTORY, LOCATION\_NAME, LOCATION\_NAME, STRING, Location code

INVENTORY, WAREHOUSE\_LOCATION\_TYPE\_CODE, WAREHOUSE\_LOCATION\_TYPE\_CODE, STRING, Local INVENTORY, WAREHOUSE LOCATION TYPE NAME, WAREHOUSE LOCATION TYPE NAME, STRING, Local INVENTORY, WAREHOUSE LOCATION TYPE NAME, WAREHOUSE LOCATION TYPE NAME,

INVENTORY, WAREHOUSE\_ZONE, WAREHOUSE\_ZONE, STRING, Zone name

INVENTORY, STOCK\_TYPE\_CODE, STOCK\_TYPE\_CODE, STRING, Type of stock for this part at this location.

INVENTORY, STOCK\_TYPE\_NAME, STOCK\_TYPE\_NAME, STRING, Stock type name.

INVENTORY, HAZARDOUS\_NAME, HAZARDOUS\_NAME, STRING, Hazardous name.

INVENTORY, SELREV, SELREV, STRING, Selected to be reviewed.

INVENTORY, CASE\_TYPE, CASE\_TYPE, STRING, Case type code.

INVENTORY, START\_DATE\_USAGE, START\_DATE\_USAGE, DATE, Start Date Usage

INVENTORY, END\_DATE\_USAGE, END\_DATE\_USAGE, DATE, End Date Usage

INVENTORY, CURVE\_LOGISTIC, CURVE\_LOGISTIC, STRING, ABC Curve Logistic

INVENTORY, CURVE\_LOGISTIC\_VALUE, CURVE\_LOGISTIC\_VALUE, STRING, ABC Curve based in the selling value.

INVENTORY, CURVE\_LOGISTIC\_MOVIMENT, CURVE\_LOGISTIC\_MOVIMENT, STRING, XYZ cost curve

INVENTORY,FIRST\_DATE\_STOCKED,FIRST\_DATE\_STOCKED,DATE,First date stocked

INVENTORY, LAST\_SOLD\_DATE, LAST\_SOLD\_DATE, DATE, Last sold date

INVENTORY,LAST\_RECEIVED\_DATE,LAST\_RECEIVED\_DATE,DATE,Last received date

INVENTORY,REAL\_EFFECTIVE\_PART\_COUNT,REAL\_EFFECTIVE\_PART\_COUNT,DATE,Real effective date w INVENTORY,TIMES\_PART\_COUNTED,TIMES\_PART\_COUNTED,INT64,Amount of times that this part was counted. INVENTORY,CURRENT\_PART\_WAREHOUSE,CURRENT\_PART\_WAREHOUSE,FLOAT64,Current forecast for INVENTORY,MINIMUM\_DAYS\_PART\_IN\_WAREHOUSE,MINIMUM\_DAYS\_PART\_IN\_WAREHOUSE,INT64,MinINVENTORY,LAST\_DATE\_TO\_COUNT,LAST\_DATE\_TO\_COUNT,DATE,"Last date indicated by the system to perform the substant of the system to perform the system than the system the system than t

INVENTORY, END\_OF\_PERIOD, END\_OF\_PERIOD, STRING, EOP (end of period) Curve ABC.

INVENTORY, MINIMUM\_LOCATION\_VOLUME, MINIMUM\_LOCATION\_VOLUME, INT64, Minimum location volume inventory, Maximum\_Location\_volume, Maximum\_Location\_volume, Inventory, Multiple\_Replanishment\_Quantity, Multiple\_Replanishment\_Quantity, Int64, Multiple\_Replanishment\_Quantity, Inventory, Amount\_times\_Location\_picking\_month, amount\_times\_Location\_picking\_mont inventory, Mount\_times\_Location\_replanished\_month, Mount\_times\_Location\_replanished inventory, Physical\_parts\_Location, Physical\_parts\_Location, Int64, "Amount of physical parts in Inventory, Logical\_parts\_allocated, Located, Located, Located, Int64, "Amount of parts already a Inventory, Quantity\_parts\_not\_allocated, Quantity\_parts\_not\_allocated, Int64, Parts\_received Inventory, Quantity\_parts\_counted\_during\_current\_year, Quantity\_parts\_counted\_during\_current\_durin

INVENTORY, COUNTING\_PROCESS, COUNTING\_PROCESS, BOOL, Flag that marks that the locations of a piece INVENTORY, SIMILAR PART, SIMILAR PART, INT64, Similar part

INVENTORY, MODEL\_PART, MODEL\_PART, STRING, "Model is for which model this part is assigned to (i.e.: Cars, INVENTORY, PART\_TYPE\_OF\_SOURCE, PART\_TYPE\_OF\_SOURCE, STRING, "Source is which type of source is INVENTORY, MATERIAL\_TYPE, MATERIAL\_TYPE, STRING, "Material type used for Argentina. I. E: '1 Rep. Para V INVENTORY, PRODUCT\_LINE, PRODUCT\_LINE, STRING, "Third position of the part class for Argentina. I.E: 'B - N INVENTORY, COMMERCIALIZED\_PART, COMMERCIALIZED\_PART, STRING, The way this part is commercialize INVENTORY, ORDERING, ORDERING, STRING, "Flag that indicate if this part for this subdivision can be ordered or INVENTORY, UNITY\_OF\_MEASURE, UNITY\_OF\_MEASURE, STRING, Size unity of measure.

INVENTORY, HEIGHT, HEIGHT, NUMERIC, Height

INVENTORY, WIDTH, WIDTH, NUMERIC, Width

INVENTORY, DEPTH, DEPTH, NUMERIC, Depth

INVENTORY, WEIGHT\_MEASURE, WEIGHT\_MEASURE, STRING, Weight unit of measure.

INVENTORY, WEIGHT, WEIGHT, NUMERIC, Weight

INVENTORY, COMMERCIAL\_UNITY, COMMERCIAL\_UNITY, STRING, The way this part is commercialized (i.e. 'PO INVENTORY, POPIMS\_CATEGORY, POPIMS\_CATEGORY, STRING, This maches wih Customer registry in order to INVENTORY, PILFERABLE, PILFERABLE, STRING, Flag that indicate if this part has a high rate of stealing or not. INVENTORY, PACKING\_CODE, PACKING\_CODE, STRING, Packing Code contains the code of the packing to pack

INVENTORY, PACKING\_CODE, PACKING\_CODE, STRING, Packing Code contains the code of the packing to pack INVENTORY, PACKING\_TYPE, PACKING\_TYPE, STRING, Packing type inform if this part is packed in the warehout INVENTORY, LOCAL\_MARKET\_LINE\_ITEM, LOCAL\_MARKET\_LINE\_ITEM, STRING, Local Market Line Item for a

INVENTORY, MARKET LINE ITEM, MARKET LINE ITEM, STRING, Market Line Item (Used by marketing).

INVENTORY, KIT, KIT, STRING, Flag that indicate if this part is a Kit or not

```
INVENTORY, STOCK_AVAILABILITY, STOCK_AVAILABILITY, STRING, Stock Availability
INVENTORY, PART_DISTRIBUTION_CODE, PART_DISTRIBUTION_CODE, STRING, "Field indicates the part distribution."
INVOICE, FRETE_CR, FRETE_CR, FLOAT64, Freight charges or costs associated with transportation
INVOICE, ADL_CSEQNO, ADL_CSEQNO, FLOAT64, Sequence number or identifier used for internal tracking or reference number or identifier used for internal tracking or reference number or identifier used for internal tracking or reference number or identifier used for internal tracking or reference number or identifier used for internal tracking or reference number or identifier used for internal tracking or reference number or identifier used for internal tracking or reference number or identifier used for internal tracking or reference number or identifier used for internal tracking or reference number or identifier used for internal tracking or reference number or identifier used for internal tracking or reference number or identifier used for internal tracking or reference number or identifier used for internal tracking or reference number or identifier used for internal tracking or identifier used for internal tracking in the intern
INVOICE, ADL SEQNO, ADL SEQNO, FLOAT64, Sequence number or identifier used for internal tracking or referen
INVOICE, ALTER_USER, ALTER_USER, STRING, Indicates the user who made the last alteration or update to the r
INVOICE, ALTERDTTM, ALTERDTTM, TIMESTAMP, The date and time when the record was last altered or updated
INVOICE, ATIND, ATIND, STRING, Indicates whether the transaction is active or inactive
INVOICE, AVISTA, AVISTA, STRING, Indicates if the payment is made upfront or on-sight
INVOICE, BASE_COFINS, BASE_COFINS, FLOAT 64, Base value for calculating COFINS tax
INVOICE, BASE_PIS, BASE_PIS, FLOAT64, Base value for calculating PIS tax
INVOICE, BASE_SUFRCO, BASE_SUFRCO, FLOAT64, Base value for calculating SUFRAMA-related tax or contribution of the contribution
INVOICE, BASE_SUFRPI, BASE_SUFRPI, FLOAT64, Base value for calculating SUFRAMA-related tax or contribution
INVOICE, BASE ICMS INV, BASE ICMS INV, FLOAT64, Base value for calculating ICMS tax on the invoice
INVOICE, BASE_ICMS_ITEM, BASE_ICMS_ITEM, FLOAT64, Base value for calculating ICMS tax on the item
INVOICE, BASE_ICMS_PR_INV_ITEM, BASE_ICMS_PR_INV_ITEM, FLOAT64, Base value for calculating ICMS tax
INVOICE, BASE ICMS PR INV, BASE ICMS PR INV, FLOAT64, Base value for calculating ICMS tax on the invoice.
INVOICE, BASE ICMSS INV, BASE ICMSS INV, FLOAT64, Base value for calculating ICMS-S tax on the invoice
INVOICE, BASE ICMSS ITEM, BASE ICMSS ITEM, FLOAT64, Base value for calculating ICMS-S tax on the item
INVOICE, BASE IPI INV, BASE IPI INV, FLOAT64, Base value for calculating IPI tax on the invoice
INVOICE, BASE_IPI_ITEM, BASE_IPI_ITEM, FLOAT64, Base value for calculating IPI tax on the item
INVOICE, BENEF FISC, BENEF FISC, STRING, Fiscal benefits or incentives
INVOICE, BLKDISC, BLKDISC, FLOAT64, Block discount or bulk discount applied
INVOICE, CAIXA POP, CAIXA POP, FLOAT 64, Internal code or identifier
INVOICE, CEST, CEST, FLOAT64, Internal code or identifier
INVOICE, CFO, CFO, STRING, Fiscal operation code
INVOICE, CISEN IPI, CISEN IPI, STRING, Indicates if the IPI tax is suspended or not
INVOICE, CLASS FISC, CLASS FISC, STRING, Fiscal classification code
INVOICE, COD ANP, COD ANP, STRING, Code related to transportation or carrier
INVOICE, COD CONT, COD CONT, FLOAT64, Code related to transportation or carrier contract
INVOICE, COD OBSERV, COD OBSERV, FLOAT64, Code for observation or remark
INVOICE,COD_ROTA,COD_ROTA,FLOAT64,Route code
INVOICE, COD_TRANS, COD_TRANS, STRING, Transportation company code
INVOICE, COMISSAO, COMISSAO, FLOAT64, Commission amount or percentage
INVOICE, CONT CARD, CONT CARD, STRING, Indicates if the transaction is related to a credit card
INVOICE, CONTA CR, CONTA CR, STRING, Account or cost center code
INVOICE, CONTENT, CONTENT, STRING, Additional content or remarks
INVOICE, CREATE USER, CREATE USER, STRING, Indicates the user who created the record
INVOICE, CST_COFINS, CST_COFINS, STRING, Tax situation code for COFINS
INVOICE.CST ICMS.CST ICMS.STRING.Tax situation code for ICMS
INVOICE, CST IPI, CST IPI, STRING, Tax situation code for IPI
INVOICE, CST_PIS, CST_PIS, STRING, Tax situation code for PIS
INVOICE, CUBAGEM, CUBAGEM, FLOAT 64, Volumetric weight or cubic volume
INVOICE, CURCODE, CURCODE, STRING, Currency code
INVOICE, CUST_MEDIO, CUST_MEDIO, FLOAT64, Average cost
INVOICE, CUST REP, CUST REP, FLOAT64, Representative cost
INVOICE, DELANO, DELANO, FLOAT64, Delivery year
INVOICE, DELMETH, DELMETH, STRING, Delivery method
INVOICE, DEN ESTRAN, DEN ESTRAN, STRING, Description of the item in foreign language
INVOICE, DEN_PORT, DEN_PORT, STRING, Description of the item in local language
INVOICE, DESCVSTA, DESCVSTA, FLOAT64, Cash discount amount
INVOICE, DESPE CR, DESPE CR, FLOAT64, Expense related to the transaction
INVOICE, DESPE SAS, DESPE SAS, FLOAT 64, Expense related to the transaction
INVOICE, DEST CGC, DEST CGC, STRING, Destination party's tax ID
```

```
INVOICE, DEST_CID, DEST_CID, STRING, Destination party's city
INVOICE, DEST_CODCI, DEST_CODCI, FLOAT64, Destination party's city code
INVOICE, DEST_IDIOMA, DEST_IDIOMA, STRING, Destination party's language
INVOICE, DEST_CPAIS, DEST_CPAIS, STRING, Destination party's country code
INVOICE, DEST_END, DEST_END, STRING, Destination party's address
INVOICE, DEST_ENDBA, DEST_ENDBA, STRING, Destination party's neighborhood or district
INVOICE, DEST_ENDCP, DEST_ENDCP, STRING, Destination party's additional address details
INVOICE, DEST_FONE, DEST_FONE, FLOAT64, Destination party's phone number
INVOICE, DEST INSC, DEST INSC, STRING, Destination party's inscription or registration number
INVOICE, DEST NOME, DEST NOME, STRING, Destination party's name
INVOICE, DEST_PAIS, DEST_PAIS, STRING, Destination party's country
INVOICE, DEST_PAISC, DEST_PAISC, FLOAT64, Destination party's country code
INVOICE, DEST UF, DEST UF, STRING, Destination party's state or province
INVOICE, DH PROT CRED, DH PROT CRED, TIMESTAMP, Date and time of credit release protocol
INVOICE, DISCRTE, DISCRTE, FLOAT 64, Discount rate
INVOICE,DT_CAN_CRED,DT_CAN_CRED,DATE,Date of credit cancellation
INVOICE, DT CANCEL, DT CANCEL, DATE, Date of cancellation
INVOICE, DH CREATE, DH CREATE, TIMESTAMP, Date and time of record creation
INVOICE, DT EMBARQ, DT EMBARQ, DATE, Shipment date
INVOICE,DT_EMC_FAT,DT_EMC_FAT,DATE,Invoice issuance date
INVOICE, DT ENV CRED, DT ENV CRED, DATE, Date of credit release
INVOICE, DT ENV NFE, DT ENV NFE, DATE, Date of Electronic Invoice (NF-e) transmission
INVOICE,DT GER DESP,DT GER DESP,DATE,Date of dispatch generation
INVOICE, DT HISTORICO, DT HISTORICO, DATE, Historical date
INVOICE, DT NFE CAN, DT NFE CAN, DATE, Date of NF-e cancellation
INVOICE,DT_NFE_INU,DT_NFE_INU,DATE,Date of NF-e cancellation or invalidation
INVOICE, DH NFE RETORN, DH NFE RETORN, TIMESTAMP, Date and time of NF-e return
INVOICE, DT NFISC, DT NFISC, DATE, Fiscal document or invoice date
INVOICE.DT PRV CRED.DT PRV CRED.DATE.Date of credit provision
INVOICE, DH UPDATE, DH UPDATE, TIMESTAMP, Date and time of record update
INVOICE, DT VENFIS, DT VENFIS, DATE, Fiscal document or invoice due date
INVOICE, DUTY_CODE, DUTY_CODE, STRING, Duty or tax code
INVOICE, EFET_EMBAR, EFET_EMBAR, DATE, Effective shipment date
INVOICE, EMB CONT, EMB CONT, STRING, Indicates if the shipment is containerized or not
INVOICE, EMBAL CR, EMBAL CR, FLOAT64, Packaging charges or costs
INVOICE, EMBALAGEM, EMBALAGEM, FLOAT64, Packaging charges or costs
INVOICE, EMBARQ LOC, EMBARQ LOC, STRING, Shipment origin location
INVOICE, EMBARQ UF, EMBARQ UF, STRING, Shipment origin state
INVOICE, EMT_CEP, EMT_CEP, STRING, Shipper or consignor's ZIP or postal code
INVOICE.EMT CGC.EMT CGC.STRING.Shipper or consignor's tax ID
INVOICE, EMT CID, EMT CID, STRING, Shipper or consignor's city
INVOICE, EMT CODCID, EMT CODCID, FLOAT64, Shipper or consignor's city code
INVOICE, EMT CPAIS, EMT CPAIS, FLOAT 64, Shipper or consignor's country code
INVOICE, EMT ENDBAI, EMT ENDBAI, STRING, Shipper or consignor's neighborhood or district
INVOICE, EMT_ENDCPL, EMT_ENDCPL, STRING, Shipper or consignor's additional address details
INVOICE, EMT ENDER, EMT ENDER, STRING, Shipper or consignor's address
INVOICE, EMT FONE, EMT FONE, FLOAT 64, Shipper or consignor's phone number
INVOICE, EMT IE ST, EMT IE ST, STRING, Shipper or consignor's state inscription or registration number
INVOICE, EMT INSC, EMT INSC, STRING, Shipper or consignor's inscription or registration number
INVOICE,EMT_NOME,EMT_NOME,STRING,Shipper or consignor's name
INVOICE, EMT PAIS, EMT PAIS, STRING, Shipper or consignor's country
INVOICE, EMT UF, EMT UF, STRING, Shipper or consignor's state or province
INVOICE.FATCOFINS.FATCOFINS.FLOAT64.Factor or rate for calculating COFINS tax
INVOICE, FATPIS, FATPIS, FLOAT64, Factor or rate for calculating PIS tax
```

```
INVOICE,FCI_CODE,FCI_CODE,STRING,Internal code related to the transaction
INVOICE,FCI_PERC,FCI_PERC,FLOAT64,Percentage related to the transaction
INVOICE, FECP_BAS, FECP_BAS, FLOAT64, Base value for a specific tax or fee (FECP)
INVOICE, FECP_POR, FECP_POR, FLOAT64, Percentage or rate for a specific tax or fee (FECP)
INVOICE, FECP_REC, FECP_REC, FLOAT64, Amount received or charged for a specific tax or fee (FECP)
INVOICE,FLPL_DTSTM,FLPL_DTSTM,FLOAT64,Internal flag or indicator
INVOICE, FLPL FLG, FLPL FLG, STRING, Internal flag or indicator
INVOICE, FRETE, FRETE, FLOAT 64, Freight or transportation charges
INVOICE, HEIGHT BOX, HEIGHT BOX, FLOAT64, Height dimension of the packaging box
INVOICE, HEIGHT_PART, HEIGHT_PART, FLOAT64, Height dimension of the item itself
INVOICE, ICMS, ICMS, FLOAT64, ICMS (State VAT) tax value
INVOICE,ICMS_ST,ICMS_ST,FLOAT64,ICMS (State VAT) tax value for interstate transactions
INVOICE, IDENTRANS, IDENTRANS, STRING, Identification code for the transportation company
INVOICE, IND ESCALA, IND ESCALA, STRING, Indicates if the shipment involves multiple stops or scales
INVOICE, IPI_DEV, IPI_DEV, FLOAT64, IPI (Federal VAT) tax amount to be returned or credited
INVOICE, ISSUE CEP, ISSUE CEP, STRING, Issuer or billing party's ZIP or postal code
INVOICE, ISSUE CID, ISSUE CID, STRING, Issuer or billing party's city
INVOICE, ISSUE END, ISSUE END, STRING, Issuer or billing party's address
INVOICE, ISSUE NAME, ISSUE NAME, STRING, Issuer or billing party's name
INVOICE, ISSUE PAIS, ISSUE PAIS, STRING, Issuer or billing party's country
INVOICE,ISSUE_UF,ISSUE_UF,STRING,Issuer or billing party's state or province
INVOICE,ITEM FISC,ITEM FISC,STRING,Fiscal item code or identifier
INVOICE, JUROS, JUROS, FLOAT64, Interest charges or fees
INVOICE, LENGTH BOX, LENGTH BOX, FLOAT64, Length dimension of the packaging box
INVOICE, LENGTH PART, LENGTH PART, FLOAT64, Length dimension of the item itself
INVOICE,LL_DTENTR,LL_DTENTR,DATE,Date related to inbound or entry transaction
INVOICE, LL NFENTR, LL NFENTR, FLOAT64, Number related to inbound or entry transaction
INVOICE,LOC99,LOC99,STRING,Internal location code
INVOICE, MARCA NR. MARCA NR. STRING, Brand or trademark number
INVOICE, MENSAGEM, MENSAGEM, STRING, Message or remarks related to the transaction
INVOICE, MOD EXPORT, MOD EXPORT, STRING, Export modality code
INVOICE, MOD NFE, MOD NFE, STRING, Electronic Invoice (NF-e) modality code
INVOICE, MODBC ICMS, MODBC ICMS, FLOAT64, Tax base calculation modality for ICMS tax
INVOICE, MODBC ICSS, MODBC_ICSS, FLOAT64, Tax base calculation modality for ICSS tax
INVOICE, MOTIVO_CANC_NFE, MOTIVO_CANC_NFE, STRING, Reason code for NF-e cancellation
INVOICE, NALADI, NALADI, STRING, NALADI (National Association of Import and Export Directors) code
INVOICE,ND_NCAIXA,ND_NCAIXA,FLOAT64,Box or container number
INVOICE, NET WEIGHT PART, NET WEIGHT PART, FLOAT64, Net weight of the item itself
INVOICE,NET_WEIGHT_BOX,NET_WEIGHT_BOX,FLOAT64,Net weight of the packaging box
INVOICE.NF STATUS.NF STATUS.STRING.Status code related to the fiscal document or invoice
INVOICE,NF STATUS CR,NF STATUS CR,STRING,Status code related to the fiscal document or invoice
INVOICE, NFE FLG, NFE FLG, STRING, Flag or indicator related to the Electronic Invoice (NF-e)
INVOICE,NFE ID,NFE ID,STRING,Unique identifier for the NF-e
INVOICE,NFE SEQ,NFE SEQ,INT64,Sequence number for the NF-e
INVOICE,NFE_STATUS,NFE_STATUS,STRING,Status code for the NF-e
INVOICE, NFISCORIG, NFISCORIG, FLOAT64, Original fiscal document or invoice number
INVOICE, NOME TRANS, NOME TRANS, STRING, Name of the transportation company
INVOICE,NR_ADVICE,NR_ADVICE,FLOAT64,Reference number related to advice
INVOICE,NR CARGA,NR CARGA,FLOAT64,Reference number related to cargo
INVOICE,NR_CON_EMB,NR_CON_EMB,FLOAT64,Reference number related to containers
INVOICE, NR CONTAINER, NR CONTAINER, FLOAT64, Reference number related to containers
INVOICE,NR CT DEBITO,NR CT DEBITO,FLOAT64,Reference number related to debit notes
INVOICE.NR DEALER.NR DEALER.STRING.Reference number related to dealers
INVOICE, NR DESP ANT, NR DESP ANT, FLOAT64, Previous dispatch or clearance number
```

```
INVOICE,NR_END_DEST,NR_END_DEST,STRING,Address number for the destination party
INVOICE,NR_END_EMIT,NR_END_EMIT,STRING,Address number for the shipper party
INVOICE,NR_GUI_EXP,NR_GUI_EXP,STRING,Export guide number
INVOICE,NR NF,NR NF,FLOAT64,Fiscal document or invoice number
INVOICE,NR_PECA,NR_PECA,STRING,Part number
INVOICE,NR PECA IMPOR,NR PECA IMPOR,STRING,Imported part number
INVOICE, ORDERED_PARTNO, ORDERED_PARTNO, STRING,
INVOICE,NR PED IMP,NR PED IMP,STRING,Import order number
INVOICE,NR_PED_POPIMS,NR_PED_POPIMS,FLOAT64,Internal order number
INVOICE,NR_PED_RET,NR_PED_RET,STRING,Return order number
INVOICE,NR_SEQ_ITEM,NR_SEQ_ITEM,FLOAT64,Sequence number for the item or line item
INVOICE,NR SETOR,NR SETOR,FLOAT64,Internal sector or department number
INVOICE, NR WAREHOUSE, NR WAREHOUSE, STRING, Warehouse or storage location code
INVOICE, ORIG, ORIG, FLOAT64, "Origin indicator, possibly related to the product's country of origin"
INVOICE, ORIG NAC, ORIG NAC, STRING, "Origin indicator, possibly related to the product's country of origin"
INVOICE, PAIS ORIG, PAIS ORIG, STRING, Country of origin code
INVOICE, PART ARANC, PART ARANC, STRING, Part tariff code
INVOICE, PART CLASS, PART CLASS, STRING, Part classification
INVOICE, PLACA CAMI, PLACA CAMI, STRING, Vehicle license plate number
INVOICE, PMVA_ST, PMVA_ST, FLOAT64, PMVA (Value-Added Profit Margin) for state taxes
INVOICE, POR ICMS, POR ICMS, FLOAT64, Percentage rate for ICMS tax
INVOICE, POR IPI, POR IPI, FLOAT64, Percentage rate for IPI tax
INVOICE, PRAZO PAG, PRAZO PAG, FLOAT 64, Payment term or due date
INVOICE, PRCADJ, PRCADJ, FLOAT64, Price adjustment factor
INVOICE, PREC_CON_DEALER, PREC_CON_DEALER, FLOAT64, Dealer price
INVOICE, PREC ITEM POPIMS, PREC ITEM POPIMS, FLOAT64, Item price from internal system
INVOICE, PREC ITEM VR, PREC ITEM VR, FLOAT64, Item price
INVOICE.PREC PUBLICO.PREC PUBLICO.FLOAT64.Public or list price
INVOICE, PREC TOTAL, PREC TOTAL, FLOAT64, Total price
INVOICE, PREDBC_ICM, PREDBC_ICM, FLOAT64, Tax base value for ICMS tax
INVOICE,PREDBC_ISS,PREDBC_ISS,FLOAT64,Tax base value for ISS tax
INVOICE, PREV_EMBAR, PREV_EMBAR, DATE, Estimated or planned shipment date
INVOICE, PROT AUT SEFAZ, PROT AUT SEFAZ, FLOAT64, Authorization protocol or number from tax authority
INVOICE, PROT CANC SEFAZ, PROT CANC SEFAZ, FLOAT64, Cancellation protocol or number from tax author
INVOICE, PROT LIB CRED, PROT LIB CRED, FLOAT64, Credit release protocol or number
INVOICE, QUANTIDADE, QUANTIDADE, FLOAT64, Quantity ordered
INVOICE, QUANTIDADE DEVOLVIDA, QUANTIDADE DEVOLVIDA, FLOAT64, Quantity returned or credited
INVOICE, QUANTIDADE_TRIB, QUANTIDADE_TRIB, FLOAT64, Taxable quantity
INVOICE.REC ICMSS INV ITEM.REC ICMSS INV ITEM.FLOAT64.ICMS-S tax value for the item
INVOICE, REC ICMSS INV, REC ICMSS INV, FLOAT64, ICMS-S tax value for the invoice
INVOICE, REF EMBAL, REF EMBAL, STRING, Reference or code for the packaging type or material
INVOICE, REG DEALER, REG DEALER, STRING, Dealer registration code or number
INVOICE, SEGUR_CR, SEGUR_CR, FLOAT64, Insurance charges or costs
INVOICE, SEGURO, SEGURO, FLOAT 64, Insurance charges or costs
INVOICE, SEQ PART BOX, SEQ PART BOX, FLOAT64, Sequence number for parts within a box or container
INVOICE, SERIE, SERIE, FLOAT64, Series or batch number for the document
INVOICE, SERIE_ORG, SERIE_ORG, FLOAT64, Series or batch number for the original document
INVOICE, SIT TRIB, SIT TRIB, STRING, Tax situation code
INVOICE, SIT_TRIB_N, SIT_TRIB_N, STRING, Tax situation code
INVOICE, SOBRE TAXA, SOBRE TAXA, FLOAT64, Surcharge or additional tax rate
INVOICE,ST EMBARQ,ST EMBARQ,STRING,Shipment status code
INVOICE, STATUS DESP, STATUS DESP, STRING, Dispatch status code
INVOICE, STATUS NF DESP, STATUS NF DESP, STRING, Invoice dispatch status code
```

INVOICE,NR\_DESPACHO,NR\_DESPACHO,FLOAT64,Current dispatch or clearance number

```
INVOICE, STATUS_ENV, STATUS_ENV, STRING, Transmission status code
INVOICE, STATUS_EXP, STATUS_EXP, STRING, Export status code
INVOICE, STATUS_GOV, STATUS_GOV, FLOAT64, Government clearance status code
INVOICE, STATUS ICMS, STATUS ICMS, STRING, ICMS tax status code
INVOICE, STAUS_PACKING, STAUS_PACKING, STRING, Packing status code
INVOICE, SUFR COFINS, SUFR COFINS, FLOAT64, COFINS tax amount for the Manaus Free Trade Zone (SUFR
INVOICE, SUFR_PIS, SUFR_PIS, FLOAT64, PIS tax amount for the Manaus Free Trade Zone (SUFRAMA)
INVOICE, SUFRAMA, SUFRAMA, STRING, SUFRAMA (Manaus Free Trade Zone) code or identifier
INVOICE, TAX CAMBIAL, TAX CAMBIAL, FLOAT64, Exchange rate used for currency conversion
INVOICE, TIP EMB, TIP EMB, STRING, Shipment type code
INVOICE, TIP_FRETE, TIP_FRETE, STRING, Freight type code
INVOICE, TIP_MERC, TIP_MERC, STRING, Merchandise type code
INVOICE, TIP ORDERED, TIP ORDERED, FLOAT 64, Order type code
INVOICE, TIPO_PAG, TIPO_PAG, FLOAT64, Payment type code
INVOICE, TOTAL FECP, TOTAL FECP, FLOAT64, Total FECP tax amount
INVOICE, TOTAL ITEM, TOTAL ITEM, FLOAT64, Total number of items
INVOICE, TOTAL NF, TOTAL NF, FLOAT64, Total invoice amount
INVOICE, TRANS CID, TRANS CID, STRING, Transportation company's city
INVOICE, TRANS_CNPJ, TRANS_CNPJ, FLOAT64, Transportation company's tax ID
INVOICE, TRANS_ENDE, TRANS_ENDE, STRING, Transportation company's address
INVOICE, TRANS IE, TRANS IE, STRING, Transportation company's inscription or registration number
INVOICE, TRANS UF, TRANS UF, STRING, Transportation company's state or province
INVOICE, UNID COMER, UNID COMER, STRING, Commercial unit of measure
INVOICE, USER, USER, STRING, User code or identifier
INVOICE, UTRIB, UTRIB, STRING, Taxable unit code
INVOICE, VAL COFINS, VAL COFINS, FLOAT64, Value for COFINS tax
INVOICE, VAL JUROS, VAL JUROS, FLOAT64, Value for interest charges or fees
INVOICE, VAL PIS, VAL PIS, FLOAT64, Value for PIS tax
INVOICE, VAL SUFRCO, VAL SUFRCO, FLOAT64, Value for SUFRAMA-related tax or contribution
INVOICE, VAL SUFRPI, VAL SUFRPI, FLOAT64, Value for SUFRAMA-related tax or contribution
INVOICE, VATIND, VATIND, STRING, VAT indicator or flag
INVOICE, VL_COFINS, VL_COFINS, FLOAT64, Monetary value for COFINS tax
INVOICE, VL ICMS, VL ICMS, FLOAT64, Monetary value for ICMS tax
INVOICE, VL ICMS DEV, VL ICMS DEV, FLOAT64, Monetary value for ICMS tax to be returned or credited
INVOICE, VL ICMS PR, VL ICMS PR, FLOAT64, Monetary value for ICMS tax
INVOICE, VL_ICMS_SP, VL_ICMS_SP, FLOAT64, Monetary value for ICMS tax
INVOICE, VL ICMSS, VL ICMSS, FLOAT64, Monetary value for ICMS-S tax
INVOICE, VL_ICMSS_PART, VL_ICMSS_PART, FLOAT64, Monetary value for ICMS-S tax on the item
INVOICE.VL IPI.VL IPI.FLOAT64.Monetary value for IPI tax
INVOICE, VL IPI DEVOLVIDO, VL IPI DEVOLVIDO, FLOAT64, Monetary value for IPI tax to be returned or credite
INVOICE, VL ISEN ICMS, VL ISEN ICMS, FLOAT64, Monetary value for ICMS tax exemption
INVOICE, VL_ISEN_IPI, VL_ISEN_IPI, FLOAT64, Monetary value for IPI tax exemption
INVOICE, VL_ISENT_ICMS, VL_ISENT_ICMS, FLOAT64, Monetary value for ICMS tax exemption on the item
INVOICE, VL_ISENT_IPI, VL_ISENT_IPI, FLOAT64, Monetary value for IPI tax exemption on the item
INVOICE, VL ITEM POPIMS, VL ITEM POPIMS, FLOAT64, Monetary value of the item from internal system
INVOICE, VL ITEM VR, VL ITEM VR, FLOAT 64, Monetary value of the item
INVOICE, VL JUROS, VL JUROS, FLOAT64, Monetary value for interest charges or fees
INVOICE, VL LIB FAT CRED, VL LIB FAT CRED, FLOAT64, Monetary value for credit release related to invoicing
INVOICE, VL_PIS, VL_PIS, FLOAT64, Monetary value for PIS tax
INVOICE, VL RES, VL RES, FLOAT64, Monetary value for a reserved or specific purpose
INVOICE, VL RURV, VL RURV, FLOAT64, Monetary value related to rural operations or activities
INVOICE, VL SUSP ICMS, VL SUSP ICMS, FLOAT64, Monetary value for suspended ICMS tax
INVOICE, VL_SUSP_IPI, VL_SUSP_IPI, FLOAT64, Monetary value for suspended IPI tax
```

INVOICE, STATUS\_DT\_COM, STATUS\_DT\_COM, STRING, Status code related to commerce or trade

```
INVOICE, VL_TOTAL_NF, VL_TOTAL_NF, FLOAT64, Total monetary value for the invoice
INVOICE, VL TOTAL_SUSP_ICMS, VL_TOTAL_SUSP_ICMS, FLOAT64, Total monetary value for suspended ICMS
INVOICE, VL_TOTAL_SUSP_IPI, VL_TOTAL_SUSP_IPI, FLOAT64, Total monetary value for suspended IPI tax
INVOICE, VL_WIP_ITEM, VL_WIP_ITEM, FLOAT64, Monetary value of the work-in-progress item
INVOICE, WEIGHT_GROSS_BOX, WEIGHT_GROSS_BOX, FLOAT64, Gross weight of the packaging box
INVOICE, WEIGHT_GROSS_PART, WEIGHT_GROSS_PART, FLOAT64, Gross weight of the item itself
INVOICE, WIDTH_BOX, WIDTH_BOX, FLOAT64, Width dimension of the packaging box
INVOICE, WIDTH_PART, WIDTH_PART, FLOAT64, Width dimension of the item itself
INVOICE_NEW, Freight Charges, Freight Charges, FLOAT64, Freight charges or costs associated with transportation
INVOICE_NEW,Freight,Freight,FLOAT64,Freight or transportation charges
INVOICE NEW, Freight Type, Freight Type, STRING, Freight type code
INVOICE_NEW,RouteCode,RouteCode,FLOAT64,Route code
INVOICE NEW, CarrierCode, CarrierCode, STRING, Transportation company code
INVOICE NEW, Carrierld, Carrierld, STRING, Identification code for the transportation company
INVOICE NEW, CarrierName, CarrierName, STRING, Name of the transportation company
INVOICE NEW, CarrierTaxId, CarrierTaxId, FLOAT64, Transportation company's tax ID
INVOICE NEW, Carrier Address, Carrier Address, STRING, Transportation company's address
INVOICE_NEW, CarrierCity, CarrierCity, STRING, Transportation company's city
INVOICE NEW, CarrierState, CarrierState, STRING, Transportation company's state or province
INVOICE NEW, CarrierRegistration, CarrierRegistration, STRING, Transportation company's inscription or registration
INVOICE NEW, Shipment Date, Shipment Date, DATE, Shipment date
INVOICE NEW, Effective Shipment Date, Effective Shipment Date, DATE, Effective shipment date
INVOICE_NEW, Estimated Shipment Date, Estimated Shipment Date, DATE, Estimated or planned shipment date
INVOICE NEW, Shipment Status, Shipment Status, STRING, Shipment status code
INVOICE NEW, ShipmentType, ShipmentType, STRING, Shipment type code
INVOICE NEW, Containerized Shipment, Containerized Shipment, STRING, Indicates if the shipment is containerized
INVOICE NEW, MultiStopIndicator, MultiStopIndicator, STRING, Indicates if the shipment involves multiple stops or s
INVOICE NEW, Shipment OriginLocation, Shipment OriginLocation, STRING, Shipment origin location
INVOICE_NEW, Shipment OriginState, Shipment OriginState, STRING, Shipment origin state
INVOICE_NEW,Packaging,Packaging,FLOAT64,Packaging charges or costs
INVOICE NEW, Packaging Charges, Packaging Charges, FLOAT64, Packaging charges or costs
INVOICE NEW, Packaging Reference, Packaging Reference, STRING, Reference or code for the packaging type or n
INVOICE NEW, BoxHeight, BoxHeight, FLOAT64, Height dimension of the packaging box
INVOICE_NEW,BoxLength,BoxLength,FLOAT64,Length dimension of the packaging box
INVOICE NEW, BoxWidth, BoxWidth, FLOAT64, Width dimension of the packaging box
INVOICE_NEW,BoxGrossWeight,BoxGrossWeight,FLOAT64,Gross weight of the packaging box
INVOICE NEW, BoxNetWeight, BoxNetWeight, FLOAT64, Net weight of the packaging box
INVOICE NEW, VolumetricWeight, VolumetricWeight, FLOAT64, Volumetric weight or cubic volume
INVOICE NEW, Insurance Charges, Insurance Charges, FLOAT64, Insurance charges or costs
INVOICE_NEW,Insurance,Insurance,FLOAT64,Insurance charges or costs
INVOICE_NEW, ANPCode, ANPCode, STRING, Code related to transportation or carrier
INVOICE_NEW,ContractCode,ContractCode,FLOAT64,Code related to transportation or carrier contract
INVOICE NEW, ADLCSeqNo, ADLCSeqNo, FLOAT64, Sequence number or identifier used for internal tracking or re-
INVOICE NEW, ADLS eqNo, ADLS eqNo, FLOAT 64, Sequence number or identifier used for internal tracking or refer
INVOICE_NEW,TransitTimeDays,TransitTimeDays,FLOAT64,Internal flag or indicator
INVOICE NEW, Vehicle Plate, Vehicle Plate, STRING, Vehicle license plate number
INVOICE_NEW, Delivery Year, Delivery Year, FLOAT64, Delivery year
INVOICE NEW, Delivery Method, Delivery Method, STRING, Delivery method
INVOICE NEW, Issuer Zip Code, Issuer Zip Code, STRING, Issuer or billing party's ZIP or postal code
INVOICE NEW, IssuerCity, IssuerCity, STRING, Issuer or billing party's city
INVOICE NEW, Issuer Address, Issuer Address, STRING, Issuer or billing party's address
```

INVOICE, VL\_TOTAL, VL\_TOTAL, FLOAT64, Total monetary value

INVOICE, VL\_TOTAL\_ICMS, VL\_TOTAL\_ICMS, FLOAT64, Total monetary value for ICMS tax

INVOICE, VL\_TOTAL\_IPI, VL\_TOTAL\_IPI, FLOAT64, Total monetary value for IPI tax

```
INVOICE_NEW, IssuerName, IssuerName, STRING, Issuer or billing party's name
INVOICE_NEW, IssuerCountry, IssuerCountry, STRING, Issuer or billing party's country
INVOICE_NEW, IssuerState, IssuerState, STRING, Issuer or billing party's state or province
INVOICE_NEW, VatIndicator, VatIndicator, STRING, VAT indicator or flag
INVOICE NEW, DestinationName, DestinationName, STRING, Destination party's name
INVOICE_NEW, DestinationTaxId, DestinationTaxId, STRING, Destination party's tax ID
INVOICE NEW, Destination Address, Destination Address, STRING, Destination party's address
INVOICE_NEW, DestinationAddressDetails, DestinationAddressDetails, STRING, Destination party's additional addressDetails
INVOICE NEW, DestinationAddressNumber, DestinationAddressNumber, STRING, Address number for the destination
INVOICE_NEW, DestinationNeighborhood, DestinationNeighborhood, STRING, Destination party's neighborhood or of the control of t
INVOICE_NEW, DestinationCity, DestinationCity, STRING, Destination party's city
INVOICE_NEW, DestinationCityCode, DestinationCityCode, FLOAT64, Destination party's city code
INVOICE NEW, DestinationState, DestinationState, STRING, Destination party's state or province
INVOICE NEW, Destination Country, Destination Country, STRING, Destination party's country
INVOICE_NEW,DestinationCountryCode,DestinationCountryCode,STRING,Destination party's country code
INVOICE_NEW, DestinationCountryCode2, DestinationCountryCode2, FLOAT64, Destination party's country code
INVOICE NEW, Destination Language, Destination Language, STRING, Destination party's language
INVOICE NEW, Destination Phone, Destination Phone, FLOAT64, Destination party's phone number
INVOICE_NEW, DestinationRegistration, DestinationRegistration, STRING, Destination party's inscription or registrat
INVOICE_NEW, ShipperName, ShipperName, STRING, Shipper or consignor's name
INVOICE_NEW, ShipperTaxId, ShipperTaxId, STRING, Shipper or consignor's tax ID
INVOICE NEW, ShipperAddress, ShipperAddress, STRING, Shipper or consignor's address
INVOICE NEW, ShipperAddress Details, ShipperAddress Details, STRING, Shipper or consignor's additional address
INVOICE_NEW,ShipperAddressNumber,ShipperAddressNumber,STRING,Address number for the shipper party
INVOICE NEW, ShipperNeighborhood, ShipperNeighborhood, STRING, Shipper or consignor's neighborhood or dist
INVOICE_NEW, ShipperCity, ShipperCity, STRING, Shipper or consignor's city
INVOICE NEW, ShipperCityCode, ShipperCityCode, FLOAT64, Shipper or consignor's city code
INVOICE NEW, ShipperState, ShipperState, STRING, Shipper or consignor's state or province
INVOICE NEW, EmisorNFCountry, EmisorNFCountry, STRING, Shipper or consignor's country
INVOICE NEW, ShipperCountryCode, ShipperCountryCode, FLOAT64, Shipper or consignor's country code
INVOICE_NEW, ShipperZipCode, ShipperZipCode, STRING, Shipper or consignor's ZIP or postal code
INVOICE_NEW, ShipperPhone, ShipperPhone, FLOAT64, Shipper or consignor's phone number
INVOICE_NEW, ShipperRegistration, ShipperRegistration, STRING, Shipper or consignor's inscription or registration
INVOICE NEW, ShipperStateRegistration, ShipperStateRegistration, STRING, Shipper or consignor's state inscription
INVOICE NEW, Fiscal Doc Number, Fiscal Doc Number, FLOAT64, Fiscal document or invoice number
INVOICE NEW, Fiscal DocDate, Fiscal DocDate, DATE, Fiscal document or invoice date
INVOICE_NEW, Fiscal DocDueDate, Fiscal DocDueDate, DATE, Fiscal document or invoice due date
INVOICE NEW, FiscalItemCode, FiscalItemCode, STRING, Fiscal item code or identifier
INVOICE_NEW,FiscalOperationCode,FiscalOperationCode,STRING,Fiscal operation code
INVOICE NEW, Fiscal Classification, Fiscal Classification, STRING, Fiscal classification code
INVOICE NEW, Nfeld, Nfeld, STRING, Unique identifier for the NF-e
INVOICE NEW, NfeSequence, NfeSequence, INT64, Sequence number for the NF-e
INVOICE_NEW,NfeStatus,NfeStatus,STRING,Status code for the NF-e
INVOICE_NEW,NfeCancellationReason,NfeCancellationReason,STRING,Reason code for NF-e cancellation
INVOICE_NEW,NfeFlag,NfeFlag,STRING,Flag or indicator related to the Electronic Invoice (NF-e)
INVOICE NEW, NfeTransmissionDate, NfeTransmissionDate, DATE, Date of Electronic Invoice (NF-e) transmission
INVOICE NEW, NfeReturnDatetime, NfeReturnDatetime, TIMESTAMP, Date and time of NF-e return
INVOICE_NEW,NfeCancellationDate,NfeCancellationDate,DATE,Date of NF-e cancellation
INVOICE NEW, NfeInvalidationDate, NfeInvalidationDate, DATE, Date of NF-e cancellation or invalidation
INVOICE_NEW, NfeModality, NfeModality, STRING, Electronic Invoice (NF-e) modality code
INVOICE_NEW,FiscalDocStatus,FiscalDocStatus,STRING,Status code related to the fiscal document or invoice
INVOICE NEW, FiscalDocStatusCr, FiscalDocStatusCr, STRING, Status code related to the fiscal document or invoice
INVOICE NEW, Invoice Dispatch Status, Invoice Dispatch Status, STRING, Invoice dispatch status code
INVOICE NEW, Original Fiscal Doc, Original Fiscal Doc, FLOAT64, Original fiscal document or invoice number
```

```
INVOICE_NEW, Series, Series, FLOAT64, Series or batch number for the document
INVOICE_NEW, Original Series, Original Series, FLOAT64, Series or batch number for the original document
INVOICE_NEW,InvoiceIssuanceDate,InvoiceIssuanceDate,DATE,Invoice issuance date
INVOICE_NEW, TotalInvoiceAmount, TotalInvoiceAmount, FLOAT64, Total invoice amount
INVOICE NEW, Average Cost, Average Cost, FLOAT64, Average cost
INVOICE_NEW, RepresentativeCost, RepresentativeCost, FLOAT64, Representative cost
INVOICE NEW, Dealer Price, Dealer Price, FLOAT64, Dealer price
INVOICE_NEW, ItemPriceVr, ItemPriceVr, FLOAT64, Item price
INVOICE NEW, ItemPricePopims, ItemPricePopims, FLOAT64, Item price from internal system
INVOICE_NEW, Public Price, Public Price, FLOAT64, Public or list price
INVOICE_NEW, TotalPrice, TotalPrice, FLOAT64, Total price
INVOICE_NEW, PriceAdjustment, PriceAdjustment, FLOAT64, Price adjustment factor
INVOICE_NEW,CashDiscount,CashDiscount,FLOAT64,Cash discount amount
INVOICE NEW, Block Discount, Block Discount, FLOAT64, Block discount or bulk discount applied
INVOICE_NEW, DiscountRate, DiscountRate, FLOAT64, Discount rate
INVOICE_NEW,UpfrontPayment,UpfrontPayment,STRING,Indicates if the payment is made upfront or on-sight
INVOICE NEW, PaymentTerm, PaymentTerm, FLOAT64, Payment term or due date
INVOICE NEW, Payment Type, Payment Type, FLOAT 64, Payment type code
INVOICE_NEW,CurrencyCode,CurrencyCode,STRING,Currency code
INVOICE_NEW, Monetary CreditRelease, Monetary CreditRelease, FLOAT64, Monetary value for credit release related
INVOICE_NEW,BaseCofins,BaseCofins,FLOAT64,Base value for calculating COFINS tax
INVOICE NEW, BasePis, BasePis, FLOAT64, Base value for calculating PIS tax
INVOICE NEW, BaselcmsInv, BaselcmsInv, FLOAT64, Base value for calculating ICMS tax on the invoice
INVOICE_NEW, BaselcmsItem, BaselcmsItem, FLOAT64, Base value for calculating ICMS tax on the item
INVOICE NEW, BaselcmsPrInvItem, BaselcmsPrInvItem, FLOAT64, Base value for calculating ICMS tax on the item
INVOICE_NEW, BaseIcmsPrInv, BaseIcmsPrInv, FLOAT64, Base value for calculating ICMS tax on the invoice
INVOICE_NEW, BaselcmssInv, BaselcmssInv, FLOAT64, Base value for calculating ICMS-S tax on the invoice
INVOICE NEW, BaselcmssItem, BaselcmssItem, FLOAT64, Base value for calculating ICMS-S tax on the item
INVOICE NEW, Baselpilny, Baselpilny, FLOAT64, Base value for calculating IPI tax on the invoice
INVOICE NEW, Baselpiltem, Baselpiltem, FLOAT64, Base value for calculating IPI tax on the item
INVOICE_NEW, Base SuframaCo, Base SuframaCo, FLOAT64, Base value for calculating SUFRAMA-related tax or c
INVOICE_NEW, Base SuframaPi, Base SuframaPi, FLOAT64, Base value for calculating SUFRAMA-related tax or con
INVOICE_NEW, CofinsFactor, CofinsFactor, FLOAT64, Factor or rate for calculating COFINS tax
INVOICE NEW, PisFactor, PisFactor, FLOAT64, Factor or rate for calculating PIS tax
INVOICE NEW, Cofins Value, Cofins Value, FLOAT 64, Value for COFINS tax
INVOICE NEW, PisValue, PisValue, FLOAT64, Value for PIS tax
INVOICE_NEW, SuframaCofins, SuframaCofins, FLOAT64, COFINS tax amount for the Manaus Free Trade Zone (S
INVOICE_NEW,SuframaPis,SuframaPis,FLOAT64,PIS tax amount for the Manaus Free Trade Zone (SUFRAMA)
INVOICE_NEW, SuframaCode, SuframaCode, STRING, SUFRAMA (Manaus Free Trade Zone) code or identifier
INVOICE NEW, Icms Value, Icms Value, FLOAT64, ICMS (State VAT) tax value
INVOICE NEW, Icms Interstate Value, Icms Interstate Value, FLOAT64, ICMS (State VAT) tax value for interstate trans
INVOICE NEW, IcmssItemValue, IcmssItemValue, FLOAT64, ICMS-S tax value for the item
INVOICE_NEW, IcmssInvoiceValue, IcmssInvoiceValue, FLOAT64, ICMS-S tax value for the invoice
INVOICE_NEW,IpiRate,IpiRate,FLOAT64,Percentage rate for IPI tax
INVOICE_NEW,IcmsRate,IcmsRate,FLOAT64,Percentage rate for ICMS tax
INVOICE NEW, IssTaxBase, IssTaxBase, FLOAT64, Tax base value for ISS tax
INVOICE NEW, IcmsTaxBase, IcmsTaxBase, FLOAT64, Tax base value for ICMS tax
INVOICE_NEW, Monetarylcms, Monetarylcms, FLOAT64, Monetary value for ICMS tax
INVOICE NEW, Monetary Icms Credit, Monetary Icms Credit, FLOAT64, Monetary value for ICMS tax to be returned or
INVOICE_NEW, MonetarylcmsPr, MonetarylcmsPr, FLOAT64, Monetary value for ICMS tax
INVOICE_NEW, MonetarylcmsSp, MonetarylcmsSp, FLOAT64, Monetary value for ICMS tax
INVOICE NEW, Monetary Icmss, Monetary Icmss, FLOAT64, Monetary value for ICMS-S tax
INVOICE NEW, Monetary IcmssItem, Monetary IcmssItem, FLOAT64, Monetary value for ICMS-S tax on the item
INVOICE_NEW,Monetarylpi,Monetarylpi,FLOAT64,Monetary value for IPI tax
```

```
INVOICE_NEW, Monetary IpiCredit, Monetary IpiCredit, FLOAT64, Monetary value for IPI tax to be returned or credite
INVOICE_NEW, Monetary Icms Exemption, Monetary Icms Exemption, FLOAT64, Monetary value for ICMS tax exemption,
INVOICE_NEW, Monetary IpiExemption, Monetary IpiExemption, FLOAT64, Monetary value for IPI tax exemption
INVOICE_NEW, Monetary Icms Item Exemption, Monetary Icms Item Exemption, FLOAT64, Monetary value for ICMS tax
INVOICE_NEW, Monetary Ipiltem Exemption, Monetary Ipiltem Exemption, FLOAT64, Monetary value for IPI tax exemption, and invoice and invoic
INVOICE_NEW, Monetary Totallcms, Monetary Totallcms, FLOAT64, Total monetary value for ICMS tax
INVOICE_NEW, Monetary Totallpi, Monetary Totallpi, FLOAT64, Total monetary value for IPI tax
INVOICE_NEW,MonetaryTotallcmsSuspended,MonetaryTotallcmsSuspended,FLOAT64,Total monetary value for
INVOICE_NEW, Monetary TotallpiSuspended, Monetary TotallpiSuspended, FLOAT64, Total monetary value for suspended, and the suspended of the sus
INVOICE_NEW, Monetary IcmsSuspended, Monetary IcmsSuspended, FLOAT64, Monetary value for suspended ICM
INVOICE_NEW, Monetary IpiSuspended, Monetary IpiSuspended, FLOAT64, Monetary value for suspended IPI tax
INVOICE_NEW, Monetary Total Value, Monetary Total Value, FLOAT64, Total monetary value
INVOICE_NEW, Monetary Total Invoice, Monetary Total Invoice, FLOAT64, Total monetary value for the invoice
INVOICE NEW, Taxable Quantity, Taxable Quantity, FLOAT64, Taxable quantity
INVOICE_NEW, Taxable Unit, Taxable Unit, STRING, Taxable unit code
INVOICE_NEW,TotalFecp,TotalFecp,FLOAT64,Total FECP tax amount
INVOICE_NEW,FecpBase,FecpBase,FLOAT64,Base value for a specific tax or fee (FECP)
INVOICE_NEW,FecpRate,FecpRate,FLOAT64,Percentage or rate for a specific tax or fee (FECP)
INVOICE_NEW,FecpAmount,FecpAmount,FLOAT64,Amount received or charged for a specific tax or fee (FECP)
INVOICE_NEW, SuframaContribValue, SuframaContribValue, FLOAT64, Value for SUFRAMA-related tax or contribu
INVOICE_NEW,SuframaPiValue,SuframaPiValue,FLOAT64,Value for SUFRAMA-related tax or contribution
INVOICE_NEW, Monetary Pis, Monetary Pis, FLOAT 64, Monetary value for PIS tax
INVOICE NEW, Monetary Cofins, Monetary Cofins, FLOAT64, Monetary value for COFINS tax
INVOICE_NEW, Monetary Reserved, Monetary Reserved, FLOAT64, Monetary value for a reserved or specific purpos
INVOICE NEW, Monetary Rural Operations, Monetary Rural Operations, FLOAT64, Monetary value related to rural operations, FLOAT64, Monetary value related to rural operations.
INVOICE_NEW,TaxSituation,TaxSituation,STRING,Tax situation code
INVOICE_NEW,TaxSituationN,TaxSituationN,STRING,Tax situation code
INVOICE NEW, TaxSituationCofins, TaxSituationCofins, STRING, Tax situation code for COFINS
INVOICE NEW, TaxSituationIcms, TaxSituationIcms, STRING, Tax situation code for ICMS
INVOICE_NEW,TaxSituationIpi,TaxSituationIpi,STRING,Tax situation code for IPI
INVOICE_NEW,TaxSituationPis,TaxSituationPis,STRING,Tax situation code for PIS
INVOICE_NEW,FiscalBenefits,FiscalBenefits,STRING,Fiscal benefits or incentives
INVOICE_NEW,DutyCode,DutyCode,STRING,Duty or tax code
INVOICE NEW, TaxAuthorityAuthProtocol, TaxAuthorityAuthProtocol, FLOAT64, Authorization protocol or number from the control of the control of
INVOICE_NEW,TaxAuthorityCancelProtocol,TaxAuthorityCancelProtocol,FLOAT64,Cancellation protocol or number of the control of th
INVOICE NEW, IcmsTaxBaseModality, IcmsTaxBaseModality, FLOAT64, Tax base calculation modality for ICMS tax
INVOICE_NEW,lcssTaxBaseModality,lcssTaxBaseModality,FLOAT64,Tax base calculation modality for ICSS tax
INVOICE_NEW,IcmsStatus,IcmsStatus,STRING,ICMS tax status code
INVOICE_NEW, ExchangeRate, ExchangeRate, FLOAT64, Exchange rate used for currency conversion
INVOICE NEW, State Profit Margin, State Profit Margin, FLOAT64, PMVA (Value-Added Profit Margin) for state taxes
INVOICE_NEW,IpiSuspended,IpiSuspended,STRING,Indicates if the IPI tax is suspended or not
INVOICE_NEW, IpiCreditAmount, IpiCreditAmount, FLOAT64, IPI (Federal VAT) tax amount to be returned or credite
INVOICE_NEW, SurchargeRate, SurchargeRate, FLOAT64, Surcharge or additional tax rate
INVOICE_NEW, ItemHeight, ItemHeight, FLOAT64, Height dimension of the item itself
INVOICE_NEW, ItemLength, ItemLength, FLOAT64, Length dimension of the item itself
INVOICE_NEW,ItemWidth,ItemWidth,FLOAT64,Width dimension of the item itself
INVOICE NEW, Item Gross Weight, Item Gross Weight, FLOAT 64, Gross weight of the item itself
INVOICE_NEW, ItemNetWeight, ItemNetWeight, FLOAT64, Net weight of the item itself
INVOICE NEW, ItemSequence, ItemSequence, FLOAT64, Sequence number for the item or line item
INVOICE_NEW, ItemValuePopims, ItemValuePopims, FLOAT64, Monetary value of the item from internal system
INVOICE_NEW, ItemValueVr, ItemValueVr, FLOAT64, Monetary value of the item
INVOICE_NEW, Monetary WipItem, Monetary WipItem, FLOAT64, Monetary value of the work-in-progress item
INVOICE NEW, NaladiCode, NaladiCode, STRING, NALADI (National Association of Import and Export Directors) co
INVOICE_NEW,PartNumber,PartNumber,STRING,Part number
```

```
INVOICE_NEW,ImportPartNumber,ImportPartNumber,STRING,Imported part number
INVOICE_NEW,PartTariffCode,PartTariffCode,STRING,Part tariff code
INVOICE_NEW,PartClassification,PartClassification,STRING,Part classification
INVOICE NEW, PartSequenceInBox, PartSequenceInBox, FLOAT64, Sequence number for parts within a box or con
INVOICE_NEW,BrandNumber,BrandNumber,STRING,Brand or trademark number
INVOICE_NEW, CommercialUnit, CommercialUnit, STRING, Commercial unit of measure
INVOICE_NEW, WarehouseCode, WarehouseCode, STRING, Warehouse or storage location code
INVOICE_NEW,ForeignDescription,ForeignDescription,STRING,Description of the item in foreign language
INVOICE_NEW,LocalDescription,LocalDescription,STRING,Description of the item in local language
INVOICE_NEW, TotalItems, TotalItems, FLOAT64, Total number of items
INVOICE_NEW,OrderedQuantity,OrderedQuantity,FLOAT64,Quantity ordered
INVOICE_NEW, Returned Quantity, Returned Quantity, FLOAT64, Quantity returned or credited
INVOICE NEW, Order Number Import, Order Number Import, STRING, Import order number
INVOICE_NEW,OrderNumberPopims,OrderNumberPopims,FLOAT64,Internal order number
INVOICE_NEW,OrderNumberReturn,OrderNumberReturn,STRING,Return order number
INVOICE NEW, OrderType, OrderType, FLOAT64, Order type code
INVOICE_NEW,ExportModality,ExportModality,STRING,Export modality code
INVOICE NEW, Cancellation Date, Cancellation Date, DATE, Date of cancellation
INVOICE_NEW,CreditCancellationDate,CreditCancellationDate,DATE,Date of credit cancellation
INVOICE_NEW, CommissionAmount, CommissionAmount, FLOAT64, Commission amount or percentage
INVOICE NEW, CreditCardInd, CreditCardInd, STRING, Indicates if the transaction is related to a credit card
INVOICE NEW, CreditRelease Datetime, CreditRelease Datetime, TIMESTAMP, Date and time of credit release proto
INVOICE_NEW,CreditReleaseDate,CreditReleaseDate,DATE,Date of credit release
INVOICE NEW, CreditRelease Protocol, CreditRelease Protocol, FLOAT64, Credit release protocol or number
INVOICE_NEW, Credit Provision Date, Credit Provision Date, DATE, Date of credit provision
INVOICE NEW, Advice Reference, Advice Reference, FLOAT 64, Reference number related to advice
INVOICE NEW, Cargo Reference, Cargo Reference, FLOAT64, Reference number related to cargo
INVOICE NEW, Container Reference 1, Container Reference 1, FLOAT 64, Reference number related to containers
INVOICE NEW, Container Reference 2, Container Reference 2, FLOAT 64, Reference number related to containers
INVOICE NEW, DebitNoteReference, DebitNoteReference, FLOAT64, Reference number related to debit notes
INVOICE_NEW, DealerNumber, DealerNumber, STRING, Reference number related to dealers
INVOICE_NEW, Dealer Floorplan, Dealer Floorplan, STRING, Internal flag or indicator
INVOICE NEW, Dealer Region, Dealer Region, STRING, Dealer registration code or number
INVOICE NEW, Previous Dispatch Number, Previous Dispatch Number, FLOAT64, Previous dispatch or clearance number,
INVOICE NEW, DispatchNumber, DispatchNumber, FLOAT64, Current dispatch or clearance number
INVOICE_NEW, ExportGuideNumber, ExportGuideNumber, STRING, Export guide number
INVOICE_NEW, Message, Message, STRING, Message or remarks related to the transaction
INVOICE_NEW,InboundTransactionDate,InboundTransactionDate,DATE,Date related to inbound or entry transact
INVOICE NEW, InboundTransactionNumber, InboundTransactionNumber, FLOAT64, Number related to inbound or of the contraction of th
INVOICE NEW, Dispatch Status, Dispatch Status, STRING, Dispatch status code
INVOICE NEW, TradeStatus, TradeStatus, STRING, Status code related to commerce or trade
INVOICE_NEW, TransmissionStatus, TransmissionStatus, STRING, Transmission status code
INVOICE_NEW, ExportStatus, ExportStatus, STRING, Export status code
INVOICE_NEW,ClearanceStatus,ClearanceStatus,FLOAT64,Government clearance status code
INVOICE_NEW,PackingStatus,PackingStatus,STRING,Packing status code
INVOICE NEW, Additional Content, Additional Content, STRING, Additional content or remarks
INVOICE_NEW,ObservationCode,ObservationCode,FLOAT64,Code for observation or remark
INVOICE NEW, Internal Location, Internal Location, STRING, Internal location code
INVOICE_NEW,Orig,Orig,FLOAT64,"Origin indicator, possibly related to the product's country of origin"
INVOICE_NEW,OrigNac,OrigNac,STRING,"Origin indicator, possibly related to the product's country of origin"
INVOICE NEW, OrigCountry, OrigCountry, STRING, Country of origin code
INVOICE NEW, UserCode, UserCode, STRING, User code or identifier
INVOICE NEW, BoxPop, BoxPop, FLOAT64, Internal code or identifier
```

INVOICE\_NEW,OrderedPartNumber,OrderedPartNumber,STRING,Ordered Part Number

```
INVOICE_NEW, DispatchGenerationDate, DispatchGenerationDate, DATE, Date of dispatch generation
INVOICE_NEW,FciCode,FciCode,STRING,Internal code related to the transaction
INVOICE_NEW,InternalPercentage,InternalPercentage,FLOAT64,Percentage related to the transaction
INVOICE NEW, Container Number, Container Number, FLOAT64, Box or container number
INVOICE_NEW, DepartmentNumber, DepartmentNumber, FLOAT64, Internal sector or department number
INVOICE_NEW, MerchandiseType, MerchandiseType, STRING, Merchandise type code
INVOICE_NEW,AccountCode,AccountCode,STRING,Account or cost center code
INVOICE NEW, DespeCr, DespeCr, FLOAT64, Expense related to the transaction
INVOICE_NEW,DespeSas,DespeSas,FLOAT64,Expense related to the transaction
INVOICE_NEW,InterestCharges,InterestCharges,FLOAT64,Interest charges or fees
INVOICE_NEW, MonetaryInterest, MonetaryInterest, FLOAT64, Monetary value for interest charges or fees
INVOICE NEW, Interest Value, Interest Value, FLOAT64, Value for interest charges or fees
INVOICE NEW, CreateUser, CreateUser, STRING, Indicates the user who created the record
INVOICE_NEW,RecordCreationDatetime,RecordCreationDatetime,TIMESTAMP,Date and time of record creation
INVOICE_NEW,RecordUpdateDatetime,RecordUpdateDatetime,TIMESTAMP,Date and time of record update
INVOICE NEW, Historical Date, Historical Date, DATE, Historical date
INVOICE NEW, AlterUser, AlterUser, STRING, Indicates the user who made the last alteration or update to the record
INVOICE_NEW, Alter Datetime, Alter Datetime, TIMESTAMP, The date and time when the record was last altered or u
IN_TRANSIT,WAREHOUSE_DESTINATION,WAREHOUSE_DESTINATION,STRING,Only the warehouse code.
IN_TRANSIT,WAREHOUSE_ORIGIN,WAREHOUSE_ORIGIN,STRING,Warehouse code of origin.
IN TRANSIT, PART NUMBER, PART NUMBER, STRING, "Part number that came in the ASN or was entered many
IN TRANSIT, QUANTITY, QUANTITY, INT64, Quantity in transit.
IN_TRANSIT,DOCUMENT,DOCUMENT,STRING,"May be the Invoice Number, Transfer, Claim etc."
IN TRANSIT, DOCUMENT DATE, DOCUMENT DATE, DATE, Document issue date.
IN_TRANSIT,TOTAL_REPLACEMENT_COST,TOTAL_REPLACEMENT_COST,FLOAT64,"Last total replacement
IN_TRANSIT,STATUS,STATUS,STRING,Status label.
IN_TRANSIT,DOCUMENT_TYPE,DOCUMENT_TYPE,STRING,Contains what type of Legal Doc is stored.
IN TRANSIT,IS ACTIVE,IS ACTIVE,STRING,Flag that indicate if the Part is Active for the subdivision or not.
IN_TRANSIT, ENABLE_FOR_RECEIVING, ENABLE_FOR_RECEIVING, STRING, It is enable to be receiving.
LOAD_AND_BOX,CASE_NUMBER,CASE_NUMBER,INT64,Unique identifier for a case within the data tracking sy
LOAD_AND_BOX,CASE_TYPE,CASE_TYPE,STRING,Categorization label that defines the type of case.
LOAD_AND_BOX,CASE_SIZE,CASE_SIZE,STRING,Classification of the case according to its size or magnitude.
LOAD AND BOX, CASE STATUS, CASE STATUS, STRING, Current state or stage in the life cycle of the case.
LOAD AND BOX, DEALER NAME, DEALER NAME, STRING, Name of the dealer or distributor associated with the
LOAD AND BOX, DEALER CODE, DEALER CODE, STRING, Unique code assigned to identify the dealer or distri
LOAD_AND_BOX,DEALER_STATE,DEALER_STATE,STRING,Geographical state or region where the dealer is lo
LOAD_AND_BOX,CASE_GROSS_WEIGHT,CASE_GROSS_WEIGHT,NUMERIC,Total weight of the case including
LOAD_AND_BOX,CASE_NET_WEIGHT,CASE_NET_WEIGHT,NUMERIC,"Weight of the case's contents, excluding
LOAD AND BOX, POPIMS INVOINCE NUMBER, POPIMS INVOINCE NUMBER, INT64, Invoice number associa
LOAD AND BOX,INTERNAL BILL LANDING NUMBER,INTERNAL BILL LANDING NUMBER,INT64,Internal by Control of the Control
LOAD AND BOX, CASE PLANNED START DATE, CASE PLANNED START DATE, DA
LOAD_AND_BOX,CASE_PLANNED_FINISH_DATE,CASE_PLANNED_FINISH_DATE,DATE,Scheduled date for
LOAD_AND_BOX,CASE_PLANNED_START_TIME,CASE_PLANNED_START_TIME,TIME,Scheduled time of day
LOAD_AND_BOX,CASE_PLANNED_FINISH_TIME,CASE_PLANNED_FINISH_TIME,Scheduled time of day
LOAD AND BOX,INTERNAL ROUTE,INTERNAL ROUTE,STRING,Designated internal path or process flow the
LOAD AND BOX, CASE EFFECTIVE START DATE, CASE EFFECTIVE START DATE, DATE, Actual date on w
LOAD_AND_BOX,CASE_EFFECTIVE_FINISH_DATE,CASE_EFFECTIVE_FINISH_DATE,DATE,Actual date on w
LOAD_AND_BOX,CASE_EFFECTIVE_START_TIME,CASE_EFFECTIVE_START_TIME,TIME,Actual time of day
LOAD_AND_BOX,CASE_EFFECTIVE_FINISH_TIME,CASE_EFFECTIVE_FINISH_TIME,Actual time of day
LOAD_AND_BOX,CASE_ROUTE,CASE_ROUTE,STRING,The route or path designated for the physical or logistic
LOAD AND BOX, BULK, BULK, STRING, Indicator of whether the case is managed in bulk quantities or not.
LOAD AND BOX, COUNTRY, COUNTRY, STRING, Country associated with the case or the dealer.
LOAD AND BOX,LOAD CODE,LOAD CODE,NUMERIC,Unique code identifying the load associated with the case
```

INVOICE\_NEW,CestCode,CestCode,FLOAT64,Internal code or identifier

LOAD\_AND\_BOX,USER\_LOAD,USER\_LOAD,STRING,Identification of the user responsible for managing the load LOAD\_AND\_BOX,LOAD\_ROUTE,LOAD\_ROUTE,STRING,Specific route designated for the transportation of the control of th LOAD\_AND\_BOX,TRANSPORT\_MODAL,TRANSPORT\_MODAL,STRING,Mode of transport used for the movement of the control of t LOAD\_AND\_BOX,ROUTE\_CODE,ROUTE\_CODE,NUMERIC,Unique code that identifies the specific transportation LOAD AND BOX, LOAD STATUS, LOAD STATUS, STRING, The current status or phase of the loading process for LOAD\_AND\_BOX,TOTAL\_GROSS\_WEIGHT,TOTAL\_GROSS\_WEIGHT,NUMERIC,Sum total of the gross weight LOAD\_AND\_BOX,USER\_STARTED\_LOAD\_PROCESS,USER\_STARTED\_LOAD\_PROCESS,STRING,Identificat OD\_AUTOMATIC\_RELEASE, WIN350\_WORK\_ORDER\_S, WIN350\_WORK\_ORDER\_S, STRING, Timestamp indic OD\_AUTOMATIC\_RELEASE, WIN005\_SUB\_DIVISION\_N, WIN005\_SUB\_DIVISION\_N, STRING, "Identifier representation of the control of the c OD\_AUTOMATIC\_RELEASE, WIN376\_OD\_HISTORY\_UID\_K, WIN376\_OD\_HISTORY\_UID\_K, NUMERIC, "Unique OD\_AUTOMATIC\_RELEASE,WIN376\_WIN351\_BK\_RELEASED\_WORK\_ORDER\_ITEM\_UID\_D,WIN376\_WIN35 OD\_AUTOMATIC\_RELEASE,WIN376\_WIN351\_BK\_WORK\_ORDER\_ITEM\_UID\_D,WIN376\_WIN351\_BK\_WORK OD\_AUTOMATIC\_RELEASE, WIN376\_CREATE\_S, WIN376\_CREATE\_S, STRING, Timestamp of when the entry of t OD\_AUTOMATIC\_RELEASE, WIN376\_CREATE\_USER\_C, WIN376\_CREATE\_USER\_C, STRING, "Code identifyin OD\_AUTOMATIC\_RELEASE, WIN376\_CREATE\_PROCESS\_N, WIN376\_CREATE\_PROCESS\_N, STRING, Name OD\_AUTOMATIC\_RELEASE,WIN376\_UPDATE\_S,WIN376\_UPDATE\_S,STRING,Timestamp of the most recent upon OD\_AUTOMATIC\_RELEASE, WIN376\_UPDATE\_USER\_C, WIN376\_UPDATE\_USER\_C, STRING, "Code identifyin OD\_AUTOMATIC\_RELEASE, WIN376\_UPDATE\_PROCESS\_N, WIN376\_UPDATE\_PROCESS\_N, STRING, Name OD\_AUTOMATIC\_RELEASE,POPIMS\_SESP\_ARG\_BRA,POPIMS\_SESP\_ARG\_BRA,STRING,"Special identifier OD\_AUTOMATIC\_RELEASE, POPIMS\_SESP\_CHILE, POPIMS\_SESP\_CHILE, STRING, "Special identifier or mark OD\_AUTOMATIC\_RELEASE, POPIMS\_SESP\_PERU, POPIMS\_SESP\_PERU, STRING, "Special identifier or market OD\_AUTOMATIC\_RELEASE,GSPN,GSPN,STRING,General serial part number or a unique code used to identify OD AUTOMATIC RELEASE, WIN100 PERFIT SERIAL C, WIN100 PERFIT SERIAL C, INT64, "Serial code links OD\_AUTOMATIC\_RELEASE, WIN376\_OD\_MIN\_PARTS\_R, WIN376\_OD\_MIN\_PARTS\_R, NUMERIC, The minimulation of the control of OD\_AUTOMATIC\_RELEASE, WIN376\_OD\_COMPENSATION\_FACTOR\_R, WIN376\_OD\_COMPENSATION\_FACTOR\_R OD\_AUTOMATIC\_RELEASE, WIN376\_OD\_CF\_AVERAGE\_R, WIN376\_OD\_CF\_AVERAGE\_R, STRING, "Average OD\_AUTOMATIC\_RELEASE, WIN376\_OD\_MONTH\_STOCK\_R, WIN376\_OD\_MONTH\_STOCK\_R, STRING, Indicate the control of the con OD AUTOMATIC RELEASE, WIN376 OD AVERAGE DEMAND 4 MONTH R, WIN376 OD AVERAGE DEMA OD AUTOMATIC RELEASE, WIN376 OD AVERAGE DEMAND 12 MONTH R, WIN376 OD AVERAGE DEM OD\_AUTOMATIC\_RELEASE,WIN376\_OD\_VIRTUAL\_DEMAND\_R,WIN376\_OD\_VIRTUAL\_DEMAND\_R,NUMER OD\_AUTOMATIC\_RELEASE, WIN376\_OD\_FREE\_STOCK\_Q, WIN376\_OD\_FREE\_STOCK\_Q, NUMERIC, Quantit OD\_AUTOMATIC\_RELEASE, WIN376\_OD\_BEFORE\_Q, WIN376\_OD\_BEFORE\_Q, NUMERIC, Quantity of on-dem OD\_AUTOMATIC\_RELEASE, WIN376\_OD\_AFTER\_Q, WIN376\_OD\_AFTER\_Q, NUMERIC, Quantity of on-demand OD AUTOMATIC RELEASE, WIN376 RELEASED OD Q, WIN376 RELEASED OD Q, NUMERIC, "Quantity of o OD\_AUTOMATIC\_RELEASE, WIN376\_UNITY\_OF\_ISSUE\_A, WIN376\_UNITY\_OF\_ISSUE\_A, NUMERIC, "The unit OD AUTOMATIC RELEASE, PEDIDO NOVO, PEDIDO NOVO, INT64, Identifies a new order or request that has b OD\_AUTOMATIC\_RELEASE, PEDIDO\_ANTIGO, PEDIDO\_ANTIGO, INT64, Identifies an old or historical order or re OD\_AUTOMATIC\_RELEASE,TIPO\_PEDIDO\_NOVO,TIPO\_PEDIDO\_NOVO,STRING,Categorization or type design OD\_AUTOMATIC\_RELEASE, TIPO\_PEDIDO\_ANTIGO, TIPO\_PEDIDO\_ANTIGO, STRING, Categorization or type of OD AUTOMATIC RELEASE, WIN376 NEW WORK ORDER ITEM PRIORITY R, WIN376 NEW WORK ORDI OD AUTOMATIC RELEASE, WIN376 RELEASED WORK ORDER ITEM PRIORITY R, WIN376 RELEASED OD\_AUTOMATIC\_RELEASE, WIN376\_RELEASE\_DATE\_S, WIN376\_RELEASE\_DATE\_S, STRING, "The date and OD\_AUTOMATIC\_RELEASE, WIN376\_OD\_SUPERSESSION\_X, WIN376\_OD\_SUPERSESSION\_X, STRING, "Indi OD\_DAILY\_AUTOMATIC\_RELEASE, WIN350\_WORK\_ORDER\_S, WIN350\_WORK\_ORDER\_S, STRING, Unique id OD\_DAILY\_AUTOMATIC\_RELEASE, WIN005\_SUB\_DIVISION\_N, WIN005\_SUB\_DIVISION\_N, STRING, "Code rep OD\_DAILY\_AUTOMATIC\_RELEASE, WIN377\_OD\_HISTORY\_UID\_K, WIN377\_OD\_HISTORY\_UID\_K, NUMERIC, OD DAILY AUTOMATIC RELEASE, WIN377 WIN351 BK RELEASED WORK ORDER ITEM UID D, WIN377 OD\_DAILY\_AUTOMATIC\_RELEASE, WIN377\_BK\_OD\_DAILY\_RELEASE\_HISTORY\_R, WIN377\_BK\_OD\_DAILY\_ OD\_DAILY\_AUTOMATIC\_RELEASE, WIN377\_CREATE\_S, WIN377\_CREATE\_S, STRING, Timestamp for when the OD\_DAILY\_AUTOMATIC\_RELEASE, WIN377\_CREATE\_USER\_C, WIN377\_CREATE\_USER\_C, STRING, User co. OD\_DAILY\_AUTOMATIC\_RELEASE, WIN377\_CREATE\_PROCESS\_N, WIN377\_CREATE\_PROCESS\_N, STRING OD\_DAILY\_AUTOMATIC\_RELEASE, WIN377\_UPDATE\_S, WIN377\_UPDATE\_S, STRING, Timestamp for the last OD\_DAILY\_AUTOMATIC\_RELEASE, WIN377\_UPDATE\_USER\_C, WIN377\_UPDATE\_USER\_C, STRING, User co OD\_DAILY\_AUTOMATIC\_RELEASE, WIN377\_UPDATE\_PROCESS\_N, WIN377\_UPDATE\_PROCESS\_N, STRING

```
OD_DAILY_AUTOMATIC_RELEASE, WIN377_ATTRIBUTE_USED_TO_RELEASE_X, WIN377_ATTRIBUTE_USE
OD_DAILY_AUTOMATIC_RELEASE, WIN377_ATTRIBUTE_F, WIN377_ATTRIBUTE_F, STRING, Flag or a boolean
OD_DAILY_AUTOMATIC_RELEASE, WIN377_ATTRIBUTE_MOH_R, WIN377_ATTRIBUTE_MOH_R, STRING, "Me
OD_DAILY_AUTOMATIC_RELEASE, WIN377_FREE_STOCK_FROZEN_Q, WIN377_FREE_STOCK_FROZEN_Q
OD_DAILY_AUTOMATIC_RELEASE, WIN377_PENDING_ATTENDANCE_Q, WIN377_PENDING_ATTENDANCE
OD_DAILY_AUTOMATIC_RELEASE, WIN377_IN_PROGRESS_FROZEN_Q, WIN377_IN_PROGRESS_FROZEN
OD_DAILY_AUTOMATIC_RELEASE, WIN377_OTHER_STOCK_FROZEN_Q, WIN377_OTHER_STOCK_FROZE
OD_DAILY_AUTOMATIC_RELEASE, WIN377_CAF_FROZEN_Q, WIN377_CAF_FROZEN_Q, NUMERIC, Quantity
OD_DAILY_AUTOMATIC_RELEASE, WIN377_TRANSF_Q, WIN377_TRANSF_Q, NUMERIC, Quantity of stock that
OD_DAILY_AUTOMATIC_RELEASE,WIN377_DEMANDA_AVG_3,WIN377_DEMANDA_AVG_3,STRING,Average
OD_DAILY_AUTOMATIC_RELEASE, WIN377_DEMANDA_AVG_6, WIN377_DEMANDA_AVG_6, STRING, Average
OD_DAILY_AUTOMATIC_RELEASE, WIN377_DEMANDA_AVG_12, WIN377_DEMANDA_AVG_12, STRING, Average of the control of the
OD_DAILY_AUTOMATIC_RELEASE, WIN377_ENABLE_ORDERING_F, WIN377_ENABLE_ORDERING_F, STRIN
OD_DAILY_AUTOMATIC_RELEASE,WIN377_UNITY_OF_ISSUE_A,WIN377_UNITY_OF_ISSUE_A,NUMERIC,L
OD_DAILY_AUTOMATIC_RELEASE,WIN377_RELEASE_WORK_ORDER_ITEM_PRIORITY_R,WIN377_RELEA
OD_DAILY_AUTOMATIC_RELEASE, WIN377_OD_BEFORE_Q, WIN377_OD_BEFORE_Q, NUMERIC, Quantity or
OD_DAILY_AUTOMATIC_RELEASE, WIN377_OD_AFTER_Q, WIN377_OD_AFTER_Q, NUMERIC, Quantity on del
OD_DAILY_AUTOMATIC_RELEASE,WIN377_RELEASED_OD_Q,WIN377_RELEASED_OD_Q,NUMERIC,Quan
OD_DAILY_AUTOMATIC_RELEASE, WIN377_OD_VIRTUAL_DEMAND_R, WIN377_OD_VIRTUAL_DEMAND_R,
OD_DAILY_AUTOMATIC_RELEASE, WIN100_PERFIT_SERIAL_C, WIN100_PERFIT_SERIAL_C, INT64, Serial control of the contro
OD_DAILY_AUTOMATIC_RELEASE,WIN377_RELEASED_OD_S,WIN377_RELEASED_OD_S,STRING,"Status (
OD_DAILY_AUTOMATIC_RELEASE, NUMERO_PEDIDO, NUMERO_PEDIDO, INT64, Order number for tracking pu
OD DAILY AUTOMATIC RELEASE, ITEM PEDIDO, ITEM PEDIDO, INT64, Specific item number within an order
OD DAILY AUTOMATIC RELEASE, PRIORIDADE PEDIDO, PRIORIDADE PEDIDO, INT64, Priority level assigned
OD DAILY AUTOMATIC RELEASE, DATA PEDIDO, DATA PEDIDO, STRING, Date associated with the creation
OD_DAILY_AUTOMATIC_RELEASE, WIN377_OD_SUPERSESSION_COMPLETE_X, WIN377_OD_SUPERSESSION_
OD_REPORT,QUANTITY_TO_RELEASE,QUANTITY_TO_RELEASE,STRING,Empty column.
OD_REPORT,ORDER_NUMBER,ORDER_NUMBER,INT64,Order number.
```

OD\_DAILY\_AUTOMATIC\_RELEASE, POPIMS\_SESP\_ARG\_BRA, POPIMS\_SESP\_ARG\_BRA, STRING, Identifier or COD\_DAILY\_AUTOMATIC\_RELEASE, POPIMS\_SESP\_CHILE, POPIMS\_SESP\_CHILE, STRING, Identifier or CODE TO DAILY\_AUTOMATIC\_RELEASE, POPIMS\_SESP\_PERU, POPIMS\_SESP\_PERU, STRING, Identifier or CODEDAILY\_AUTOMATIC\_RELEASE, GSPN, GSPN, STRING, Global spare part number or a code related to a global spare part number or a code related to

- OD\_REPORT,OD\_TYPE,OD\_TYPE,STRING,Define if this type of order is related to a 'L' local market or 'E' Export OD\_REPORT,ORDER\_TYPE,ORDER\_TYPE,STRING,Order type.
- OD\_NEFONT,ONDEN\_TTFE,ONDEN\_TTFE,STRING,OIGEI typ
- OD\_REPORT,ORDER\_DATE,ORDER\_DATE,DATE,Order date.

OD\_REPORT,ORDER\_LINE,ORDER\_LINE,INT64,Line order

- OD\_REPORT,AGING,AGING,INT64,Days in OD.
- OD\_REPORT,PART\_POPIMS,PART\_POPIMS,STRING,

OD REPORT, COUNTRY, COUNTRY, STRING, Country.

- OD\_REPORT,PART\_POPIMS\_SESP,PART\_POPIMS\_SESP,STRING,
- OD\_REPORT,PART\_GSPN,PART\_GSPN,STRING,Global service part number.
- OD\_REPORT, PART\_DESCRIPTION, PART\_DESCRIPTION, STRING, Part description.

OD REPORT, UID WIN351, UID WIN351, INT64, UID (PK) for the table Work Order Item.

- OD\_REPORT,UNITY\_PRICE,UNITY\_PRICE,NUMERIC,"Unity part price (for Brazil, multiplied by 1.08)"
- OD\_REPORT,SUPPLIER\_CODE,SUPPLIER\_CODE,STRING,Supplier Code.
- OD REPORT, GSDB SUPPLIER CODE, STRING, Global supplier code.
- OD REPORT, SUPPLIER NAME, SUPPLIER NAME, STRING, Supplier name.
- OD\_REPORT,DEALER\_SOT,DEALER\_SOT,STRING,Older dealer BOF.
- OD\_REPORT,CREDIT\_DEALER,CREDIT\_DEALER,NUMERIC,Older BALANCE\_AVAILABLE.
- OD\_REPORT,DEALER\_CODE,DEALER\_CODE,STRING,Dealer code.
- OD\_REPORT, DEALER\_NAME, DEALER\_NAME, STRING, Dealer name.
- OD REPORT, DEALER GOLDD CODE, DEALER GOLDD CODE, STRING, GODD PA Code.
- OD\_REPORT,FREE\_STOCK,FREE\_STOCK,INT64,Free stock.
- OD\_REPORT, COUNTRY\_PENDING\_ATTENDANCE, COUNTRY\_PENDING\_ATTENDANCE, INT64, Number of pe

```
OD_REPORT,ACTUAL_FREE_STOCK,ACTUAL_FREE_STOCK,INT64,Old free stock OD.
```

- OD\_REPORT,QUANTITY\_OD,QUANTITY\_OD,INT64,Quantity of the order that is on hold in OD.
- OD\_REPORT,QUANTITY\_ATTENDED,QUANTITY\_ATTENDED,INT64,Attended quantity.
- OD\_REPORT,UNIT\_OF\_ISSUE,UNIT\_OF\_ISSUE,STRING,Ford's sales multiple for the dealer (can only be releas
- OD\_REPORT,QUANTITY\_ORDERED,QUANTITY\_ORDERED,INT64,Quantity of orders.
- OD\_REPORT,QUANTITY\_MONTH\_TO\_DATE,QUANTITY\_MONTH\_TO\_DATE,INT64,Quantity of parts purchase
- OD\_REPORT,QUANTITY\_OD\_COUNTRY,QUANTITY\_OD\_COUNTRY,INT64,Total amount OD held in a particular
- OD\_REPORT,TOTAL\_AMOUNT\_OD\_COUNTRY,TOTAL\_AMOUNT\_OD\_COUNTRY,NUMERIC,Total order value
- OD\_REPORT,AVG\_COUNTRY\_DEMAND\_4\_MONTHS,AVG\_COUNTRY\_DEMAND\_4\_MONTHS,NUMERIC,Ave
- OD\_REPORT,AVG\_COUNTRY\_DEMAND\_12\_MONTHS,AVG\_COUNTRY\_DEMAND\_12\_MONTHS,NUMERIC,A
- OD\_REPORT,AVG\_DEALER\_DEMAND\_4\_MONTHS,AVG\_DEALER\_DEMAND\_4\_MONTHS,NUMERIC,Average
- OD\_REPORT, SUPERSESSION, SUPERSESSION, STRING,
- OD\_REPORT, SUPERSESSION\_COMPLETE, SUPERSESSION\_COMPLETE, STRING, Completed suppression the
- OD REPORT, SUPERSESSION BACKCHAIN COMPLETE, SUPERSESSION BACKCHAIN COMPLETE, STRIN
- OD\_REPORT,PART\_NUMBER,PART\_NUMBER,STRING,POPIMS part number.
- OD\_REPORT,POPIMS\_SESP,POPIMS\_SESP,STRING,POPIMS part number with no space.
- OD REPORT, SUPERSESSION X, SUPERSESSION X, STRING, Suppression that attended this order. (short part
- OD\_REPORT,SUPERSESSION\_BACKCHAIN\_COMPLETE\_X,SUPERSESSION\_BACKCHAIN\_COMPLETE\_X,S
- OD\_REPORT\_TEMP,QUANTITY\_TO\_RELEASE,QUANTITY\_TO\_RELEASE,STRING,
- OD\_REPORT\_TEMP,ORDER\_NUMBER,ORDER\_NUMBER,INT64,
- OD\_REPORT\_TEMP,ORDER\_LINE,ORDER\_LINE,FLOAT64,
- OD\_REPORT\_TEMP,UID\_WIN351,UID\_WIN351,INT64,
- OD REPORT TEMP, COUNTRY, COUNTRY, STRING,
- OD\_REPORT\_TEMP,OD\_TYPE,OD\_TYPE,STRING,
- OD REPORT TEMP, ORDER TYPE, ORDER TYPE, STRING,
- OD\_REPORT\_TEMP,ORDER\_DATE,ORDER\_DATE,DATE,
- OD\_REPORT\_TEMP,AGING,AGING,INT64,
- OD REPORT TEMP, PART POPIMS, PART POPIMS, STRING,
- OD REPORT TEMP, PART POPIMS SESP, PART POPIMS SESP, STRING,
- OD\_REPORT\_TEMP,PART\_GSPN,PART\_GSPN,STRING,
- OD\_REPORT\_TEMP,PART\_DESCRIPTION,PART\_DESCRIPTION,STRING,
- OD\_REPORT\_TEMP,UNITY\_PRICE,UNITY\_PRICE,FLOAT64,
- OD\_REPORT\_TEMP,SUPPLIER\_CODE,SUPPLIER\_CODE,STRING,
- OD REPORT TEMP, GSDB SUPPLIER CODE, GSDB SUPPLIER CODE, STRING,
- OD REPORT TEMP, SUPPLIER NAME, SUPPLIER NAME, STRING,
- OD REPORT TEMP, DEALER SOT, DEALER SOT, STRING,
- OD\_REPORT\_TEMP,CREDIT\_DEALER,CREDIT\_DEALER,NUMERIC,
- OD\_REPORT\_TEMP, DEALER\_CODE, DEALER\_CODE, STRING,
- OD\_REPORT\_TEMP, DEALER\_NAME, DEALER\_NAME, STRING,
- OD REPORT TEMP, DEALER GOLDD CODE, DEALER GOLDD CODE, STRING,
- OD REPORT TEMP, FREE STOCK, FREE STOCK, INT64,
- OD\_REPORT\_TEMP,COUNTRY\_PENDING\_ATTENDANCE,COUNTRY\_PENDING\_ATTENDANCE,FLOAT64,
- OD\_REPORT\_TEMP,ACTUAL\_FREE\_STOCK,ACTUAL\_FREE\_STOCK,FLOAT64,
- OD\_REPORT\_TEMP,QUANTITY\_OD,QUANTITY\_OD,FLOAT64,
- OD\_REPORT\_TEMP,QUANTITY\_ATTENDED,QUANTITY\_ATTENDED,FLOAT64,
- OD\_REPORT\_TEMP,UNIT\_OF\_ISSUE,UNIT\_OF\_ISSUE,STRING,
- OD REPORT TEMP, QUANTITY ORDERED, QUANTITY ORDERED, FLOAT64,
- OD\_REPORT\_TEMP,QUANTITY\_MONTH\_TO\_DATE,QUANTITY\_MONTH\_TO\_DATE,FLOAT64,
- OD REPORT TEMP, QUANTITY OD COUNTRY, QUANTITY OD COUNTRY, FLOAT64,
- OD\_REPORT\_TEMP,TOTAL\_AMOUNT\_OD\_COUNTRY,TOTAL\_AMOUNT\_OD\_COUNTRY,FLOAT64,
- OD\_REPORT\_TEMP,AVG\_COUNTRY\_DEMAND\_4\_MONTHS,AVG\_COUNTRY\_DEMAND\_4\_MONTHS,NUMEF
- OD\_REPORT\_TEMP,AVG\_COUNTRY\_DEMAND\_12\_MONTHS,AVG\_COUNTRY\_DEMAND\_12\_MONTHS,NUM
- OD\_REPORT\_TEMP,AVG\_DEALER\_DEMAND\_4\_MONTHS,AVG\_DEALER\_DEMAND\_4\_MONTHS,NUMERIC,
- OD\_REPORT\_TEMP,SUPERSESSION,SUPERSESSION,STRING,

```
OTD, COUNTRY, COUNTRY, STRING, Subdivision Country
OTD,ORDER_NUMBER,ORDER_NUMBER,INT64,Wings order number
OTD, INVOICE NUMBER, INVOICE NUMBER, STRING, Invoice number
OTD,ORDER_CREATION_DATE,ORDER_CREATION_DATE,DATE,Order date creation
OTD,INVOICE_DATE,INVOICE_DATE,DATE,Invoice date
OTD,ORDER_TYPE,ORDER_TYPE,STRING,Order type
OTD, DEALER CODE, DEALER CODE, STRING, Dealer code
OTD, DEALER_NAME, DEALER_NAME, STRING, Dealer name
OTD,BO,BO,STRING,Backorders
OTD, EMISSION_DATE, EMISSION_DATE, DATE, Emission date
OTD, VOLUMES, VOLUMES, INT64, Order volumes
OTD, INVOICE VALUE, INVOICE VALUE, FLOAT64, NF value
OTD,CUBED_WEIGHT,CUBED_WEIGHT,FLOAT64,Weight
OTD,CTE EMISSION DATE,CTE EMISSION DATE,DATE,CTE emission date
OTD,CTE NUMBER,CTE NUMBER,INT64,CTE number
OTD, ROUTE, ROUTE, STRING, Delivery route
OTD, TRANSPORT MODALITY, TRANSPORT MODALITY, STRING, Transport modality
OTD, CURRENT_SUBSIDIARY, CURRENT_SUBSIDIARY, STRING, Current subsidiary
OTD, DESTINATION_SUBSIDIARY, DESTINATION_SUBSIDIARY, STRING, Destination subsidiary
OTD, DESTINATION CITY, DESTINATION CITY, STRING, Destination county
OTD, DESTINATION STATE, DESTINATION STATE, STRING, State destination
OTD,REGION,REGION,STRING,Region destination
OTD, CAPITAL INTERIOR, CAPITAL INTERIOR, STRING, Capital or interior city flag
OTD,TRIP_NUMBER,TRIP_NUMBER,STRING,Trip number
OTD,TRIP_START,TRIP_START,TIMESTAMP,Trip start date
OTD, DELIVERY DATE, DELIVERY DATE, Delivery date
OTD, SERVICE TYPE, SERVICE TYPE, STRING, Service type
OTD, VEHICLE_TYPE, VEHICLE_TYPE, STRING, Vehicle type
OTD,TRIP_TYPE,TRIP_TYPE,STRING,Trip type
OTD,IOD_DATE,IOD_DATE,DATE,IOD date
OTD,OCCURRENCE_DATE,OCCURRENCE_DATE,TIMESTAMP,Occurrence date
OTD,OCCURRENCE,OCCURRENCE,STRING,Occurrence quantity
OTD, OCCURRENCE DESCRIPTION, OCCURRENCE DESCRIPTION, STRING, Occurrence description
OTD, ALLOWENCE, ALLOWENCE, INT64, Number of days disregarded for calculations of delivery performance
OTD,OTI,INT64,"Order to Invoice, quantity of days between order creation date and invoice date"
OTD,OTD COM ABONO,OTD COM ABONO,INT64,"Order to Delivery, quantity of days between order creation
OTD,OTD_SEM_ABONO,OTD_SEM_ABONO,INT64,"Order to Delivery, quantity of days between order creation or days or days between order creation or days or day
OUTBOUND, COUNTRY, COUNTRY, STRING, The name of the country where the order originates or is being sent
OUTBOUND, WAREHOUSE CODE, WAREHOUSE CODE, STRING, A unique identifier code for a warehouse whe
OUTBOUND, WAREHOUSE, WAREHOUSE, STRING, The name or designation of the warehouse facility.
OUTBOUND, TRANSFER_CARRIER, TRANSFER_CARRIER, STRING, The company or entity responsible for the ti
OUTBOUND,LOCATION_NAME,LOCATION_NAME,STRING,The specific name of a location within the warehous
OUTBOUND, POPIMS_SESP, POPIMS_SESP, STRING, An internal tracking or identification code tied to a particula
OUTBOUND, WINGS ORDER NUMBER, WINGS ORDER NUMBER, INT64, The identifier for a specific order with
OUTBOUND, ITEM STATUS, ITEM STATUS, STRING, "Current status of an individual item within an order, such as
OUTBOUND, ORDER STATUS, ORDER STATUS, STRING, Overall status of the entire order.
OUTBOUND, SIMULATED, SIMULATED, TIMESTAMP, "Indicates whether a record is part of a simulation or a test, a
OUTBOUND, SIMULATED_LAST, SIMULATED_LAST, TIMESTAMP, The most recent simulation indicator for the re-
OUTBOUND, PICKING LABEL, PICKING LABEL, INT64, A label or code used to identify items during the picking pr
OUTBOUND, ALLOCATED, ALLOCATED, TIMESTAMP, Indicates whether resources or inventory have been assign
OUTBOUND, ALLOCATED USER, ALLOCATED USER, STRING, The user or system account that allocated invent
OUTBOUND, PICKING PRINTED, PICKING PRINTED, TIMESTAMP, Indicates whether the picking list or instructio
```

OD\_REPORT\_TEMP,SUPERSESSION\_COMPLETE,SUPERSESSION\_COMPLETE,STRING,

OD\_REPORT\_TEMP,SUPERSESSION\_BACKCHAIN\_COMPLETE,SUPERSESSION\_BACKCHAIN\_COMPLETE

```
OUTBOUND, PICKED, TIMESTAMP, Indicates whether the item has been picked from the inventory.
OUTBOUND, PICKED_USER, PICKED_USER, STRING, The user who completed the picking process for the item.
OUTBOUND, PACKED, TIMESTAMP, Indicates whether the item has been packaged for delivery.
OUTBOUND, PACKED USER, PACKED USER, STRING, The user who completed the packaging of the item.
OUTBOUND, DISPATCHED, DISPATCHED, TIMESTAMP, Indicates whether the order or item has been dispatched
OUTBOUND, DISPATCHED_USER, DISPATCHED_USER, STRING, The user who processed the dispatch of the or
OUTBOUND, ROUTE, ROUTE, STRING, The planned or actual route taken by the delivery vehicle or carrier.
OUTBOUND, INTERNAL ROUTE, INTERNAL ROUTE, STRING, A designation for the internal route within the ware
OUTBOUND, CASE_EFFECTIVE_START_DATE, CASE_EFFECTIVE_START_DATE, The official start date
OUTBOUND, CASE_EFFECTIVE_FINISH_DATE, CASE_EFFECTIVE_FINISH_DATE, DATE, The official end date v
OUTBOUND, CASE_ROUTE, CASE_ROUTE, INT64, A route code or identifier for the logistics case related to the or
OUTBOUND, POPIMS_INVOICE_NUMBER, POPIMS_INVOICE_NUMBER, INT64, Invoice number associated with
OUTBOUND, INTERNAL BILL OF LANDING, INTERNAL BILL OF LANDING, INT64, Internal reference or code for
OUTBOUND, BULK, BULK, STRING, Indicates whether the goods are shipped in bulk form.
OUTBOUND, LOAD_CODE, LOAD_CODE, NUMERIC, Unique identifier for a specific load or shipment.
OUTBOUND, USER LOAD, STRING, The user or account responsible for loading the goods for shipn
OUTBOUND, LOAD ROUTE, LOAD ROUTE, STRING, The specific route assigned to the load for transportation.
OUTBOUND, LOAD_STATUS, LOAD_STATUS, STRING, "Current status of the load, such as 'loaded', 'in transit', or
OUTBOUND, INVOICED, INVOICED, TIMESTAMP, Indicates whether an invoice has been generated for the order.
OUTBOUND, INVOICED_AUTHORIZED, INVOICED_AUTHORIZED, TIMESTAMP, Indicates whether the invoicing h
OUTBOUND, INVOICED ERROR, INVOICED ERROR, TIMESTAMP, Indicates if there was an error during the invo
OUTBOUND, INVOICING, INVOICING, TIMESTAMP, Indicates whether the order is currently being invoiced.
OUTBOUND, BO_PHYSICAL, BO_PHYSICAL, TIMESTAMP, Indicator or status of a physical backorder.
OUTBOUND, BO FINANCIAL, BO FINANCIAL, TIMESTAMP, Indicator or status of a financial backorder.
OUTBOUND, BO_DEFERMENT, BO_DEFERMENT, TIMESTAMP, Indicator of whether a backorder has been deferr
OUTBOUND,BO_PRICE,BO_PRICE,TIMESTAMP,The price associated with the backorder item.
OUTBOUND,BO SOT,BO SOT,TIMESTAMP,A status code or indicator related to backorder service or operation
OUTBOUND, BO UNITY OF ISSUE, BO UNITY OF ISSUE, TIMESTAMP, Unit of issue or measurement for the b
OUTBOUND, BO_CADASTRO, BO_CADASTRO, TIMESTAMP, Registration or cataloging status of a backordered it
OUTBOUND, HAD BO, HAD BO, STRING, Indicator of whether there was a backorder for the item or order at some
OUTBOUND, DEALER_NAME, DEALER_NAME, STRING, The name of the dealer or intermediary involved in the tra
OUTBOUND, DEALER_CODE, DEALER_CODE, STRING, A unique identifier code for the dealer.
OUTBOUND, DEALER STATE, DEALER STATE, STRING, The state or region where the dealer operates.
OUTBOUND, DENIAL, TIMESTAMP, Indicator or status noting if an order or request has been denied.
OUTBOUND, CREATE DATE ORDER, CREATE DATE ORDER, TIMESTAMP, The date and time when the order
OUTBOUND, ABNORMAL_DEMAND, ABNORMAL_DEMAND, STRING, Indicator of whether the order has an unusual
OUTBOUND, DESTINATION CODE DDP, DESTINATION CODE DDP, INT64, Code or identifier for the final destination code of identifier for the final destination code 
OUTBOUND, INTERCOMPANY_ORDER_TYPE, INTERCOMPANY_ORDER_TYPE, STRING, "The type of order, ca
OUTBOUND, POPIMS DISCOUNT PERCENTAGE, POPIMS DISCOUNT PERCENTAGE, NUMERIC, The percent
OUTBOUND, POPIMS_DISCOUNT_CLASS, POPIMS_DISCOUNT_CLASS, STRING, Classification or type of disco
OUTBOUND, POPIMS FIDELITY DISCOUNT, POPIMS FIDELITY DISCOUNT, NUMERIC, Loyalty or fidelity discount,
OUTBOUND, SURCHARGE_PERCENTAGE, SURCHARGE_PERCENTAGE, NUMERIC, The additional percentage
OUTBOUND, TAX, TAX, NUMERIC, The amount or percentage of tax applied to the order.
OUTBOUND, ORIGINAL_UNITY_PRICE, ORIGINAL_UNITY_PRICE, NUMERIC, The original price per unit before a
OUTBOUND, FINAL_UNITY_PRICE, FINAL_UNITY_PRICE, NUMERIC, "The final price per unit after applying disco
OUTBOUND, DIF ORIGINAL X FINAL PRICE, DIF ORIGINAL X FINAL PRICE, INT64, The difference between
OUTBOUND, COMMERCIAL_MODALITY_1, COMMERCIAL_MODALITY_1, STRING, Primary commercial terms or
OUTBOUND, COMMERCIAL_MODALITY_2, COMMERCIAL_MODALITY_2, STRING, Secondary commercial terms
OUTBOUND,QUANTITY_OF_ITEMS,QUANTITY_OF_ITEMS,INT64,The total count of items within the order.
OUTBOUND, OFFICIAL_INVOICE_NUMBER, OFFICIAL_INVOICE_NUMBER, NUMERIC, The official number assignment of the control of the cont
OUTBOUND, LEGAL INVOICE SERIES, LEGAL INVOICE SERIES, NUMERIC, Series or sequence information of
OUTBOUND, INVOICE DATE, INVOICE DATE, The date when the invoice was issued.
OUTBOUND, INVOICE CANCEL DATE, INVOICE CANCEL DATE, The date when the invoice was cancel
```

OUTBOUND, PICKING\_PRINTED\_USER, PICKING\_PRINTED\_USER, STRING, The user who printed the picking li

OUTBOUND,BILL\_OF\_LANDING,BILL\_OF\_LANDING,INT64,The document number for the Bill of Lading which ace OUTBOUND,BILL\_OF\_LANDING\_DATE,BILL\_OF\_LANDING\_DATE,DATE,The date associated with the Bill of Lading which ace OUTBOUND,ITEM\_SEQUENCE\_NUMBER,ITEM\_SEQUENCE\_NUMBER,INT64,A unique sequence number for COUTBOUND,PART\_TRANSPORT\_MODAL,PART\_TRANSPORT\_MODAL,STRING,The mode of transport used for OUTBOUND,ROUTE\_TRANSPORT\_MODAL,ROUTE\_TRANSPORT\_MODAL,STRING,The mode of transport associated with the Bill of Lading which ace OUTBOUND,PART\_TRANSPORT\_MODAL,PART\_TRANSPORT\_MODAL,STRING,The mode of transport associated with the Bill of Lading which ace OUTBOUND,PART\_TRANSPORT\_MODAL,PART\_TRANSPORT\_MODAL,PART\_TRANSPORT\_MODAL,PART\_TRANSPORT\_MODAL,STRING,The mode of transport associated with the Bill of Lading which ace OUTBOUND,PART\_TRANSPORT\_MODAL,PART\_TRANSPORT

PARROT, POPIMS\_SESP, POPIMS\_SESP, STRING, POPIMS parts number with no spaces

PARROT,PECA\_INV\_AVG\_COST,PECA\_INV\_AVG\_COST,STRING,Part number

PARROT, PART\_NUMBER, PART\_NUMBER, STRING, Parts number

PARROT, POPIMS\_ARG\_BRA\_PREFIX, POPIMS\_ARG\_BRA\_PREFIX, STRING, POPIMS prefix parts number

PARROT, POPIMS\_ARG\_BRA\_BASE, POPIMS\_ARG\_BRA\_BASE, STRING, POPIMS base parts number

PARROT, POPIMS\_ARG\_BRA\_SUFFIX, POPIMS\_ARG\_BRA\_SUFFIX, STRING, POPIMS suffix parts number

PARROT, POPIMS\_ARG\_BRA\_SUFFIX\_2, POPIMS\_ARG\_BRA\_SUFFIX\_2, STRING, POPIMS prefix parts number PARROT, PARTNAME, PARTNAME, STRING, Long Description.

PARROT, PARTCLSS, PARTCLSS, STRING, Part Class.

PARROT, SUPPNO, SUPPNO, STRING, Supplier code

PARROT,RETARR1,RETARR1,NUMERIC,Chile does not have decimal. Verify WIN001\_COUNTRY column 'curre

PARROT, BUYER, BUYER, STRING, Buyer

PARROT, BUYER3, BUYER3, STRING, Buyer

PARROT, AVCOST, AVCOST, NUMERIC, Chile does not have decimal. Verify WIN001\_COUNTRY column 'currence the column of the column of

PARROT,PENG,PENG,STRING,Part number PARROT,PECAPA,PECAPA,STRING,POPIMS part number as is in POPIMS database (and not for in the POPIM PARROT,NOVA PECAPA,NOVA PECAPA,STRING,"Global Service part Number (by the initial load, this is not the

PARROT, NOVA\_PECAPA, NOVA\_PECAPA, STRING, Global Service part Number (by the illitial lo PARROT, CUSTO\_HIST, CUSTO\_HIST, INT64, zero column.

PARROT, PECA, PECA, STRING, "Global Service part Number (by the initial load, this is not the Global one, but whe PARROT, SR, SR, STRING, Selected to be reviewed.

PARROT, DFS CR, DFS CR, STRING, empty column.

PARROT, DFS\_STP, DFS\_STP, STRING, empty column.

PARROT, STATUS, STATUS, STRING, "Flag that indicate if the Part is Active for the subdivision or not. 'S = For Active for the subdivision or not.'

PARROT, IEADPM24, IEADPM24, BOOL, "Flag that marks parts. 'ALLTIME FALSE = 0', 'TRUE = 1'"

PARROT,LM,LM,NUMERIC,DSH Order Mininum Amount.

PARROT, BA, BA, STRING, empty column.

PARROT, FAIXA5, FAIXA5, NUMERIC, Chile does not have decimal. Verify WIN001\_COUNTRY column 'currency department's parket of the column of the

PARROT, ASN, ASN, STRING, empty column.

PARROT, SSFPM25, SSFPM25, STRING, empty column.

PARROT, PESO, PESO, NUMERIC, Weight

PARROT, ALTURA, ALTURA, NUMERIC, Height

PARROT, LARGURA, LARGURA, NUMERIC, Width

PARROT, COMPRIMENTO, COMPRIMENTO, NUMERIC, Depth

PARROT, IPI, IPI, NUMERIC, Brazil IPI rate

PARROT, OBSOLETIME, OBSOLETIME, BOOL, "Flag that marks parts OBSOLETE 'FALSE = 0', 'TRUE = 1'"

PARROT, UNIDADE\_VENDA, UNIDADE\_VENDA, NUMERIC, Minimum quantity the item can be sold for.

PARROT, MR, MR, STRING, empty column.

PARROT, ENABLE\_ORDERING, ENABLE\_ORDERING, STRING, "Flag that indicate if this part for this subdivision of ORDER"

PARROT, VOL INIC, VOL INIC, STRING, empty column.

PARROT,TP\_EMB,TP\_EMB,STRING,Packing type inform if this part is packed in the warehouse. (1) if the pack m PARROT,QTD\_MIN,QTD\_MIN,STRING,empty column.

PARROT, PACK\_C, PACK\_C, STRING, Packing code.

PARROT, SELREV, SELREV, STRING, Selected to be reviewed

PARROT, FOLLOWUP, FOLLOWUP, STRING, Follow up

PARTS, COUNTRY ISO, COUNTRY ISO, STRING, International standard code representing the country of relevant

```
PARTS, COUNTRY, COUNTRY, STRING, Name of the country associated with the record
PARTS,GSPN_PREFIX_C,GSPN_PREFIX_C,STRING,Prefix identifier for the Global Service Parts Network code
PARTS,GSPN_BASE_C,GSPN_BASE_C,STRING,Base identifier for the Global Service Parts Network code
PARTS,GSPN_SUFFIX_C,GSPN_SUFFIX_C,STRING,Suffix identifier for the Global Service Parts Network code
PARTS.POPIMS PART, POPIMS PART, STRING, An identification code for the part within the POPIMS system
PARTS,ENG_POPIMS_PART_NUMBER,ENG_POPIMS_PART_NUMBER,STRING,Engineered number for the parts.
PARTS, ENG_PREFIX_PART_NUMBER, ENG_PREFIX_PART_NUMBER, STRING, Prefix portion of the engineered
PARTS,ENG_BASE_PART_NUMBER,ENG_BASE_PART_NUMBER,STRING,Base portion of the engineered par
PARTS, ENG SUFFIX PART NUMBER, ENG SUFFIX PART NUMBER, STRING, Suffix portion of the engineered
PARTS, PERFIT_SERIAL_NUMBER, PERFIT_SERIAL_NUMBER, INT64, Serial number associated with the PERFIT PARTS, PERFIT_SERIAL_NUMBER, INT64, Serial number associated with the PERFIT PARTS, PERFIT_SERIAL_NUMBER, INT64, Serial number associated with the PERFIT PARTS, PERFIT_SERIAL_NUMBER, INT64, Serial number associated with the PERFIT PARTS, PERFIT_SERIAL_NUMBER, INT64, Serial number associated with the PERFIT PARTS, PERFIT_SERIAL_NUMBER, INT64, Serial number associated with the PERFIT PARTS, PERFIT_SERIAL_NUMBER, INT64, Serial number associated with the PERFIT PARTS, PERFIT_SERIAL_NUMBER, INT64, Serial number associated with the PERFIT PARTS, PERFIT_SERIAL_NUMBER, INT64, Serial number associated with the PERFIT PARTS, PERFIT_SERIAL_NUMBER, INT64, Serial number associated with the PERFIT_SERIAL_NUMBER, INT64, Number associated with the PERFIT_SERIAL_NUMBER, INT64, Number associated with the PERFIT_SERIAL_NUMBER, INT64, Number associated with the PERFIT_SERIAL_NUMBER, 
PARTS, ENG_PERFIT_PREFIX, ENG_PERFIT_PREFIX, STRING, Engineered prefix for the PERFIT system part ide
PARTS, ENG_PERFIT_BASE, ENG_PERFIT_BASE, STRING, Engineered base for the PERFIT system part identific
PARTS, ENG_PERFIT_SUFFIX, ENG_PERFIT_SUFFIX, STRING, Engineered suffix for the PERFIT system part ide
PARTS, IBIS NG PART PREFIX, IBIS NG PART PREFIX, STRING, Prefix for the part number in the IBIS Next Go
PARTS,IBIS_NG_PART_BASE,IBIS_NG_PART_BASE,STRING,Base for the part number in the IBIS Next General
PARTS, IBIS_NG_PART_SUFFIX, IBIS_NG_PART_SUFFIX, STRING, Suffix for the part number in the IBIS Next General String (IBIS) in the IBIS 
PARTS, IBIS SG PART PREFIX, IBIS SG PART PREFIX, STRING, Prefix for the part number in the IBIS Standar
PARTS, IBIS SG PART BASE, IBIS SG PART BASE, STRING, Base for the part number in the IBIS Standard Ge
PARTS, IBIS_SG_PART_SUFFIX, IBIS_SG_PART_SUFFIX, STRING, Suffix for the part number in the IBIS Standar
PARTS, IBIS_BRA_PART_PREFIX, IBIS_BRA_PART_PREFIX, STRING, Prefix for the part number in the IBIS system.
PARTS,IBIS_BRA_PART_BASE,IBIS_BRA_PART_BASE,STRING,Base for the part number in the IBIS system sp
PARTS,IBIS_BRA_PART_SUFFIX,IBIS_BRA_PART_SUFFIX,STRING,Suffix for the part number in the IBIS syste
PARTS,PCII PART PREFIX,PCII PART PREFIX,STRING,Prefix for the PCII system part identification
PARTS,PCII_PART_BASE,PCII_PART_BASE,STRING,Base for the PCII system part identification
PARTS, PCII PART SUFFIX, PCII PART SUFFIX, STRING, Suffix for the PCII system part identification
PARTS, MOTORCRAFT_PREFIX, MOTORCRAFT_PREFIX, STRING, Prefix part identifier for parts branded by Motor
PARTS, MOTORCRAFT BASE, MOTORCRAFT BASE, STRING, Base part identifier for parts branded by Motorcra
PARTS, MOTORCRAFT SUFFIX, MOTORCRAFT SUFFIX, STRING, Suffix part identifier for parts branded by Motor
PARTS, MOTORCRAFT PERFIT PREFIX, MOTORCRAFT PERFIT PREFIX, STRING, Prefix for engineered Moto
PARTS, MOTORCRAFT_PERFIT_BASE, MOTORCRAFT_PERFIT_BASE, STRING, Base for engineered Motorcraft
PARTS, MOTORCRAFT_PERFIT_SUFFIX, MOTORCRAFT_PERFIT_SUFFIX, STRING, Suffix for engineered Motor
PARTS,FINIS_VTPR_CODE,FINIS_VTPR_CODE,STRING,Final Vehicle Trim Parts Reference code for the part
PARTS, VTPR_PREFIX, VTPR_PREFIX, STRING, Prefix of the Vehicle Trim Parts Reference system code
PARTS, VTPR BASE, VTPR BASE, STRING, Base of the Vehicle Trim Parts Reference system code
PARTS, VTPR SUFFIX, VTPR SUFFIX, STRING, Suffix of the Vehicle Trim Parts Reference system code
PARTS,OWS NG PART NUMBER,OWS NG PART NUMBER,STRING,One World Sync Next Generation syste
PARTS,OWS_SG_PART_NUMBER,OWS_SG_PART_NUMBER,STRING,One World Sync Standard Generation s
PARTS, SIMILAR PREFIX, SIMILAR PREFIX, STRING,
PARTS, SIMILAR_BASE, SIMILAR_BASE, STRING,
PARTS, SIMILAR SUFIX, SIMILAR SUFIX, STRING,
PARTS, TYPE MATERIAL 1, TYPE MATERIAL 1, STRING, Primary material type used in or associated with the part of the 
PARTS, TYPE_MATERIAL_2, TYPE_MATERIAL_2, STRING, Secondary material type used in or associated with the
PARTS, TYPE_MATERIAL_3, TYPE_MATERIAL_3, STRING, Tertiary material type used in or associated with the partial type used in the p
PARTS, PART_CLASS, PART_CLASS, STRING, Classification category to which a part belongs
PARTS,MODEL_PART,MODEL_PART,STRING,Identifies the model associated with or requiring the part
PARTS, ORIGIN CODE, ORIGIN CODE, STRING, Code signifying the origin of the part
PARTS, PART DISTRIBUTION CODE, PART DISTRIBUTION CODE, STRING, Code that identifies the distribution
PARTS, MATERIAL_TYPE_ARG, MATERIAL_TYPE_ARG, STRING, Material type argument or descriptor
PARTS, PRODUCT LINE, PRODUCT LINE, STRING, Product line to which the part belongs
PARTS, COMMERCIALIZED_MODALITY, COMMERCIALIZED_MODALITY, STRING, Mode or method by which the
PARTS, ENABLE ORDERING, ENABLE ORDERING, STRING, Indicator of whether the part is available for ordering
PARTS,IS HAZARDOUS,IS HAZARDOUS,STRING,Flag determining if the part contains hazardous material
PARTS, SIZE UNITY MEASURE, SIZE UNITY MEASURE, STRING, Unit of measure for size dimensions of the pa
PARTS, HEIGHT, NUMERIC, Height dimension of the part
```

```
PARTS, WEIGHT_UNITY_MEASURE, WEIGHT_UNITY_MEASURE, STRING, Unit of measure for the weight of the
PARTS, WEIGHT, WEIGHT, NUMERIC, Weight of the part
PARTS, UN VENDA, UN VENDA, NUMERIC,
PARTS, COMMERCIAL_UNITY, COMMERCIAL_UNITY, STRING, Unit used for the commercial transaction of the pa
PARTS, BUSINESS_CATEGORY, BUSINESS_CATEGORY, STRING, Category defining the type of business transa
PARTS, PILFERABLE, STRING, Indicator of whether the part is prone to theft
PARTS, PACKING_CODE, PACKING_CODE, STRING, Code pertaining to the packaging of the part
PARTS, PACKING_TYPE, PACKING_TYPE, STRING, Type of packaging used for the part
PARTS,LOCAL_MARKET_LINE_ITEM,LOCAL_MARKET_LINE_ITEM,STRING,Line item identification in a local market.
PARTS, MARKET_LINE_ITEM, MARKET_LINE_ITEM, STRING, Market-specific identification for the line item
PARTS, KIT, KIT, STRING, Indicator or identifier for parts sold as a kit
PARTS, STATUS_PART_ACTIVE, STATUS_PART_ACTIVE, STRING, Status indicating whether the part is active or
PARTS, UPDATE_DATE_PART_ACTIVE, UPDATE_DATE_PART_ACTIVE, TIMESTAMP, Date when the part status
PARTS, SERVICE_DISPOSITION_REGIONAL, SERVICE_DISPOSITION_REGIONAL, STRING,
PARTS, SERVICE_DISPOSITION_COUNTRY, SERVICE_DISPOSITION_COUNTRY, STRING,
PARTS, CROSS_DOCK, CROSS_DOCK, STRING, Identification code or status relating to cross-docking operations
PARTS,IVA_TAX,IVA_TAX,STRING,"Value Added Tax, Specific to the IVA tax system"
PARTS, VATCODE, VATCODE, STRING, Tax code for the Value Added Tax applicable to the part
PARTS, ENABLE_FOR_RECEIVING, ENABLE_FOR_RECEIVING, STRING, Indicator of whether receiving is enable
PARTS, DATE_PART_INACTIVE, DATE_PART_INACTIVE, TIMESTAMP, Date when the part became inactive
PARTS, BUYER, STRING, Identifier for the buyer responsible for procurement of the part
PARTS, SELREV, SELREV, STRING, Code representing the review status or cycle of selection for the part
PARTS, FOLLOWUP, FOLLOWUP, STRING, Identifier or status for the follow-up process associated with the part
PARTS, START_DATE, START_DATE, Starting date relevant to the part, possibly indicating availability or pr
PARTS, END_DATE, END_DATE, "End date relevant to the part, possibly indicating discontinuation or end of
PARTS, STOCK AVAILABILITY, STOCK AVAILABILITY, STRING, Availability status of the part in stock
PARTS, LAST REPLACEMENT TOTAL COST, LAST REPLACEMENT TOTAL COST, FLOAT64, Total cost associations and the cost of 
PARTS, PERFIT_MAJOR_LINE, PERFIT_MAJOR_LINE, INT64, Major line or category identification within the PERF
PARTS, PERFIT_MERCHANDISER_CODE, PERFIT_MERCHANDISER_CODE, INT64, Code for the merchandiser
PARTS, BRAZIL_IPI_RATE, BRAZIL_IPI_RATE, NUMERIC, Tax rate for the Industrialized Products Tax (IPI) specific
PARTS, EXPECTED_END_DATE, EXPECTED_END_DATE, DATE, "Anticipated end date for the part, could relate to
PARTS, PART IS ACESSORY, PART IS ACESSORY, STRING, Indicator of whether the part is considered an acc
PARTS, PART_IS_TAPESTRY, PART_IS_TAPESTRY, STRING, Indicator of whether the part relates to tapestry or i
PARTS, FLAG PROFITERABLES, FLAG PROFITERABLES, BOOL, Flag indicating if the part is associated with pro-
PARTS,ALL_TIME,BOOL,Time-related dimension or all-time metric related to the part
PARTS, OBSOLETE_PART_INDICATOR, OBSOLETE_PART_INDICATOR, BOOL, Indicator of whether the part is continuous and approximately account to the part of th
PARTS,PART_EXCESS,PART_EXCESS,BOOL,Status or indicator of excess part inventory or stock
PARTS, REQUIRED TOOL, REQUIRED TOOL, BOOL, Information about tools required for the use or installation of
PARTS, SERVICE_COMPAIGN, SERVICE_COMPAIGN, BOOL, Identifier for a service campaign associated with the
PARTS, PART_MARKET, PART_MARKET, STRING, Market classification or identifier in which the part is distributed
PARTS, ALLTIME_BUY, ALLTIME_BUY, STRING, "Purchase-related metric or identifier, possibly representing all-tin
PARTS, BRIDGERUN, BRIDGERUN, STRING, Code or status related to bridging operations for part supply or transit
PARTS, CRITICAL_SALE, CRITICAL_SALE, STRING, Indicator or metric denoting the critical nature of the part sale
PARTS, SERVICE_RECALL_PART, SERVICE_RECALL_PART, STRING, Flag indicating if the part is subject to a se
PARTS, IMPORT RESTRICT, IMPORT RESTRICT, STRING, Restriction status or information regarding the import
PARTS, PROGRAM_WHS, PROGRAM_WHS, STRING, Warehouse or inventory program code associated with the
PARTS, RESERVE PART, RESERVE PART, STRING, Indicator or status relating to reserving the part for special p
PARTS, CODNCM, CODNCM, STRING, Nomenclature code for Mercosur Common Nomenclature (NCM) related to
PARTS, OBSOLETE_REVENUE, OBSOLETE_REVENUE, STRING, Revenue information or status related to obsole
PARTS, AIR RESTRICTION, AIR RESTRICTION, STRING, Restriction status related to air transportation of the par
PARTS, BOOKING PART, BOOKING PART, STRING, Booking information or identifier for the part
PARTS, LANGUAGE_CODE_DESCRIPTION, LANGUAGE_CODE_DESCRIPTION, STRING, Description of the language.
```

PARTS, WIDTH, WIDTH, NUMERIC, Width dimension of the part PARTS, DEPTH, DEPTH, NUMERIC, Depth dimension of the part

```
PARTS, LANGUAGE_DESCRIPTION_EN, LANGUAGE_DESCRIPTION_EN, STRING, English language description
PARTS, GSDB_WIPS_COUNTRY, GSDB_WIPS_COUNTRY, STRING,
PARTS, GSDB_WIPS_DATE_COUNTRY, GSDB_WIPS_DATE_COUNTRY, STRING,
PARTS, SUPPLIER CODE, SUPPLIER CODE, STRING, Code identifying the supplier of the part
PARTS, SUPPLIER_NAME, SUPPLIER_NAME, STRING, Name of the supplier providing the part
PARTS, INVENTORY_STATUS_CODE, INVENTORY_STATUS_CODE, STRING, Code describing the current status
PARTS,INVENTORY_NAME,INVENTORY_NAME,STRING,Name associated with the inventory status of the part
PARTS, INVENTORY_DESCRIPTION, INVENTORY_DESCRIPTION, STRING, Description of the inventory status of
PARTS, PRICE_BAND1, PRICE_BAND1, NUMERIC, Pricing band or level used for categorizing the part price in a ce
PARTS, PRICE_PUBLIC, PRICE_PUBLIC, NUMERIC, Public-facing price or the suggested retail price (MSRP) of the
PARTS, PRICE_WARRANTY, PRICE_WARRANTY, NUMERIC, Price of the part when sold under warranty condition
PARTS, PRICE_INVENTORY, PRICE_INVENTORY, NUMERIC, Inventory or internal cost price associated with the part of the
PARTS, PRICE LOCAL US, PRICE LOCAL US, NUMERIC, Localized pricing in US dollars for regions or operation
PARTS, PRICE_US, PRICE_US, NUMERIC, Pricing in US dollars for the part within the United States market
PARTS, PRICE_BAND2, PRICE_BAND2, NUMERIC, Secondary pricing band or level used for categorizing part price
PARTS, PRICE BAND4, NUMERIC, "Additional pricing band or level for the part, providing further p
PARTS, PRICE BAND20, PRICE BAND20, NUMERIC, "Further differentiated pricing band or level for the part, external part, external pricing band or level for the part, external part, externa
PARTS, SUPERSESSION, SUPERSESSION, STRING, Information relating to the replacement or upgrade path for the
PARTS, SUPERSESSION_COMPLETE, SUPERSESSION_COMPLETE, STRING, Complete information for the sup
PARTS, SUPERSESSION1, SUPERSESSION1, STRING, First tier or level information related to part supersession
PARTS, SUPERSESSION2, SUPERSESSION2, STRING, Second tier or level information related to part supersession
PARTS, SUPERSESSION3, SUPERSESSION3, STRING, Third tier or level information related to part supersession
PARTS, SUPERSESSION4, SUPERSESSION4, STRING, Fourth tier or level information related to part supersession
PARTS, SUPERSESSION5, SUPERSESSION5, STRING, Fifth tier or level information related to part supersession
PARTS, SUPERSESSION6, SUPERSESSION6, STRING, Sixth tier or level information related to part supersession
PARTS, SUPERSESSION7, SUPERSESSION7, STRING, Seventh tier or level information related to part supersessions
PARTS, SUPERSESSION8, SUPERSESSION8, STRING, Eighth tier or level information related to part supersession
PARTS, HAZARDOUS CODE, HAZARDOUS CODE, STRING, Code classifying the part's hazard level or hazardou
PARTS, HAZARDOUS_NAME, HAZARDOUS_NAME, STRING, Name or label assigned to the hazard level or category
PARTS, HAZARDOUS_DESCRIPTION, HAZARDOUS_DESCRIPTION, STRING, Description providing details about
PARTS,CASE_TYPE,CASE_TYPE,STRING,Type of case or packaging used for shipping or handling the part
PARTS, CASE_SIZE_UNITY_MEASURE, CASE_SIZE_UNITY_MEASURE, STRING, Unit of measure for the case s
PARTS, CASE WEIGTH UNITY MEASURE, CASE WEIGTH UNITY MEASURE, STRING, Unit of measure for the
PARTS, CASE HEIGHT, NUMERIC, Height dimension of the case used for the part
PARTS, CASE WIDTH, CASE WIDTH, NUMERIC, Width dimension of the case used for the part
PARTS, CASE_DEPTH, CASE_DEPTH, NUMERIC, Depth dimension of the case used for the part
PARTS, CASE WEIGTH, CASE WEIGTH, NUMERIC, Weight of the case used for the part
PARTS, PHASE_IN_COUNTRY, PHASE_IN_COUNTRY, DATETIME,
PARTS, PHASE OUT COUNTRY, PHASE OUT COUNTRY, DATE,
PARTS, EXPORT FLAG COUNTRY, EXPORT FLAG COUNTRY, STRING,
PARTS, MARKET APPLY FLAG COUNTRY, MARKET APPLY FLAG COUNTRY, STRING,
PARTS, SERIAL_NUMBER_F_COUNTRY, SERIAL_NUMBER_F_COUNTRY, STRING,
PARTS, ESTAMPILHA_F_COUNTRY, ESTAMPILHA_F_COUNTRY, STRING,
PARTS_CADEIA, COUNTRY, COUNTRY, STRING, Country.
PARTS_CADEIA,PART_NUMBER,PART_NUMBER,STRING,Part Number.
PARTS CADEIA, POPIMS SESP, POPIMS SESP, STRING, POPIMS part number with no space.
PARTS_CADEIA,POPIMS_PART,POPIMS_PART,STRING,POPIMS part number.
PARTS CADEIA, PART DESCRIPTION, PART DESCRIPTION, STRING, Part long description.
PARTS_CADEIA,PART_NUMBER_CADEIA_1,PART_NUMBER_CADEIA_1,STRING,Part number chain 1.
PARTS_CADEIA,PART_NUMBER_CADEIA_2,PART_NUMBER_CADEIA_2,STRING,Part number chain 2.
PARTS_CADEIA,PART_NUMBER_CADEIA_3,PART_NUMBER_CADEIA_3,STRING,Part number chain 3.
PARTS_CADEIA, PART_NUMBER_CADEIA_4, PART_NUMBER_CADEIA_4, STRING, Part number chain 4.
PARTS_CADEIA,PART_NUMBER_CADEIA_5,PART_NUMBER_CADEIA_5,STRING,Part number chain 5.
```

PARTS, LANGUAGE\_DESCRIPTION, LANGUAGE\_DESCRIPTION, STRING, Description of the language used in the

```
PARTS_CADEIA, PART_NUMBER_CADEIA_6, PART_NUMBER_CADEIA_6, STRING, Part number chain 6.
PARTS_CADEIA, PART_NUMBER_CADEIA_7, PART_NUMBER_CADEIA_7, STRING, Part number chain 7.
PARTS_CADEIA, PART_NUMBER_CADEIA_8, PART_NUMBER_CADEIA_8, STRING, Part number chain 8.
PARTS_CADEIA,KEY_PARTNUMBER,KEY_PARTNUMBER,INT64,UID (PK) for the table Parts for each Division.
PARTS_CADEIA,KEY_SUPERSESSION,KEY_SUPERSESSION,STRING,Complete chain even with inactive part.
PARTS_CADEIA,KEY_PARTCADEIA1,KEY_PARTCADEIA1,INT64,Key part chain 1.
PARTS_CADEIA,KEY_PARTCADEIA2,KEY_PARTCADEIA2,INT64,Key part chain 2.
PARTS_CADEIA,KEY_PARTCADEIA3,KEY_PARTCADEIA3,INT64,Key part chain 3.
PARTS_CADEIA,KEY_PARTCADEIA4,KEY_PARTCADEIA4,INT64,Key part chain 4.
PARTS_CADEIA,KEY_PARTCADEIA5,KEY_PARTCADEIA5,INT64,Key part chain 5.
PARTS_CADEIA,KEY_PARTCADEIA6,KEY_PARTCADEIA6,INT64,Key part chain 6.
PARTS_CADEIA, KEY_PARTCADEIA7, KEY_PARTCADEIA7, INT64, Key part chain 7.
PARTS_CADEIA,KEY_PARTCADEIA8,KEY_PARTCADEIA8,INT64,Key part chain 8.
PARTS_VTPR, PartNumber, PartNumber, STRING, "The unique identifier assigned to a part, typically indicating the
PARTS_VTPR,PartNumberFormatted,PartNumberFormatted,STRING,"The formatted version of the part number for
PARTS_VTPR,VTPRPrefix,VTPRPrefix,STRING,"A segment of the part number that may designate the part's cate
PARTS_VTPR,VTPRBase,VTPRBase,STRING,The basic or core section of the part number that typically indicates
PARTS_VTPR,VTPRSuffix,VTPRSuffix,STRING,"A suffix in the part number that usually provides additional inform
PARTS_VTPR, TypeMaterial1, TypeMaterial1, STRING, "The primary material composition of the part, which can affe
PARTS_VTPR, TypeMaterial2, TypeMaterial2, STRING, "The secondary material used in the part, which may complete the complet
PARTS_VTPR, TypeMaterial3, TypeMaterial3, STRING, "A tertiary material present in the part, potentially serving a s
PARTS_VTPR,LanguageDescription1,LanguageDescription1,STRING,"The primary name or designation of the pa
PARTS VTPR, Language Description 2, Language Description 2, STRING, "An alternate name or description for the pa
PARTS_VTPR,LanguageDescription3,LanguageDescription3,STRING,"A supplementary name or identifier for the
PARTS_VTPR,CodEffecting,CodEffecting,STRING,"An internally used code associated with the part's status or a t
PARTS_VTPR,CodNCM,CodNCM,STRING,"A tax or fiscal code assigned to the part for regulatory, custom, or tax
PRICE, PREFIXO, PREFIXO, STRING, Identifier or a code fragment usually denoting the category or type for a produ
PRICE, BASICO, BASICO, STRING, A unique basic identification or serial number associated with the core item or p
PRICE, SUFIXO, SUFIXO, STRING, Additional identifier or code fragment usually providing more specific information
PRICE, PRECEFET, NUMERIC, "The effective price of the item after considering discounts, taxes, and
PRICE, NUMLISTA, NUMERIC, Identifier of the price list that the item's pricing information is associated
PRICE, DT_LISTA, DATETIME, "Date on which the price list, referenced by NUMLISTA, is effective or was
PRICE, VERSCUST, VERSCUST, NUMERIC, "Version identifier of the cost calculation, used for tracking changes over
PRICE, ULTATUAL, ULTATUAL, DATETIME, The most recent update date indicating when the item's information wa
PRICE, PRECEXPOR, PRECEXPOR, NUMERIC, The price at which the item is exported or intended for export mark
PRICE, DATAEXPOR, DATAEXPOR, DATETIME, "Date on which the export price, referenced by PRECEXPOR, is e
PRICE, CUSTMEDIO, CUSTMEDIO, NUMERIC, The average cost of the item derived from calculations over a specific
PRICE, ERRATA, ERRATA, DATETIME, Reference to an errata or correction notice applicable to the item's data
PRICE, PRECORRIG, PRECORRIG, NUMERIC, The corrected price after considering any errata or updates specifie
PRICE, CLAPRECO, CLAPRECO, NUMERIC, "Classification or category of the pricing, which may relate to market s
PRICE, CLADESCO, CLADESCO, STRING, Classification or category of the discounts applicable to the item
PRICE, FLGERRATA, FLGERRATA, STRING, Flag indicating whether there is an errata or correction active for the it
PRICE,IPI,IPI,NUMERIC,"Tax rate specific to industrialized products, applied to the item's cost"
PRICE, PRECORVFB, PRECORVFB, NUMERIC, Factory-based cost before taxes and additional costs
PRICE, PRECORVVW, PRECORVVW, NUMERIC, Wholesale cost before taxes and additional costs
PRICE, PRECOGAFB, PRECOGAFB, NUMERIC, Factory-based price after global adjustments
PRICE, PRECOGAVW, PRECOGAVW, NUMERIC, Wholesale price after global adjustments
PRICE, PRECOGACM, PRECOGACM, NUMERIC, Commercial price after global adjustments
PRICE, PARTCLASS1, PARTCLASS1, STRING, Primary classification code for the item's part or component
PRICE, PARTCLASS2, PARTCLASS2, STRING, Secondary classification code for the item's part or component for fu
```

PRICE, PRECEXPORA, PRECEXPORA, NUMERIC, The adjusted export price utilizing the factor specified by FATOI PRICE, DATAEXPORA, DATAEXPORA, DATETIME, "Date on which the adjusted export price, referenced by PRECI PRICE, FATOREXPAR, FATOREXPAR, NUMERIC,

PRICE, FATOREXP, FATOREXP, NUMERIC,

```
PRICE, USRALTPRSU, USRALTPRSU, STRING, User identifier of the individual who last modified the pricing inform
PRICE, USREFEPRSU, USREFEPRSU, STRING, User reference code correlating to the individual responsible for price and the individual responsible for the i
PRICE, ORIGEPRSUG, ORIGEPRSUG, STRING, Origin code or identifier signifying the source of the pricing update
PRICE, USRALTPREX, USRALTPREX, STRING, User identifier of the individual who last modified the export pricing
PRICE, USREFEPREX, USREFEPREX, STRING, User reference code correlating to the individual responsible for expension of the individual responsibility of the individual
PRICE, ORIGEPREXP, ORIGEPREXP, STRING, Origin code or identifier signifying the source of the export pricing u
PRICE, USRALTPRXA, USRALTPRXA, STRING, User identifier of the individual who last adjusted the price
PRICE, USREFEPRXA, USREFEPRXA, STRING, User reference code correlating to the individual responsible for the
PRICE, ORIGEPREXA, ORIGEPREXA, STRING, Origin code or identifier signifying the source of the price adjustment
PRICE, PREEXPVN, PREEXPVN, NUMERIC, The predetermined price for a new version or iteration of the item
PRICE, DTAEXPVN, DTAEXPVN, DATETIME, Date when the predetermined price for the new version of the item be
PRICE, USRALTVN, USRALTVN, STRING, User identifier of the individual who last modified the new version's pricin
PRICE, USREFEVN, USREFEVN, STRING, User reference code correlating to the individual responsible for the new
PRICE, ORIPREVN, ORIPREVN, STRING, Origin code or identifier signifying the pricing source for the new version
PRICE, PREEXPVNA, PREEXPVNA, NUMERIC, The anticipated price for a new version after adjustments
PRICE, DTAEXPVNA, DTAEXPVNA, DATETIME, Date when the anticipated adjusted price for the new version of the
PRICE, USRALTVNA, USRALTVNA, STRING, User identifier of the individual who last modified the adjusted pricing
PRICE, USREFEVNA, USREFEVNA, STRING, User reference code correlating to the individual responsible for the a
PRICE, ORIPREVNA, ORIPREVNA, STRING, Origin code or identifier signifying the pricing source for the adjusted n
PRICE, PREEXPVNO, PREEXPVNO, NUMERIC, Export price for a new version or iteration of the item
PRICE, DTAEXPVNO, DTAEXPVNO, DATETIME, Date when the export price for the new version of the item become
PRICE, USRALTVNO, USRALTVNO, STRING, User identifier of the individual who last modified the new version's experience of the individual who last modified the new version's experience of the individual who last modified the new version's experience of the individual who last modified the new version's experience of the individual who last modified the new version's experience of the individual who last modified the new version's experience of the individual who last modified the new version's experience of the individual who last modified the new version's experience of the individual who last modified the new version's experience of the individual who last modified the new version's experience of the individual who last modified the new version's experience of the individual who last modified the new version's experience of the individual who last modified the new version's experience of the individual who last modified the new version of the individual who last modified the new version of the individual who last modified the new version of the individual who last moderate of the individual wh
PRICE, USREFEVNO, USREFEVNO, STRING, User reference code correlating to the individual responsible for the r
PRICE, ORIPREVNO, ORIPREVNO, STRING, Origin code or identifier signifying the export pricing source for the new
PRICE_HIST, PREFIXO, PREFIXO, STRING, Identifier prefix that categorizes or represents a group of items for organized programmers.
PRICE_HIST,BASICO,BASICO,STRING,Basic identification number or code that uniquely identifies an item within
PRICE_HIST, SUFIXO, SUFIXO, STRING, Suffix identifier providing additional item specification or variant information
PRICE HIST, PRECEFET, NUMERIC, Reference effective price or the base listed price of an item befo
PRICE HIST, NUMLISTA, NUMLISTA, NUMERIC, Number associated with a list or catalog in which the item appears
PRICE_HIST,DT_LISTA,DT_LISTA,DATETIME,Date indicating when the item was listed or when the list/catalog w
PRICE_HIST, VERSCUST, NUMERIC, Version number of the cost estimate or calculation method.
PRICE_HIST,ULTATUAL,ULTATUAL,DATETIME,Date of the most recent update to the item's information.
PRICE_HIST,PRECEXPOR,PRECEXPOR,NUMERIC,Export price or the selling price for the item outside the dom
PRICE HIST, DATAEXPOR, DATAEXPOR, DATETIME, "Date associated with the export price, possibly indicating the
PRICE_HIST,CUSTMEDIO,CUSTMEDIO,NUMERIC,"Average cost of the item, calculated over a specified time fra
PRICE HIST, ERRATA, ERRATA, DATETIME, Indicates corrections or amendments to previously published item info
PRICE_HIST, PRECORRIG, PRECORRIG, NUMERIC, Corrected price following an errata or adjustment from the pro-
PRICE_HIST,CLAPRECO,CLAPRECO,NUMERIC,Price classification code indicating the pricing tier or group the i
PRICE_HIST,CLADESCO,CLADESCO,STRING,Discount classification indicating the discount tier or category app
PRICE_HIST,FLGERRATA,FLGERRATA,STRING,"Flag indicating whether an errata exists for the item, requiring a
PRICE HIST, IPI, IPI, NUMERIC, "Tax rate for the 'Imposto sobre Produtos Industrializados', a Brazilian tax on indus
PRICE_HIST, PRECORVFB, PRECORVFB, NUMERIC, "Price according to the 'Valor FOB' (free on board), typically
PRICE_HIST,PRECORVVW,PRECORVVW,NUMERIC,"Price according to the 'Valor VW', a specific price classific
PRICE_HIST,PRECOGAFB,PRECOGAFB,NUMERIC,Government-assigned FOB price or a regulated price that no
PRICE_HIST,PRECOGAVW,PRECOGAVW,NUMERIC,Government-assigned VW price or a price set by authorita
PRICE_HIST,PRECOGACM,PRECOGACM,NUMERIC,"Government-assigned CM price, indicating compliance wi
PRICE HIST, PARTCLASS1, PARTCLASS1, STRING, "Primary classification code for the part or item, generally der
PRICE_HIST, PARTCLASS2, PARTCLASS2, STRING, Secondary classification code providing further categorization
PRICE HIST, FATOREXP, FATOREXP, NUMERIC,
PRICE_HIST, PRECEXPORA, PRECEXPORA, NUMERIC, "Alternative export price for the item, which may exist for
PRICE_HIST, DATAEXPORA, DATAEXPORA, DATETIME, "Date associated with the alternative export price, indicated associated with the alternative export price as a second price
```

PRICE\_HIST,USRALTPRSU,USRALTPRSU,STRING,"User ID of the person who last altered the 'PRSU' field, der PRICE\_HIST,USREFEPRSU,USREFEPRSU,STRING,User ID of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the 'PRSU' is a second control of the person responsible for establishing the

PRICE HIST, FATOREXPAR, FATOREXPAR, NUMERIC,

```
PRICE_HIST,ORIGEPRSUG,ORIGEPRSUG,STRING,"Origin or source information for the 'PRSU' field value, clari-
PRICE_HIST,USRALTPREX,USRALTPREX,STRING,"User ID of the person who last altered the 'PREX' field, indi-
PRICE_HIST,USREFEPREX,USREFEPREX,STRING,"User ID of the person who set the 'PREX' field value, signif
PRICE_HIST,ORIGEPREXP,ORIGEPREXP,STRING,"Original input information for the 'PREXP' field value, provided in the 'PREXP' f
PRICE_HIST,USRALTPRXA,USRALTPRXA,STRING,"User ID of the individual who last changed the 'PRXA' field,
PRICE_HIST,USREFEPRXA,USREFEPRXA,STRING,User ID of the person who determined the value of the 'PRX
PRICE_HIST,ORIGEPREXA,ORIGEPREXA,STRING,Source or derivation details for the value found in the 'PREX
PRICE_HIST, PREEXPVN, PREEXPVN, NUMERIC, "Export price variant number, possibly indicating different pricing
PRICE_HIST,DTAEXPVN,DTAEXPVN,DATETIME,"Date relating to the export price variant, which may be its effective statement of the export price variant, which may be its effective statement of the export price variant, which may be its effective statement of the export price variant, which may be its effective statement of the export price variant, which may be its effective statement of the export price variant, which may be its effective statement of the export price variant, which may be its effective statement of the export price variant.
PRICE_HIST,USRALTVN,USRALTVN,STRING,User ID of the individual responsible for the most recent update to
PRICE_HIST,USREFEVN,USREFEVN,STRING,User ID of the person who provided the original input for the varia
PRICE_HIST,ORIPREVN,ORIPREVN,STRING,"Origin of the price variant, providing details on why a different pric
PRICE_HIST,PREEXPVNA,PREEXPVNA,NUMERIC,"Alternative export price variant, possibly for specific market
PRICE_HIST,DTAEXPVNA,DTAEXPVNA,DATETIME,"Date associated with the alternative export price variant, inc
PRICE_HIST,USRALTVNA,USRALTVNA,STRING,User ID of the individual who last modified the alternative expor
PRICE_HIST,USREFEVNA,USREFEVNA,STRING,User ID of the source who entered the alternative export price
PRICE_HIST,ORIPREVNA,ORIPREVNA,STRING,Source or justification for the value of the alternative export price
PRICE_HIST,PREEXPVNO,PREEXPVNO,NUMERIC,Export price variant number for another set of conditions or i
PRICE_HIST, DTAEXPVNO, DTAEXPVNO, DATETIME, Date corresponding to this additional export price variant nu
PRICE_HIST,USRALTVNO,USRALTVNO,STRING,User ID of the party responsible for the most recent changes to
PRICE_HIST,USREFEVNO,USREFEVNO,STRING,User ID who initially established the value for the additional ex
PRICE_HIST,ORIPREVNO,ORIPREVNO,STRING,"Source or derivation for the additional price variant number, significantly significant street in the second street i
PROCESSED ROWS,LINE STATUS,LINE STATUS,STRING,"Current processing or physical status of an order I
PROCESSED_ROWS,CREATION_DATE_LINE,CREATION_DATE_LINE,DATE,Date when an order line was created
PROCESSED_ROWS,DATA_STATUS,DATA_STATUS,DATE,"Indicative status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the status of the data entry or record, possible processing the data entry o
PROCESSED_ROWS, COUNTRY, COUNTRY, STRING, "Identifier for the country associated with the order line, like
PROCESSED_ROWS,QUANTITY,QUANTITY,INT64,Numerical count of items or units associated with the respect
PROGRAMMING, COUNTRY, STRING, The nation where the supplier or the order destination is located
PROGRAMMING, PART_NUMBER, PART_NUMBER, STRING, "The unique identifier of the automotive part, often in
PROGRAMMING, PART_NUMBER_NOBAR, PART_NUMBER_NOBAR, STRING, The part number stripped of any
PROGRAMMING, PART_ENG, STRING, The engineering part number or designation that may include
PROGRAMMING, PART_ENG_NOBAR, PART_ENG_NOBAR, STRING, The engineering part number without bar or
PROGRAMMING, FINIS_VTPR_CODE, FINIS_VTPR_CODE, STRING, "Manufacturer's internal code for the part, po
PROGRAMMING, SHORT NAME, SHORT NAME, STRING, An abbreviated or short form name of the part for quick
PROGRAMMING, SUPPLIER_CODE, SUPPLIER_CODE, STRING, "A code that represents the supplier, potentially
PROGRAMMING, SUPPLIER GSDB CODE, SUPPLIER GSDB CODE, STRING, A global standard database code
PROGRAMMING, SUPPLIER_NAME, SUPPLIER_NAME, STRING, The full legal name of the supplier company of the
PROGRAMMING,GSDB_CODE,GSDB_CODE,STRING,Global Supplier Database Code related to the part or order
PROGRAMMING, PROGRAM_DATE, PROGRAM_DATE, DATE, "The scheduled or projected date related to the particle of the
PROGRAMMING, ORDERED QUANTITY, ORDERED QUANTITY, INT64, The total number of parts ordered.
PROGRAMMING, PENDING_QUANTITY, PENDING_QUANTITY, INT64, The number of parts that have been ordered
PROGRAMMING, RECEIVED_QUANTITY, RECEIVED_QUANTITY, INT64, The quantity of parts that have been del
PROGRAMMING, SEND_DATE, SEND_DATE, DATE, The date on which the parts were dispatched or sent by the s
PROGRAMMING, RELEASE, RELEASE, STRING, "Indicates the state of release of the part, possibly related to its a
PROGRAMMING, PURCHASE_ORDER, PURCHASE_ORDER, STRING, A unique identifier for the purchase order
PROGRAMMING, TRANSPORT_TYPE, TRANSPORT_TYPE, STRING, "The method of transportation used to ship to
PROGRAMMING, SUPPLIER TYPE, SUPPLIER TYPE, STRING, "The classification of the supplier, which could rel
PROGRAMMING, STATUS_FIRM_ORDERS, STATUS_FIRM_ORDERS, STRING, "The current status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order, I want to be a status of the order.
PROGRAMMING, CREATE USER, CREATE USER, STRING, Create user to programing.
PROGRAMMING, UPDATE_USER, UPDATE_USER, STRING, update user to programing.
```

PROGRAMMING, CREATE\_DATE\_PROGRAMING, CREATE\_DATE\_PROGRAMING, TIMESTAMP, Date and time

RECEIVING, SUB DIVISION, SUB DIVISION, STRING, Division name.

RECEIVING, COUNTRY, COUNTRY, STRING, Country name.

RECEIVING, WAREHOUSE\_CODE, WAREHOUSE\_CODE, STRING, Warehouse code.

```
RECEIVING, WAREHOUSE_NAME, WAREHOUSE_NAME, STRING, Warehouse name.
```

RECEIVING, SUPPLIER\_CODE, SUPPLIER\_CODE, STRING, Supplier code.

RECEIVING, SUPPLIER\_NAME, SUPPLIER\_NAME, STRING, Supplier name.

RECEIVING, DOCUMENT\_CODE, DOCUMENT\_CODE, STRING, "May be the Invoice Number, Remito, Fatura, etc.

RECEIVING, DOCUMENT SERIES, DOCUMENT SERIES, STRING, Document series.

RECEIVING, DOCUMENT\_ISSUE, DOCUMENT\_ISSUE, DATE, Document issue date.

RECEIVING, CREATE\_ORDER\_DATE, CREATE\_ORDER\_DATE, TIMESTAMP, Create date.

RECEIVING, CREATE\_USER\_PRE, CREATE\_USER\_PRE, STRING, Create user.

RECEIVING, CREATE\_PROC\_PRE, CREATE\_PROC\_PRE, STRING, Create process name.

RECEIVING, UPDATE\_DATE\_PRE, UPDATE\_DATE\_PRE, TIMESTAMP, Update date.

RECEIVING, UPDATE\_USER\_PRE, UPDATE\_USER\_PRE, STRING, Update user.

RECEIVING, UPDATE\_PROC\_PRE, UPDATE\_PROC\_PRE, STRING, Update process name.

RECEIVING, PROCESS\_NAME\_PRE, PROCESS\_NAME\_PRE, STRING, "For Brazil: process number. Must be info RECEIVING, DOCUMENT TYPE, DOCUMENT TYPE, STRING, "Contains what type of Legal Doc is stored ('INVOI

RECEIVING, AFA\_CODE, AFA\_CODE, STRING, AFA Code.

RECEIVING, TOTAL\_AMOUNT\_VALUE, TOTAL\_AMOUNT\_VALUE, FLOAT64, Total amount value.

RECEIVING, CURRENCY ISO, CURRENCY ISO, STRING, Currency ISO Code.

RECEIVING, ORIGIN SOURCE, ORIGIN SOURCE, STRING, "From which interface this ASn has come (i.e. 'CMMS RECEIVING, DOCUMENT\_SUPORT, DOCUMENT\_SUPORT, STRING, Image or document (PDF) of any important of

RECEIVING, SHIPPER NUMBER, SHIPPER NUMBER, FLOAT64, Shipper number.

RECEIVING, TRANSPOST\_TYPE, TRANSPOST\_TYPE, STRING, Information comes from CIF810 geos gate file.

RECEIVING, GSDB TYPE, GSDB TYPE, INT64, "Type of this GSDB (I.e. 'With Importing License', 'Without Importing RECEIVING, GSDB NAME, GSDB NAME, STRING, GSDB description.

RECEIVING, DESTINATION CODE WH, DESTINATION CODE WH, INT64, Destination code.

RECEIVING, PRIORITY ATTEND, PRIORITY ATTEND, INT64, Search request by provider request program when i RECEIVING, GSPN\_PREFIX\_C, GSPN\_PREFIX\_C, STRING, "Global Service part Number (by the initial load, this is

RECEIVING, GSPN\_BASE\_C, GSPN\_BASE\_C, STRING, "Global Service part Number (by the initial load, this is not

RECEIVING, GSPN SUFFIX C, GSPN SUFFIX C, STRING, "Global Service part Number (by the initial load, this is RECEIVING, POPIMS PART, POPIMS PART, STRING, POPIMS part number.

RECEIVING, POPIMS SESP, POPIMS SESP, STRING,

RECEIVING, CREATE DATE PRE ITEM, CREATE DATE PRE ITEM, TIMESTAMP, Create date.

RECEIVING, CREATE\_USER\_PRE\_ITEM, CREATE\_USER\_PRE\_ITEM, STRING, Create user.

RECEIVING, CREATE\_PROCESS\_PRE\_ITEM, CREATE\_PROCESS\_PRE\_ITEM, STRING, Create process name.

RECEIVING, UPDATE PROCESS PRE ITEM, UPDATE PROCESS PRE ITEM, STRING, Update process name.

RECEIVING, UPDATE DATE PRE ITEM, UPDATE DATE PRE ITEM, TIMESTAMP, Update date.

RECEIVING, UPDATE USER PRE ITEM, UPDATE USER PRE ITEM, STRING, Update user.

RECEIVING, STATUS\_PRE\_ITEM, STATUS\_PRE\_ITEM, STRING, Status label.

RECEIVING, PART MEASURE CODE, PART MEASURE CODE, STRING, Measure Code.

RECEIVING, PART\_QUANTITY, PART\_QUANTITY, INT64, Quantity.

RECEIVING.PART COUNTED.PART COUNTED.INT64.Quantity Counted.

RECEIVING, CONTAINER CODE, CONTAINER CODE, STRING, Container code.

RECEIVING, PURCHASE ORDER, PURCHASE ORDER, INT 64, Purchase Order Number.

RECEIVING, RELEASE, RELEASE, INT64, Must exist in the MWIN160 RELEASE table. Consistency is through pro-

RECEIVING, UNITY\_ITEM, UNITY\_ITEM, FLOAT 64, Unity Value.

RECEIVING, ORIGINAL\_ASN\_PART\_CODE, ORIGINAL\_ASN\_PART\_CODE, STRING, Part Number that came in the string of the stri

RECEIVING, ORIGINAL ASN PREFIX, ORIGINAL ASN PREFIX, STRING, Part Number (Prefix) that came in the A

RECEIVING, ORIGINAL ASN BASE, ORIGINAL ASN BASE, STRING, Part Number (Base) that came in the ASN (Base) that came

RECEIVING, ORIGINAL\_ASN\_SUFFIX, ORIGINAL\_ASN\_SUFFIX, STRING, Part Number (Suffix) that came in the A

RECEIVING, ORIGINAL\_ASN\_PART\_TYPE, ORIGINAL\_ASN\_PART\_TYPE, STRING, "Identifies which type of Part

for PA part number type', 'ENG = for ENGINEERING part number type', 'SER = for SERIAL part number type', 'FIN

RECEIVING, IDENT\_PERFIT, IDENT\_PERFIT, INT64, Perfit Id number.

RECEIVING, RECEIVE\_QUANTITY, RECEIVE\_QUANTITY, INT64, Quantity Received.

RECEIVING, RECEIVE LABEL, RECEIVE LABEL, INT64, Receive Label Number.

RECEIVING, PRINT LABEL, PRINT LABEL, TIMESTAMP, Receive Label Printed Date and Time.

RECEIVING, RECEIVE DATE, RECEIVE DATE, TIMESTAMP, Received Date and Time.

RECEIVING, BOX, BOX, STRING, Box code.

RECEIVING, REJECTION\_MESSAGE, REJECTION\_MESSAGE, STRING, Reason Rejection Description.

RECEIVING, TRANSACTION\_TYPE, TRANSACTION\_TYPE, STRING, Transaction Type Flag.

RECEIVING, SUPPLIER\_ORDER, SUPPLIER\_ORDER, STRING, Supplier Order Number.

RECEIVING, ERRO\_MSG, ERRO\_MSG, STRING, Error description.

RECEIVING, UNITS\_BY\_PACK, UNITS\_BY\_PACK, INT64, Supplier Unit of Issue.

RECEIVING, ORIGINAL\_PARTS\_ORDER\_C, ORIGINAL\_PARTS\_ORDER\_C, STRING, Part Number ordered by Fo

RECEIVING, RELEASE\_CODE\_ITEM, RELEASE\_CODE\_ITEM, STRING, Release Code.

RECEIVING, CAPS\_DATE, CAPS\_DATE, DATE, CAPS processed date.

RECEIVING,NFE\_DATE,NFE\_DATE,DATE,NFE processed date.

RECEIVING,FPPMS\_DATE,FPPMS\_DATE,DATE,FPPMS processed date.

RECEIVING, CONUNTRY\_ORIGIN, CONUNTRY\_ORIGIN, STRING, Information comes from CIF810 geos gate file.

RECEIVING, GROUP\_BS, GROUP\_BS, INT64, "Sequential number, represent the ticket number of a truck with one

RECEIVING,WH\_STATUS,WH\_STATUS,STRING,Status label.

RECEIVING, DOCK\_NAME, DOCK\_NAME, STRING, Dock description.

RECEIVING, SUPPLIER\_GROUP, SUPPLIER\_GROUP, STRING, Supplier name.

RECEIVING,FIRST\_STOCKED\_DATE,FIRST\_STOCKED\_DATE,DATE,First date stocked.

RECEIVING, LAST RECEIVEDE DATE, LAST RECEIVEDE DATE, DATE, Last received date.

RECEIVING, LAST\_SOLD\_DATE, LAST\_SOLD\_DATE, DATE, Last sold date.

RECEIVING, FIRM\_ORDER\_K, FIRM\_ORDER\_K, INT64, UID (PK) for the table Supplier Firm Order.

RECEIVING, FIXED\_PRICE\_AMOUNT, FIXED\_PRICE\_AMOUNT, FLOAT 64, Fixed price amount.

RECEIVING, FIXED\_PRICE\_CURRENCY, FIXED\_PRICE\_CURRENCY, STRING, Currency ISO code.

RECEIVING, FIXED PRICE FIRM ORDER USE, FIXED PRICE FIRM ORDER USE, INT64, Indicate if the price

RECEIVING, EMBRATEL\_STATION, EMBRATEL\_STATION, STRING,

RECEIVING, SUPPLIER\_TYPE\_C, SUPPLIER\_TYPE\_C, STRING, "Type of the supplier that can be LP: Local Production of the supplier that can be

RECEIVING, SUPPLIER\_TYPE, SUPPLIER\_TYPE, STRING, Supplier type.

RECEIVING,PROGRAM\_DATE,PROGRAM\_DATE,DATE,Program date.

 $RECEIVING, PURCHASE\_ORDER\_R, PURCHASE\_ORDER\_R, STRING, Purchase \ order \ number \ for \ this \ supplier \ and \ supplier \$ 

RECEIVING,QUANTITY\_ORDER,QUANTITY\_ORDER,INT64,Ordered quantity.

 $RECEIVING, QUANTITY\_ACUM\_PROGRAM, QUANTITY\_ACUM\_PROGRAM, INT64, Program\ quantity\ -\ Accum.$ 

 $RECEIVING, QUANTITY\_ACUM\_RECEIVED, QUANTITY\_ACUM\_RECEIVED, INT64, Received \ quantity \ - \ Accum.$ 

RECEIVING, QUANTITY\_UNRECOVER, QUANTITY\_UNRECOVER, INT64, This is the quantity not received on that

RECEIVING, FIRM\_ORDER\_STATUS, FIRM\_ORDER\_STATUS, STRING, Status label.

RECEIVING, NEXT\_DELIVERY\_DATE, NEXT\_DELIVERY\_DATE, DATE, DATE, Next delivery date.

RECEIVING, NEXT\_DELIVERY\_QUANTITY, NEXT\_DELIVERY\_QUANTITY, STRING, Next delivery quantity.

 $RECEIVING, FIXED\_PRICE\_AMOUNT\_ITEM, FIXED\_PRICE\_AMOUNT\_ITEM, FLOAT64, Fixed price value.$ 

RECEIVING, FIXED\_PRICE\_CURRENCY\_ITEM, FIXED\_PRICE\_CURRENCY\_ITEM, STRING, Fixed price currency

RECEIVING, FIXED\_PRICE\_FIRM\_ORDER\_ITEM, FIXED\_PRICE\_FIRM\_ORDER\_ITEM, STRING, "Indicate if the p

RECEIVING, SUPPLIER\_ORDER\_CODE, SUPPLIER\_ORDER\_CODE, STRING, Supplier order number.

RECEIVING, RELEAS\_DATE, RELEAS\_DATE, DATE, Release date.

RECEIVING, CANCEL\_DATE, CANCEL\_DATE, TIMESTAMP, Release cancel date.

RECEIVING, TRANSPORT\_TYPE\_ORDER, TRANSPORT\_TYPE\_ORDER, STRING, Transport Type Description.

 $RECEIVING, RELEASE\_CODE, RELEASE\_CODE, STRING, Release\ code.$ 

RECEIVING, RELEASE\_USER\_CODE, RELEASE\_USER\_CODE, STRING, Release name.

RECEIVING, ERROR\_MESSAGE, ERROR\_MESSAGE, STRING, Error description.

RECEIVING, DESTINATION CODE, DESTINATION CODE, STRING, Destination code.

RECEIVING, PART SENT SUPPLIER CODE, PART SENT SUPPLIER CODE, STRING, Part code sent to supplie

REPORTE\_BO\_VENEZUELA, Cliente, Cliente, STRING,

REPORTE\_BO\_VENEZUELA, Sucursal\_cliente, Sucursal\_cliente, STRING,

REPORTE\_BO\_VENEZUELA, Deposito, Deposito, STRING,

REPORTE\_BO\_VENEZUELA,Nome,Nome,STRING,

REPORTE BO VENEZUELA, Mercado, Mercado, STRING,

REPORTE BO VENEZUELA, Pedido wings, Pedido wings, INT64,

REPORTE\_BO\_VENEZUELA, Data\_pedido, Data\_pedido, TIMESTAMP,

```
REPORTE_BO_VENEZUELA, Delivery_service, Delivery_service, STRING,
REPORTE_BO_VENEZUELA,Item,Item,INT64,
REPORTE_BO_VENEZUELA,pieza_pedido,pieza_pedido,INT64,
REPORTE BO VENEZUELA, pieza atendida, pieza atendida, INT64,
REPORTE_BO_VENEZUELA, Cantidad_pedida, Cantidad_pedida, INT64,
REPORTE_BO_VENEZUELA, Cantidad_piendente, Cantidad_piendente, INT64,
REPORTE_BO_VENEZUELA, Cantidad_atendida, Cantidad_atendida, INT64,
REPORTE BO VENEZUELA, status det, status det, STRING,
REPORTE_BO_VENEZUELA, Cantidad_detalhe, Cantidad_detalhe, INT64,
REPORTE_BO_VENEZUELA, factura, factura, NUMERIC,
REPORTE_BO_VENEZUELA, serie, serie, STRING,
REPORTE BO VENEZUELA, fecha factura, fecha factura, DATE,
STOCK PARTS CADEIA, COUNTRY, COUNTRY, STRING, Country.
STOCK_PARTS_CADEIA,PART_NUMBER,PART_NUMBER,STRING,Part Number.
STOCK_PARTS_CADEIA, POPIMS_SESP, POPIMS_SESP, STRING, POPIMS part number with no space.
STOCK PARTS CADEIA, POPIMS PART, POPIMS PART, STRING, POPIMS part number.
STOCK PARTS CADEIA, PART DESCRIPTION, PART DESCRIPTION, STRING, Long description.
STOCK_PARTS_CADEIA, PART_CLASS, PART_CLASS, STRING, Part class.
STOCK PARTS CADEIA, CAD FREESTKD2, CAD FREESTKD2, INT64, Chain free stock 2.
STOCK_PARTS_CADEIA, CAD_FREESTKD5, CAD_FREESTKD5, INT64, Chain free stock 5.
STOCK PARTS CADEIA, CAD FREESTKD7, CAD FREESTKD7, INT64, Chain free stock 7.
STOCK PARTS CADEIA, CAD FREESTKD8, CAD FREESTKD8, INT64, Chain free stock 8.
STOCK_PARTS_CADEIA, CAD_OTHERS_CAF, CAD_OTHERS_CAF, INT64, Chain others.
STOCK PARTS CADEIA, CAD INPROGRESS STKD2, CAD INPROGRESS STKD2, INT64, Chain in progress st
STOCK_PARTS_CADEIA, CAD_INPROGRESS_STKD5, CAD_INPROGRESS_STKD5, INT64, Chain in progress st
STOCK_PARTS_CADEIA, CAD_INPROGRESS_STKD7, CAD_INPROGRESS_STKD7, INT64, Chain in progress st
STOCK PARTS CADEIA, CAD INPROGRESS STKD8, CAD INPROGRESS STKD8, INT64, Chain in progress st
STOCK PARTS CADEIA, CAD QUANTITY TRANSFER, CAD QUANTITY TRANSFER, INT64, Quantity transfer.
STOCK_PARTS_CADEIA, CAD_QUANTITY_TRANSIT, CAD_QUANTITY_TRANSIT, INT64, Quantity transit.
STOCK_PARTS_CADEIA, CAD_TOTAL_STOKE, CAD_TOTAL_STOKE, INT64, Total sum parts stock.
STOCK_PARTS_CADEIA_NEW,COUNTRY,COUNTRY,STRING,Country
STOCK_PARTS_CADEIA_NEW,ID_NUMBER,ID_NUMBER,INT64,Id number
STOCK PARTS CADEIA NEW, ID NUMBER COMP, ID NUMBER COMP, STRING, Id number comp
STOCK PARTS CADEIA NEW, ID NUMBER BC, ID NUMBER BC, STRING, Id number BC
STOCK PARTS CADEIA NEW, SUPERSESSION COMP, SUPERSESSION COMP, STRING, Supersession comp
STOCK_PARTS_CADEIA_NEW,SUPERSESSION_BC,SUPERSESSION_BC,STRING,Supersession backchain
STOCK_PARTS_CADEIA_NEW,POPIMS_SESP,POPIMS_SESP,STRING,Part number popims
STOCK_PARTS_CADEIA_NEW,PART_NUMBER,PART_NUMBER,STRING,Part number
STOCK PARTS CADEIA NEW.POPIMS PART.POPIMS PART.STRING.Part number popims part
STOCK PARTS CADEIA NEW, PART NEW, PART NEW, STRING, Part number top level
STOCK PARTS CADEIA NEW,ID PART NEW,ID PART NEW,STRING,Id part number top level
STOCK PARTS CADEIA NEW, PART DESCRIPTION, PART DESCRIPTION, STRING, Part description
STOCK_PARTS_CADEIA_NEW,PART_CLASS,PART_CLASS,STRING,"Class that defines frank, origin and inver
STOCK_PARTS_CADEIA_NEW,BUYER,BUYER,STRING,Defines car model assembly
STOCK PARTS CADEIA NEW, LEAD TIME, LEAD TIME, INT64,
STOCK PARTS CADEIA NEW, MIN PURCHASE, MIN PURCHASE, INT64,
STOCK_PARTS_CADEIA_NEW,UNITY_OF_SUPPLY,UNITY_OF_SUPPLY,INT64,
STOCK PARTS CADEIA NEW, PAST DUE BC, PAST DUE BC, INT64, Program delayed with supplier
STOCK_PARTS_CADEIA_NEW,MONTH_1_QUANTITY_BC,MONTH_1_QUANTITY_BC,INT64,Current month's part of the state of the
STOCK PARTS CADEIA NEW, MONTH 2 QUANTITY BC, MONTH 2 QUANTITY BC, INT64, Program for future
STOCK PARTS CADEIA NEW, MONTH 3 QUANTITY BC, MONTH 3 QUANTITY BC, INT64, Program for future
STOCK PARTS CADEIA NEW, MONTH 4 QUANTITY BC, MONTH 4 QUANTITY BC, INT64, Program for future
STOCK PARTS CADEIA NEW, MONTH 5 QUANTITY BC, MONTH 5 QUANTITY BC, INT64, Program for future
```

REPORTE\_BO\_VENEZUELA, Tipo\_pedido, Tipo\_pedido, INT64,

```
STOCK_PARTS_CADEIA_NEW,MONTH_6_QUANTITY_BC,MONTH_6_QUANTITY_BC,INT64,Program for futur
STOCK_PARTS_CADEIA_NEW,MONTH_7_QUANTITY_BC,MONTH_7_QUANTITY_BC,INT64,Program for future
STOCK_PARTS_CADEIA_NEW,BO,BO,INT64,Quantity of back orders
STOCK_PARTS_CADEIA_NEW,PENDING_ATTENDANCE_ORDER,PENDING_ATTENDANCE_ORDER,FLOAT
STOCK PARTS CADEIA NEW, OD, OD, INT 64, Quantity of Order Deferment
STOCK_PARTS_CADEIA_NEW,MEDIA,MEDIA,FLOAT64,"Max average (3, 6, 12) months"
STOCK_PARTS_CADEIA_NEW,UN_VENDA,UN_VENDA,NUMERIC,Dealer unity of issue
STOCK_PARTS_CADEIA_NEW,FREESTK_D2,FREESTK_D2,INT64,Quantity of Free Stock D2
STOCK_PARTS_CADEIA_NEW,FREESTK_D5,FREESTK_D5,INT64,Quantity of Free Stock D5
STOCK_PARTS_CADEIA_NEW,FREESTK_D8,FREESTK_D8,INT64,Quantity of Free Stock D8
STOCK_PARTS_CADEIA_NEW,FREESTKD2_COMP,FREESTKD2_COMP,INT64,Quantity of Free Stock D2 com
STOCK_PARTS_CADEIA_NEW,FREESTKD5_COMP,FREESTKD5_COMP,INT64,Quantity of Free Stock D5 com
STOCK_PARTS_CADEIA_NEW,FREESTKD8_COMP,FREESTKD8_COMP,INT64,Quantity of Free Stock D8 com
STOCK PARTS CADEIA NEW, FREESTKD2 BC, FREESTKD2 BC, INT64, Quantity of Free Stock D2 just back cl
STOCK_PARTS_CADEIA_NEW,FREESTKD5_BC,FREESTKD5_BC,INT64,Quantity of Free Stock D5 just back cl
STOCK_PARTS_CADEIA_NEW,FREESTKD8_BC,FREESTKD8_BC,INT64,Quantity of Free Stock D8 just back cl
STOCK_PARTS_CADEIA_NEW,IN_PROGRESS_D2,IN_PROGRESS_D2,INT64,Quantity of In Progress D2
STOCK PARTS CADEIA NEW, IN PROGRESS D5, IN PROGRESS D5, INT64, Quantity of In Progress D5
STOCK_PARTS_CADEIA_NEW,IN_PROGRESS_D8,IN_PROGRESS_D8,INT64,Quantity of In Progress D8
STOCK_PARTS_CADEIA_NEW,INPROGRESS_STKD2_COMP,INPROGRESS_STKD2_COMP,INT64,Quantity of
STOCK_PARTS_CADEIA_NEW,INPROGRESS_STKD5_COMP,INPROGRESS_STKD5_COMP,INT64,Quantity of
STOCK PARTS CADEIA NEW, INPROGRESS STKD8 COMP, INPROGRESS STKD8 COMP, INT64, Quantity of
STOCK PARTS CADEIA NEW, INPROGRESS STKD2 BC, INPROGRESS STKD2 BC, INT64, Quantity of In Progress STKD2 BC, INT64, Quantity of Int64
STOCK_PARTS_CADEIA_NEW,INPROGRESS_STKD5_BC,INPROGRESS_STKD5_BC,INT64,Quantity of In Progress and Incompared to the Progress of the Progress of
STOCK PARTS CADEIA NEW, INPROGRESS STKD8 BC, INPROGRESS STKD8 BC, INT64, Quantity of In Pro
STOCK_PARTS_CADEIA_NEW,CAF_D2,CAF_D2,INT64,Quantity of reserved parts D2 - CAF
STOCK_PARTS_CADEIA_NEW,CAF_D5,CAF_D5,INT64,Quantity of reserved parts D5 - CAF
STOCK PARTS CADEIA NEW, CAF D8, CAF D8, INT64, Quantity of reserved parts D8 - CAF
STOCK PARTS CADEIA NEW, CAF D2 COMP, CAF D2 COMP, INT64, Quantity of reserved parts D2 - CAF cor
STOCK_PARTS_CADEIA_NEW,CAF_D5_COMP,CAF_D5_COMP,INT64,Quantity of reserved parts D5 - CAF cor
STOCK_PARTS_CADEIA_NEW,CAF_D8_COMP,CAF_D8_COMP,INT64,Quantity of reserved parts D8 - CAF cor
STOCK_PARTS_CADEIA_NEW,CAF_D2_BC,CAF_D2_BC,INT64,Quantity of reserved parts D2 - CAF just back of
STOCK_PARTS_CADEIA_NEW,CAF_D5_BC,CAF_D5_BC,INT64,Quantity of reserved parts D5 - CAF just back of
STOCK PARTS CADEIA NEW, CAF D8 BC, CAF D8 BC, INT64, Quantity of reserved parts D8 - CAF just back of
STOCK PARTS CADEIA NEW, TYPQ D2, TYPQ D2, INT64, Quantity of parts in OTHERS D2
STOCK PARTS CADEIA NEW, TYPQ D5, TYPQ D5, INT64, Quantity of parts in OTHERS D5
STOCK_PARTS_CADEIA_NEW,TYPQ_D8,TYPQ_D8,INT64,Quantity of parts in OTHERS D8
STOCK PARTS CADEIA NEW, TYPQ D2 COMP, TYPQ D2 COMP, INT64, Quantity of parts in OTHERS D2 cor
STOCK_PARTS_CADEIA_NEW,TYPQ_D5_COMP,TYPQ_D5_COMP,INT64,Quantity of parts in OTHERS D5 cor
STOCK PARTS CADEIA NEW, TYPQ D8 COMP, TYPQ D8 COMP, INT64, Quantity of parts in OTHERS D8 cor
STOCK PARTS CADEIA NEW, TYPQ D2 BC, TYPQ D2 BC, INT64, Quantity of parts in OTHERS D2 just back of
STOCK PARTS CADEIA NEW, TYPQ D5 BC, TYPQ D5 BC, INT64, Quantity of parts in OTHERS D5 just back of
STOCK_PARTS_CADEIA_NEW,TYPQ_D8_BC,TYPQ_D8_BC,INT64,Quantity of parts in OTHERS D8 just back of
STOCK_PARTS_CADEIA_NEW,TRANSF_D2,TRANSF_D2,INT64,Quantity of parts in transference between ware
STOCK_PARTS_CADEIA_NEW,TRANSF_D5,TRANSF_D5,INT64,Quantity of parts in transference between ware
STOCK_PARTS_CADEIA_NEW,TRANSF_D8,TRANSF_D8,INT64,Quantity of parts in transference between ware
STOCK PARTS CADEIA NEW, TRANSF D2 COMP, TRANSF D2 COMP, INT64, Quantity of parts in transference
STOCK_PARTS_CADEIA_NEW,TRANSF_D5_COMP,TRANSF_D5_COMP,INT64,Quantity of parts in transference
STOCK_PARTS_CADEIA_NEW,TRANSF_D8_COMP,TRANSF_D8_COMP,INT64,Quantity of parts in transference
STOCK_PARTS_CADEIA_NEW,TRANSF_D2_BC,TRANSF_D2_BC,INT64,Quantity of parts in transference between
STOCK_PARTS_CADEIA_NEW,TRANSF_D5_BC,TRANSF_D5_BC,INT64,Quantity of parts in transference between
STOCK PARTS CADEIA NEW, TRANSF D8 BC, TRANSF D8 BC, INT64, Quantity of parts in transference between
STOCK_PARTS_CADEIA_NEW,TOTAL_TRANSF_D2,TOTAL_TRANSF_D2,INT64,Total Transference D2
STOCK_PARTS_CADEIA_NEW,TOTAL_TRANSF_D5,TOTAL_TRANSF_D5,INT64,Total Transference D5
```

```
STOCK_PARTS_CADEIA_NEW,TOTAL_TRANSF_D8,TOTAL_TRANSF_D8,INT64,Total Transference D8
STOCK_PARTS_CADEIA_NEW,TOTAL_TRANSF_D2_COMP,TOTAL_TRANSF_D2_COMP,INT64,Total Transfe
STOCK_PARTS_CADEIA_NEW,TOTAL_TRANSF_D5_COMP,TOTAL_TRANSF_D5_COMP,INT64,Total Transfe
STOCK_PARTS_CADEIA_NEW,TOTAL_TRANSF_D8_COMP,TOTAL_TRANSF_D8_COMP,INT64,Total Transfe
STOCK_PARTS_CADEIA_NEW,TOTAL_TRANSF_D2_BC,TOTAL_TRANSF_D2_BC,INT64,Total Transference D
STOCK_PARTS_CADEIA_NEW,TOTAL_TRANSF_D5_BC,TOTAL_TRANSF_D5_BC,INT64,Total Transference D
STOCK_PARTS_CADEIA_NEW,TOTAL_TRANSF_D8_BC,TOTAL_TRANSF_D8_BC,INT64,Total Transference D
SUPPLIERS, SUPPLIER_ISO_CODE, SUPPLIER_ISO_CODE, STRING, Supplier current ISO code.
SUPPLIERS, GSDB CODE, GSDB CODE, STRING, GSDB code.
SUPPLIERS, POPIMS_SUPPLIER_CODE, POPIMS_SUPPLIER_CODE, STRING, POPIMS supplier code.
SUPPLIERS,TYC_SUPPLIER_CODE,TYC_SUPPLIER_CODE,STRING,TYC supplier code.
SUPPLIERS, PERFIT_SUPPLIER_CODE, PERFIT_SUPPLIER_CODE, STRING, PERFIT supplier code.
SUPPLIERS, CEPS_CODE, CEPS_CODE, STRING, CEPS code.
SUPPLIERS, SUB DIVISION, SUB DIVISION, STRING, Division name.
SUPPLIERS, GROUP_CODE, GROUP_CODE, STRING, "Group code of the supplier that identify which type or release
SUPPLIERS, PART_NUMER_TYPE, PART_NUMER_TYPE, STRING, Part Number type that the supplier works with
SUPPLIERS, SUPPLIER CODE, SUPPLIER CODE, STRING,
```

SUPPLIERS, SUPPLIER\_NAME, SUPPLIER\_NAME, STRING, Supplier name.

SUPPLIERS, ADDRESS, ADDRESS, STRING, Address.

SUPPLIERS, DISTRICT, DISTRICT, STRING, District name.

SUPPLIERS, CITY, CITY, STRING, City name.

SUPPLIERS, STATE, STATE, STRING, State name.

SUPPLIERS, ZIP CODE, ZIP CODE, STRING, ZIP Code.

SUPPLIERS, COUNTRY\_CODE, COUNTRY\_CODE, STRING, Country ISO code.

SUPPLIERS, COUNTRY, COUNTRY, STRING, Country name.

SUPPLIERS, NATIONAL\_ID\_CODE, NATIONAL\_ID\_CODE, STRING, "Country code (i.e 'CNPJ = Brasil', 'RUC = Ve SUPPLIERS, NATIONAL\_ID\_EXTRA, NATIONAL\_ID\_EXTRA, STRING, Extra National ID for this supplier. Used bu

SUPPLIERS, STATE ID CODE, STATE ID CODE, STRING, "State registration number (BRA), etc."

SUPPLIERS, PHONE NUMBER, PHONE NUMBER, STRING, Phone number.

SUPPLIERS, CONTACT\_NAME, CONTACT\_NAME, STRING, Contact name.

SUPPLIERS, LANGUAGE\_S, LANGUAGE\_S, STRING, Language.

SUPPLIERS, REMARKS, REMARKS, STRING, Remarks.

SUPPLIERS, ORDER\_MINIMUM\_AMOUNT, ORDER\_MINIMUM\_AMOUNT, NUMERIC, DSH Order Minimum Amou SUPPLIERS, IS\_PRODUCTIVE, IS\_PRODUCTIVE, STRING, Indicate if supplier is productive (Y/N).

SUPPLY\_CHAIN,COUNTRY,COUNTRY,STRING,Country name.

SUPPLY\_CHAIN,SUB\_DIVISION\_CODE,SUB\_DIVISION\_CODE,INT64,Sub division code (for example: 2 - FORD SUPPLY\_CHAIN,SUB\_DIVISION,SUB\_DIVISION,STRING,Subdivision name (FORD BRAZIL - FORD ARGENTIN SUPPLY\_CHAIN,SUPPLY\_CHAIN\_DATE,SUPPLY\_CHAIN\_DATE,Supply chain date.

SUPPLY\_CHAIN,GSPN\_PREFIX,GSPN\_PREFIX,STRING,"Global Service part Number (by the initial load, this is SUPPLY\_CHAIN,GSPN\_BASE,GSPN\_BASE,STRING,"Global Service part Number (by the initial load, this is not the SUPPLY CHAIN,GSPN SUFFIX,GSPN SUFFIX,STRING,"Global Service part Number (by the initial load, this is a supply Chain, GSPN SUFFIX,GSPN SUFFIX,STRING,"Global Service part Number (by the initial load, this is a supply Chain, GSPN SUFFIX,GSPN SUFFIX,STRING,"Global Service part Number (by the initial load, this is a supply Chain, GSPN SUFFIX,GSPN SUFFIX,STRING,"Global Service part Number (by the initial load, this is supply Chain, GSPN SUFFIX,GSPN SUFFIX,STRING,"Global Service part Number (by the initial load, this is supply Chain, GSPN SUFFIX,GSPN SUFFIX,STRING,"Global Service part Number (by the initial load, this is supply Chain, GSPN SUFFIX,GSPN SUFFIX,STRING,"Global Service part Number (by the initial load, this is supply Chain, GSPN SUFFIX,GSPN S

SUPPLY\_CHAIN,PART\_CODE,PART\_CODE,STRING,Part number code.

SUPPLY\_CHAIN,PART\_NUMBER,PART\_NUMBER,STRING,Part number.

SUPPLY\_CHAIN, POPIMS\_SESP, POPIMS\_SESP, STRING, POPIMS part number no space.

SUPPLY\_CHAIN,POPIMS\_PECT,POPIMS\_PECT,STRING,POPIMS part number

SUPPLY\_CHAIN, PART\_SHORT\_DESCRITION, PART\_SHORT\_DESCRITION, STRING, Short description.

SUPPLY CHAIN, PART LONG DESCRIPTION, PART LONG DESCRIPTION, STRING, Long description.

SUPPLY\_CHAIN, PART\_EN\_DESCRIPTION, PART\_EN\_DESCRIPTION, STRING, Long description (EN-UK).

SUPPLY CHAIN, PART ENG, PART ENG, STRING, Engineer Part Number (Prefix/Base/Suffix/)

SUPPLY\_CHAIN,PART\_CLASS,PART\_CLASS,STRING,Part class.

SUPPLY\_CHAIN,PHASE\_OUT\_DATE,PHASE\_OUT\_DATE,DATE,Expected End date of application.

SUPPLY CHAIN, BUYER POPIMS CODE, BUYER POPIMS CODE, STRING, Buyer.

SUPPLY CHAIN, ENABLE ORDERING, ENABLE ORDERING, STRING, Indicate if it's enable to be ordering.

SUPPLY CHAIN, STATUS ACTIVE, STATUS ACTIVE, STRING, Part is active.

```
SUPPLY_CHAIN, ENABLE_FOR_RECEIVING, ENABLE_FOR_RECEIVING, STRING, Is enable to be receiving.
SUPPLY_CHAIN,FREE_STOCK_QUANTITY,FREE_STOCK_QUANTITY,FLOAT64,Free stock quantity.
SUPPLY_CHAIN, PENDING_ATTENDANCE_ORDER, PENDING_ATTENDANCE_ORDER, FLOAT64,
SUPPLY_CHAIN, ACTUAL_FREE_STOCK, ACTUAL_FREE_STOCK, FLOAT64,
SUPPLY CHAIN, IN PROGRESS QUANTITY, IN PROGRESS QUANTITY, FLOAT64, In progress quantity.
SUPPLY_CHAIN,OTHERS_QUANTITY,OTHERS_QUANTITY,FLOAT64,Number of pieces in others in stock.
SUPPLY_CHAIN,STOCK_RESERVE,STOCK_RESERVE,FLOAT64,
SUPPLY_CHAIN, TRANSFER, TRANSFER, FLOAT 64,
SUPPLY CHAIN, BACKORDER QUANTITY, BACKORDER QUANTITY, FLOAT 64, Backorder quantity.
SUPPLY_CHAIN,ORDER_DEFERMENT_QUANTITY,ORDER_DEFERMENT_QUANTITY,FLOAT64,Order Deferr
SUPPLY_CHAIN, MINIMUM_LOT, MINIMUM_LOT, FLOAT64, Minimal purchase quantity.
SUPPLY_CHAIN,LEAD_TIME,LEAD_TIME,INT64,Lead time.
SUPPLY_CHAIN, MULTIPLE_UNITY_OF_SUPPLY, MULTIPLE_UNITY_OF_SUPPLY, INT64, Unity of Supply.
SUPPLY CHAIN, TOTAL REPLACEMENT COST, TOTAL REPLACEMENT COST, FLOAT 64, Total replacement
SUPPLY_CHAIN, SUPPLIER_CODE, SUPPLIER_CODE, STRING, Supplier Code.
SUPPLY_CHAIN,SUPPLIER_NAME,SUPPLIER_NAME,STRING,Supplier name.
SUPPLY CHAIN, SELREV, SELREV, STRING, Selected to be reviewed.
SUPPLY CHAIN, FOLLOWUP, FOLLOWUP, STRING, Follow UP
SUPPLY CHAIN, DEMAND CURRENT QUANTITY, DEMAND CURRENT QUANTITY, FLOAT64, Demand in proc
SUPPLY CHAIN, DEMAND MONTH 1, DEMAND MONTH 1, FLOAT64, Month 1 demand.
SUPPLY_CHAIN, DEMAND_MONTH_2, DEMAND_MONTH_2, FLOAT64, Month 2 demand.
SUPPLY CHAIN, DEMAND MONTH 3, DEMAND MONTH 3, FLOAT64, Month 3 demand.
SUPPLY CHAIN, DEMAND MONTH 4, DEMAND MONTH 4, FLOAT 64, Month 4 demand.
SUPPLY_CHAIN, DEMAND_MONTH_5, DEMAND_MONTH_5, FLOAT64, Month 5 demand.
SUPPLY CHAIN, DEMAND MONTH 6, DEMAND MONTH 6, FLOAT64, Month 6 demand.
SUPPLY_CHAIN, DEMAND_MONTH_7, DEMAND_MONTH_7, FLOAT64, Month 7 demand.
SUPPLY CHAIN, DEMAND MONTH 8, DEMAND MONTH 8, FLOAT64, Month 8 demand.
SUPPLY CHAIN, DEMAND MONTH 9, DEMAND MONTH 9, FLOAT64, Month 9 demand.
SUPPLY CHAIN, DEMAND MONTH 10, DEMAND MONTH 10, FLOAT 64, Month 10 demand.
SUPPLY CHAIN, DEMAND MONTH 11, DEMAND MONTH 11, FLOAT64, Month 11 demand.
SUPPLY_CHAIN, DEMAND_MONTH_12, DEMAND_MONTH_12, FLOAT64, Month 12 demand.
SUPPLY_CHAIN, DEMAND_AVG_3, DEMAND_AVG_3, FLOAT64, Demand average last 3 months.
SUPPLY_CHAIN, DEMAND_AVG_6, DEMAND_AVG_6, FLOAT64, Demand average last 6 months.
SUPPLY CHAIN, DEMAND AVG 12, DEMAND AVG 12, FLOAT64, Demand average last 12 months.
SUPPLY CHAIN, PROGRAM PENDING QUANTITY, PROGRAM PENDING QUANTITY, FLOAT64, Program pen
SUPPLY CHAIN, PROGRAM PENDING DESGLOSE QUANTITY, PROGRAM PENDING DESGLOSE QUANTI
SUPPLY_CHAIN,PAST_DUE,PAST_DUE,INT64,Program delay quantity.
SUPPLY CHAIN, CURMONTH PROGRAM QUANTITY, CURMONTH PROGRAM QUANTITY, INT64, Current pro
SUPPLY_CHAIN,MONTH_1_QUANTITY,MONTH_1_QUANTITY,FLOAT64,Program quantity month 1.
SUPPLY CHAIN, MONTH 2 QUANTITY, MONTH 2 QUANTITY, FLOAT64, Program quantity month 2.
SUPPLY_CHAIN,MONTH_3_QUANTITY,MONTH_3_QUANTITY,FLOAT64,Program quantity month 3.
SUPPLY_CHAIN,MONTH_4_QUANTITY,MONTH_4_QUANTITY,FLOAT64,Program quantity month 4.
SUPPLY_CHAIN, MONTH_5_QUANTITY, MONTH_5_QUANTITY, FLOAT64, Program quantity month 5.
SUPPLY_CHAIN, MONTH_6_QUANTITY, MONTH_6_QUANTITY, FLOAT64, Program quantity month 6.
SUPPLY_CHAIN, DEMAND_LAST_YEAR_1_QUANTITY, DEMAND_LAST_YEAR_1_QUANTITY, FLOAT64, Received the control of the co
SUPPLY_CHAIN, DEMAND_LAST_YEAR_2_QUANTITY, DEMAND_LAST_YEAR_2_QUANTITY, FLOAT64, Received to the control of the
SUPPLY CHAIN, DEMAND LAST YEAR 3 QUANTITY, DEMAND LAST YEAR 3 QUANTITY, FLOAT64, Receiv
SUPPLY_CHAIN, DEMAND_LAST_YEAR_4_QUANTITY, DEMAND_LAST_YEAR_4_QUANTITY, FLOAT64, Received to the control of the
SUPPLY_CHAIN, FINIS_VTPR_CODE, FINIS_VTPR_CODE, STRING,
SUPPLY_CHAIN,LANGUAGE_DESCRIPTION_EN,LANGUAGE_DESCRIPTION_EN,STRING,
SUPPLY CHAIN, START DATE, START DATE, DATE,
SUPPLY CHAIN, END DATE, END DATE, DATE,
SUPPLY CHAIN, SUPERSESSION COMPLETE, SUPERSESSION COMPLETE, STRING,
TRANSACTION, PREFIX, PREFIX, STRING, Prefix part number
```

TRANSACTION, BASE, BASE, STRING, Base part number

TRANSACTION, SUFFIX, SUFFIX, STRING, Suffix part number

TRANSACTION, PART\_NUMBER, PART\_NUMBER, STRING, Full part number trimmed by backslash

TRANSACTION, SERIAL, SERIAL, INT64, Serial number

TRANSACTION, DESCRIPTION, DESCRIPTION, STRING, Item full description

TRANSACTION, EVENT\_TIMESTAMP, EVENT\_TIMESTAMP, TIMESTAMP, Event timestamp

TRANSACTION, TRANSACTION, TRANSACTION, STRING, Transaction type

TRANSACTION, MOTIVE, MOTIVE, STRING, Transaction motive description

TRANSACTION,LOCATION,LOCATION,STRING,Warehouse item location code

TRANSACTION, QUANTITY\_LAST\_LOCATION, QUANTITY\_LAST\_LOCATION, INT64, Item's quantity on the last location.

TRANSACTION, QUANTITY\_MOVED, QUANTITY\_MOVED, INT64, Quantity of moved items

TRANSACTION, QUANTITY\_FINAL\_LOCATION, QUANTITY\_FINAL\_LOCATION, INT64, The absolute result from the sum of the

TRANSACTION, WINGS\_ORDER\_NUMBER, WINGS\_ORDER\_NUMBER, INT64, Order number from WINGS

TRANSACTION, CUSTOMER\_CODE, CUSTOMER\_CODE, STRING, Customer code

TRANSACTION, SUPPLIER\_CODE, SUPPLIER\_CODE, STRING, Supplier code

TRANSACTION,INVOICE\_OUTBOUND,INVOICE\_OUTBOUND,INT64,Invoice outbound

TRANSACTION, OUTBOUND SERIES, OUTBOUND SERIES, STRING, Outbound series

TRANSACTION, CDSID, CDSID, STRING, The CDSID who created the transaction record

TRANSACTION, WAREHOUSE, WAREHOUSE, STRING, Warehouse code

TRANSACTION, STOCK\_TYPE, STOCK\_TYPE, STRING, Stock type code

TRANSACTION, NF\_SALE, NF\_SALE, STRING, Invoice number

TRANSACTION,NF\_SERIES,NF\_SERIES,STRING,Invoice series

TRANSACTION, CREATION\_TIMESTAMP, CREATION\_TIMESTAMP, TIMESTAMP, Timestamp of the transaction r

TRANSACTION, CREATION\_DATE, CREATION\_DATE, Date of the transaction record creation

TRANSACTION, SUB\_DIVISION\_UID, SUB\_DIVISION\_UID, INT64, UID (FK) for the table division

TRANSACTION, COUNTRY\_ISO, COUNTRY\_ISO, STRING, Country in ISO

TRANSACTION, TRANSACTION\_TYPE, TRANSACTION\_TYPE, STRING, The process which created the transaction vor REPORT, COUNTRY, COUNTRY, STRING, Country.

VOR REPORT, ORDER TYPE, ORDER TYPE, STRING, Description of order type.

VOR\_REPORT,LANGUAGE\_S,LANGUAGE\_S,STRING,"Language abbreviation code (EN-US, PT-BR and others

VOR\_REPORT, DEALER\_CODE, DEALER\_CODE, STRING, Customer code.

VOR\_REPORT, DEALER\_NAME, DEALER\_NAME, STRING, Customer name.

VOR\_REPORT, DEALER\_STATE, DEALER\_STATE, STRING, Customer State.

VOR REPORT, PART NUMBER, PART NUMBER, STRING, Part number that came in the ASN or was entered ma

VOR REPORT, POPIMS SESP, POPIMS SESP, STRING, POPIMS part number with no space.

VOR REPORT, PECA INV AVG COST, PECA INV AVG COST, STRING, Part number.

VOR\_REPORT,PART\_NEW,PART\_NEW,STRING,Field not defined yet.

VOR\_REPORT,PART\_DESCRIPTION,PART\_DESCRIPTION,STRING,Long description.

VOR\_REPORT,PART\_CLASS,PART\_CLASS,STRING,Part class.

VOR\_REPORT,PART\_CLASS,PART\_CLASS,STRING,Part class.

VOR\_REPORT,PRICE\_PART\_OF\_ITEMS,PRICE\_PART\_OF\_ITEMS,NUMERIC,Multiplying the quantity of parts v

VOR REPORT, PRICE PART ORDERED, PRICE PART ORDERED, NUMERIC, Multiplying the total quantity order

VOR REPORT, SUPPLIER CODE, SUPPLIER CODE, STRING, Supplier code.

VOR\_REPORT,SUPPLIER\_NAME,SUPPLIER\_NAME,STRING,Supplier name.

VOR\_REPORT,FOLLOWUP,FOLLOWUP,STRING,Follow UP.

VOR\_REPORT, WINGS\_ORDER\_NUMBER, WINGS\_ORDER\_NUMBER, INT64, This is the order control number of

VOR REPORT, POPIMS ORDER NUMBER, POPIMS ORDER NUMBER, INT64, POPIMS order number if data w

VOR REPORT, CREATE DATE ORDER REAL, CREATE DATE ORDER REAL, DATE, Date when the order was

VOR\_REPORT,QUANTITY\_OF\_ITEMS,QUANTITY\_OF\_ITEMS,INT64,Quantity of this specific part based on the

VOR\_REPORT,TOTAL\_QUANTITY\_ORDERED,TOTAL\_QUANTITY\_ORDERED,INT64,Amount originally ordered VOR\_REPORT,PACKING\_CODE,PACKING\_CODE,STRING,Packing Code contains the code of the packing to packi

VOR\_REPORT,ITEM\_STATUS,ITEM\_STATUS,STRING,Label status.

VOR REPORT, UPDATE DATE ITEM, UPDATE DATE ITEM, TIMESTAMP, Last updated date for the item.

VOR REPORT, ORDER PRIORITY, ORDER PRIORITY, INT64, The number of priority.

VOR REPORT, ROUTE CODE, ROUTE CODE, STRING, Code of the order route.

```
VOR REPORT, BACK ORDER, BACK ORDER, INT 64, Back order.
WORK ORDERS, CREATE DATE ORDER, CREATE DATE ORDER, TIMESTAMP, Create date.
WORK_ORDERS,CREATE_USER_ORDER,CREATE_USER_ORDER,STRING,Create user.
WORK ORDERS, CREATE PROCESS NAME ORDER, CREATE PROCESS NAME ORDER, STRING, Create p
WORK ORDERS, UPDATE DATE ORDER, UPDATE DATE ORDER, TIMESTAMP, Update date.
WORK_ORDERS,UPDATE_USER,UPDATE_USER,STRING,Update user.
WORK ORDERS, UPDATE PROCESS NAME, UPDATE PROCESS NAME, STRING, Update process name.
WORK_ORDERS,COUNTRY,COUNTRY,STRING,Division Name.
WORK ORDERS, GSDB CODE, GSDB CODE, STRING, Customer GDSB Code.
WORK ORDERS, DEALER CODE, DEALER CODE, STRING, Customers can be Dealers/Plants/Intercompanies/e
WORK ORDERS, GOLDD CODE, GOLDD CODE, STRING, GODD PA Code.
WORK_ORDERS,DELIVERY_DEALER_CODE,DELIVERY_DEALER_CODE,STRING,Delivery customer dealer c
WORK ORDERS, DEALER NAME, DEALER NAME, STRING, Customer name.
WORK_ORDERS,WINGS_ORDER_NUMBER,WINGS_ORDER_NUMBER,INT64,This is the order control number
WORK_ORDERS,POPIMS_ORDER_NUMBER,POPIMS_ORDER_NUMBER,INT64,POPIMS order number if data
WORK ORDERS, PERFIT ORDER NUMBER, PERFIT ORDER NUMBER, INT64, PERFIT order number if data w
WORK ORDERS, ORDER TYPE, ORDER TYPE, STRING, Description of order type.
WORK ORDERS, PRODUCT LINE, PRODUCT LINE, STRING, "Third position of the part class for Argentina. I.E: "
WORK_ORDERS,DEALER_ORDER_CONTROL_NUMBER_POPIMS,DEALER_ORDER_CONTROL_NUMBER_I
WORK ORDERS, CREATE DATE ORDER REAL, CREATE DATE ORDER REAL, TIMESTAMP, Date when the
WORK_ORDERS,ABNORMAL_DEMAND,ABNORMAL_DEMAND,STRING,"Flag that indicate if this specific order
WORK ORDERS.REGIONAL FACTOR.REGIONAL FACTOR.NUMERIC.Regional factor used in Brazil to adjust
WORK ORDERS, POPIMS ADVICE NUMBER, POPIMS ADVICE NUMBER, INT64, First Advice picking.
WORK_ORDERS,PERFIT_RELEASE_1,PERFIT_RELEASE_1,INT64,PERFIT release.
WORK_ORDERS,DATE_PERFIT_ORDER_CREATE,DATE_PERFIT_ORDER_CREATE,TIMESTAMP,Date PERI
WORK_ORDERS,DESTINATION_CODE_DDP,DESTINATION_CODE_DDP,INT64,Destination code.
WORK_ORDERS,TOTAL_ITEM_QUANTITY_ORDER,TOTAL_ITEM_QUANTITY_ORDER,INT64,Total items quantity_ORDER,INT64,Total items quantity_ORDER.
WORK ORDERS, TOTAL PRICE AMOUNT, TOTAL PRICE AMOUNT, FLOAT64, Total amount value.
WORK ORDERS, TOTAL ORDER AMOUNT, TOTAL ORDER AMOUNT, FLOAT64, Total amount price. (Calculat
WORK_ORDERS,INTERCOMPANY_ORDER_TYPE,INTERCOMPANY_ORDER_TYPE,STRING,Intercompany O
WORK ORDERS, VIN NUMBER, VIN NUMBER, STRING, VIN Number - Free of Charge/Warranty.
WORK_ORDERS,GEOSGATE_ORDER,GEOSGATE_ORDER,STRING,Numero do pedido reconhecido pelo clier
WORK ORDERS,ITEM SEQUENCE NUMBER,ITEM SEQUENCE NUMBER,INT64,Item sequence number.
WORK ORDERS, PART NUMBER, PART NUMBER, STRING, Part number.
WORK ORDERS, POPIMS SESP, POPIMS SESP, STRING, POPIMS part number no space.
WORK ORDERS, PART NO INV, PART NO INV, STRING, POPIMS part number as is in POPIMS database (and
```

VOR\_REPORT,FREESTKD2,FREESTKD2,INT64,Free stock 2. VOR\_REPORT,FREESTKD5,FREESTKD5,INT64,Free stock 5. VOR\_REPORT,FREESTKD7,FREESTKD7,INT64,Free stock 7. VOR\_REPORT,FREESTKD8,FREESTKD8,INT64,Free stock 8.

VOR\_REPORT,OTHERS\_CAF\_D2,OTHERS\_CAF\_D2,INT64,Quantity reserved. VOR\_REPORT,OTHERS\_CAF\_D5,OTHERS\_CAF\_D5,INT64,Quantity reserved. VOR\_REPORT,OTHERS\_CAF\_D7,OTHERS\_CAF\_D7,INT64,Quantity reserved. VOR\_REPORT,OTHERS\_CAF\_D8,OTHERS\_CAF\_D8,INT64,Quantity reserved.

VOR\_REPORT,TOTAL\_STOCK,TOTAL\_STOCK,INT64,Total part stock.

VOR REPORT, BO AND OD, BO AND OD, FLOAT 64,

VOR\_REPORT, BACKORDER\_QUANTITY, BACKORDER\_QUANTITY, FLOAT64,

VOR\_REPORT,INPROGRESS\_STKD2,INPROGRESS\_STKD2,INT64,In progress stock 2. VOR\_REPORT,INPROGRESS\_STKD5,INPROGRESS\_STKD5,INT64,In progress stock 5. VOR\_REPORT,INPROGRESS\_STKD7,INPROGRESS\_STKD7,INT64,In progress stock 7. VOR\_REPORT,INPROGRESS\_STKD8,INPROGRESS\_STKD8,INT64,In progress stock 8. VOR\_REPORT,QUANTITY\_TRANSFER,QUANTITY\_TRANSFER,INT64,Quantity transfer. VOR\_REPORT,QUANTITY\_TRANSIT,QUANTITY\_TRANSIT,INT64,Quantity transit.

VOR REPORT, ORDER DEFERMENT QUANTITY, ORDER DEFERMENT QUANTITY, FLOAT64,

```
WORK_ORDERS,POPIMS_ITEM_NUMBER,POPIMS_ITEM_NUMBER,INT64,POPIMS sequence item number if
WORK_ORDERS,PERFIT_ITEM_NUMBER,PERFIT_ITEM_NUMBER,INT64,PERFIT sequence item number if da
WORK_ORDERS,TOTAL_QUANTITY_ORDERED,TOTAL_QUANTITY_ORDERED,INT64,Amount originally order
WORK_ORDERS,ADJUSTED_QUANTITY_ORDERED,ADJUSTED_QUANTITY_ORDERED,INT64,Amount that t
WORK ORDERS, WINGS ORIGINAL PRICE, WINGS ORIGINAL PRICE, NUMERIC, Original price (Multiplying th
WORK_ORDERS, WINGS_FINAL_PRICE, WINGS_FINAL_PRICE, NUMERIC, Final price (Multiplying the amount the
WORK_ORDERS,WINGS_TOTALPRICE_WORKORDER,WINGS_TOTALPRICE_WORKORDER,NUMERIC,Sum
WORK_ORDERS,POPIMS_DISCOUNT_PERCENTAGE,POPIMS_DISCOUNT_PERCENTAGE,NUMERIC,Bulk d
WORK_ORDERS,POPIMS_DISCOUNT_CLASS,POPIMS_DISCOUNT_CLASS,STRING,Bulk discount class (Screening)
WORK_ORDERS,POPIMS_FIDELITY_DISCOUNT,POPIMS_FIDELITY_DISCOUNT,NUMERIC,Others discount to
WORK_ORDERS,ORIGINAL_UNITY_PRICE,ORIGINAL_UNITY_PRICE,NUMERIC,Original price.
WORK_ORDERS,FINAL_UNITY_PRICE,FINAL_UNITY_PRICE,NUMERIC,Final price.
WORK_ORDERS,DIF_ORIGINAL_X_FINAL_PRICE,DIF_ORIGINAL_X_FINAL_PRICE,INT64,Final range.
WORK ORDERS, ORDER PRIORITY, ORDER PRIORITY, INT 64, Default priority.
WORK_ORDERS,DATE_PRIORITY_CHANGE,DATE_PRIORITY_CHANGE,TIMESTAMP,Date/time when priority
WORK_ORDERS,REASON_PRIORITY_CHANGE,REASON_PRIORITY_CHANGE,STRING,Process with priority
WORK ORDERS, USER CHANGED PRIORITY, USER CHANGED PRIORITY, STRING, Who change priority.
WORK ORDERS, PENDING ATTENDANCE QUANTITY, PENDING ATTENDANCE QUANTITY, INT64, Pending
WORK_ORDERS,ATTENDED_QUANTITY,ATTENDED_QUANTITY,INT64,Attended quantity.
WORK_ORDERS,TOTAL_BACK_ORDERS,TOTAL_BACK_ORDERS,INT64,Total in Back Orders.
WORK_ORDERS,SURCHARGE_PERCENTAGE,SURCHARGE_PERCENTAGE,NUMERIC,Surcharge discount.
WORK ORDERS, TAX, TAX, NUMERIC, Tax
WORK ORDERS, UNITY SALES MULTIPLE, UNITY SALES MULTIPLE, NUMERIC, Unity of issue amount.
WORK_ORDERS,DDP_TRIANGULATION,DDP_TRIANGULATION,STRING,DDP Triangulation.
WORK ORDERS, COMMERCIAL MODALITY 1, COMMERCIAL MODALITY 1, STRING, Transaction Type (DSH/
WORK_ORDERS,PERFIT_RELEASE_2,PERFIT_RELEASE_2,INT64,Perfil Release.
WORK_ORDERS, DISCOUNT_PERCENTAGE, DISCOUNT_PERCENTAGE, NUMERIC, Discount percentage is the
WORK ORDERS, UNITY DISCOUNT AMOUNT, UNITY DISCOUNT AMOUNT, NUMERIC, Discount unit amount
WORK ORDERS, DISCOUNT DESCRIPTION, DISCOUNT DESCRIPTION, STRING, Discount description.
```

WORK\_ORDERS,ORDER\_DEFERMENT\_QUANTITY,ORDER\_DEFERMENT\_QUANTITY,INT64,Order Deferment Work\_Orders,order\_deferment\_min\_quantity,order\_deferment\_min\_quantity,int64,order work\_orders,order\_deferment\_com\_factor,order\_deferment\_com\_factor,numeric,order\_deferment\_average,order\_deferment\_average,numeric,order\_deferment\_average,order\_deferment\_average,numeric,order\_deferment\_deferment\_mon\_stock,order\_deferment\_mon\_stock,int64,order\_deferment\_deferment\_deferment\_deferment\_deferment\_deferment\_deferment\_deferment\_deferment\_deferment\_deferment\_deferment\_deferment\_deferment\_deferment\_deferment\_deferment\_free\_stock,order\_deferment\_free\_stock,int64,order\_deferment\_deferment\_effective\_date,order\_deferment\_effective\_date,order\_deferment\_effective\_date,times\_work\_orders,perfit\_release\_code.

WORK\_ORDERS,ORDER\_SUPERSESSION\_COMPLETED,ORDER\_SUPERSESSION\_COMPLETED,STRING, WORK\_ORDERS,TRANSPORT\_MODALITY,TRANSPORT\_MODALITY,STRING,"Modality of transport: 'A - Aerec WORK\_ORDERS,DETAIL\_NUMBER,DETAIL\_NUMBER,INT64,Detail number.

WORK\_ORDERS,COMMERCIAL\_MODALITY\_2,COMMERCIAL\_MODALITY\_2,STRING,"The way this part is con WORK\_ORDERS,POPIMS\_PROCESSED\_PART,POPIMS\_PROCESSED\_PART,STRING,POPIMS part number | WORK\_ORDERS,QUANTITY\_OF\_ITEMS,QUANTITY\_OF\_ITEMS,INT64,Quantity of this specific part based on the WORK\_ORDERS,ALLOCATION\_UNITY\_PRICE,ALLOCATION\_UNITY\_PRICE,NUMERIC,Price at the Allocation WORK\_ORDERS,POPIMPS\_ADVICE,POPIMPS\_ADVICE,INT64,POPIMS\_Advice.

WORK\_ORDERS,POPIMS\_ADVIDE\_SEQUENCE,POPIMS\_ADVIDE\_SEQUENCE,INT64,POPIMS Advice Seque WORK\_ORDERS,POPIMPS\_INVOICE\_NUMBER,POPIMPS\_INVOICE\_NUMBER,INT64,POPIMS Internal Invoice WORK\_ORDERS,OFFICIAL\_INVOICE\_NUMBER,OFFICIAL\_INVOICE\_NUMBER,NUMERIC,Legal Invoice Numb WORK\_ORDERS,LEGAL\_INVOICE\_SERIES,LEGAL\_INVOICE\_SERIES,NUMERIC,Legal Invoice Series.

WORK ORDERS, INVOICE DATE, INVOICE DATE, DATE, Invoice date.

WORK ORDERS, INVOICE CANCEL DATE, INVOICE CANCEL DATE, Invoice cancel date.

WORK ORDERS, BILL OF LANDING, BILL OF LANDING, INT64, Internal Bill of Landing: For ARG/CHI/PER.

```
WORK_ORDERS,BILL_OF_LANDING_DATE,BILL_OF_LANDING_DATE,DATE,Bill of Lading date.
WORK_ORDERS,WAREHOUSE_CODE,WAREHOUSE_CODE,STRING,"Warehouse Code. Eg: D2, D3, etc."
WORK_ORDERS,WAREHOUSE_NAME,WAREHOUSE_NAME,STRING,Warehouse name.
WORK_ORDERS,WAREHOUSE_BUILDING_CODE,WAREHOUSE_BUILDING_CODE,INT64,Building code.
WORK ORDERS, UPDATE DATE ITEM, UPDATE DATE ITEM, TIMESTAMP, Update date.
WORK_ORDERS,UPDATE_USER_ITEM,UPDATE_USER_ITEM,STRING,Update user.
WORK ORDERS,ITEM_STATUS,ITEM_STATUS,STRING,Status description
WORK_ORDER_STATUS,ORDER_STATUS,STRING,Status label.
WORK ORDERS, SEARCH CODE, SEARCH CODE, STRING, Search code.
WORK_ORDERS,SEARCH_CODE_NAME,SEARCH_CODE_NAME,STRING,Search code description.
WORK_ORDERS,ROUTE_CODE,ROUTE_CODE,STRING,Route Code.
WORK_ORDERS,START_DATE_RELEASE,START_DATE_RELEASE,DATE,
WORK_ORDERS,CASE_NUMBER,CASE_NUMBER,INT64,Case Number.
WORK ORDERS, PK 350, PK 350, INT64, UID (PK) for the table Work Order.
WORK_ORDERS_HIST,CREATE_DATE_ORDER,CREATE_DATE_ORDER,TIMESTAMP,Create date.
WORK_ORDERS_HIST,CREATE_USER_ORDER,CREATE_USER_ORDER,STRING,Create user.
WORK ORDERS HIST, CREATE PROCESS NAME ORDER, CREATE PROCESS NAME ORDER, STRING, C
WORK ORDERS HIST, UPDATE DATE ORDER, UPDATE DATE ORDER, TIMESTAMP, Update date.
WORK ORDERS HIST, UPDATE USER, UPDATE USER, STRING, Update user.
WORK ORDERS HIST, UPDATE PROCESS NAME, UPDATE PROCESS NAME, STRING, Update process name
WORK_ORDERS_HIST,COUNTRY,COUNTRY,STRING,Division Name.
WORK ORDERS HIST, GSDB CODE, GSDB CODE, STRING, Customer GDSB Code.
WORK ORDERS HIST, DEALER CODE, DEALER CODE, STRING, Customers can be Dealers/Plants/Intercompa
WORK_ORDERS_HIST,GOLDD_CODE,GOLDD_CODE,STRING,GODD PA Code.
WORK ORDERS HIST, DELIVERY DEALER CODE, DELIVERY DEALER CODE, STRING, Delivery customer de
WORK_ORDERS_HIST, DEALER_NAME, DEALER_NAME, STRING, Customer name.
WORK ORDERS HIST, WINGS ORDER NUMBER, WINGS ORDER NUMBER, INT64, This is the order control n
WORK ORDERS HIST, POPIMS ORDER NUMBER, POPIMS ORDER NUMBER, INT64, POPIMS order number
WORK ORDERS HIST, PERFIT ORDER NUMBER, PERFIT ORDER NUMBER, INT64, PERFIT order number if
WORK_ORDERS_HIST,ORDER_TYPE,ORDER_TYPE,STRING,Description of order type.
WORK_ORDERS_HIST, PRODUCT_LINE, PRODUCT_LINE, STRING, "Third position of the part class for Argentina
WORK_ORDERS_HIST, DEALER_ORDER_CONTROL_NUMBER_POPIMS, DEALER_ORDER_CONTROL_NUM
WORK_ORDERS_HIST, CREATE_DATE_ORDER_REAL, CREATE_DATE_ORDER_REAL, TIMESTAMP, Date wh
WORK ORDERS HIST, ABNORMAL DEMAND, ABNORMAL DEMAND, STRING, "Flag that indicate if this specific
WORK ORDERS HIST, REGIONAL FACTOR, REGIONAL FACTOR, NUMERIC, Regional factor used in Brazil to
WORK ORDERS HIST, POPIMS ADVICE NUMBER, POPIMS ADVICE NUMBER, INT64, First Advice picking.
WORK_ORDERS_HIST,PERFIT_RELEASE_1,PERFIT_RELEASE_1,INT64,PERFIT release.
WORK ORDERS HIST, DATE PERFIT ORDER CREATE, DATE PERFIT ORDER CREATE, TIMESTAMP, Date
WORK_ORDERS_HIST, DESTINATION_CODE_DDP, DESTINATION_CODE_DDP, INT64, Destination code.
WORK ORDERS HIST, TOTAL ITEM QUANTITY ORDER, TOTAL ITEM QUANTITY ORDER, INT64, Total item
WORK ORDERS HIST, TOTAL PRICE AMOUNT, TOTAL PRICE AMOUNT, FLOAT64, Total amount value.
WORK ORDERS HIST, TOTAL ORDER AMOUNT, TOTAL ORDER AMOUNT, FLOAT64, Total amount price. (C
```

WORK\_ORDERS\_HIST,INTERCOMPANY\_ORDER\_TYPE,INTERCOMPANY\_ORDER\_TYPE,STRING,Intercomp

WORK\_ORDERS\_HIST,GEOSGATE\_ORDER,GEOSGATE\_ORDER,STRING,Numero do pedido reconhecido pe WORK ORDERS HIST,ITEM SEQUENCE NUMBER,ITEM SEQUENCE NUMBER,INT64,Item sequence number.

WORK\_ORDERS\_HIST,PART\_NO\_INV,PART\_NO\_INV,STRING,POPIMS part number as is in POPIMS database WORK\_ORDERS\_HIST,POPIMS\_ITEM\_NUMBER,POPIMS\_ITEM\_NUMBER,INT64,POPIMS sequence item num WORK\_ORDERS\_HIST,PERFIT\_ITEM\_NUMBER,PERFIT\_ITEM\_NUMBER,INT64,PERFIT sequence item number work\_ORDERS\_HIST,TOTAL\_QUANTITY\_ORDERED,TOTAL\_QUANTITY\_ORDERED,INT64,Amount originally WORK\_ORDERS\_HIST,ADJUSTED\_QUANTITY\_ORDERED,ADJUSTED\_QUANTITY\_ORDERED,INT64,Amount WORK\_ORDERS\_HIST,WINGS\_ORIGINAL\_PRICE,WINGS\_ORIGINAL\_PRICE,NUMERIC,Original price (Multiple)

WORK\_ORDERS\_HIST, VIN\_NUMBER, VIN\_NUMBER, STRING, VIN Number - Free of Charge/Warranty.

WORK\_ORDERS\_HIST,POPIMS\_SESP,POPIMS\_SESP,STRING,POPIMS part number no space.

WORK ORDERS HIST, PART NUMBER, PART NUMBER, STRING, Part number.

```
WORK_ORDERS_HIST,POPIMS_DISCOUNT_PERCENTAGE,POPIMS_DISCOUNT_PERCENTAGE,NUMERIC.
WORK_ORDERS_HIST, POPIMS_DISCOUNT_CLASS, POPIMS_DISCOUNT_CLASS, STRING, Bulk discount class
WORK ORDERS HIST, POPIMS FIDELITY DISCOUNT, POPIMS FIDELITY DISCOUNT, NUMERIC, Others disc
WORK_ORDERS_HIST,ORIGINAL_UNITY_PRICE,ORIGINAL_UNITY_PRICE,NUMERIC,Original price.
WORK_ORDERS_HIST, FINAL_UNITY_PRICE, FINAL_UNITY_PRICE, NUMERIC, Final price.
WORK_ORDERS_HIST, DIF_ORIGINAL_X_FINAL_PRICE, DIF_ORIGINAL_X_FINAL_PRICE, INT64, Final range.
WORK ORDERS HIST, ORDER PRIORITY, ORDER PRIORITY, INT64, Default priority.
WORK_ORDERS_HIST, DATE_PRIORITY_CHANGE, DATE_PRIORITY_CHANGE, TIMESTAMP, Date/time when I
WORK_ORDERS_HIST, REASON_PRIORITY_CHANGE, REASON_PRIORITY_CHANGE, STRING, Process with p
WORK_ORDERS_HIST,USER_CHANGED_PRIORITY,USER_CHANGED_PRIORITY,STRING,Who change prior
WORK_ORDERS_HIST, PENDING_ATTENDANCE_QUANTITY, PENDING_ATTENDANCE_QUANTITY, INT64, Pe
WORK ORDERS HIST, ATTENDED QUANTITY, ATTENDED QUANTITY, INT64, Attended quantity.
WORK_ORDERS_HIST,TOTAL_BACK_ORDERS,TOTAL_BACK_ORDERS,INT64,Total in Back Orders.
WORK_ORDERS_HIST,SURCHARGE_PERCENTAGE,SURCHARGE_PERCENTAGE,NUMERIC,Surcharge disc
WORK ORDERS HIST, TAX, TAX, NUMERIC, Tax
WORK ORDERS HIST, UNITY SALES MULTIPLE, UNITY SALES MULTIPLE, NUMERIC, Unity of issue amount
WORK_ORDERS_HIST,DDP_TRIANGULATION,DDP_TRIANGULATION,STRING,DDP Triangulation.
WORK_ORDERS_HIST,COMMERCIAL_MODALITY_1,COMMERCIAL_MODALITY_1,STRING,Transaction Type
WORK_ORDERS_HIST,PERFIT_RELEASE_2,PERFIT_RELEASE_2,INT64,Perfil Release.
WORK ORDERS HIST, DISCOUNT PERCENTAGE, DISCOUNT PERCENTAGE, NUMERIC, Discount percentage
WORK ORDERS HIST, UNITY DISCOUNT AMOUNT, UNITY DISCOUNT AMOUNT, NUMERIC, Discount unit a
WORK_ORDERS_HIST, DISCOUNT_DESCRIPTION, DISCOUNT_DESCRIPTION, STRING, Discount description.
WORK ORDERS HIST, ORDER DEFERMENT QUANTITY, ORDER DEFERMENT QUANTITY, INT64, Order De
WORK_ORDERS_HIST,ORDER_DEFERMENT_MIN_QUANTITY,ORDER_DEFERMENT_MIN_QUANTITY,INT6
WORK_ORDERS_HIST,ORDER_DEFERMENT_COM_FACTOR,ORDER_DEFERMENT_COM_FACTOR,NUMEI
WORK ORDERS HIST, ORDER DEFERMENT AVERAGE, ORDER DEFERMENT AVERAGE, NUMERIC, Order
WORK ORDERS HIST, ORDER DEFERMENT MON STOCK, ORDER DEFERMENT MON STOCK, INT64, Ord
WORK_ORDERS_HIST,ORDER_DEFERMENT_DEM_4_MONTH,ORDER_DEFERMENT_DEM_4_MONTH,NUM
WORK_ORDERS_HIST,ORDER_DEFERMENT_DEM_12_MONTH,ORDER_DEFERMENT_DEM_12_MONTH,NI
WORK_ORDERS_HIST,ORDER_DEFERMENT_FREE_STOCK,ORDER_DEFERMENT_FREE_STOCK,INT64,O
WORK_ORDERS_HIST,ORDER_DEFERMENT_EFFECTIVE_DATE,ORDER_DEFERMENT_EFFECTIVE_DATE
WORK ORDERS HIST, PERFIT RELEASE CODE, PERFIT RELEASE CODE, INT64, PERFIT release code.
WORK ORDERS HIST, ORDER SUPERSESSION COMPLETED, ORDER SUPERSESSION COMPLETED, ST
WORK ORDERS HIST, TRANSPORT MODALITY, TRANSPORT MODALITY, STRING, "Modality of transport: 'A -
WORK_ORDERS_HIST, DETAIL_NUMBER, DETAIL_NUMBER, INT64, Detail number.
WORK ORDERS HIST, COMMERCIAL MODALITY 2, COMMERCIAL MODALITY 2, STRING, "The way this part
WORK_ORDERS_HIST, POPIMS_PROCESSED_PART, POPIMS_PROCESSED_PART, STRING, POPIMS part nu
WORK ORDERS HIST, QUANTITY OF ITEMS, QUANTITY OF ITEMS, INT64, Quantity of this specific part base
WORK ORDERS HIST, ALLOCATION UNITY PRICE, ALLOCATION UNITY PRICE, NUMERIC, Price at the Allo
WORK ORDERS HIST, POPIMPS ADVICE, POPIMPS ADVICE, INT64, POPIMS Advice.
WORK_ORDERS_HIST,POPIMS_ADVIDE_SEQUENCE,POPIMS_ADVIDE_SEQUENCE,INT64,POPIMS Advice
WORK_ORDERS_HIST,POPIMPS_INVOICE_NUMBER,POPIMPS_INVOICE_NUMBER,INT64,POPIMS Internal
WORK_ORDERS_HIST,OFFICIAL_INVOICE_NUMBER,OFFICIAL_INVOICE_NUMBER,NUMERIC,Legal Invoice
WORK ORDERS HIST, LEGAL INVOICE SERIES, LEGAL INVOICE SERIES, NUMERIC, Legal Invoice Series.
WORK ORDERS HIST, INVOICE DATE, INVOICE DATE, DATE, Invoice date.
```

WORK\_ORDERS\_HIST,INVOICE\_CANCEL\_DATE,INVOICE\_CANCEL\_DATE,Invoice cancel date.

WORK\_ORDERS\_HIST,BILL\_OF\_LANDING\_DATE,BILL\_OF\_LANDING\_DATE,Bill of Lading date.

WORK ORDERS HIST, WAREHOUSE NAME, WAREHOUSE NAME, STRING, Warehouse name.

WORK ORDERS HIST, UPDATE DATE ITEM, UPDATE DATE ITEM, TIMESTAMP, Update date.

WORK ORDERS HIST, BILL OF LANDING, BILL OF LANDING, INT64, Internal Bill of Landing: For ARG/CHI/PE

WORK\_ORDERS\_HIST, WAREHOUSE\_CODE, WAREHOUSE\_CODE, STRING, "Warehouse Code. Eg: D2, D3, et

WORK\_ORDERS\_HIST, WAREHOUSE\_BUILDING\_CODE, WAREHOUSE\_BUILDING\_CODE, INT64, Building cod

WORK\_ORDERS\_HIST,WINGS\_FINAL\_PRICE,WINGS\_FINAL\_PRICE,NUMERIC,Final price (Multiplying the am WORK\_ORDERS\_HIST,WINGS\_TOTALPRICE\_WORKORDER,WINGS\_TOTALPRICE\_WORKORDER,NUMERICE\_WORKORDER,WORKO

WORK\_ORDERS\_HIST,UPDATE\_USER\_ITEM,UPDATE\_USER\_ITEM,STRING,Update user.

WORK\_ORDERS\_HIST,ITEM\_STATUS,ITEM\_STATUS,STRING,Status description

WORK\_ORDERS\_HIST,ORDER\_STATUS,ORDER\_STATUS,STRING,Status label.

WORK\_ORDERS\_HIST,SEARCH\_CODE,SEARCH\_CODE,STRING,Search code.

WORK\_ORDERS\_HIST,SEARCH\_CODE\_NAME,SEARCH\_CODE\_NAME,STRING,Search code description.

WORK\_ORDERS\_HIST,ROUTE\_CODE,ROUTE\_CODE,STRING,Route Code.

WORK\_ORDERS\_HIST,START\_DATE\_RELEASE,START\_DATE\_RELEASE,DATE,

WORK\_ORDERS\_HIST,CASE\_NUMBER,CASE\_NUMBER,INT64,Case Number.

WORK\_ORDERS\_HIST,PK\_350,PK\_350,INT64,UID (PK) for the table Work Order.

WORK\_ORDERS\_HIST,WIN350\_VALIDFROMCTRL,WIN350\_VALIDFROMCTRL,TIMESTAMP,Data e hora da va WORK\_ORDERS\_HIST,WIN350\_VALIDTOCTRL,WIN350\_VALIDTOCTRL,TIMESTAMP,Data e hora do fim da va WORK\_ORDERS\_HIST,WIN351\_VALIDFROMCTRL,WIN351\_VALIDFROMCTRL,TIMESTAMP,Data e hora da va WORK\_ORDERS\_HIST,WIN351\_VALIDTOCTRL,WIN351\_VALIDTOCTRL,TIMESTAMP,Data e hora do fim da va WORK\_ORDERS\_HIST,WIN352\_VALIDFROMCTRL,WIN352\_VALIDFROMCTRL,TIMESTAMP,Data e hora da va

WORK\_ORDERS\_HIST, WIN352\_VALIDTOCTRL, WIN352\_VALIDTOCTRL, TIMESTAMP, Data e hora do fim da va